

LEGEND

ROOF TYPE R1:


- 2-PLY MODIFIED BITUMEN MEMBRANE
- PROTECTION BOARD
- 4" POLYISO INSULATION
- VAPOUR BARRIER
- EXISTING SLOPED WOOD DECK
- EXISTING CONCRETE DECK

ROOF TYPE R2 & R3:

- 2-PLY MODIFIED BITUMEN MEMBRANE
- PROTECTION BOARD
- EXISTING WOOD DECK

SYMBOLS:

- RD - ROOF DRAIN
- RA - ROOF ANCHOR
- EX - EXHAUST FAN
- VS - VENT STACK



Contractor to verify all dimensions & conditions on site and immediately notify the engineer of all discrepancies.

D	RE-ISSUED FOR TENDER	09.27.2017
C	ISSUED FOR TENDER	11.15.2016
B	ISSUED FOR 99% REVIEW	11.11.2016
A	ISSUED FOR 66% REVIEW	10.28.2016

revisions	description	date
A	A detail no.	
C	B location drawing no.	
	C drawing no.	

project project



**HOPE BUILDING
ROOF
REPLACEMENT**

63 SPARKS STREET, OTTAWA, ON

drawing dessin

**ROOFING
CONSTRUCTION
LAYOUT**

Designed By	Conçu par
J. ARVAI	
Date	(yyyy/mm/dd)
2017/09/12	
Drawn By	Dessiné par
C. WOODCOCK	
Date	(yyyy/mm/dd)
2017/09/12	
Reviewed By	Examiné par
J. CHARMELA	
Date	(yyyy/mm/dd)
2017/09/15	
Approved By	Approuvé par
Date	(yyyy/mm/dd)
Tender	Soumission
Project Manager	Administrateur de projets
Project no.	No. du projet
	R.084273.001
Drawing no.	No. du dessin
	A02



1 ROOF PLAN LAYOUT - CONSTRUCTION
SCALE: N.T.S.

DRAWING NOTES - CONSTRUCTION

- ① REPAIR OR REPLACE DEFECTIVE AREAS OF WOOD DECK AND PROVIDE ROOF R1.
- ② PROVIDE ROOF TYPE R2 & R3.
- ③ PROVIDE PREFINISHED METAL COPING AND FLASHING.
- ④ PROVIDE PREFINISHED METAL COUNTERFLASHING. EXISTING COPPER PANELS TO REMAIN WHERE APPLICABLE.
- ⑤ PROVIDE ROOF DRAIN.
- ⑥ PROVIDE NEW FLANGED COLLARS C/W ACCESSORIES.
- ⑦ REINSTATE EQUIPMENT ON EXISTING WOOD SLEEPERS.
- ⑧ TEMPORARILY REMOVE ELECTRICAL CONDUIT FROM ROOF AND WALL SURFACES FOR ROOFING INSTALLATION (TYPICAL).
- ⑨ RAISE PARAPET HEIGHT TO MINIMUM 205mm (8") ABOVE ROOF SURFACE.
- ⑩ AT EXISTING LOUVER PROVIDE THROUGH-WALL FLASHING AND APPLY SEALANT ALONG PERIMETER. SEE DETAIL 9 ON DRAWING A03.
- ⑪ PROVIDE 24" X 36" ACCESS PANEL TO REPLACE EXISTING PANEL. SEE SPECIFICATIONS FOR DETAILS.
- ⑫ PROVIDE 2-PLY MODIFIED BITUMEN MEMBRANE OVER PROTECTION BOARD.

