



FILE: P:\PROJECTS\2131-EDMONTON\2131-00289-01 ELN2 VISITOR CENTRE REHABILITATION\10.3 ENGINEERING\10.3.3 REFERENCE\X-00289-TBK.DWG PLOTTED: ----



1 CONSTRUCTION PLAN
A1.02 SCALE: 1 : 50



2 BULKHEAD PLAN
A1.02 SCALE: 1 : 50

Construction Plan - Code Legend	
1	PROVIDE 305mm X 305mm PORCELAIN TILE AND 100mm HIGH TILE BASE.
2	PROVIDE 16mm TYPE 'X' GYPSUM BOARD ON EXISTING FRAME.
3	PROVIDE NEW WOOD FRAME ABOVE EXISTING MECHANICAL ROOM PARTITION TO U/S OF WOOD DECK.
4	BOTTLE FILLING STATION. PROVIDE SEPARATE PIPE CHASE.
5	1200mm X 1200mm CONCRETE STOOP.
6	NOT USED
7	NOT USED
8	AUTO DOOR OPERATOR.
9	OWNER SUPPLIED TV.
10	PROVIDE 16mm TYPE 'X' GYPSUM BOARD TO EXISTING WALL AND CEILING FRAMES IN MECHANICAL ROOM.
11	PROVIDE FRP WHITE EMBOSSED WALL FINISH TO 2150mm HIGH IN MECHANICAL ROOM.

Construction Plan - General Notes	
1.	WALL ASSEMBLIES SHALL BE CONSTRUCTED IN SEQUENCE AS WRITTEN INITIATED FROM THE SIDE ON WHICH WALL TAG IS LOCATED.
2.	PARTITIONS WHICH ARE FIRE SEPARATIONS SHALL EXTEND TO U/S OF WOOD DECK OR 100mm ABOVE FIRE RATED CEILING ASSEMBLY AND ARE TO FORM A SMOKE TIGHT JOINT AT TERMINATION. PROVIDE DEFLECTION JOINT.
3.	AT ALL FIRE SEPARATIONS ANY PENETRATIONS OR OPENINGS MUST BE SEALED WITH APPROVED FIRE STOPPING MATERIAL. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THE INTEGRITY OF THE FIRE RATED ASSEMBLY IS MAINTAINED.
4.	PROVIDE ADEQUATE IN WALL BLOCKING SUPPORT AT ALL WALL MOUNTED EQUIPMENT. (I.E. FIXTURE LOCATIONS, HANDRAILS & MILLWORK)
5.	PATCH AND REPAIR AREAS DAMAGED BY DEMOLITION.

NOT FOR CONSTRUCTION

#	#	#	#	#	
3	2018.02.21	ISSUED FOR ADDENDUM	JU	LB	
2	2017.10.30	ISSUED FOR TENDER	JU	LB	
1	2017.08.02	ISSUED FOR 90% CLIENT REVIEW	JU	LB	
0	2017.07.25	ISSUED FOR 50% CLIENT REVIEW	JU	LB	
Rev.	Date	Description	Drawn Dessiné	Designed Conçu	Approved Approuvé

Consultant's Stamp Sceau de l'expert-conseil	Eng. Stamp Sceau de l'ingénieur
---	------------------------------------

Client	Parks Canada Agency Western and Northern Region L'Agence Parcs Canada Ouest et Nord Région
--------	--

Consultant's Name Nom de l'expert-conseil	S2 architecture 2nd Floor, 10635 - 124 Street NW Edmonton, AB, Canada T5M 0H4 7.780.784.7100 www.s2architecture.com
--	--

Project Title Titre du projet	ELK ISLAND VISITOR CENTRE REHABILITATION FORT SASKATCHEWAN ELK ISLAND NATIONAL PARK, AB
----------------------------------	---

Drawing Title Titre du dessin	CONSTRUCTION PLAN
----------------------------------	----------------------

Surveyed by / Arpenté par	Drawn by / Dessiné par	Date
Designed by / Conçu par	Reviewed by / Révisé par	Scale / Échelle
Parks Canada Project Manager / Administrateur de Projets Parcs Canada		
MARK MCINTYRE		
Client Acceptance / Acceptation du client	Approved by / Approuvé par	
Project No. / No. du projet	Asset No. / No. du-bien	Sheet No. / No. de la feuille
2131-00299	####	A1.02
Drawing Reference No. / No. de référence du dessin		####