



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Bid Receiving - PWGSC / Réception des soumissions
– TPSGC**

11 Laurier St. / 11, rue Laurier

Place du Portage , Phase III

Core 0B2 / Noyau 0B2

Gatineau

Quebec

K1A 0S5

Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT

MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

**Marine Chartering Services Directorate/Direction des
services d'affrètements maritime**

11 Laurier St./ 11, rue Laurier

Place du Portage, Phase III, 6C2

Gatineau

Quebec

K1A 0S5

Title - Sujet Emergency Towing Vessels	
Solicitation No. - N° de l'invitation F7017-160056/C	Amendment No. - N° modif. 009
Client Reference No. - N° de référence du client F7017-160056	Date 2018-03-26
GETS Reference No. - N° de référence de SEAG PW-\$\$MB-003-26699	
File No. - N° de dossier 003mb.F7017-160056	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-04-05	
Time Zone Fuseau horaire Eastern Standard Time EST	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Aubin, Marc A.	Buyer Id - Id de l'acheteur 003mb
Telephone No. - N° de téléphone (819) 420-5452 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

This Amendment number 009 is raised to (1) make modifications to the Request for Proposal (RFP) and (2) answer questions from the industry as follows:

Modifications to the RFP

Modification #51 – RR-27 only of Attachment 4.1 (Rated Requirements) are deleted in its entirety and replaced with the following:

RATED REQUIREMENTS					
			BIDDER'S RESPONSE		
CRITERIA #	POINT RATED REQUIREMENTS	MAX POINTS	ASSESSMENT METHODOLOGY	EVALUATION CRITERIA	DEMONSTRATED EXPERIENCE (BIDDER TO INSERT DATA)
RR-27 VESSEL 1	The Bidder should provide a preliminary Mobilization Plan describing the work required to mobilize the ETV from its initial condition to meet the Baseline Requirements of the vessel and the functional requirements.	20 PTS	The preliminary Mobilization Plan, submitted at bid closing should address the following elements as a minimum: a. Description of work to be completed for mobilization; b. Proposed schedule of work;	5 PTS = The Bidder submitted a preliminary Mobilization Plan that addresses 1 of the required elements. 10 PTS = The Bidder submitted a preliminary Mobilization Plan that addresses 2 to 3 of the required elements.	

			c. Estimated level of effort in work hours; and d. Description of how schedule could be accelerated.	15 PTS = The Bidder submitted a preliminary Mobilization Plan that addresses all the required elements. 20 PTS = The Bidder submitted a preliminary Mobilization Plan that addresses all required elements as well as included other applicable and pertinent information.		
RR-27 VESSEL 2	The Bidder should provide a preliminary Mobilization Plan describing the work required to mobilize the ETV from its initial condition to meet the Baseline Requirements of the vessel and the functional requirements.	20 PTS	The preliminary Mobilization Plan, submitted at bid closing should address the following elements as a minimum: a. Description of work to be completed for mobilization; b. Proposed schedule of work; c. Estimated level of effort in work hours; and d. Description of how schedule could be accelerated.	5 PTS = The Bidder submitted a preliminary Mobilization Plan that addresses 1 of the required elements. 10 PTS = The Bidder submitted a preliminary Mobilization Plan that addresses 2 to 3 of the required elements. 15 PTS = The Bidder submitted a preliminary Mobilization Plan that addresses all the required elements. 20 PTS = The Bidder submitted a preliminary Mobilization Plan that addresses all required elements as well as included other applicable and pertinent information.		

Modification #52 – Article 7.20 (g) (ii) only of the RFP is deleted in its entirety and replaced with the following:

(ii) **Critical Key Performance Indicators (KPIs):**

- (A) The following critical Key Performance Indicators (KPIs) are deemed critical and carry credits as defined in the following clauses for failure to achieve the critical KPI (Critical KPI Failure). The critical KPIs are defined in more detail in Annex A.

No.	Critical KPIs
1	<u>Availability:</u> a) Each vessel must be operational and available for tasking 98% of the time outside of scheduled maintenance periods and outside the maximum 15 days per incident included under Article 7.35 (a). Each vessel must meet all mandatory baseline requirements to be considered operationally available. b) Notwithstanding a) above, once both vessels are accepted, the Contractor must have one vessel operational and available at all time. a) and b) above will be measured on a yearly basis.
2	<u>Readiness</u> The vessels must respond to all taskings within 30 minutes, 99% of the time. Response includes acknowledgement and vessel is underway to tasking area of operation. Readiness will be measured on a yearly basis.

- (B) **Payment Credit Calculations:** This section identifies the payment credits applicable for the Contractor's failure to meet the KPI performance for the above-mentioned critical KPIs.

When any Critical KPI is not met a Payment Credit of 10% against the ETV monthly price paid by Canada for the ETV Services will apply. The Payment Credit will be applied by reducing the ETV monthly price on the next 6 payments following the yearly assessment on Contractors performance of the Critical KPIs.

- (C) **Breach of Contract for Critical KPI Failures:** Should the Contractor miss the same Critical KPI more than three times in any yearly rolling period then the Contractor will be considered to be in breach and Canada may choose to terminate the contract. The termination will be effective at the end of the Wind-down Period, as specified in the termination notice.

Modification #53 – Annex A section 2.4.3 only is deleted in its entirety and replaced with the following:

2.4.3 Government Furnished Equipment

- a. The Contractor must accommodate the following Government Furnished Equipment (GFE):
- b. Search and Rescue equipment as defined by Coast Guard Fleet Order (CGFO) 207 (provided herein as Addendum 2 to Appendix A to Annex A) that the ETV does not have on board pre-mobilisation.
- c. Pharmaceutical equipment as defined by Coast Guard Fleet Order 4000.00.07 (provided herein as Addendum 4 to Appendix A to Annex A) under scale of issues B.
- d. Environmental Response equipment to be defined. CCG will identify specific equipment at the Project Initiation meeting. For planning purposes, the Contractor must allow space for a twenty foot ISO container that ensures ready access to the equipment therein for immediate operational use.

Modification #54 – Appendix A to Annex A Section 2 h) only is deleted in its entirety and replaced with the following:

- h) The Contractor's vessels must be in possession of a valid Towing Vessel Approvability Certificate for a minimum rating of Unrestricted Towages (U) and entry into the Towing Vessel Approvability Scheme (TVAS) database as administered by GL Noble Denton. The certificate must remain in force during the term of the Time Charter;

Modification #55 – Addendum 4 to Appendix A to Annex A is being added and is included as an attachment to this solicitation amendment 009 (see attached hereto).

Modification #56 – Appendix A to Annex A section 2 a) only is deleted in its entirety and replaced with the following:

- a) The Contractor's vessels must be certificated, operated, manned and maintained in accordance with the requirements of Canadian Flag State with a SOLAS, Unlimited Voyage certification during the Time Charter period and subject to annual verification by CCG. Bidders should consult Transport Canada's publication "Acceptance of an Alternative Regulatory Regime for Inspection, Construction and Safety Equipment", TP 13585 E concerning the specific regulatory requirements that must be met to certify the vessel to operate in Canada;

Modification #57 – Appendix B to Annex A section 6.1 only is deleted in its entirety and replaced with the following:

6.1 Key Performance Indicators

The Contractor must meet the following Key Performance Indicators (KPI):

- a) Each vessel must be operational and available for tasking 98% of the time outside of scheduled maintenance periods. Each vessel must meet all mandatory baseline requirements to be considered operationally available.
- b) Notwithstanding a) above, once both vessels are accepted, the Contractor must have one vessel operational and available at all times.
- c) The vessels must respond to all taskings within 30 minutes 99% of the time. Response includes acknowledgement and vessel is underway to tasking area of operation.

All three indicators will be measured on a yearly basis.

Modification #58 – Appendix D to Annex A (Data Item Deliverable (DID)) DID M-005 (Project Progress Reports) only is deleted in its entirety and replaced with the following:

DID M-005 Project Progress Reports

1. PURPOSE of DID:

The purpose of this DID is to indicate the progress of the work completed, including accomplishments and areas of concern, which must be supported with a written explanation for each item.

ATTACHMENT and APPLICABLE REFERENCES:

Attachments: N/A

References: DID M-001 Project Management Plan

DID M-002 Master Project Schedule

DID M-003 Issue and Risk Management Plan/Issue and Risk Register

DID M-004 Communications Plan

2. PREPARATION INSTRUCTIONS:

Format:

The Project Progress Reports must be prepared in the Contractor's template and must be accepted by the Technical Authority.

The Project Progress Reports must be provided in a searchable PDF format for all versions prior to the final version. The final version of the Project Progress Reports must be provided in both Microsoft Word and PDF files.

Requirements:

The Progress Reports must include the following items, as a minimum:

- a. A written description and assessment of the activities undertaken, during the reporting period, including:
 - i. vessel towing taskings;
 - ii. vessel program taskings; and
 - iii. update to the Maintenance Plan.
- b. Vessel crew status, indicating any crew changes and confirmation of required qualifications/certifications;
- c. A written description of the Skills and Knowledge Transfer activities:
 - i. proposed training; and
 - ii. completed training.
- d. An updated Master Project Schedule including:
 - i. project activity and milestone accomplishments;
 - ii. any significant changes or delays to the schedule; and
 - iii. areas of concern.
- e. All action items and their status arising from previous project review meetings;
- f. A Risk Register showing updated risk status and mitigation plans;
- g. A written review of the stated key performance indicators.

- i. Vessel operability and availability for tasking at 98% of the time outside of scheduled maintenance periods;
- ii. One vessel operational and available at all times once both vessels are delivered;
- iii. Vessel response to all taskings within 30 minutes 99% of the time
- h. All scheduled skills and knowledge transfer events;
- i. An update on progress with respect to their Aboriginal Participation Component commitment; and
- j. All other elements as requested by Canada

Directions:

Within 1 month after Contract Award

The Contractor must submit a Project Progress Report which contains all the above elements within 1 month of contract award in a proposed template which must be accepted by the Technical Authority.

Monthly

The Contractor must submit on a recurring monthly basis a Project Progress Report, in the template accepted by the Technical Authority, including all above elements reflecting the monthly period since the last day covered in the preceding Project Progress Report.

Yearly

The Contractor must submit proof of ongoing valid certifications as per Section 2 Mandatory Vessel and Crew Requirements and an ongoing Safety Management Program.

3. DELIVERABLES:

Within 1 month after Contract Award

One electronic copy of the Contractor's Project Progress Report in PDF and one electronic copy in Word are to be provided to the Technical Authority for review and acceptance.

Monthly

One electronic copy of the Contractor's Project Progress Report in PDF and one electronic copy in Word are to be provided to the Technical Authority for review and acceptance on a monthly basis.

Yearly

One electronic copy of the Contractor's Project Progress Report in PDF and one electronic copy in Word are to be provided to the Technical Authority for review and acceptance on a quarterly basis.

Modification #59 – Appendix D to Annex A (Data Item Deliverable (DID)) DID I-002 (Classroom Familiarization Plan) only is deleted in its entirety and replaced with the following:

DID I-002 In-Classroom Familiarization Plan

1. PURPOSE of DID:

The purpose of this DID is to identify the requirements for the In-Classroom Familiarization Plan to the Contractor.

2. ATTACHMENT and APPLICABLE REFERENCES:

Attachments: N/A

References: DID I-001 Skills and Knowledge Transfer Plan

3. PREPARATION INSTRUCTIONS:

Format:

The In-Classroom Familiarization Plan must be prepared in the Contractor's template and must be accepted by the Technical Authority.

The In-Classroom Familiarization Plan and associated training materials must be provided in a searchable PDF format for all versions prior to the final version. The final version must be provided in both MS Word and PDF files.

Where applicable, slides must be provided in MS PowerPoint.

Requirements:

The In-Classroom Familiarization Plan must define and describe in detail all aspects of how the Contractor intends to provide CCG staff personnel with large vessel towing best practices, procedures, familiarization and education, in an instructor-led classroom setting.

The **In-Classroom familiarization** must include, at a minimum, these elements:

- a) Presentation and familiarization of the large vessel towing equipment (kits);

- b) Competency descriptions for skills, knowledge and attitudes specific to large vessel towing and salvage operations;
- c) Scenarios and case studies that identify risks in large vessel towing operations; and
- d) Steps and procedures including but not limited to, scene assessment, communications, commands and signals, equipment set-up, line gun, messenger lines, hook-up, towing ops, towing safety, towing emergencies, ship handling, tow line transfer etc.

Students may include officers and crew members from each CCG region as well as designated GOC personnel. In-Classroom Familiarization will be provided in all three regions in coordination with the Technical Authority. The classroom component must be delivered in French or English as determined by the Technical Authority, and at facilities designated by the Technical Authority. The Contractor must deliver one course per CCG region per quarter with a maximum of 12 students per course. CCG anticipate that the in class-familiarization should take in the order of 2 days. Canada reserves the right to cancel training sessions with 15 calendar days' notice.

Directions:

Within 3 months after Contract Award

The In-Classroom Familiarization Plan submitted at 3 months after contract award must describe in detail how In-Classroom Familiarization will be executed, and must include all the curriculum, lesson plans, training objectives and all training material for the instructor and the students.

The Contractor must also provide the Technical Authority with a written release and any other licence or authorization necessary to enable Canada to update, refine, translate, reproduce and use the Contractor provided training material so that Canada may conduct its own initial and recurrent training at the CCG College.

4. DELIVERABLES:

Within 3 months after Contract Award

One electronic copy of the Contractor's In-Classroom Familiarization Plan in PDF and one electronic copy in Word are to be provided to the Technical Authority.

Questions and Answers

Question # 128

Regarding mandatory requirement MR 4, provision of the required certification with the proposal requires a Bidder to incur significant expenses prior to having an understanding if it is the selected Bidder or face a choice of not providing a submission at all as it is a mandatory requirement. Would the Crown accept a statement of compliance at bid submission (similar to requirements MR 5 through MR 9) and provide the certificate upon mobilisation or even, alternatively, upon vessel confirmation during evaluation?

Answer to question # 128

The "Unrestricted" (U) notation is a key requirement and must be demonstrated as described in evaluation criterion MR 4. Please also see modification #54 to this solicitation amendment 009.

Question # 129

Under 7.12 Employment and Area of Operation, Section (c) The Vessels' space, item (iii) states " Explosives, dangerous goods, and toxic and noxious substances whether in bulk or packaged, provided proper notification has been given and such cargo is marked and packed in accordance with the national regulations of each vessel and the International Maritime Dangerous Goods Code and other applicable regulations. Please confirm to what extent, if any "Explosives" in bulk are to be carried?

Answer to question # 129

Canada confirms that "explosives" in bulk will not be carried on board the vessels.

Question # 130

Under 7.12 Employment and Area of Operation, Section (c) The Vessels' space, item (iii) states " Explosives, dangerous goods, and toxic and noxious substances whether in bulk or packaged, provided proper notification has been given and such cargo is marked and packed in accordance with the national regulations of each vessel and the International Maritime Dangerous Goods Code and other applicable regulations.

Please confirm which national regulations would apply to the carriage of Explosives in bulk, if applicable?

Answer to question # 130

Canada confirms that this is not applicable.

Question # 131

Under Section 2 Appendix A to Annex A it states:

2 MANDATORY VESSEL AND CREW REQUIREMENTS

a) The Contractor's vessels must be certificated, operated, manned and maintained in accordance with the requirements of Canadian Flag State and the Canadian Supplement to the SOLAS Convention - TP 15211 E (2012) with a SOLAS, Unlimited Voyage certification during the Time Charter period and subject to annual verification by CCG;"

It is our understanding that TP 15211 E (2012) is no longer accepted when converting foreign flag vessels to Canadian Flag. Is it your intention to provide an exemption to current regulations and allow the use of TP 15211 E (2012)?

Answer to question # 131

Please see modification #56 to this solicitation amendment 009.

Question # 132

MR 14 – Do you require the entire vessel stability book for each ETV be included in the submission, or will a table of contents and relevant sections directly referenced in the submission suffice? (Note: One vessel stability book over 500+ pages)

Answer to question # 132

The table of contents and relevant sections directly referenced in the submission will be acceptable.

Question # 133

RR-27 – a & b refer to technical questions and c & d refer to financial pricing. Should we be separating these into the technical and financial sections of the submission or are you expecting a, b, c & d to be included in the technical section only?

Answer to question # 133

As described in Article 3.1 (b) Price must appear in the financial bid only, as such RR-27 will be amendment through modification #51 of this solicitation amendment 009.

Question # 134

MR 4 Following request regarding bidders be allowed to obtain Towing Vessel Approvability approvals / Certification at the time of mobilization. MR 4 seems to conflict with Appendix A to Annex A (#2h) in that MR 4 implies the vessel must already have this certification while Appendix A to Annex A (#2h) simply says prior to delivery. Please clarify.

Answer to question # 134

Please see modification #54 to this solicitation amendment 009.

Question # 135

As per Part 3 - Bid Preparation Instructions, Section 3.1 (d), surrounding Canada's Policy on Green Procurement, can the Client confirm that if the Bidder's proposal has printed in colour or uses cerlox / dutoang binders / 3-ring binders, etc. that the Bidder's proposal will not be declared non-responsive.

Answer to question # 135

With regards to Canada's Policy on Green Procurement (as described in Article 3.1 (d)) a bid will not be declare non-responsive if it deviates from Canada's internal policy.

Question # 136

As per Part 3 - Bid Preparation Instructions, Section 3.1 (B), it states "***Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid".

For one example, in RR-27, the evaluation criteria asks for "c) Cost estimate for mobilization work...", whereas this response would be found in the Technical Section of the Bidder's bid response.

Can the Client please clarify overall if prices or dollar amounts are allowed in other parts of the bid, and specifically if dollars amounts are allowed in Mobilization Plans and its Rated Requirement responses? Should the "cost estimates" for this be placed in the Financial bid, referenced to that location in the Mobilization Plan?

Answer to question # 136

As described in Article 3.1 (b) price must appear in the financial bid only, as such RR-27 will be amendment through modification #51 of this solicitation amendment 009.

Question # 137

As per Part 3 - Bid Preparation Instructions, Section 3.1 (c), can the Bidder print, and have digital copies of, the paper size larger than 8.5" x 11" at times in that it is helpful to Canada for evaluation purposes i.e. Project Gantt Chart, Vessel paper log files, Organization chart, etc..

Answer to question # 137

Yes, this is acceptable to Canada.

Question # 138

If a bidder proposes an alternate validity period, to be something less than 225 days but greater than 0 days from the closing date of the bid solicitation, will the bid be considered non-compliant and be excluded from the review process and any further consideration? Does Canada reserve the right to seek a further extension of the bid, subject to providing bidders a minimum of 3 days notice before the end of the bid validity period?

Answer to question # 138

A bid will be declared non-responsive if the bid validity period is less than 225 days. Furthermore, as per standard instruction 2003, Canada also reserves the right to seek an extension of the bid validity period from all responsive bidders in writing, within a minimum of 3 days before the end of the bid validity period.

ALL OTHER TERMS AND CONDITIONS OF THE RFP REMAIN UNCHANGED

Addendum 4 to Appendix A to Annex A



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne



Original May 2004

Revised February 2012

CGFLS 400.00.07

PHARMACEUTICALS, MEDICAL SUPPLIES AND RELATED ITEMS

Table of Contents

1	PURPOSE	3
2	RESCUE SPECIALIST	3
3	HEALTH OFFICER	3
4	SCALES OF ACQUISITION	3
5	PROCUREMENT	4
5.1	Sources of Supply	4
5.2	Requisitioning Action – General	5
5.3	Requisitioning Action – Controlled Substances (narcotics and controlled drugs)	5
6	RECORD KEEPING	6
7	CUSTODY, CONTROL AND ADMINISTRATION OF CONTROLLED SUBSTANCES	6
8	REPORTING LOSS OF CONTROLLED SUBSTANCES	7
9	PROCEDURES FOR THE DESTRUCTION OF CONTROLLED SUBSTANCES	7
10	CUSTODY, CONTROL AND ADMINISTRATION OF PRESCRIPTION DRUGS, NON PRESCRIPTION DRUGS, MEDICAL SUPPLIES AND RELATED ITEMS	8
11	FIRST AID ATTENDANT'S TREATMENT BOOK	9
12	REQUEST FOR MEDICAL ASSISTANCE	9
13	FIRST AID TRAINING	10
14	PUBLICATIONS – MANUALS AND INSTRUCTIONAL MATERIAL	10
15	ENQUIRIES	10



Canada

ANNEX A	SCALE OF ACQUISITIONS..... A-1
Appendix 1	Medical Kit Emergency Resuscitation No. 1..... A-Error! Bookmark not defined.
Appendix 2	Medical Kit Emergency Resuscitation No. 2..... A-Error! Bookmark not defined.
Appendix 3	First Aid Kit General Purpose – Type A..... A-Error! Bookmark not defined.
Appendix 4	First Aid Kit General Purpose – Type B..... A-Error! Bookmark not defined.
ANNEX B	CONTROLLED SUBSTANCES REGISTER..... B-1
ANNEX C	OFFICE OF CONTROLLED SUBSTANCES..... C-1
ANNEX D	PLAIN LANGUAGE RADIO COMMUNICATION..... D-1
ANNEX E	PEP DRUG REQUISITION FORM E-1

1 PURPOSE

The purpose of this Standard is to ensure that appropriate acquisition, custody, control, administering and accounting procedures are followed on board CCG ships for pharmaceuticals, medical supplies and related items. The purpose of this Standard is also to ensure that related roles and responsibilities are clearly defined.

2 RESCUE SPECIALIST

Jumping kits (refer to Annex I CGFO 207.00) will be available on all CCG vessels that carry Rescue Specialist. The Items contained in these kits are required beyond those identified in this standard. Unrestricted access shall be given to the Rescue Specialist for occasions when they are called out on an emergency rescue operation. This will ensure that the ship has the necessary equipment on board to meet internal emergency at all times.

3 HEALTH OFFICER

The Canadian Coast Guard has a periodic requirement for Health Officers to serve aboard its ships. While assigned to a CCG ship, the Health Officer is accountable to the Commanding Officer (as the employer's representative) for circumstances such as discipline, harassment, injury on duty, conditions of work, etc. Professional and functional directions such as nursing procedures, confidentiality issues, scope of practice issues, etc., remain the responsibility of the National Coordinator for the Health Officers Program.

Canadian Coast Guard has accepted Health Canada - First Nations and Inuit Health Branch, Clinical Practice Guidelines for Nurses in Primary Care, as DFO - Canadian Coast Guard Guidelines, for their Health Officers providing primary care aboard departmental vessels. (Internet reference: <http://www.hc-sc.gc.ca/fniah-spnia/services/nurs-infirm/clin/adult/index-eng.php>)

This will establish the standards of practice for Health Officers and assure them coverage under Treasury Board Policy on Legal Assistance and Indemnification (Internet reference: <http://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=13937>)

4 SCALES OF ACQUISITION

The Scales of Acquisition, detailed in Annex A of this Standard, have been approved by PraxES Emergency Specialists and are applicable to all CCG ships.

The Scales of Acquisition have been developed to determine the maximum quantities of pharmaceuticals, medical supplies and related items that can be carried aboard CCG ships, as well as their application. When a quantity indicates 1 as stock keeping unit, i.e. 1 BT, this quantity also represents the minimum stock keeping unit to be carried. Following partial use of this stock keeping unit, it may not be necessary to immediately replenish, taking into account the size and remaining content of the stock keeping unit (i.e. bottle of 100 tablets), as well as its shelf-life and delivery time. In the case of a stock keeping unit greater than 1, i.e. 6 tubes of ointment, it may not be necessary to carry the maximum quantity at all times.

Attention

However, all stock keeping units must be replenished to their maximum level prior to the departure of a ship for a long voyage, i.e. Arctic voyages.

The items contained in the Scales of Acquisition have been arranged in groups in relation to the nature of illness and include both stocked and non stocked items.

To ensure that adequate supplies of pharmaceuticals, medical supplies and related items are made available to meet the total needs of the CCG Fleet, the Scales of Acquisition have been divided as follows:

Scale of Acquisition A—Ships carrying a Health Officer.

Scale of Acquisition B—Ships with a complement of 10 persons or more, not carrying a Health Officer.

Scale of Acquisition C—Ships with a complement of 9 persons or less.

Items contained in the Scales of Acquisition are provided for the exclusive use of members of the ship's complement and official passengers, usually when the ship is at sea. Off the shelf pharmaceuticals, medical supplies and related items shall not be administered for non-urgent medical purposes or when the ship is tied up at a wharf and in vicinity of a pharmacy.

Items contained in the Scales of Acquisition may also be used during emergency and rescue situations.

All ships routinely engaged in operations which require to land shore work parties shall carry one Type B Field Party Intermediate First-Aid Kit and one Pocket First-Aid Kit in accordance with the *Canada Labour Code*.

All ships with a complement of 10 or more shall carry one First-Aid Kit, General Purpose, Type B, as listed in the Scales of Acquisition. This kit will be placed in a conspicuous place on board the ship, where possible, away from the ship's first aid station or health unit and identified by prominent signs. This will ensure the ship has the necessary equipment on board to meet an internal emergency if the first aid station health unit is not accessible.

A portable emergency resuscitation kit, item # 245, has been included in the Scales of Acquisition to provide mobile emergency treatment capability. To ensure that this capability is maintained, it is essential that the contents of the kit be in a serviceable state and fully stocked at all times. This kit shall be used only by personnel who have taken an approved course on the administration of oxygen. This kit should be secured, where possible, in the dispensary and shall be clearly marked **"For use by trained personnel only"**.

Nothing should be added to the Scales of Acquisition without the authorization of PraxES Emergency Specialists Inc.. The Scales of Acquisition are adequate to meet all contingencies; therefore, over the counter and patent medicines shall not be purchased. Local purchases should be limited to the non-stocked items only. However, if the Scales of Acquisition become inadequate to meet all requirements, due to an extended voyage or a significant increase in the number of personnel on board, the Director, Operational Services, in consultation with PraxES Emergency Specialists Inc., may determine the types and quantities of medications required in excess of the normal entitlements.

5 PROCUREMENT

5.1 Sources of Supply

The pharmaceuticals, medical supplies and related items, listed in the Scales of Acquisition, are available from the following sources of supply:

Stocked Items – Form DSS 10462:

Pharmacist in Charge
Health Canada Drug Distribution Center
12745, 149th Street
Edmonton (Alberta) T5L 4M9
Tel. : (780) 495-2200
Fax : (780) 495-5311
Email: ddc_orders@hc-sc.gc.ca

Non-Stocked Items – Form DSS 9200:

The Drug Distribution Centre in Edmonton will no longer issue copies of the Pharmaceutical, Medical Supplies and Related Items Catalogue to Canadian Coast Guard. Please indicate the approximate cost per unit of issue, on the requisition form, as reflected in the CGFLS 400.00.07 and the cost will be adjusted as required by the Drug Distribution Centre when processed.

5.2 Requisitioning Action – General

All requisitions must clearly identify, for each item, the size of ampules/bottles and dosages for drugs within the description block of the requisition. Then, the requisitions, after being verified and signed by the Commanding Officer or the Supply/Logistics Officer, where borne by complement, will be directly sent to the Drug Distribution Center in Edmonton, if these requisitions do not contain controlled substances. On short notice, they can be faxed or scanned and emailed.

Incorrectly completed requisitions will invariably delay delivery and could be returned to the originator for corrective action. To avoid unnecessary delays, it is essential that the requisitioning instructions for stocked and non-stocked items be strictly observed.

There may be situations when pharmaceuticals and medical supplies received from the Drug Distribution Center should be returned. Before returning any items, prior authorization must be obtained from the Pharmacist in Charge, verbally or in writing.

To avoid the possibility of receiving drugs with a shelf life that may expire during an extended voyage, the required shelf life date should be typed in Block 26 on form DSS 10462 and in the description block of form DSS 9200.

Attention

All pharmaceuticals and medical supplies that are required to bring the inventory to scale **A** level shall be ordered at least six weeks prior to the ship's departure, by the Supply/Logistics Officer, when borne by complement, or by the Commanding Officer. These items shall be properly checked, accounted for and stored in the sick bay before the arrival of the Health Officer aboard the ship.

5.3 Requisitioning Action – Controlled Substances (narcotics and controlled drugs)

For requisitioning purposes, these substances have been identified by the letter **C** in the code column of the Scales of Acquisition. Separate requisitions shall be used for controlled substances.

All requisitions for controlled substances shall be signed by the Commanding Officer of the ship and referred to the Regional Supervisor Logistics, who will forward all requisitions (hard copy originals) for Controlled Substances (Narcotics and Controlled Drugs) to the following address, for authorization:

Modified
March 2012

PRAXES Emergency Specialists Inc.
6030 Almon St
Halifax, Nova Scotia
Canada
B3K 1T8

Requisitions not bearing the Commanding Officer's signature will be returned.

In accordance with CGFLS 400.00.07 Regional Logistics Supervisors may fax **urgent requests only**, to PraxES at (902) 420-9987; however, hard copy originals must follow the fax. In order to comply with the *Narcotics and Controlled Substance Act*, PraxES will forward original requisition to the Drug Distribution Centre in Edmonton.

If a controlled substance is missing from a shipment coming from the Drug Distribution Center in Edmonton, or is received broken, it should be reported immediately to the Pharmacist in Charge. Broken controlled substances should be quarantined, pending receipt of authorization for destruction from the Compliance, Monitoring and Liaison Division, Office of Controlled Substances, Drug Strategy and Controlled Substances Program, Health Canada.

Copies of all outstanding requisitions and receipts vouchers shall be held on file, in the ship's office, by the Logistics/Supply Officer, when borne by complement, or otherwise by another member of the ship's complement designated by the Commanding Officer.

6 RECORD KEEPING

All pharmaceuticals, medical supplies and related items are to be recorded, upon receipt, in an inventory management system. A separate register shall be maintained for the controlled substances, as indicated below.

7 CUSTODY, CONTROL AND ADMINISTRATION OF CONTROLLED SUBSTANCES

Controlled substances shall be kept under double lock and key, or preferably in a safe.

The *Controlled Drugs and Substances Act* and the *Food and Drug Act* require that a register be maintained to record all controlled substances received and administered. The records of receipt and administered controlled substances shall be held on board for five years, after the last entry. A copy of the register form can be found in Annex B of this Standard. This form will be photocopied, or reproduced electronically, on an as required basis. The copies will be placed in a folder to be named *The Narcotics and Controlled Drug Register*, hereafter called the register.

Controlled substances and related records, are subject to inspection and audit by Health Canada, and shall be made available, upon request, to an auditor designated by Health Canada.

Controlled substances are under the control of the ship's Commanding Officer and shall be administered upon the advice, either obtained aboard or via radio communications, from a licensed medical practitioner. The name, address and license number of the medical practitioner shall be recorded in the register, next to the Commanding Officer's and a witness' signatures. The name of the patient shall also be recorded in the register, accompanied by his signature, if he is in condition to sign.

The Commanding Officer should delegate the custody, control and administration of controlled substances to the Health Officer, when borne by complement. Under urgent circumstances, the Health Officer can administer controlled substances without medical advice from a physician. Under normal circumstances, the Health Officer should consult with a physician, via radio communications, before administering controlled substances. The practice will be as per the current ship's nurse *Scope of Practice and Clinical Guidelines* document.

Attention

On return of a ship from a mission that required the hiring of a Health Officer, the controlled substances that are in excess of the Scale of Acquisition **B** shall be kept aboard, under the custody of the Commanding Officer. These controlled substances shall be removed from the ship only if it is determined that the latter will not be assigned, either immediately or ever, to another mission requiring the hiring of a Health Officer. These controlled substances will be handed over to the Regional Logistics Supervisor who will either have them secured, transferred or destroyed, depending on which action is most appropriate.

8 REPORTING LOSS OF CONTROLLED SUBSTANCES

The Commanding Officer shall report, in writing, the loss, or suspected theft of controlled substances to the Office of Controlled Substances of Health Canada (see Annex C), within 10 days of the discovery thereof, in accordance with the *Controlled Drugs and Substances Act* and the *Food and Drug Act*. In such cases, a record entry shall be made in the register along with proper document references for future follow-up.

When operating in isolated areas, the Commanding Officer shall report, in writing, the loss, theft or suspected theft of controlled substances to the local RCMP detachment. A copy of this report shall be forwarded to the Office of Controlled Substances of Health Canada, as soon as circumstances permit. In such cases, a record entry shall be made in the register, along with proper document references for future follow-up.

9 PROCEDURES FOR THE DESTRUCTION OF CONTROLLED SUBSTANCES

When the controlled substances are contaminated or become expired, the Commanding Officer shall ask the authorization for destruction to the Office of Controlled Substances of Health Canada (see Annex C). The Commanding Officer shall prepare a list of the drugs to be destroyed including the name, strength, dosage form and quantity. The Commanding Officer should always keep a copy of that list.

N.B.: It may take weeks before getting the authorization.

When the Commanding Officer receives the authorization, he must, within 60 days, destroy the controlled substances in the presence of a witness. The destroyed drugs must be written off in the register with two signatures to testify the destruction. The list as well as the authorization shall be kept with the register.

Controlled substances shall be destroyed using the following procedure:

Arrangements shall be made with a local pharmacy, or firm authorized to destroy chemicals, for the disposal and destruction of the controlled substances. The pharmacy or firm must provide the ship, or the Coast Guard representative, a certificate attesting to the receipt or final destruction. This certificate is to be kept with the register and other related documentation.

Alternately, should the preferred method not be practical, controlled substances can also be destroyed using a ship's incinerator, in the presence of witnesses. The destroyed drugs must then be written-off in the register with two signatures to testify destruction, as stated earlier.

The CCG is ultimately responsible for the destruction of its controlled substances and must ensure that the contracted out firm follows destruction procedures that protect both the environment and public health. The CCG may want to assess the firm's destruction procedures before issuing any contract.

10 CUSTODY, CONTROL AND ADMINISTRATION OF PRESCRIPTION DRUGS, NON PRESCRIPTION DRUGS, MEDICAL SUPPLIES AND RELATED ITEMS

When received on board, prescription and non prescription drugs, medical supplies and related items shall be placed in the safe custody and control of the Logistics/Supply Officer, when borne by complement, or otherwise a member of the ship's complement designated by the Commanding Officer.

Basic instructions regarding the use of prescription and non prescription drugs, medical supplies and related items approved for issue to CCG ships are contained in Annex A of this Standard. The primary purpose of these instructions is to assist non medical personnel in the treatment of individuals requiring medical attention, in the absence of a Health Officer. A number of pharmaceuticals contain warning signs in their instructions. These should be followed very closely.

As for controlled substances, prescription drugs shall be administered upon the advice, either obtained aboard or via radio communications, from a licensed medical practitioner. Non-prescription drugs can be administered without medical advice (e.g., plain acetaminophen). For ships utilizing a Health Officer, the practice will be as per the current ship's nurse *Scope of Practice and Clinical Guidelines* document.

The Nurses' Drug Classification System used in the *Scope of Practice and Clinical Guidelines* document has been incorporated into the Scale of Issue, under the column 'Nursing Code' and can be interpreted as follows:

A class drugs are those that the nurse is authorized to prescribe independently.

B class drugs may be prescribed only on the order of a physician.

C class drugs may be prescribed by a nurse for one course of treatment only.

D class drugs are those where a single dose may be administered by a nurse in an emergency situation without a physician's orders. Subsequent doses must be authorized by a physician.

Attention

Special attention shall be given to expiry dates prior to administering any form of medication, in particular, all IM and IV drugs, solutions and eye drops which may be dangerous to health when expired.

The calibration on diagnostic equipment, as required by manufacturers, should be carried out prior to Arctic operations, or, for ships not engaged in Arctic operations, on a yearly or manufacturer recommended basis.

On return of a ship from a mission that required the hiring of a Health Officer, the prescription and non prescription drugs, medical supplies and related items that are in excess of Scale of Acquisition **B** shall be kept aboard, under the custody of the Commanding Officer. These items shall be removed from the ship only if it is determined that the latter will not be assigned, either immediately or ever, to another mission requiring the hiring of a Health Officer. These items will be handed over to the Regional Logistics Supervisor who will either have them secured, transferred or destroyed, depending on which action is most appropriate.

11 FIRST AID ATTENDANT'S TREATMENT BOOK

The *First Aid Attendant's Treatment Book*, Stock Number 7350-21-852-9254 (as listed in Appendices 3 and 4) shall be used by the First Aid attendant when performing medical duties to record the particulars relating to all cases of illness or injury to any individual treated.

The particulars regarding cases of illness will assist a licensed medical practitioner in attempting to reach a diagnosis, should a patient fail to respond to treatment. The particulars regarding accidents and injuries will also assist in cases involving Worker's Compensation claims.

The Health Officer shall document only industrial injuries or illness in the First Aid Attendants Treatment Book.

12 REQUEST FOR MEDICAL ASSISTANCE

When medical assistance is required, the Commanding Officer shall make a radiomedical call through the nearest or most accessible Coast Guard Radio Station. The latter will establish contact with a medical centre.

Procedures concerning radiomedical advice requests are as follows:

- a. When an evacuation is necessary the institution where the patient will be directed, if known, should be contacted for medical advice, mentioning estimated time of arrival. All details shall be recorded in the *First Aid Attendant's Treatment Book* or personal file as appropriate.
- b. Requests for medical assistance should be made and given in plain language whenever possible. Messages shall be prepared in accordance with the "Plain Language Radio Communication consultation Instructions" described in Annex D to this CGFLS.
- c. In situations involving sickness, where medical advice is needed and the patient has a medical history, an attempt to communicate directly with the patient's personal physician should be made before referring to the Region's Medical Center.
- d. When Health Officers are present, they are to proceed as per instructions in the orientation manual.

13 FIRST AID TRAINING

A broad range of medical supplies and equipment, contained in the Scales of Acquisition, has been made available to ensure that persons who become ill or are injured receive proper medical treatments, regardless of whether the treatment is provided by a ship's Health Officer or other trained person.

In ships not carrying a ship's Health Officer, it is extremely important that sufficient numbers of officers and crew be trained in administering first aid to meet the requirements of the Standard First Aid Certificate issued by the St. John Ambulance Association or equivalent. This level of training is normally provided as part of the Marine Emergency duties (Level C) training.

In addition, Commanding Officers shall ensure that at least two members of each ship's complement hold a valid Advanced First Aid Certificate issued by the St. John Ambulance Association, or equivalent, who would be capable of assuming the medical duties in the absence of a Health Officer. This is particularly important for ships engaged in Northern and Search and Rescue operations.

14 PUBLICATIONS –MANUALS AND INSTRUCTIONAL MATERIAL

The instruction and reference manuals approved for use on board CCG ships are contained in the Scales of Acquisition attached in Annex A to this CGFLS.

To meet the requirements of the *Official Languages Act*, it is recommended that both the English and French editions of these publications be held on board CCG ships, in accordance with the Scales of Acquisition.

15 ENQUIRIES

Enquiries regarding this Standard should be directed to InfoPol@dfo-mpo.gc.ca.



ANNEX A SCALE OF ACQUISITION

ANNEX A	SCALE OF ACQUISITION	1
LEGEND		2
DRUGS AND BIOLOGICALS		5
Allergies		5
Bacterial Infections		5
Fungus Infection		8
Bowels		9
Eyes		10
Ears		11
Heart		12
Miscellaneous		15
Poisoning		17
Relief of Pain		18
Respiratory Conditions		21
Sea Sickness		23
Sedation & Sleep		24
Stomach		25
Hair		26
Skin		26
SURGICAL DRESSING MATERIAL		29
INSTRUMENTS, EQUIPMENTS & GENERAL MEDICAL SUPPLIES		33
OXYGEN MATERIAL		49
IMMOBILIZATION		50
INSTRUMENTS		51
MEDICAL LIBRARY		53
APPENDIX 1	MEDICAL KIT EMERGENCY RESUSCITATION No. 1	55
APPENDIX 2	MEDICAL KIT EMERGENCY RESUSCITATION No. 2	56
APPENDIX 3	FIRST AID KIT GENERAL PURPOSE – TYPE A	57
APPENDIX 4	FIRST AID KIT GENERAL PURPOSE – TYPE B	58
INDEX		59

LEGEND

Acquisition Code and Instructions		
O	Over the counter	May be requisitioned directly from the distribution centre or any local drug store.
D	Distribution Centre	Must be requisitioned directly from the distribution centre.
DA	Drug that can lead to dependency	Must be requisitioned separately and sent to PRAXES for doctor prescription and signature, then PRAXES will send directly to the distribution centre.
S	Sedative	
C	Controlled Substances (Narcotic and Controlled drugs)	

Unit of Distribution		
BG - Bag	FT - Foot	SE - Set
BT - Bottle	KT - Kit	SL - Spool
BX - Box	PK - Package	TU - Tube
CN - Can	PR - Pair	VI - Vial
EA - Each	RL - Roll	

Scale of Acquisition	
A	Ships carrying a Health Officer.
B	Ships with a complement of 10 persons or more, not carrying a Health Officer.
C	Ships with a complement of 9 persons or less, not carrying a Health Officer.
D	Mid Shore Patrol Vessels (MSPV) with a complement of 9 persons or more, not carrying a Health Officer.

Administration Code: Indicates how drugs can be administered	
NURSE	
A	Drugs that the nurse is authorized to prescribe independently.
B	Drugs that may be prescribed only on the order of a physician.
C	Drugs that may be prescribed by a nurse for one course of treatment only.
D	Drugs are those where a single dose may be administered by a nurse in an emergency situation without a physician's orders. Subsequent doses must be authorized by a physician.
RESCUE SPECIALIST (RS)	
X	Over the counter medications - the RS may access in accordance with Rescue Specialist protocols.
Y	Over the counter medications - the RS may access in accordance with Rescue Specialist protocols - medical advice recommended.
Z	Prescription or Controlled medications – the RS may access after receiving a medical order.

Disinfecting procedures for surgical instruments	
1	After using the instruments, allow them to soak in undiluted disinfectant solution (Accel) for at least 30 minutes.
2	Remove and rinse with sterile water. Dry.
3	Place the instruments in a sterilization bag. Write the date on the bag. If the galley of the ship has a steam autoclave, place the bag inside upside down and begin sterilization in the autoclave for at least 30 minutes, or until the indicator on the bag changes colour.
4	If the bag is not used in the next 6 months, start the procedures again at step 1.

Emergency Box
On ships with Scale of Acquisition Type A, ships carrying a Health Officer , an emergency box will be created to allow the Health Officer to quickly respond to emergencies off site. The drugs for this box are listed in this annex, identified in the "Description Field" and are highlighted in green. The box itself is provided by the Health Officer Program.

Color Codes	
Yellow Highlighted	New/changed Item on this line
Red	Actual New/changed item
Green Highlighted	Items included in the Emergency Box

The estimated prices per unit are included under each stock number in order to give an idea of pricing when placing an order

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							DRUGS AND BIOLOGICALS			
							ALLERGIES			
6505-00-685-5512 \$37.81	D	BX	1	1		1	Diphenhydramine Hydrochloride Injection Each ml contains 50mg Diphenhydramine hydrochloride. (Benadryl). 1 ml vial. Box of 10 vials.	A	Y	Antihistamine, antispasmodic and antiemetic. For specific or suspected allergic reactions.
6505-21-857-5811 \$7.88	D	BT	1	1		1	Diphenhydramine Hydrochloride Capsules (Benadryl) 25mg. Bottle of 100.	A	X	Antihistamine, antispasmodic and antiemetic. For specific or suspected allergic reactions. For the symptomatic treatment of pruritus. Can be used as a sleep aid.
							BACTERIAL INFECTIONS			
6505-21-890-0809 \$4.58	D	BT	1	1		1	Cephalexin tablets (Keflex) Each tablet contains 500mg of cephalexin Bottle of 100.	A	Z	Antibiotic used to treat bacterial infections such as urinary tract infections and bone infections, ear and skin
6505-01-273-8650 \$15.01	D	PK	1				Ciprofloxacin Tablets Each tablet contains 500mg of Ciprofloxacin as HCL Monohydrate (Cipro.). Unit dose package of 100.	B	Z	Antibiotic. Second line treatment for urinary tract infections. Can be used in certain gastro-intestinal infections. Under medical advice.
6505-01-302-0262 \$188.27	D	BT	1	1		1	Clarithromycin XL (Biaxin) Tablets Each tablet contains 500mg of Clarithromycin. Bottle of 60 tabs.	B	Z	Respiratory, skin & and soft tissue infections. For patients allergic to penicillin. Under medical advice

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6505-21-911-2596 \$67.45	D	BT	1	1			Amoxicillin + Clavulanate (Clavulin) Capsules 875mg. Bottle of 100.	A	Z	Antibiotic for respiratory tract infection of suspected bacterial origin. Do not administer if allergic to PENICILLIN.
6505-21-896-0120	D	BT	2				Clindamycin HCL (Dalacin C) 150mg/capsule. Bottle of 100.	B	Z	Bacteriostatic agent used for specific or suspected cases of pelvic inflammatory disease, cellulitis, bacterial endocarditis, infection of the skin, osteomyelitis, peritonitis, pneumocystis pneumonia.
6505-21-896-0117 \$8.12	D	VI	5				Clindamycin (Dalacin C Phosphate), Injectable (IV/IM) 150mg/ml Vial 2 ml.	B	Z	I / V bacteriostatic agent used for specific or suspected cases of pelvic inflammatory disease, cellulitis, bacterial endocarditis, infection of the skin, tissue, cat bite, osteomyelitis, peritonitis, pneumocystis pneumonia and sepsis
6505-21-911-4334 \$5.90	D	BT	1				Sulfamethoxazole & Trimethoprim Tablets Each tablet contains 800mg Sulfamethoxazole and 160mg Trimethoprim. (Novo-Trimel DS, Septra DS). Bottle of 100.	A	Z	Antibiotic for urinary tract infections and certain respiratory or gastro-intestinal infections. 1 tablet every 12 hours. Increase fluid intake. Do not take the medication if allergic to sulfa drugs.
6505-21-866-7634 \$62.29	D	BX	1				Gentamicin 40mg/ml Vial 2ml. Box of 10 vials.	B	Z	Antibiotic I/V. Attention to oto toxicity and nephrotoxicity . Medication under MEDICAL ADVICE ONLY with EXTRA care to dosage.
6505-01-074-7588 \$44.58	D	BX	1				Cefoxitin Sodium Injection 1g vial Mefoxin. Box of 10 vials.	B	Z	Antibiotic I/V.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6505-21-907-8252 \$15.42	D	VI	5	3			Ceftriaxone (Rocephin) 1g/vial.	B	Z	Antibiotic I/V.
6505-21-879-7792 \$9.87	D	BT	2			1	Penicillin V Potassium Tablets Each tablet contains 300mg (480 000 units).of phenoxymethyl penicillin. Divisible tablets. (Novo-Pen V, Pee-Vee 300). Bottle of 100.	A	Z	Antibiotic, for dental and some soft tissue infections. Do not give if allergic to penicillin. Take 1 dose 2-4 times a day. Without regard to meals.
6505-21-910-1095 \$73.14 (100 capsules) \$18.59 (100 tablets)	D	BT	1				Doxycycline Hyclate Capsules (Apo-Doxy Vibramycin) 100mg. Bottle of 100.	A	Z	Antibiotic. Respiratory and skin infections. 1 tablet twice daily. Take 1 dose 2 times a day – breakfast and dinner. Do not take at bedtime. Take with plenty of water to reduce the risk of esophagitis and esophageal ulcerations. Taken with food decreases irritation.
6505-21-897-7498 \$114.73\$	D	BX	1				Valacyclovir 500mg Caps Valtrex (30)	B	Z	Antiviral against primary herpes simplex. Labial or genital.
Non-Stocked \$121.25	D	BX	1				Tetanus and Diphtheria Toxoid and Purified Bordetella Pertussis Antigens 0.5ml vial. Box of 5. ***Store 2 to 8 degrees C. - Vaccine*** To be ordered separately (will be sent in a box with ice and will need to be refrigerated immediately upon arrival at the ship).	A	Z	Primary immunization against tetanus. Take all precautions known for the prevention of allergy or any side effects reactions. The immediate availability of epinephrine (1:1000 solutions), syringe and needle is necessary. See Canadian Immunization Guide. Tetanus prophylaxis.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
6505-21-902-2858 \$2.66	D	BG	6	3			Metronidazole Inj (Flagyl) 5 mg/ml bag 100ml.	B	Z	Antibiotic I/V To use if suspicion of intra-abdominal infection with likely cause of ruptured bowel or appendix. 500mg q. 8hrs max: 4g/day.
6505-21-903-0757 \$10.43	D	VI	6				Cefazolin 1g/vial Box of 10 vials.	B	Z	Antibiotic I/V to use every 8 hours. Under medical advice.
6505-01-333-4159 \$125.51	D	BG	4	2			Ciprofloxacin Cipro 400mg IV 2mg/ml, bag of 200 ml Box of 24 bags.	B	Z	Antibiotic I/V Second line treatment for urinary tract infections. Can be used in certain gastro-intestinal infections. Under medical advice.
6505-21-857-5802 \$30.80	D	BT	1	1			Azithromycin 250mg Bottle of 100.	B	Z	Recommended antibiotic to treat infections of the lungs and skin.
							FUNGUS INFECTION			
6505-01-015-1405 \$7.64	O	TU	2	1			Clotrimazole 1% Tube 30g Canesten, clotrimaderm.	A	Y	Topical cream for fungus infection.
6505-21-907-7254 \$15.01	O	PK	2				Miconazole Nitrate Antifungal Treatment Kit Miconazole nitrate vaginal ovules, 400mg, Ortho vaginal applicator included, 1.5g tube of Monistat Derm cream and instructions. Monistat 3 Dual-Pak.	A	Y	3-day vaginal treatment for suspected candidiasis.
6505-21-859-2772 \$37.13	D	BT	1				Metronidazole 250mg oral tabs (Flagyl, Novo-Nidazol). Bottle of 500.	A	Z	Antibiotic for oral and certain vaginal or gastrointestinal infections. Not to be used in conjunction with alcohol.
6505-21-907-7495 \$15.13	D	PG	2	1			Fluconazole 150mg Caps (Diflucan)	A	Z	In protocol: 1 dose of 150mg X1 is effective – contraindicated in pregnancy

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							BOWELS			
6505-01-066-6568 \$11.89	D	BT	1	1	1	1	Loperamide Hydrochloride Tabs Each tab contains 2mg loperamide hydrochloride. (Imodium). Bottle of 100.	A	X	As an adjunct for the symptomatic control of acute non-specific diarrhea. Never give this medication if there is presence of blood or mucus in the stool. Maximum dosage of 16mg/day.
6505-21-884-3761 \$16.38	O	TU	5	1			Haemorrhoidal Ointment Contains 1 percent Pramoxine hydrochloride, 0.5% Hydrocortisone acetate, 10.75% Zinc sulfate. Rectal and topical use. (Anugesic-HC). 30g tube with applicator.	A	X	Apply twice daily, once in the AM and PM and after each bowel movement as directed in brochure / leaflet.
6505-21-903-0252 \$7.63	D	BT	1				Dicyclomine Hydrochloride Tablets Each tablet contains 10mg. Dicyclomine hydrochloride. (Bentytol). Bottle of 100.	A	Z	For spastic constipation, irritable bowel. To relieve smooth muscle spasm. 1 or 2 tablets of 10mg, 3 to 4 times daily.
6505-21-114-6342 \$2.12	D	BT	2	1			Sodium Phosphate Enema Each ml contains 160mg Sodium biphosphate and 60mg Sodium phosphate. Disposable 130ml plastic bottle. (Fleet).	A	X	For use as an enema. (Fleet Enema) in case of constipation. Directions on bottle. Insert tip in rectum. Patient on left side for best retention, squeeze fluid slowly. Have patient retain fluid for 10 minutes if possible.
6505-21-884-3551 \$10.84	D	BT	1	1		1	Docusate Sodium (Colace) Bottle of 100.	A	X	Constipation: to regularize. 1-2 tablets per day. Increase fluid intake.
6550-21-911-2505 <i>Not available at Wendake</i>	D	BX	1				Hemocult Test Sensa 100/box.	A		To confirm suspicion of blood in stool.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							EYES			
6505-21-857-6176 \$11.45	D	TU	6	2	1	1	Ciloxan 0.3% Contains 0.3% ciprofloxacin chlorhydrate 3.5g tube.	B	Z	For the treatment of corneal ulcers and superficial infections of the eye and adnexa caused by susceptible strains of bacteria.
6505-21-890-0627 \$3.30	D	TU	4	1		1	Erythromycin Ophthalmic Ointment Each gram contains 5mg erythromycin in a mineral oil, white petrolatum base. (Ilotycin). 3.5g tube.	A	Z	For superficial bacterial infection of the eyes Apply ointment directly, every 2 to 4 hours.
6505-21-895-1465 \$6.60	O	BT	12	6	2	2	Lubricant Ophthalmic (Drops) Natural tears.	A	X	Natural tears, use for dry eyes.
6505-01-131-9688 \$46.18	D	BX	1	1			Minims Fluorescein Sod. Ophthalmic Drops 2% Box of 20 x 0.3ml Minims.	A	Y	To aid in the diagnosis of suspected corneal lesions and detection of foreign body in cornea. Use one drop of fluorescein after using Tetracain HCL to help visualize an abrasion or foreign body on eyeball (using wood lamp).
6505-21-843-6438 \$47.54	D	BT	1				Tetracaine HCL Sterile. 0.5% Drops 0.5% Box of 20 x 0.3ml.	C	Z	Topical anaesthetic. For the removal of foreign body in eye. To anaesthetize eye instil 1 or 2 drops prior to removing foreign body or stitches. Flash burn. Not to be used for the symptomatic treatment of eye pain

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							EARS			
6505-21-868-7393 \$9.34	D	BT	4	2		1	Framycetin-Dexamethasone Compound Solution (Sofracort) Ear application. Each ml contains 0.5mg dexamethasone, 0.05mg gramicidin and 5mg framycetin. 8ml bottle with drop dispensing tip.	A	Z	Antibiotic, corticosteroid. Otitis external and other inflammatory and seborrheic conditions of the external ear. 2 to 3 drops, 4 times daily. Not to be used in the eyes without a doctor's prescription.
6505-21-857-6726 \$1.06	O	BT	1	1			Hydrogen Peroxide 3% (10vol) 225ml	A	XZ	To prevent ceruminosis, once or twice weekly instill 3 drops of a 1:1 solution of hydrogen peroxide and water into each ear to decrease the likelihood of impaction. Only instill a solution if the tympanic membrane is intact.
6505-21-857-6677 \$4.25	O	BT	1	1			Mineral Oil Heavy 500ml	A	X	To prevent ceruminosis and to decrease the likelihood of impaction: One or two drops of oil once or twice weekly will help to keep wax soft. Only instill a solution if the tympanic membrane is intact. Also helpful to soften the wax with a few drops of slightly warmed mineral oil before attempting to irrigate the ear or remove ceruminosis with curette.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
										ADMIN CODE
							HEART			
6505-00-007-7701 \$62.33	D	VI	5				Amiodarone HCL (Cordarone) 50mg/ml. 3ml vial. 10 vials of 3ml. Emergency Box	D	Z	For the treatment of arrhythmias: initial dose of 300mg and 150mg. Ventricular tachycardia or ventricular fibrillation without pulse: 300 mg undiluted or diluted in 20 to 30 m of DW5% rapid IV bolus or intra-bone injection. An additional dose of 150 mg may be administered if necessary.
6505-21-887-1013 \$188.70	D	VI	5	1			Adenosine 3mg/ml Vial of 2ml. Box of 10.	B	Z	Treatment of antiarrhythmic problem.
6505-00-935-1010 \$14.98	D	VI	1				Thiamine 100mg/ml. 1ml vial. Box of 10. Emergency Box	B	Z	For chronic alcoholism treatment and vitamin deficiency. Administration IV diluted in 100 mL NS or D5W and administered in 30 minutes. SEVERE REACTIONS MAY OCCUR.
6505-21-910-7402 \$7.19	D	CN	1	1		1	Nitroglycerin Spray Each metered dose contains 0.4 mg Nitroglycerin. (Nitrolingual Spray). Canister of 200 doses.	D	Z	To relieve chest pain of suspected cardiac origins. 1 puff SL every 5 minutes X 3, if systolic BP is \geq than 100. See protocol: NTG, Rest, Oxygen, EKG, IV access. Call MD for support, RX and MEDEVAC if MI suspected.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6505-21-870-7687 \$3.52	D	BT	1	1	1	1	Nitroglycerin Tablets Sublingual. (Lilly). 0.3mg (1/200g) tablets. Bottle of 100. Emergency Box (1 bottle)	D	Z	To relieve chest pain of suspected cardiac origins. 1 puff SL every 5 minutes X 3, if systolic BP is ≥ than 100. See protocol: NTG, Rest, Oxygen, EKG, IV access. Call MD for support, RX and MEDEVAC if MI suspected.
6505-21-879-7790 \$27.71	D	VI	2	2			Vitamin K1 (Phytonadione) 10mg/vial. Box of 10. Emergency Box (1 vial)	D	Z	Reverse unwanted effects of warfarin and similar drugs. The subcutaneous is the preferred admin. The intravenous is reserved for emergencies only because several cases of serious reactions associated, including death. IV direct: dilute with at least 10 ml of NS. Maximum speed: 1mg / min
6505-21-114-6511 \$17.52	D	EA	5				Atropine Sulphate 0.5mg/5ml. Pre-loaded syringe. Emergency Box	D	Z	For use in symptomatic bradyarrhythmias or as part of ACLS protocol. 0.5mg IV every 3 to 5 min. as needed. Do not exceed a total dose of 0.04mg/kg (Total: 3mg).
6505-21-872-2067 \$14.87	O	BT	1	1	1	1	ASA 80mg Chewable 80mg/tablet. Bottle of 100.	A	X	Antiplatelet agent. 2 tablets to 4 tablets (160-320mg) , chewed in the event of acute chest pain that could possibly be of cardiac origin, given at once before further evaluation. Do not administer if history of allergies to aspirin.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
									ADMIN CODE	
6505-21-887-1015 \$175.18	D	EA	1				CaCl2 Syringe 1g/10ml per syringe. Box of 10 syringes. Emergency Box	D	Z	Immediate treatment of hypocalcemic tetany. In cardiac resuscitation, it can be used when epinephrine has failed to improve or ineffective myocardial contractions
6505-21-887-2210 \$240.86	D	VI	5				Enoxaparin Sodium Low molecular weight heparin (Lovenox). 100mg/ml, prefilled syringes. No refrigeration required. Box of 10 syringes.	B	Z	For treatment of suspected deep vein thrombosis, pulmonary embolism or as adjunctive therapy of presumed acute coronary syndrome. 1mg/kg twice daily or 1.5mg/kg once daily on doctor's orders.
6505-01-297-2214 \$11.66	D	BX	1				Metoprolol Tartarate for Injection (Lopresor) 1mg/ml, 5ml/vial. Box of 5 vials.	B	Z	Beta blocker. For adjunctive treatment of suspected myocardial infarction in cases where systolic blood pressure is greater than 105mm Hg, and pulse greater than 60/minute. Not to be given if there is a history of asthma or chronic obstructive pulmonary disease (COPD).
6505-01-090-6797 \$3.17	D	BT	1				Metoprolol Tartarate Tablets (Lopresor) 50 mg/tablet. Bottle of 100.	B	Z	Beta blocker, antihypertensive or for angina pectoris.
6505-01-297-0675 \$30.85/100 tabs: Apotex \$92.64/28 tabs: Plavix	D	BX	1	1			Clopidogrel Bisulfate (Plavix) 75mg/tablet. Box of 30 tabs.	B	Z	To treat acute coronary event (unstable angina / non-STEMI or a STEMI) 300mg/dose Under medical advice
6505-21-884-3632 \$30.03	D	EA	5				Lidocaine 2% 100mg / 5ml Syr (Xylocard) Emergency Box	D	Z	Antiarrhythmic agent used in 2 nd line of ACLS treatment if Amiodarone not effective.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							MISCELLANEOUS			
6505-00-065-4204 \$60.38	D	VI	2	2	2	2	Glucagon Injection 1mg/ml, 1ml vial. Emergency Box	D	Z	Initial treatment of hypoglycaemic seizures or loss of consciousness. 1mg IV, subcutaneous, or IM.
6505-21-116-0129 \$11.03	D	VI	12	5		2	Sterile Water for Injection 10ml. Flip-top vial. Box of 25 vials.	A	Y	For reconstituting injectable medication.
6505-21-844-5885	D	EA	12	6			NACL 0.9% Inj 10ml	A	Y	Used to irrigate IV catheter and/or to prepare diluted medication.
6505-21-855-3743 \$17.42	D	EA	12			5	Sodium Chloride Injection, IV (Normal saline). 0.9% In a hermetic plastic bag. 1000ml bag. Box of 12 bags.	D	Z	For intravenous rehydration. To replace fluids to tissues and assist body to eliminate toxic substances. Isotonic vehicle for many parenteral drugs.
6505-21-857-5596 \$3.88	O	BT	1		1	1	Benzoin Tincture Bottle 50ml.	A	X	Used externally. Application on skin only and out of wound. Used with steri-strip.
Non-Stocked \$195.47/ 60 tablets	D	PK	1				Combivir (Zidovudine 300mg/Lamivudine 150mg) Package of 8 tablets (1 pill BID).	B	Z	Management for exposures to HIV: The Nurse must communicate with a PRAXES physician for directives to follow and medical protocols.
\$803.95/ 120 tablets		PK	1				Kaletra (Ritonavir 50mg/Lopinavir 200mg) Package of 16 tablets (2 pills BID).			PEP Drug Requisition (Annex E) to be completed. Prophylaxis should ideally be installed in the hour following exposure.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6505-21-884-3646 \$17.62	D	EA	2				Dextrose 50% Solution. Pre-Loaded Syringe 25g/50ml syringe. Emergency Box	D	Z	To treat hypoglycaemic seizures or loss of consciousness.
6505-01-183-4860 \$16.54	D	VI	1				Insulin NPH 100 units/ml. (Refrigerate) Humulin N Vial of 10 ml.	B	Z	To be injected S.C. as directed from a Physician.
6505-01-190-4391 \$16.54	D	VI	2				Insulin Regular 100 units/ml. (Refrigerate) Humulin R vial of 10ml.	B	Z	To be injected S.C. as directed from a Physician.
6505-21-870- 8370 \$8.78	D	VI	4	4			Furosemide Injection (LASIX) Each ml contains 10 mg in sterile solution. (Lasix). 2 ml/vial Box of 10.	B	Z	Diuretic. For edema associated with congestive heart failure, liver, or renal disease. Administer slowly over at least 2 minutes (≤100mg dose) unnecessary dilution.
6505-21-857-5856 \$3.71	D	BT	1	1			Hydrochlorothiazide Tablets (HCTZ) 50mg (HydroDIURIL, Novo-Hydrazide). Bottle of 100.	B	Z	Management of high blood pressure or fluid retention.
6505-21-899-7981 \$11.92	O	PK	2				Plan B 2 pills per package.	A	Y	For hormone adjustment (e.g. post coital contraception).

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6505-00-063-6197 \$6.55	O	BT	1	1	1	1	Viscous Lidocaine 2% Bottle of 100ml.	A	Z	Surface anesthesia. To be used in conjunction with Maalox (1/1) Pink Lady. NOTE: Do not drink liquid for next 2 hours
6505-21-116-0038 \$22.58	D	VI	5				Potassium Chloride Vial/40mEq/20ml. Box of 25 vials.	B	Z	To be used to prevent or treat low blood level of potassium (hypokalemia) as a result of a disease, from taking medicine or after prolonged illness with diarrhea or vomiting.
							POISONING			
6505-21-879-7780 \$165.70	D	BX	1	1	1	1	Naloxone Hydrochloride Injection Naloxone hydrochloride injection without preservatives (0.4 mg/ml). Each ml contains: naloxone hydrochloride 400 mcg. 9.0mg Sodium chloride, hydrochloric acid for pH adjustment and water for injection. 1ml vial. Box of 10 vials.	D	Y	Narcotic antagonist. Used to reverse respiratory depression caused by opioids. May be administered IV, IM, SC or Intra-nasal . Initial dose is 0.4 to 2mg, repeated if necessary at 2 to 3 minutes intervals.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6505-21-909-0570 \$5.71	D	BT	3	1			Regular Charcoal (Aqueous Charcodote) Each ml contains micronized activated charcoal 200 mg in purified water or sorbitol solution. Bottle contains 50g of micronized activated charcoal without preservative. 250ml squeeze bottle for oral or nasogastric route of administration.	D	Y	For use as an emergency antidote in treatment of poisoning by most drugs and chemicals. CALL Canadian Association of Poison Control Centers before using that medication because there are MANY contraindications to use it:8205 BC: 1-800-567-8911 or (604) 682-5050 QC: 1-800-463-5060 NS: 1-800-565-8161 or (902) 470-8161 NL: (709) 722-1110 NWT: 1-800-332-1414 Nunavut: (867) 979-7350 Yukon: (867) 393-8700
							RELIEF OF PAIN			
6505-21-844-6131 Not available at Wendake	C	VI	10	5	1		Morphine Injection 10mg Morphine Sulfate per ml with aqueous vehicle. 1ml/vial. Emergency Box (2 vials)	D	Z	Moderate to severe pain when oral opioid not tolerated. Avoid in head injury. I Request must be sent first to the Doctor for signature.
6505-21-879-7803 Not available at Wendake	C	BT	1	1	1		Codeine Phosphate and Acetaminophen Tablets (Atasol-30, Tylenol With Codeine No.3) Each tablet contains 300 to 325mg Acetaminophen, 15 to 30mg Caffeine. In combination with 30mg Codeine phosphate Bottle of 100.	D	Z	For moderate to severe pain. 1 to 2 tablets every 4 hours. Never mix with acetaminophen or specify to patient about maximum daily dosage of 4000 mg of acetaminophen. Request must be sent first to the Doctor for signature.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
6505-00-598-6117 \$27.46	D	BX	1				Lidocaine HCL 2% Bottle of 20ml (xylocaine) injection. Box of 10 vials of 20ml.	A	Z	Local anaesthetic for laceration repair.
6505-21-114-6764 \$89.11	D	BX	1				Lidocaine HCL/Epinephrine 2% Box of 10 vials of 20ml.	A	Z	Local anaesthetics combine with vasoconstrictor for a better control of bleeding. Never inject epinephrine agent to an extremity ie. fingers, toes, ears, penis, nose.
6505-21-879-7797 \$3.28	O	BT	3	2	1	2	Acetaminophen Tablets (Atasol, Tylenol) Extra strength 500mg Acetaminophen. Bottle of 100.	A	X	Mild to moderate pain or fever. 1 to 2 tablets every 4 to 6 hours. Do not exceed 4,000mg in 24 hours.
6505-21-884-3770 \$3.60	D	BT	3	2	1	1	Ibuprofen Tablets (Apo-Ibuprofen, Motrin, Novoprofen) Each tablet contains 400mg Ibuprofen. Bottle of 100.	A	X	Mild to moderate pain. 1 tablet with food every 4 hours. May be used in combination with other agents for moderate to severe pain. Maximum daily dosage of 2400 mg. Avoid if a history of stomach ulcers.
6505-21-848-1251 \$6.50	O	TU	6	2	1	1	Methyl Salicylate (A-535 odourless rub).	A	Y	Muscular pain. Apply and rub 3 times a day Be careful of salicylate poisoning.
9999-21-882-6137 \$9.36	O	EA	3				Voltaren Emulgel 100g	A	Y	
6505-21-877-0614 \$5.50	D	BT	1				Naproxen Tablets 250mg tablets. (Naprosyn). Bottle of 100.	A	Z	NSAID (Nonsteroidal anti-inflammatory drugs). Take with food to avoid gastric irritation.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6505-01-062-8010 \$6.92	D	BT	1				Cyclobenzaprine Hydrochloride Tablets (Flexeril) Each tablet contains 10 mg cyclobenzaprine. Hydrochloride. Bottle of 100.	A	Z	Skeletal muscle relaxant. To relieve muscle spasms associated with acute, painful musculoskeletal conditions. 1 tablet twice daily at 12 hours interval. Be very careful of drowsiness side effect. In industrial context, worker should be off work while on this medication.
Non-Stock & No Return \$5.15	D	BT	2				Clove Oil 4.5ml bottle.	A	Y	To relieve toothache.
6505-21-882-8157 \$4.26	O	TU	2	1	1	1	Orajel Contains Benzocaine 7.5%. 9.5g tube.	A	X	For gum problems (ulcers).
9999-21-904-7249 <i>Not available at Wendake</i>	C	VI	5	2		2	Fentanyl Inj. 50 MCG/ML 2ml vial.	D	Z	Moderate to severe pain when oral opioid not tolerated and known allergy to Morphine. Avoid in head injury. 50 to 100mcg intramuscular injection; repeat in 4 hours, if necessary. Request must be sent first to the Doctor for signature.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							RESPIRATORY CONDITIONS			
6505-21-114-6734 \$13.49	D	BX	1	1	1	1	Epinephrine Injection CSD-registered drug. 1:1000. (Adrenalin). 1ml vial. Box of 10 vials. Emergency Box (4 vials)	A	Y	Severe allergic reaction with low blood pressure or respiratory compromise (e.g. Anaphylaxis). Intramuscular injection. Start with 0.2ml and repeat if required. Keep this medication readily available when administering injectable medication or penicillin type medications. ***See other concentration of EPI for ACLS care.
6505-01-093-2384 \$32.14	D	EA	5	3		3	Epinephrine 1mg/10ml Pre-Filled Syr Emergency Box	D	Y	Vasoconstrictor in ACLS. Epinephrine is used in the cardiac arrest algorithm as a direct IV push and in the bradycardia algorithm as an infusion. In cardiac arrest: 1 dose q 3-5 minutes X 3. See ACLS guidelines. ***See other concentration of EPI for allergic reactions.
6505-21-893-6922 \$3.18	D	VI	1				Salbutamol Respiratory Solution 5mg/ml 10ml. Emergency Box	A	Y	Bronchodilator. To be used for relief of bronchospasm, in Asthma, COPD or pulmonary infections.
6505-21-902-2080 \$22.98	D	CN	3	1		1	Ipratropium Bromide Atrovent. 20 mcg / metered dose.	B	Z	Generally used as an additional medication for asthma.
6505-01-028-7266 \$18.51	D	CN	2	1		1	Fluticasone Propionate Inhaler Each metered dose aerosol container delivers 125 mcg of Fluticasone Propionate per puff. (Flovent HFA). Can of 120 doses.	B	Z	Asthma. Used for long term control or acute exacerbations. Direct anti-inflammatory action on bronchial mucous membranes. 1-2 puffs twice daily.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
									ADMIN CODE	
6505-21-890-8236 \$3.97	D	CN	6	1	1	2	Salbutamol HFA Aerosol 100 MCG Aerosol can of 200 doses.	A	Y	Asthma. Rapid bronchodilator. Inhale 2-4 puffs up to 4 times a day as needed. More frequent use is indicated for severe exacerbations.
6505-21-857-6112 \$9.04	D	BT	1				Prednisone Tablets 50mg tablet. Bottle of 100.	B	Z	Exacerbation of asthma requiring increased use of inhalers. 25-50mg daily for 5 days.
6505-21-903-0856 \$51.61	O	BT	1	1		1	Cetirizine (Reactine Non-Drowsy) 10mg/tablet. Bottle of 100.	A	X	Antihistamine/Decongestant, non-drowsy
6505-21-846-1281 \$4.22	O	BT	6	2			Xylometazoline Hydrochloride Solution (Otrivin) 0.1% nasal spray. 20ml spray bottle.	A	X	Nasal congestion. 1-2 sprays to each nostril twice daily for maximum of 3 days to avoid rebound nasal congestion.
6505-21-845-1656 \$3.17	O	BX	5	5	2	3	Hexylresorcinol Lozenges (Bradosol) 3.5mg individually wrapped in cellophane. Box of 18.	A	X	Sore throat, irritated mucosa in mouth and tongue. 1 lozenge every 2 hours and decrease dosage to 1 lozenge every 4 and 6 hours as infection subsides. Dissolve in mouth, do not suck.
6515-21-911-3065 \$20.40	O	EA	3	1		1	Inhaler Chamber (Opti Chamber)	A	X	Use as directed to maximize delivery of inhaled asthma medication.
6515-21-911-3060 \$38.42	O	EA	3	1		1	Mask, Adult For use with Opti Chamber.	A	X	For use with Opti Chamber to ensure optimum delivery of inhaled medication.
6505-21-907-7257 \$73.62	D	VI	2	1			Methylprednisolone Sodium (Solu-Medrol) 125mg/2 ml Box of 10 vials.	B	Z	Short-term treatment of bronchial inflammation or acute bronchitis due to various respiratory diseases.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
6505-21-907-7419 \$9.17	O	BT	6	1	1	1	Guaifenesin And Dextromethorphan Syrup Each ml contains 20mg Guaifenesin and 3mg Dextromethorphan hydrobromide. Sucrose-free Alcohol-free (Balmiril DM + Expectorant) Bottle of 250 ml.	A	X	Antitussive. Administer 10 ml every 6 hours for a maximum of 4 doses per 24 hours.
6550-21-870-5112 \$76.81	D	BX	1				Test Strep A 25 tests/box.	A		Rapid test for the detection of Strep A antigen
							SEA SICKNESS			
9999-21-857-6576 \$7.93	D	BX	5				Scopolamine Patch Transderm V 1.5mg PMS 2 patches/box.	A	Z	For motion sickness, nausea and dizziness. 1 patch every 3 days. Apply 8-12 hours before heavy seas.
6505-21-114-6212 \$4.33	O	BX	2	1	1	1	Dimenhydrinate Suppositories (Gravol) 100mg. Rectal type, adult. Individually wrapped in aluminum foil. Box of 10.	A	X	Motion sickness, nausea, vertigo. Insert one suppository 30 minutes before travel departure or as symptoms indicate. Causes drowsiness. Maximum daily dosage of 400mg.
6505-21-857-5785 \$2.90	O	BX	2	1	1	1	Dimenhydrinate Tabs (Gravol) 50mg/tablet. Box of 100.	A	X	Motion sickness, nausea, vertigo. Causes drowsiness. Maximum daily dosage of 400mg.
6505-21-902-0210 \$10.40	D	BX	2	1			Dimenhydrinate Injection (Gravol) 50mg per ml, 1ml vial. Box of 10 vials. Emergency Box (2 vials)	A	Z	Motion sickness, nausea, vertigo. Anxiety related to travel by air or sea. CAUTION: Do not operate vehicle or machines while on medication. Intramuscular administration. Maximum daily dosage of 400mg.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							SEDATION & SLEEP			
6505-21-866-7943 <i>Not available at Wendake</i>	S	VI	10				Diazepam Injection (Valium) 5mg/ml. 2ml vial. Emergency Box (2 vials)	D	Z	Indications are convulsions or severe agitation. Dosage is 5 – 10mg IV or IM, on doctor's orders, although one dose may be used by the nurse in emergencies. Request must be sent first to the Doctor for signature.
6505-01-057-9851 <i>Not available at Wendake</i>	S	VI	2				Midazolam (Versed) Injectable 5mg/ml. 1ml vial.	D	Z	Used as sedative agent, control of agitation, status epilepticus, induction and maintenance of sedation in intubated patients (King Airways or Combitube) Request must be sent first to the Doctor for signature.
6505-21-887-7702 \$180.96	DA	BX	1				Flumazenil (Anexate) Injection 0.1mg/ml, 5ml/vial. Box of 10. Emergency Box	D	Z	Benzodiazepine antagonist – counters sedation
6505-21-896-0881 <i>Not available at Wendake</i>	S	BT	1				Lorazepam Tablets (Ativan) 1mg sublingual tablets. Bottle of 100.	D	Z	Anxiety or severe muscle spasm. 1 tablet under the tongue up to 3 times daily. Request must be sent first to the Doctor for signature.
6505-21-896-2961 <i>Not available at Wendake</i>	S	BT	1				Oxazepam Tablets (Serax) 15mg. Bottle of 100.	B	Z	Inability to sleep-insomnia at bedtime. The drug should be taken ½ to 1 hour before bedtime. Request must be sent first to the Doctor for signature.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6505-21-894-2130 \$50.31	DA	BX	1				Haloperidol Injectable (Haldol) 5mg per ml, 1ml vial. Box of 10 vials.	B	Z	For severe agitation or psychosis. 2.5-5mg IM. May be combined in same syringe with IM Lorazepam if necessary. Never inject IV.
							STOMACH			
6505-21-846-8247 \$3.98	O	BT	6	3	1	1	Aluminium Hydroxide, Simethicone and Magnesium Hydroxide Suspension (Diovol, Maalox Plus, Mylanta) Each ml contains 40mg aluminum hydroxide, 5mg simethicone and 40mg magnesium hydroxide. 340 to 350 ml bottle.	A	X	Gastritis, heartburn, indigestion, peptic ulcer. Administer as per directions on package.
6505-21-857-6473 \$7.84	O	BX	6	3	1	1	Aluminium Hydroxide & Magnesium Tablet (Diovol) Box of 50.	A	X	Gastritis, heartburn, indigestion, peptic ulcer. Administer as per directions.
6505-21-894-2538 \$3.40	O	BX	2				Ranitidine Tablets (Zantac) Film-coated. Each tablet contains 150mg. Ranitidine. Box of 60.	A	Y	Inhibit gastric acid secretion with duodenal ulcer, gastric reflex, upper G.I. haemorrhage. 1 tablet twice daily.
6505-21-890-8205 \$9.85	D	BT	1	1			Omeprazole (Losec) 20mg/capsule Bottle of 100.	B	Z	Inhibit gastric acid secretion with duodenal ulcer, gastric reflex, upper G.I. haemorrhage, when symptoms not controlled by Zantac. 1 tablet daily.
6505-21-902-2792 \$8.76	A	BX	5	1	1	1	Gastrolyte (pouch) Box of 10.	A	Z	Prevention and treatment of dehydration.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							HAIR			
6505-01-256-4972 \$5.89	O	BT	2				Permethrin, after Shampoo (Nix / Kwellada) Cream Rinse. Contains 1 % Permethrin. 50ml bottle.	A	Y	Head lice and nits. Follow directions on package. Use the product after washing hair with a shampoo that does not contain a conditioner, rinse hair with clean water and dry hair with a towel and comb out nits.
							SKIN			
6505-21-911-2726 \$17.53	O	TU	2				Permethrin, Cream For Scabies (Nix Dermal Cream) Contains 5% Permethrin. 30g tube.	A	Y	Pubic lice and Scabies. Follow directions on package. Repeated washing and application of lotion to affected areas.
6505-21-843-5237 <i>Not available at Wendake</i>	O	BT	4				Undecylenic Acid And Zinc Undecylenate Powder (Desenex) 78% Talc, 2% Undecylenic acid and 20 % Zinc undecylenate. 50g bottle.	A	X	Athlete's foot: mild cases - itchy rash and blisters between toes and on feet. Keep feet scrupulously clean and dry at all times. Use clean dry socks every day. Dust powder on feet and in shoes/boots. Avoid going barefoot.
6505-21-843-5826 \$6.80	O	TU	12	4	2	2	Bacitracin And Polymyxin B Sulfate Ointment (Polysporin) 10 000 units Polymyxin B sulfate and 500 units Zinc bacitracin. 15g tube.	A	X	Apply regularly as topical agent for the dressing of wounds and burns.
6505-21-896-3805 \$27.88	D	TU	2	1	1	1	Acyclovir Ointment (Zovirax Ointment) 5% 4g.	A	Z	Topical ointment to treat cold sore. Used early, may limit the spread of cold sore infection.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
									ADMIN CODE	
6505-21-845-1171 \$7.82	O	BT	1	1	1	1	Povidone-Iodine Topical Solution 10% (Betadine, Broidine). 450 to 500ml bottle.	A	X	For preparation of skin/wounds before repair. Avoid direct contact with open wounds unless immediately followed by saline irrigation.
6505-21-909-0565 \$5.40	O	BX	1	1			Lubricant, Surgical Muko 100 per box.	A	X	For chapped hands. May also be used as lubricant to assist insertion of tubes and thermometers. Apply to hands to lubricate skin - relieves chapping.
6515-21-849-5521 \$48.18	D	BX	1	1		1	Glustitch (Hystoacryl) Medical glue. 0.2ml (6 per box)	A	Y	Topical skin adhesive: Used to close smaller incisions. Do not use around eyes and mouth.
6505-21-897-5920 \$38.40	O	BT	10	5	2	2	Sterile Saline Solution for Irrigation NaCl 0.9% 500ml bottle.	A	X	Skin cleansing of burns or wounds. Use to wash and irrigate skin of burns or wounds. Do not reuse.
6505-21-844-5870 \$2.26	O	TU	6	3			Petrolatum, White 50g tube.	A	X	Use as skin lubricant and barrier.
6505-21-859-2759 \$3.92	O	TU	48	24	2	3	Dimethylpolysiloxane Cream Contains 20% Dimethylpolysiloxane. Emulsion type base, oil in water bacteriostatic agent. (Barrier). 50g tube.	A	X	Barrier cream for dry or inflamed skin. Apply and rub in 4 times daily to relieve surface sensitivity and protect from further irritation.
6505-21-904-7795 \$2.22	O	EA	12	4	1	1	Brand Atlas Base Cream Jar of 50g Glaxal base.	A	X	Hydration cream: non fragranced.
6505-21-870-6173 \$1.78	O	BT	1	1			Calamine Lotion Contains Calamine 8% and Zinc Oxide 8%. 225ml bottle.	A	X	Inflammatory condition, itching rashes, etc. Apply to itching area as required. Alcohol base has drying effect on skin.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
6505-21-870-8395 \$3.16	D	BT	5	2		1	Chlorhexidine Gluconate Solution 20% volume in volume Chlorhexidine gluconate equivalent to 4% weight in volume Chlorhexidine gluconate. For use as a skin cleaner. (Hibitane Skin Cleanser). 115ml bottle.	A	X	Wet skins thoroughly, apply Hibitane, work up suds and wash area. Use brush for nails. Rinse well.
6505-21-859-2801 \$2.50	D	TU	6	2			Hydrocortisone 0.5% Ointment 15g tube.	A	Z	Contact dermatitis, eczema, and other itchy skin conditions. Apply small quantity once or twice a day. Not for use on face/genital region without physician consultation. Not to be used in cases of skin infection.
6510-21-904-9077 \$120.31	D	BX	40	1	1	1	Aquacel AG without latex 10 x 10 Box of 10.	A	Z	Apply to burns, abrasions, minor wounds. It can be left on from anywhere for 3 to 7 days (therefore disturbing less the healing tissue and are more comfortable) and use a more effective anti-bacterial.
6508-21-843-7613 \$30.82	O	TU	40	20	3	3	Lipstick, Antichap (Blistik) Stick form in plastic dispenser. For use in all kinds of weather. Box of 24.	A	X	For chapped lips.
6510-21-844-0012 \$4.64	O	BX	3	1		1	Chlorhexidine 0.5%/ALC 70% PAD (100)	A	X	To replace Alcohol Swab. Skin cleansing before injection or treatment. 1) Rub lightly where injection is to be given. 2) Cleanse skin from wound outward, with circular motion.
6505-21-18-57-6697 \$21.57	O	BT	1	1	1	1	Alcohol Hand Cleaner 1L Microsan	A	X	Used to sanitize hands when water and soap is not thoroughly available.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							SURGICAL DRESSING MATERIAL			
6510-21-102-7867 \$5.30	D	EA	6	6		1	Dressing, First Aid, Field Absorbent white cotton pad covered with acriflavin-treated gauze. Folded in 3 layers. Bandage size 2.7m X 10cm. Pad size 60cm X 15cm. Folded size 15cm X 8.75cm X 5cm. Bandage dyed brown for camouflage and sewn to pad.	A	X	Use for deep wounds. Apply pressure on dressing to stop bleeding from a wound rather than use a tourniquet.
6510-21-845-2195 \$7.74	D	EA	6	6		1	Adhesive Tape, Surgical Waterproof plastic, self-adhesive plaster, BPC. Flesh coloured. 5cm wide, 2.7m on metal spool with cover.	A	X	To secure dressings, tubes, small splints. For support of bone structure (ribs). To cover and protect from soiling of dressings and sharp edges. Used to hold dressings in place when bandages cannot be used. Instructions: Place 2 to 3 strips across a dressing and leave 1 to 2 inches overlap to adhere firmly to the skin. Can also be used to support fractured ribs by applying strips around the affected side in strips. These strips must cross the midline back and front to act as an anchor.
6510-01-354-3116 \$11.02	D	BX	1	1			Dressing Retention Sheet Non-woven fabric coated with acrylic adhesive. (Hypafix) 1 roll per box 15cm x 10m.	A	X	
6510-01-354-3120 \$23.78	D	BX	1				Dressing Transparent Op-Site / Tegaderm 6cm X 7cm. Box of 100.	A	X	Use on burned area, 2nd degree burning.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6510-21-849-8650 \$17.76	D	BX	2	1			Knuckle Dressing Non-Stick pad on elastic fabric adhesive strip-sterile – 3.8cm X 7.5cm. Box of 100.	A	X	
6510-21-846-1220 \$19.91	D	EA	6	3	1	1	Adhesive Tape, Hypoallergenic Transpore – translucent, perforated plastic tape. 1.25cm wide, 9.1m long. Box of 24.	A	X	
6510-21-846-1222 \$19.91	D	EA	6	3	1	1	Adhesive Tape, Hypoallergenic Transpore – translucent, perforated plastic tape. 2.5cm wide, 9.1m long. Box of 12.	A	X	
6510-21-911-2103 \$14.06	D	BX	1				Adhesive, Remover Universal, non-ozone depleting. Individually sealed pads. Solvents: Isoparaffin and Dipropylene Glycol Methyl Ether. Box of 50.	A	X	Use to remove adhesive from skin. Note: all sterile dressings should be handled only with sterile forceps to avoid contamination.
6510-21-860-8464 \$56.78	D	PK	10	10		2	Skin Closure, Adhesive, Surgical Strip of adhesive plaster with fibre backing. Sterile. (Steri-Strip). 6mm (1/4) wide, 75mm (3 in) long. 3 strips per package.	A	X	To hold skin edges of small lacerations together after cleaning the wound. Bandage, adhesive butterfly (various sizes).

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6510-21-860-8466 \$76.38	D	PK	10			2	Skin Closure, Adhesive, Surgical Strip of adhesive plaster with fibre backing. Sterile. (Steri-Strip). 12.5mm (1/2 in wide), 100mm (4 in) long. 6 strips per package.	A	X	To hold skin edges of small lacerations together after cleaning the wound. Bandage, adhesive butterfly (various sizes).
6510-21-904-8210 \$45.53	D	BX	1	1			Adaptic Non-adhering sterile dressing. 7.5 X 7.5cm. Box of 50.	A	X	Use on burned area to prevent dressings from adhering to raw skin areas.
6510-21-886-4498 \$4.56	D	PK	1	1		1	Pad Abdominal Sterile. White. 22.5cm long, 12.5cm wide. Individually packaged. Package of 36.	A	X	Use for deep wounds. Apply pressure on dressing to stop bleeding from a wound.
6510-21-891-0089 \$1.50	D	PK	4	1		1	Sponge, Surgical 4-ply white absorbent gauze. Non-sterile. For wound draining and dressing. Size 5cm X 5cm. Package of 200.	A	X	Use on abrasions and open wounds where ordinary gauze dressing would adhere. Careful handling of squares to prevent contamination of the open wound.
6510-21-891-0091 \$1.50	D	PK	1	1		1	Sponge, Surgical 4-ply white absorbent gauze. Non-sterile. For wound draining and dressing. Size 10cm X 10cm. Package of 200.	A	X	Use on abrasions and open wounds where ordinary gauze dressing would adhere. Careful handling of squares to prevent contamination of the open wound.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6510-21-671-3055 \$2.04	D	PK	8	8		1	Sponge, Surgical 4-ply white absorbent gauze. Sterile. Rayon fibre filled. CGSB standard 67-GP-4M. 5X5cm. Package of 25.	A	X	Use on abrasions and open wounds where ordinary gauze dressing would adhere. Careful handling of squares to prevent contamination of the open wound.
6515-21-844-5204 \$8.34	D	PK	1	1	1	1	Applicator, Disposable Plastic or wooden rod 15cm (6") Non-Sterile Package of 100.	A	X	
6515-21-844-5206 \$4.50	D	BX	1				Applicator, Disposable Plastic or wooden rod 15cm (6") Sterile. Box of 100 x 2.	A	X	
6515-21-852-9429 \$5.40	D	BX	1	1	1	1	Tongue Depressor - Non-Sterile Wooden. Box of 100.	A	X	To assist in examining mouth, throat, teeth. To spread lubricants, etc. Padded - may be suitable support for splint for fingers. Insert in mouth, to control tongue and allow view of teeth, gums and throat.
6515-21-852-9421 \$5.90	D	BX	1				Tongue Depressor - Sterile Wooden. Box of 100.	A	X	
6510-21-671-3059 \$3.72	D	PK	8	8		1	Sponge, Surgical 4-ply white absorbent gauze. Sterile. Rayon fibre filled. CGSB standard 67-GP-4M. Size 7.5cm X 7.5cm. Package of 25.	A	X	Use on abrasions and open wounds where ordinary gauze dressing would adhere. Careful handling of squares to prevent contamination of the open wound.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							INSTRUMENTS, EQUIPMENTS & GENERAL MEDICAL SUPPLIES			
9999-21-863-2179 \$151.59	D	PK	1				Stapler Disposable Skin 3M Vista 15 Pack of 6	A	Y	To use to replace stitches.
9999-21-863-2177 \$1.50	D	PK	6				Staple Remover Kit	A	Z	To remove staples
9999-00-300-2886 \$99.22	D	PK	2				King LT / Size 3 (Yellow) For adults under 155cm (less than 5 feet 1 inch). Emergency Box (1)	A		Supra glottis device unique design dual channel distal end of anatomical / cuff and second open light. Provides for the passage of a gastric tube (up to 18 FR.) for regurgitation and a "wind" to gastric pressure and decompression of the stomach, the design of the conical ramp provides extra ventilation outlet.
9999-00-300-2890 \$99.22	D	PK	2				King LT / Size 4 (Red) For adults between 155 & 180cm (5'1 to 5'10). Emergency Box (1)	A		Supra glottis device unique design dual channel distal end of anatomical / cuff and second open light. Provides for the passage of a gastric tube (up to 18 FR.) for regurgitation and a "wind" to gastric pressure and decompression of the stomach, the design of the conical ramp provides extra ventilation outlet.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
9999-00-300-2888 \$99.22	D	PK	2				King LT / Size 5 (Purple) For adults over 180cm (5'10 & up). Emergency Box (1)	A		Supra glottis device unique design dual channel distal end of anatomical / cuff and second open light. Provides for the passage of a gastric tube (up to 18 FR.) for regurgitation and a "wind" to gastric pressure and decompression of the stomach, the design of the conical ramp provides extra ventilation outlet.
6515-21-845-9623	D		1				Bone Injection Gun Adult	B		To be used if there's no way of installing I/V or significant burn.
6515-21-859-2218 \$7.80	O	BT	1	1			Accelerated Hydrogen Peroxide (Accel Chemosterilant and High Level Disinfectant) Bactericidal 4L bottle.	A	X	For Instrument Disinfection-For critical items as surgical instruments – Soak at least 6 hours. Semi-Critical Items-Soak 35 minutes – Refer to instructions.
6505-21-897-5925	D	BT	5				Water Sterile Irrig 1000ml	A	X	To be used after disinfecting surgical instrument. Refer to procedure page A-3.
6685-21-912-1162 \$72.23	D	EA	1				Thermometer Fridge Min-Max	A	X	To monitor cold chain for vaccination.
6510-21-116-0148 \$7.68	D	EA	12	12	2	2	Bandage, Cotton, Elastic Tensor type with covered rubber threads woven in rolled, flesh colour. 4.6m long with 2 metal fastening clips. 10cm wide Box of 10.	A	X	Tensor type. Primarily used for wrapping sprained joints. Be careful not to interfere with circulation. Watch for numbness, tingling or swelling below the bandage. Apply toward the body with even light pressure.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
									ADMIN CODE	
6510-21-116-0197 \$2.41	O	PK	1	1		1	Cotton, Purified White, rolled cotton, sterile. 28g package.	A	X	Avoid use in open wound unless covered by gauze.
6510-21-671-1182 \$10.42	D	BX	1	1		1	Pad, Cotton, Eye Sterile, white, compressed absorbent cotton filler covered with gauze on both sides. 4.69cm X 6.98cm. Eye pad, sealed in envelope. Box of 50.	A	X	Protection for the eyes.
6510-21-671-6720 \$34.92	D	BG	2	1			Bandage, Gauze Elastic Non-sterile, rolled, white. 4.6m long X <u>2.5cm wide</u> . Kling-Crinx-Softwrap. Self-adhering. Box of 4 bags of 24 rolls.	A	X	Used as an alternative to adhesive tape surgical. Light pressure only. Disinfect wound before using.
6510-21-671-6728 \$2.34	D	BG	2	2		1	Bandage, Gauze Elastic Non-sterile, rolled, white, Kling-Crinx-Softwrap. Self-adhering. 4.6 m long X <u>7.5cm wide</u> . Bag of 12.	A	X	Used as an alternative to adhesive tape surgical. Light pressure only. Disinfect wound before using.
6510-21-671-6732 \$3.72	D	BG	2	2			Bandage, Gauze Elastic Non-sterile, rolled, white, self-adhering. Kling-Crinx-Softwrap. 4.6m long X <u>10cm wide</u> . Bag of 12.	A	X	Used as an alternative to adhesive tape surgical. Light pressure only. Disinfect wound before using.
6510-21-845-2485 \$4.16	D	EA	6	6			Bandage, Cotton, Elastic White or flesh colour, rolled <u>7.5cm wide</u> X <u>2.7cm long</u> . Impregnated with adhesive compound.	A	X	Used as an alternative to adhesive tape surgical. Light pressure only. Disinfect wound before using.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
6510-21-671-8558 \$58.98	D	BX	1	1		1	Pad, Nonadherent Sterile 7.5cm wide X 20cm long. Box of 50.	A	X	Used on abrasions and on open wounds where an ordinary gauze would stick. Disinfect wounds before using.
6510-21-886-4657 \$10.56	D	BX	6	6	1	1	Bandage, Adhesive (Band-aids) Absorbent dressing fixed to flesh-coloured fabric adhesive strip faced with protective material. Sterile, individually wrapped. 7.5cm X 2.5cm. Box of 100.	A	X	Use to cover small cuts and abrasions. Keep area of cuts and abrasions free from contamination by fingers. Place soft sterile pad area on injury. Do not cover injury with adhesive area of Band-Aid.
6510-21-904-7221 \$1.00	D	PK	6	6		1	Bandage, Muslin Triangular, white, folded and compressed. Unbleached with or without safety pins or tying tapes. 96.5cm X 96.5cm X 137cm. Package of 2.	A	X	Use as an arm sling, suspended around neck.
6510-21-671-2232 \$322.30	D	BX	1				Anterior Epistaxis Packing (20)	A	Z	For massive epistaxis.
6505-21-857-9909 \$15.94	D	BX	1				Silver Nitrate Sticks (Applicators) 75% silver nitrate. Box of 100.	A	Y	Apply gently under direct vision to area of superficial bleeding when hemostasis cannot be achieved by sustained direct pressure. Not to be applied for more than 30 seconds (depth of deep chemical burn is variable).
6515-00-367-0420 \$2.50	D	EA	6	6		2	Shield, Eye, Surgical Single, flesh-coloured plastic with elastic cord. 7.5cm long X 4.1cm wide.	A	X	Protect bandages, treated eye. Apply over eye dressing.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6515-01-156-2950 \$46.00	D	EA	2				Morgan's Lens	A	Y	Lens for eyes irrigation / latex free.
6530-00-299-9832 \$17.00	D	BX	1	1			Sterilization Pouch 5 ¼ X 10 Box of 200.	A		Sterilization bag for medical equipment.
6510-21-845-2060 \$4.25	D	BX	2	2	1	1	Benzalconium Chloride Pads Box of 100.	A	X	Skin cleaning for injection or treatment (replacing providone).
6505-21-883-3726 \$5.45	D	PK	2			1	Piggy Bag Type Nacl 0.9% 100ml. Mini Bag Sodium Chloride 0.9%. Package of 4.	A	Y	
6505-21-855-3745 \$1.65	D	PK	1	1			Piggy Bag Dextrose 5% 100ml 4 bags per pack.			
		BX					Needle, Hypodermic Sterile, disposable type. Plastic threaded Lever lock hub. Corrosion resistant steel cannula. CGSB standard CAN2-47.6-M79. Box of 100.			To administer fluid medication. Draw medication solution into syringe. Remove air bubbles. Insert needle into skin. Press plunger to evacuate fluid medication into skin.
6515-21-329-5320 \$8.00	D	BX	1			1	Gauge 20 Cannula Lgth 2.5cm	A	Z	
6515-21-329-5335 \$8.00	D	BX	1	1			Gauge 22 Cannula Lgth 3.75cm	A	Z	
6515-21-329-5341 \$8.00	D	BX	1				Gauge 25 Cannula Lgth 1.6cm	A	Z	

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6515-21-844-4913 \$33.79	D	BX	1	1		1	Syringe, Hypodermic, Disposable Plunger with dark-coloured gasket and button type thumb rest. 5 ml single scale with 0.2 ml intervals of graduation. CGSB standard CAN2-47.5-M79, Type 2. Box of 50.	A	Z	To administer fluid medication. Attach suitable needle (sterile) - draw medication solution into syringe. Remove air bubbles. Insert needle into skin (intramuscular, subcutaneous; under skin only). Press plunger to evacuate fluid medication into skin.
6515-00-090-1532 \$275.34	D	EA	8			1	Intravenous Injection Set JC6519 Interlink system. Continu-flo 2 injections sites, male. "Lever lock" adapter. Box of 48 adapters.	A	Z	
6515-00-090-1525 \$168.60	D	EA	8			1	Secondary Medication Set JC7451 Interlink lever lock cannula (detached). Box of 48.	A	Z	For use with Interlink system Continu-flo solution set JC6519.
6515-00-092-4122 \$1,800	D	EA	12			1	Baxter Interlink Injection Site Cap Box of 800.	A	Z	Do not use needle with the injection site cap.
6515-00-092-4128 \$96.18	D	BX	1				BD Lever Lock Cannula Box of 100.	A	Z	Used to connect IV lines. Squeeze locking levers. Insert cannula into center Interlink of injection site cap. Release levers and tug to check secure.
6515-21-870-8686 \$38.00	D	EA	6				Needle 21 Gauge Scalp vein slow infusion type. Sterile, Female Luer adapter for Luer syringe on needle, 12 "long pliable tubing, needle and butterfly attachment prevents needle from turning while in use. Box of 50.	A	Z	"Butterfly" style. Can be used to install an I/V or take a blood sample.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							Suture, Non-Absorbable Surgical Blue polypropylene, monofilament. Reverse cutting precision point.			Lacerations 2 inches or more in length (unless superficial) require suturing. Clean skin around wound, scrub your hands. Anaesthetize the skin (xylocaine 1%). Exposed tissues cleansed, remove dirt or foreign matter. Insert needle to bring wound together when suture tied Use multiple knots to tie securely. Cover wound with sterile dressing.
6515-21-877-0581 \$131.52	D	BX	1				3.0 PS-1, Part # 8663G Box of 12.	A	Z	Be alert for expiration date.
6515-21-877-0580 \$131.52	D	BX	1				5.0 PS-3, Part # 8691G Box of 12.	A	Z	Be alert for expiration date.
6515-21-877-0579 \$131.52	D	BX	1				4.0 PS-2, Part # 8682G Box of 12.	A	Z	Be alert for expiration date.
6515-21-865-2215 \$287.94	D	KT	4				Laceration Tray - Suture Kit Kwik-kit, laceration tray (Kendall). Box of 20 trays.	A	Z	Pre-packed sterile suture kit.
6515-21-886-4538 \$77.88	D	KT	10	4	2	3	Kit, Minor Dressing Tray Box of 30 trays.	A	X	Sterile, disposable kit.
6515-21-863-3086 \$58.00	D	KT	6	1			Suture Removal Kit Sterile, disposable set consisting of: gauze pad 7.5cm X 10cm, 12.1cm long suture cutting scissors, 12.5cm long plastic tweezer type forceps, 25cm square paper towel. Packaged in peel-open container. Box of 50 trays.	A	Y	To remove stitches from skin after adequate healing. Cleanse wound area with antiseptic solution. With sterile forceps, hold the knot of suture, insert small cutting scissors under thread, cut, and pull knot to withdraw suture out of skin.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
			A	B	C	D		ADMIN CODE		
6515-21-872-3114 \$41.94 \$48.18	D	PK	1	1			Razor, Surgical Preparation Package of 10. Glove, Surgeon's White rubber latex, rough surface, rolled edge, curved fingers, disposable. Sterile. Pre-powdered. Box of 50 pairs.	A	Y	
6515-21-877-0842	D	EA	10				Glove, Surgeon's Size 7 ½	A	X	
6515-21-877-0840	D	EA	10				Glove, Surgeon's Size 8 ½	A	X	
6515-21-902-7255 \$5.18	O	EA	2	1		1	Glove Nitrile Large (100) Non-sterile, Size Large Box of 100.	A	X	To replace vinyl gloves, more suited for sensitive skin. For Patient Examining and Treatment.
6515-21-902-7249 \$5.18	O	EA	2	1		1	Glove Nitrile Medium (100) Non-sterile, Size Medium Box of 100.	A	X	To replace vinyl gloves, more suited for sensitive skin. For Patient Examining and Treatment.
9999-21-894-2325 \$105.42	D	BX	1				Curette Ear Lighted Versaloop (50)	A	Y	Use to remove ceruminosis if irrigation of ear canal is contraindicated re: tympanic perforation.
6532-21-116-0260 \$3.72	D	EA	2	1	1	1	Safety Glasses	A	X	Like a chemical/medical lab tech shielded glasses.
6530-21-883-0417 \$26.15	D	EA	12	6			Bottle, Screw Cap Amber, plastic with cap. Capacity 100ml. Oval shape, neck size 24mm. Box of 75 bottles.	A	X	Container for fluid medications

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
8115-21-844-6472 \$29.00	D	PK	1				Box, Folding Solid paperboard container, tuck-end style, per CGSB standard 43-GpaP-17M, style 2, type a, class 1. The word "DIRECTIONS" and horizontal lines on one side. Length 1 1/8 inches, width 1/2 inch, depth 2 inches, lines 4. Package of 25.	A	X	
6530-21-114-5866 \$6.76	D	BX	1				Plastic Ointment Jar 15 g capacity, 24 jars per box.	A	X	
Non-Stocked \$100.80	D	EA	6				Disposable Medicine Dropper Box of 100.	A	X	
6530-21-846-9543 \$2.33	D	PK	1			1	Medicine Cup Nesting type, plastic. 4.8cm diameter X 6cm high. Graduated in teaspoon increments 1 to 8, tablespoon increments 1 to 2, 1/4 ounce increments 1/4 to 1 ounce and 5 ml increments 5 to 30. Package of 100.	A	X	Disposable. To measure fluid medications.
6530-21-116-0396 \$5.82	D	EA	2			1	Bag, Hot Water Red rubber, 2.2L capacity. Threaded stopper.	A	X	To provide moderate heat in injury, strains and aches. Half fill with hot water; expel air before closing screw top tightly. Cover with towel and apply to area.
6530-21-116-0397 \$7.70	D	EA	2			1	Bag, Ice Aural type. Oval rubber bag 18.4cm X 28cm. Filler opening 5cm diameter. With or without tying tapes.	A	X	To provide cold applications for sprains, swelling. Half fill - may be necessary to fill with crushed ice - cover with towel. Apply to area.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6515-21-852-5641 \$9.00	D	EA	4	1			Catheterization Set, Urethral Sterile set consisting of: Antiseptic, balls, absorbent, quantity of 5. Drape, surgical, plastic, 90cm square, fenestrated. Gloves plastic, 1 pair. Paper tray, 1200ml. Sterile lubricant. Urine bag. Waterproof absorbent sheet.	A	Z	Patient's inability to void, to empty distended bladder. For sterile specimen or urine required. Cleanse penis, or vulva area, with soap and water, insert sterilized catheter in urethra. Direct open end into bowl or kidney basin for drainage collection.
6550-21-910-7581 \$81.54	D	BT	1				Multistix-10 Sg Test Strip And Colour Chart, Urinary Specific gravity, pH, Leukocytes, Nitrites, Protein, Glucose Ketones, Urobilinogen, Blood. Bottle of 100 tests. Attention: Expiration Date.	A	Z	To test urine for colorimetric determination specific to indicators. Dip test strip in urine. Compare colour changes with colour sheet at times indicated - note findings.
6550-21-904-7930 \$29.16	D	BX	1				Urine Pregnancy Testing Kit 25 tests per box.	A	Z	
6530-21-907-7372 \$41.80	D	EA	10	10			Bottle, Urinary Specimen Disposable, sterile, clear plastic. 20ml (2oz) with leak proof cap.	A	X	
6515-21-852-6515 \$7.92	D	EA	5				Drainage Bags, Urinary 2L Bedside bag.	A	Z	To collect the urine.
\$6.52/each							Urinary Foley Catheters Rubber with reinforced stylet tip. Two eyes. Sterile. Balloon type. 5ml capacity.			
6515-21-845-1816	D	EA	2				Urinary Foley Catheters, French Size 12	A	Z	
6515-21-845-1817	D	EA	2				Urinary Foley Catheters , French Size 14	A	Z	
6515-21-845-1824	D	EA	2				Urinary Foley Catheters , French Size 16	A	Z	

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
6515-21-845-1825	D	EA	2				Urinary Foley Catheters , French Size 18	A	Z	
6515-21-845-1827	D	EA	2				Urinary Foley Catheters , French Size 22	A	Z	
6530-21-846-9816 \$86.40	D	EA	1				Bedpan Oval, corrosion-resistant steel. 35.56cm long, 29.21cm wide and 6.98cm deep.	A	X	
6530-21-846-9820 \$51.60	D	EA	1				Urinal, Male Patient Cylindrical shape, corrosion-resistant steel with fixed loop handle. 1.4 litre capacity. 22.9cm long, 11.25cm diameter.	A	X	
6530-21-845-1340	D	BG	4				Pads, Bed, Linen-Protective Blue Non-woven fabric covers with absorbent cellulose inner padding and water repellent backing. 42cm wide, 61cm long. 5 per bag.	A	X	
6530-21-912-4000 \$23.96	D	PR	2				Crutches, Set Adjustable Adult Aluminium	A	X	
6530-21-912-4010 \$23.96	D	PR	2				Crutches, Set Adjustable Youth Aluminium	A	X	
9999-00-300-3061 \$52.04 /set	D	SE	1	1		1	Airway Nasalpharyngeal Set (9)	A	X	Used for cases where there is a positive GAG reflex and therefore impossible to use the ORO-pharyngeal cannula. Lubricate the tip of the cannula and insert, beveled towards the nasal septum, into the right nostril. DO NOT force insertion. CAUTION: Do not use in cases of head trauma.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6510-21-845-6002 \$15.99	D	EA	1	1		1	Guedal Airway Colour Coded Oral Set (8) ORO-Pharyngeal cannula.	A	X	To ensure an open airway of an unconscious patient. Open the airway with a head tilt or chin tilt method or with a modified jaw thrust for suspected head or spinal injury. Insert airway above the tongue until the flange end reaches the teeth level.
6515-21-116-2113 \$81.54/ box of 50	D	EA	5	5			Suction Tips Adult With Control Vent Yaunkaeur #299	A	X	
6515-00-300-3053	D	EA	5	5			Tube Nasogastric Standard 48" #14fr	A	X	
6515-00-300-3055	D	EA	5	5			Tube Nasogastric Standard 48" #18fr	A	X	
6515-01-210-2151 \$3.50	D	EA	1	1			Syringe, Ear and Ulcer Rubber. 30ml capacity. 3.75cm long nozzle.	A	X	Use with suitable solution for cleaning and irrigation. Pressure of solution should be gentle.
6515-21-870-8693 \$64.90	D	EA	5				Speculum, Vaginal Grave type. Small. Pivoted blade style with 2 self-retaining blades. Plastic, disposable type. Welch Allyn design. With light handle. # 58000. Box of 25.	A	Z	To view vagina in cases of infection or injury. To procure cervical swab for test. Lubricate speculum with sterile jelly. Wash vulva area with soap and water, insert closed speculum gently, then open blades to stretch tissues. Observe and note mucous condition.
6515-21-894-0078 \$64.90	D	BX	1				Speculum Vaginal Medium. Model Welch Allyn. Box of 24.	A	Z	To view vagina in cases of infection or injury. To procure cervical swab for test. Lubricate speculum with sterile jelly. Wash vulva area with soap and water, insert closed speculum gently, then open blades to stretch tissues. Observe and note mucous condition.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6515-21-880-4278 \$33.30	D	BX	1				Syringe And Needle Hypodermic Insulin type. Disposable, single scale, button type thumb rest. 1ml capacity. For use with 100 units of insulin, graduated at 2 unit intervals. 28 gauge, 1.25cm long needle. Plunger type. Box of 100.	A	Z	For use in administering precise small amounts of medication. (e.g.: subcutaneous epinephrine, insulin).
6515-21-882-6256 \$33.30	D	BX	1				Syringe and Needle, Hypodermic General purpose type. Disposable, sterile, single scale. Button type thumb rest. 3ml capacity with 0.1ml interval of graduation. 25 gauge needle. 1.6cm long needle. Luer lock tip. Box of 100.	A	Z	
6515-21-893-6232 \$16.20	D	BX	1				Syringe, Hypodermic, Disposable Plunger with dark-coloured gasket and button type thumb rest. Single scale with 0.2ml intervals of graduation. Luer lock tip. 10ml capacity. Box of 100.	A	Z	
6515-21-845-9850 \$27.01	D	EA	5				Catheter Tip Syringe Disposable. 60ml. Box of 100.	A	Z	For irrigation of wounds, catheters etc.
6515-21-870-8702 \$46.72	D	EA	10				IV Catheters (In Syte) 1.16 inch, 18g (30mm). Box of 40.	A	Z	

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6515-21-870-8704 \$104.82	D	EA	10				IV Catheters (In Syte) 1.16 inch, 20g (30mm). Box of 50.	A	Z	
6515-21-113-1564 <i>Price to be determined depending on the model</i>	D	EA	1	1			Sphygmomanometer Aneroid manometer. 300mm maximum calibration, with hook and pile closure Velcro cuff. Complete with instruction booklet and vinyl case.	A	X	For routine blood pressure recording. Can be used as a tourniquet in taking of a blood sample. Place band snugly around upper arm. Place the diaphragm end of stethoscope to inner elbow (below band). Inflate cuff and listen (with stethoscope) until pulse fades. Release air pressure slowly (by loosening screw on cuff).
6515-21-113-1568 <i>Price to be determined depending on the model</i>	D	EA	1	1		1	Sphygmomanometer Large Adult.	A	X	To be used on a large size arm.
6515-21-860-6614 <i>Price to be determined depending on the model</i>	D	EA	1	1		1	Stethoscope Fleischer type, duo-sonic model with tubing. Container in box complete with one pair of moulded ear tips, on pair of flexible ear tips and one extra diaphragm. Stainless steel hidden inner spring.	A	X	
6515-21-894-0749 <i>Price to be determined depending on the model</i>	D	SET	1	1			Otoscope and Ophthalmoscope Set Model 11720 3.5 V rechargeable battery handle. 3.5 V halogen fibre optic otoscope and throat illuminator. Specula in 3 sizes, 3mm, 5mm and 7mm. Halogen coaxial ophthalmoscope. Complete diagnostic set with cobalt blue filter for corneal exams.	A	Y	To examine eyes and ears. Assemble with suitable size adaptor. Insert gently in ears, or hold near eye. Turn on light. Observe tissue conditions.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
Non-Stocked <i>Price to be determined depending on the model</i>	D	EA	1				Pulse Oxymetry Device (NPB-40 handheld pulse oximeter – or equivalent) by Nellcor Puritan Bennett.	A	X	To measure the saturation of oxygen in peripheral blood.
6515-21-902-2751 \$39.25	D	PK	3				Speculum For Otoscope 4.25mm Bag of 34.	A	Y	
9999-00-020-2244 \$59.94	D	BX	1				Hydriion – PH Strips to measure ocular ph. Double Roll with Dispenser per box.	A	Y	Measures Ocular ph 6.5-10.
6515-21-857-7012 \$8.34	D	EA	2	1		1	Digital Thermometer, with Flexible Tip	A	X	For oral, axilla or rectal use. (Reading in Celsius) Use with probe covers (6515-21-857-6968) Probe covers are plastic and disposable.
6515-21-857-7010 <i>Price to be determined depending on the model</i>	D	EA	2	1		1	Hypothermia Digital Thermometer	A	X	
6515-21-857-6970 \$2.54	D	BX	1	1		1	Probe Covers Box of 100.	A	X	Probe covers are plastic and disposable.
6630-21-910-4572 <i>Price to be determined depending on the model</i>	D	EA	1	1	1		Meter Blood Glucose Contour Next Ez.	A	X	
6550-21-910-7510 <i>Price to be determined depending on the model</i>	D	BX	1	1	1	1	Test Strips, Glucose In Blood For Contour Next EZ. Box of 100.	A	X	

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
6550-21-908-6236 <i>Price to be determined depending on the model</i>	D	BX	1	1	1	1	Calibrating Solution Normal glucose control solution for Contour Next Ez. 2.5ml bottles Box of 2.	A	X	
6135-21-892-5245 <i>Price to be determined depending on the model</i>	D	EA	2	2	2	2	Batteries (CR2032) X 2 Batteries for glucometer.	A	X	
6515-21-116-8253 \$49.92	D	BX	1	1	1	1	Safe-T-Pro-Lancet Depth 1.8mm, Gauge 0.81mm. Box of 200.	A	X	For capillary blood sampling.
Non-Stocked <i>Price to be determined depending on the model</i>	D	EA	1	1			Magnifying Glass	A	X	
9999-21-116-0399 \$13.15	D	EA	5				Bag Body Post Mortem Zipper Kit	A	X	To use in case of death on board or on SAR.
6515-21-902-3133 \$0.30	D	EA	3	1			Tourniquet, Latex-Free	A	X	Used to draw blood test or install IV catheter.
6550-21-897-0004 \$9.90	D	EA	1	1			Eye Chart Adult/Child 10 Ft (Snellen)	A	X	Used to measure visual acuity for approximate assessment of vision.
7690-21-880-9758 \$21.19	D	RO	1	1			Label Prescription - Roll	A	X	To identify medication given to a patient with: Name, Medication, dose, description, exp. Date etc.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6530-21-845-1628 \$1.45	O	EA	5	5		2	Gel Pack Small Reusable Hot/Cold 4"X 5"	A	X	Used for hot or cold compresses on muscular skeletal injuries.
							OXYGEN MATERIAL			
Non-Stocked	D	BT	6	4			Oxygen (Portable) Supplied in 12.5 cu ft. cylinders (30 minutes).	A	X	
Non-Stocked	D	BT	2				Oxygen, Large Cylinders H size. (or equivalent). Oxygen MM cylinder (122 cu ft) with cap.	A	X	
6515-21-911-4065 \$3.60	D	EA	4				Oxygen Masks, Simple Adult Oxygen mask, adult, medium concentration with tubing.	A	X	To apply oxygen source to patient's face.
6515-21-911-5263 \$226.56/ box of 50	D	EA	4	2			Oxygen Masks Oxygen MASK non re-breather, adult with reservoir and tubing.	A	X	To apply high concentration oxygen to patient's face.
6515-21-911-3192	D	EA	5	5			Mask Nebulizer Adult With Tubing	A	X	
6515-21-911-4060 \$1.74	D	EA	4	2			Nasal Prongs Oxygen with tubing, Adult.	A	X	For applying low volumes of oxygen to a patient's nose.
Non-Stocked \$225.00	D	BT	2				Humidifier, Air Chamber For Oxygen Bottle of 600ml.	A	X	
9999-21-826-0014 <i>Price to be determined depending on the model</i>	D	EA	1				Laerdal TM. Suction Unit	A	X	Suction unit, with replaceable battery, built-in charger and integrated vacuum regulation / power control. To be kept in Sick Bay.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							IMMOBILIZATION			
Non-Stocked \$10.04	D	EA	1 1 1	1 1 1			Cervical Collar Small Medium Large	A	X	To support neck and head. Place snugly around neck to keep chin up and cervical vertebra in alignment.
Non-Stocked \$3.08	D	EA	2	2			Splint, Metal, Finger	A	X	To immobilize finger.
6545-21-116-2916 \$13.14	D	EA	1	1			Splint, For Immobilization	A	X	Very versatile, can be used on foot, ankle, lower leg, knee, hand, wrist, lower arm, elbow and upper arm. Manufactured by: Geen Healthcare, 931 Progress Ave, Unit 13, Scarborough, Ontario, M1G 3V5. Toll free: 1-800-565 4336. Tel : 416-439-2237 Fax: 416-439-6934
9999-21-116-2922 Not Available at Wendake	O	RL	1	1		1	Splint Sam Rolled Small 9"	A		Used for immobilizing skeletal and soft tissue injuries.
9999-21-116-2920 \$16.80		RL	1	1		1	Splint Sam Rolled Medium 18"			Built from a thin core of aluminum alloy and sandwiched between two layers of closed-cell foam, the SAM Splint can be bent into any of three simple curves, becoming extremely strong and supportive for any fractured or injured limb.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
								ADMIN CODE		
							INSTRUMENTS			
6515-21-116-4035 \$5.72	D	EA	2	1			Forceps, Dressing Corrosion-resistant steel with mirror finish. Straight serrated jaw, rounded tips. 12.5cm long.	A	X	Sterile: To handle sterile dressings and wound cleaning material. Keep serrated jaws from touching unsterile areas. Clamp sterile dressing or cleaning material for use. Unsterile: To handle outer dressing. To use as a clamp for materials.
6515-21-116-4050 \$9.48	D	EA	2	1			Forceps, Hemostatic Corrosion-resistant steel with mirror finish. Straight handles with finger rings, ratchet and pawl and box lock joint. Curved serrated jaws. 13.75cm long.	A	Y	Sterile: In surgery to clamp vein or artery to stop bleeding. To assist in applying sterile dressings. Sterilization: boiling will sterilize or autoclave. If not possible, immerse in alcohol for 1/2 hour.
6515-21-116-4057 \$9.72	D	EA	2	2			Forceps, Hemostatic Corrosion-resistant steel with mirror finish. Straight handles with finger rings, ratchet and pawl and box lock joint. Straight serrated jaws. 13.75cm long.	A	Y	Sterile: In surgery to clamp vein or artery to stop bleeding. To assist in applying sterile dressings. Sterilization: boiling will sterilize or autoclave. If not possible, immerse in alcohol for 1/2 hour.
6515-21-116-4166 \$9.48	D	EA	2				Holder, Suture Needle Hegar-Mayo design. Corrosion-resistant steel, mirror finish. Straight jaws with handle lock and box lock joint. 17cm long.	A	Y	
6515-21-846-0206 \$11.94	D	EA	2	1		1	Scissors, Bandage Lister type. Blades at angle to handle, one blade longer than the other. Corrosion resistant steel. 18.4cm long, 4.4cm cut, long blade is 5cm. One blunt end.	A	X	

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
6515-21-846-0208 \$7.24	D	EA	2	1		1	Scissors, General, Surgical Straight blades with blunt points. Corrosion-resistant steel. 13.75cm long. 3.75cm cut.	A	X	Sterile - to assist in handling surgical dressings. Prevent cutting edges from contamination, use with sterile dressings bandages. Keep clean by soaking with alcohol frequently.
6515-21-855-2244 \$3.54	D	BX	1	1			Knife, General Surgical Sterile and disposable. Stainless steel surgeon's blade attached to plastic handle. Blade has vinyl guard. Sealed in paper envelope. Blade size 11. Box of 10.	A	Y	To cut into skin. Sterilized equipment must be handled carefully to prevent contamination before use. Cleanse skin area with bacterial antiseptic (alcohol) before cutting into skin.
6515-21-855-2251 \$3.84	D	EA	1	1			Hammer, Reflex Testing Taylor design. Chromium plated. Solid handle. Large size.	A	X	To test reflex at knee, elbow and other joints. Used by physician or nurse to assess reflex action.
6530-21-116-0557 \$16.20	D	EA	1	1		1	Basin, Emesis Kidney-shaped, corrosion-resistant. Length 255mm, width 115mm, height 55mm. Volbrath Model 1C183, No. 88600.	A	X	To assist in collecting fluids coming out of mouth or collecting liquids from irrigations. Adjust well under patient's chin or under irrigation area (ear).
9999-21-116-4044 \$95.94	D	EA	1			1	Ring Cutter	A	X	
6670-21-116-2900 \$4.50	D	EA	1				Tape Measure, Vinyl 60" / 150cm.	A	X	
6685-21-912-1162 \$90.00	D	EA	1				Thermometer Fridge Min-Max, Digital	A	X	Refrigerator/Freezer Thermometer and Alarm with 1° Resolution, Reads °C or °F - Required for Vaccine Storage.
6530-21-880-7487 \$13.20	D	EA	1	1			Counting Tray	A	X	

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
Non-Stocked <i>Price to be determined depending on the model</i>	D	EA	1			1	Carrying Case / Bag Leather or vinyl.	A	X	To accommodate a Health Officers Emergency response kit. To obtain from a medical supply company.
6530-21-922-3405 \$6.24	D	EA	2	1			Sharps Container Disposal – Wall Mount 5 Qt	A	X	For disposal of sharps (1 QT and 5 QT size available). Scale B and C — Select size most suitable for your vessel.
6530-21-922-3401 \$2.40	D	EA	2	1	1	1	Sharps Container, 1 Qt — Vertical Drop Lid	A	X	
6530-21-922-3409 \$30.06	D	EA	1	1			Wallmount Bracket For the 5 qt sharps container.	A	X	
6530-21-922-3422 <i>Not available at Wendake</i>	D	EA	25	12	5	5	Bio-Medical Garbage Bags (Yellow) Small 24 X 22.5".	A	X	For disposal of Bio-Hazard waste.
							MEDICAL LIBRARY			
Non-stocked			1	1			Canadian Immunization Guide - Current Edition https://www.canada.ca/en/public-health/services/canadian-immunization-guide.html			Available from: Government of Canada Publications. www.publications.gc.ca 1-800-635-7943
Non-Stocked			1	1			Merck Manual http://www.merckmanuals.com/professional/index.html			Published by: Merck, Sharp and Dohme Ltd. Box 899 (Pointe Claire) Dorval 700, Québec.

Stock Number	Acquisition CODE	Unit of Distribution	Scale of Acquisition				Description	Nurse CODE	R S CODE	Application / Instructions
			A	B	C	D				
Non-Stocked			1	1			Dorland's Pocket Medical Dictionary 29th Edition 2012 \$39.95 / available on line or in any library (not available in French).			Publisher : Saunders Canadian Agent: W.B. Saunders Co. Canada Ltd. 1 Godthorne Ave Toronto, Ontario, M8Z 5T9.
Non-Stocked							Dorland's Dictionary Bilingual , 28 th Edition 2008 \$65.00 / Available on-line or in any library.			
7610-32-901-2762 E 7610-32-901-2771 F			1	1			First Nations and Inuit Health Branch, Clinical Practice Guidelines for Nurses in Primary Care. Both French and English manuals must be carried aboard CCG Vessels, in accordance with scale A and B. http://www.hc-sc.gc.ca/fni/ah-sp/ia/services/nurs-infirm/clin/adult/index-eng.php			Issued by the Minister of Public Works and Government Services Canada. Catalogue: H34 – 109/2000E Catalogue: H34 - 109/2000F ISBN: 0-660-18225-4 Published by the authority of the Minister of Health
Non-Stocked			1				Compendium of Pharmaceuticals and Supplies Be sure you have a copy not older of 2+years.			Bilingual Edition (C.P.S.) - Published by: The Canadian Pharmaceutical Association 101-1815 Alta Vista Drive, Ottawa, Ontario, K1G 3Y6 (New Edition Annually).

Appendix 1 Medical Kit Emergency Resuscitation No. 1

Stock number 6545-21-880-6729	Item #246	U of I	Qty
6135-21-892-5252	Battery, dry, size C, 1.5 volts	EA	1
6135-21-892-5254	Battery, dry, size AA, 1.5 volts, pkg of 4	PK	1
9999-21-892-5254	Battery, dry, size D	EA	2
Non-Stocked	Flashlight, hand, 2 batteries	EA	1
6505-21-845-9045	Lubricant, surgical, 125g tube	TU	1
6515-21-852-9429	Depressor, tongue, wood, package of 100	PK	1
Non-Stocked **	Airway, anaesthetic, plastic, child size 2, cat. no. 6-67	EA	1
Non-Stocked *	Airway, anaesthetic, plastic, child size 3, cat. no. 6-70/1	EA	1
Non-Stocked *	Airway, anaesthetic, plastic, child size 4, cat. no. 6/71	EA	1
Non-Stocked *	Case, first aid kit, 18-1/2 X 17-1/4 X 4-1/4, cat. no. 8-5290	EA	1
Non-Stocked *	Scissors, stretcher bearer, with lanyard, cat. No. 6-6015/1	EA	1
9999-00-300-2890	King LT / Size 4 (Red)	EA	1
9999-00-300-2888	King LT / Size 5 (Purple)	EA	1
6515-21-893-6236	VPO Syringe	EA	2
Non-Stocked *	Needle, exploring, 2 style gauge 2, 16" X 4", cat. no. 6-4377	EA	1
Non-Stocked *	Apparatus, suction, hand type with catheters, cat. no. 6-310	EA	1
Non-Stocked *	Forceps, haemostat, Crile's 5-1/2", straight, cat. no. 6-2810	EA	2
6515-2188-5182-5	Ambu Spur II Adult Resuscitator DDC	EA	1
6515-21-904-7049	Mask, resuscitation	EA	1

* The catalogue numbers included in the column titled "Item" come from the Catalogue of Medical Supplies and Equipment of Health Canada.

Appendix 2 Medical Kit Emergency Resuscitation No. 2

Stock Number 6545-21-880-6730	Item # 247	U of I	Qty
Non-Stocked *	Airway, anaesthetic, plastic, child, size 2, cat. No. 6-67	EA	1
Non-Stocked *	Airway, anaesthetic, plastic, child, cat. No. 6-71	EA	1
Non-Stocked *	Apparatus, suction, hand type with catheters, cat. no. 6-310	EA	1
Non-Stocked *	Box, utility, 19" X 6"-1/2, with lift out tray, cat. no. 8-3403/1	EA	1
6515-2188-5182-5	Ambu Spur II Adult Resuscitator DDC	EA	1
6515-21-904-7049	Resuscitation, mask	EA	1

Supplementary Items

The following items may be ordered in addition to the basic kit for replacement purposes.

Stock number	Item	U of I	Qty
Non-Stocked	Battery, size D	EA	10
Non-Stocked	Flashlight, hand, 2 batteries	EA	1
6505-21-845-9045	Lubricant, surgical, 125g tube	TU	1
6515-21-852-9427	Depressor, tongue, wood, package of 25	PK	1
Non-Stocked	Lamp, incandescent, standard size, Penlon, part no. 030092, pkg. of 5	PK	1

* The catalogue numbers included in the column titled "Item" come from the Catalogue of Medical Supplies and Equipment of Health Canada.

Appendix 3 First Aid Kit General Purpose – Type A

Stock number 6545-21-852-9432	Item # 249	U of I	Qty
6510-21-846-1222	Transpore Tape 7.5cm X 2.5cm	RL	1
6510-21-102-7867	Dressing, first aid, field	EA	2
6510-21-116-0197	Cotton, purified, 28.0g	PK	2
6510-21-671-1182	Pad, cotton, eye 4.69cm X 6.98cm (1-7/8" X 2-3/3") 50/Box	BX	1
6510-21-671-6728	Bandage, self-adhering roll, 7.5cm X 4.6m (3" X 15') 12/BG	BG	1
6510-21-886-4657	Bandage, adhesive, 7.5cm X 1.9cm (3" X 3/4"), 100's	BX	1
6510-21-845-2060	Benzalconium chloride pads Box of 100	BX	1
6510-21-904-7221	Bandage, triangular, 2s	PK	1
6515-00-337-2400	Forceps, splinter	EA	1
6515-00-367-0420	Shield, eye, surgical	EA	1
6515-21-845-9482	Gloves, disposable, box of 100	BX	1
6515-21-844-5204	Applicator, disposable, pkg of 100	PK	1
6515-21-904-7049	Mask, resuscitation with disposable one-way valve	EA	1
6530-21-844-6588	Basin, wash ***	EA	-
6530-21-848-4908	Litter, folding ***	EA	-
7530-21-852-9254	First Aid Attendant's Treatment Book	EA	1
7610-21 -843-6190	Book, Pocket Guide to first Aid, St. John Ambulance	EA	1
8315-21-843-6856	Pin, safety, card of 12	SE	1
6510-21-671-3055	Sponge, surgical, sterile, 5 x 5cm, 25/PK	PK	1
7210-21-870-6172	Blanket, rescue mylar plastic 56" x 84	EA	1
6510-21-891-0091	Sponge, surgical, non-sterile 10 x 10cm, 200 / PK.	PK	1
6510-21-671-3078	Sponge, surgical, absorbent gaze, 12-ply, 10cm X 10cm 25/PK	PK	1

*** Not order in kit, order separately.

Appendix 4 First Aid Kit General Purpose – Type B

Stock Number 6515-21-852-9433	Item # 250	U Of I	Qty
6510-00-203-5000	Adhesive tape, surgical, 7.5cm X 4.6m (3" X 15')	RL	1
6510-21-102-7867	Dressing, first aid, field	EA	2
6510-21-116-0170	Bandage, felt, orthopaedic	EA	2
6510-21-671-5242	Bandage, gauze, 5cm X 4.6m (2" X 15') 12/BG	BG	1
6510-21-116-0197	Cotton, purified, 28.0g package	PK	4
6510-21-671-1182	Pad, cotton, eye, 4.69cm X 6.98cm (1-7/8" X 2-3/4") 50/BX	BX	1
6510-21-671-6728	Bandage, self-adhering roll, 7.5cm X 4.6m (3" X 15") 12/BG	BG	1
6510-21-671-6732	Bandage, self-adhering roll, 10cm X 4.6m (4" X 15')	EA	6
6510-21-845-2239	Bandage, adhesive, 100s	BX	1
6545-21-852-9429	Case, first aid kit	EA	1
6510-21-845-2060	Benzalconium chloride pads Box of 100	BX.	1
6510-21-904-7221	Bandage, triangular, 2s	PK	3
6515-00-337-2400	Forceps, splinter	EA	1
6515-00-363-8800	Scissors, bandage	EA	1
6515-00-367-0420	Shield, eye, surgical	EA	2
6515-21-845-9482	Gloves, disposable, (pair)** 100 BX	BX	1
6515-21-852-9428	Applicator, disposable, 25s	PK	1
6515-21-904-7049	Mask, resuscitation with disposable one-way valve	EA	1
6530-21-844-6588	Basin, wash ***	EA	-
6530-21-848-4908	Litter, folding***	EA	-
6545-21-116-2912	Splint set, wood	SE	1
7210-21-849-9452	Blanket, bed, gray***	EA	-
7530-21-852-9254	First Aid Attendant's Treatment Book	EA	1
7610-21-843-6190	Book, Pocket Guide to First-Aid, St. John Ambulance	EA	1
8315-21-843-6856	Pin, safety, card of 9	EA	1
6510-21-671-3078	Sponge, surgical, absorbent gaze, 12-ply, 10cm X 10cm 25/PK	PK	1

** Shelf life of 18 months maximum from date received for kit.

*** Not included in kit, order separately.

INDEX

3.0 PS-1, Part # 8663G	41	Cervical Collar.....	53
4.0 PS-2, Part # 8682G	41	Cetirizine (Reactine Non-Drowsy)	22
5.0 PS-3, Part # 8691G	41	Chlorhexidine 0.5%/ALC 70%	30
Accelerated Hydrogen Peroxide	35	Chlorhexidine Gluconate Solution	29
Acetaminophen Tablets (Atasol, Tylenol)	19	Ciloxan 0.3%	10
Acyclovir Ointment (Zovirax Ointment)	27	Ciprofloxacin Cipro 400 mg IV.....	8
Adaptic	32	Ciprofloxacin Tablets.....	5
Adenosine	12	Clarithromycin XL (Biaxin) Tablets	5
Adhesive Tape, Hypoallergenic.....	31	Clindamycin (Dalacin C Phosphate), Injectable (IV/IM)	6
Adhesive Tape, Surgical.....	30	Clindamycin HCL (Dalacin C)	6
Adhesive, Remover	32	Clopidogrel Bisulfate (Plavix)	15
Airway Nasalpharyngeal Set (9)	46	Clotrimazole 1% Tube 30g.....	9
Alcohol Hand Cleaner 1L Microsan	30	Clove Oil	20
Aluminium Hydroxide & Magnesium Tablet (Diovol)	26	Codeine Phosphate and Acetaminophen Tablets	19
Aluminium Hydroxide, Simethicone and Magnesium Hydroxide Suspension (Diovol, Maalox Plus, Mylanta).....	26	Combivir (Zidovudine 300mg/Lamivudine 150mg)	16
Amiodarone HCL (Cordarone).....	12	Compendium of Pharmaceuticals and Supplies.....	58
Amoxicillin + Clavulanate (Clavulin) Capsules.....	6	Cotton, Purified	36
Anterior Epistaxis Packing (20)	38	Counting Tray	56
Applicator, Disposable.....	33	Crutches, Set Adjustable Adult Aluminium	46
Aquacel AG without latex	29	Crutches, Set Adjustable Youth Aluminium.....	46
ASA 80mg Chewable	14	Curette Ear Lighted Versaloon (50).....	43
Atropine Sulphate	13	Cyclobenzaprine Hydrochloride Tablets (Flexeril)....	20
Azithromycin 250mg	8	Dextrose 50% Solution. Pre-Loaded Syringe	16
Bacitracin And Polymyxin B Sulfate Ointment (Polysporin)	27	Diazepam Injection (Valium)	24
Bag Body Post Mortem Zipper Kit	51	Dicyclomine Hydrochloride Tablets	10
Bag, Hot Water.....	44	Digital Thermometer, with Flexible Tip	50
Bag, Ice	44	Dimenhydrinate Injection (Gravol).....	24
Bandage, Adhesive (Band-aids)	37	Dimenhydrinate Suppositories (Gravol).....	24
Bandage, Cotton, Elastic	36, 37	Dimenhydrinate Tabs (Gravol)	24
Bandage, Gauze Elastic	36, 37	Dimethylpolysiloxane Cream.....	28
Bandage, Muslin.....	37	Diphenhydramine Hydrochloride	5
Basin, Emesis.....	55	Diphenhydramine Hydrochloride Capsules	5
Batteries (CR2032) X 2	51	Disposable Medicine Dropper.....	43
Baxter Interlink Injection Site Cap.....	40	Docusate Sodium (Colace)	10
BD Lever Lock Cannula.....	40	Dorland's Dictionary Bilingual.....	57
Bedpan	45	Dorland's Pocket Medical Dictionary.....	57
Benzalconium Chloride Pads	38	Doxycycline Hyclate Capsules (Apo-Doxy Vibramycin)	7
Benzoin Tincture	16	Drainage Bags, Urinary.....	45
Bio-Medical Garbage Bags (Yellow).....	56	Dressing Retention Sheet	31
Bone Injection Gun Adult.....	35	Dressing Transparent	31
Bottle, Screw Cap	43	Dressing, First Aid, Field	30
Bottle, Urinary Specimen	45	Enoxaparin Sodium.....	14
Box, Folding	43	Epinephrine 1mg/10ml Pre-Filled Syr.....	21
Brand Atlas Base Cream	28	Epinephrine Injection.....	21
CaCl2 Syringe	14	Erythromycin Ophthalmic Ointment.....	10
Calamine Lotion	29	Eye Chart Adult/Child 10 Ft (Snellen)	51
Calibrating Solution	51	Fentanyl Inj. 50 MCG/ML	21
Canadian Immunization Guide - Current Edition	57	First Nations and Inuit Health Branch, Clinical Practice Guidelines for Nurses in Primary Care.....	57
Carrying Case / Bag	56	Fluconazole 150mg Caps (Diflucan)	9
Catheter Tip Syringe.....	48	Flumazenil (Anexate) Injection	25
Catheterization Set, Urethral	44	Fluticasone Propionate Inhaler.....	22
Cefazolin	8	Forceps, Dressing.....	54
Cefoxitin Sodium Injection	7	Forceps, Hemostatic	54
Ceftriaxone (Rocephin).....	7	Framycetin-Dexamethasone Compound Solution (Sofracort).....	11
Cephalexin tablets (Keflex).....	5		

Pharmaceuticals, Medical Supplies and Related Items

Index

Furosemide Injection (LASIX)	17	Metoprolol Tartarate Tablets	14
Gastrolyte (pouch)	26	Metoprolol Tartarate for Injection	14
Gauge 20 Cannula Lgth 2.5cm	39	Metronidazole	9
Gauge 22 Cannula Lgth 3.75cm	39	Metronidazole Inj (Flagyl)	8
Gauge 25 Cannula Lgth 1.6 cm	39	Miconazole Nitrate Antifungal Treatment Kit	9
Gel Pack Small Reusable Hot/Cold 4"X 5"	52	Midazolam (Versed) Injectable	25
Gentamicin	6	Mineral Oil Heavy 500ml	12
Glove Nitrile Large (100)	42	Minims Fluorescein Sod. Ophthalmic Drops 2%	11
Glove Nitrile Medium (100)	42	Morgan's Lens	38
Glove, Surgeon's	42	Morphine Injection	19
Glove, Surgeon's Size 7 ½	42	Multistix-10 Sg Test Strip And Colour Chart, Urinary	44
Glove, Surgeon's Size 8 ½	42	NACL 0.9% Inj 10ml	15
Glucagon Injection	15	Naloxone Hydrochloride Injection	18
Glustitch (Hystoacryl)	28	Naproxen Tablets	20
Guaifenesin And Dextromethorphan Syrup	23	Nasal Prongs	52
Guedal Airway Colour Coded Oral Set (8)	46	Needle 21 Gauge	40
Haemorrhoidal Ointment	9	Needle, Hypodermic	39
Haloperidol Injectable (Haldol)	25	Nitroglycerin Spray	13
Hammer, Reflex Testing	55	Nitroglycerin Tablets	13
Hemocult Test Sensa	10	Omeprazole (Losec)	26
Hexylresorcinal Lozenges (Bradosol)	23	Orajel	20
Holder, Suture Needle	55	Otoscope and Ophthalmoscope Set Model 11720	49
Humidifier, Air Chamber For Oxygen	53	Oxazepam Tablets (Serax)	25
Hydriol - PH	50	Oxygen (Portable)	52
Hydrochlorothiazide Tablets (HCTZ)	17	Oxygen Masks	52
Hydrocortisone 0.5% Ointment	29	Oxygen Masks, Simple Adult	52
Hydrogen Peroxide 3% (10vol) 225ml	11	Oxygen, Large Cylinders	52
Hypothermia Digital Thermometer	50	Pad Abdominal	32
I/V Catheters (In Syte)	48, 49	Pad, Cotton, Eye	36
Ibuprofen Tablets (Apo-Ibuprofen, Motrin, Novoprogen)	20	Pad, Nonadherent Sterile	37
Inhaler Chamber (Opti Chamber)	23	Pads, Bed, Linen-Protective Blue	46
Insulin NPH	16	Penicillin V Potassium Tablets	7
Insulin Regular	16	Permethrin, Cream For Scabies (Nix Dermal Cream)	27
Intravenous Injection Set JC6519	40	Permethrin, after Shampoo (Nix / Kwellada)	27
Ipratropium Bromide	22	Petrolatum, White	28
Kaletra (Ritonavir 50mg/Lopinavir 200mg)	16	Piggy Bag Dextrose 5% 100ml	39
King LT / Size 3 (Yellow)	34	Piggy Bag Type Nacl 0.9%	38
King LT / Size 4 (Red)	35	Plan B	17
King LT / Size 5 (Purple)	35	Plastic Ointment Jar	43
Kit, Minor Dressing Tray	41	Potassium Chloride	17
Knife, General Surgical	55	Povidone-Iodine Topical Solution	28
Knuckle Dressing	31	Prednisone Tablets	22
Label Prescription - Roll	52	Probe Covers	50
Laceration Tray - Suture Kit	41	Pulse Oxymetry Device	50
Laerdal TM. Suction Unit	53	Ranitidine Tablets (Zantac)	26
Lidocaine 2% 100mg / 5ml Syr (Xylocard)	15	Razor, Surgical Preparation	42
Lidocaine HCL 2%	19	Regular Charcoal (Aqueous Charcodote)	18
Lidocaine HCL/Epinephrine 2%	19	Ring Cutter	56
Lipstick, Antichap (Blistik)	29	Safe-T-Pro-Lancet	51
Loperamide Hydrochloride Tabs	9	Safety Glasses	43
Lorazepam Tablets (Ativan)	25	Salbutamol HFA Aerosol 100 MCG	22
Lubricant Ophthalmic (Drops)	11	Salbutamol Respiratory Solution	21
Lubricant, Surgical Muko	28	Scissors, Bandage	55
Magnifying Glass	51	Scissors, General, Surgical	55
Mask Nebulizer Adult With Tubing	52	Scopolamine Patch	23
Mask, Adult	23	Secondary Medication Set JC7451	40
Medicine Cup	43	Sharps Container Disposal - Wall Mount 5 Qt	56
Merck Manual	57	Sharps Container, 1 Qt - Vertical Drop Lid	56
Meter Blood Glucose	50	Shield, Eye, Surgical	38
Methyl Salicylate	20	Silver Nitrate Sticks (Applicators)	38
Methylprednisolone Sodium (Solu-Medrol)	23	Skin Closure, Adhesive, Surgical	32
		Sodium Chloride Injection, I/V	15

Sodium Phosphate Enema.....	10	Tetanus and Diphtheria Toxoid and Purified Bordetella Pertussis Antigens	8
Speculum For Otoscope 4.25mm	50	Tetracaine HCL.....	11
Speculum Vaginal.....	47	Thermometer Fridge Min-Max.....	35
Speculum, Vaginal.....	47	Thermometer Fridge Min-Max, Digital.....	56
Sphygmomanometer	49	Thiamine	12
Splint Sam Rolled Medium 18"	54	Tongue Depressor - Non-Sterile	33
Splint Sam Rolled Small 9"	54	Tongue Depressor Sterile	34
Splint, For Immobilization	53	Tourniquet, Latex-Free.....	51
Splint, Metal, Finger.....	53	Tube Nasogastric Standard 48	47
Sponge, Surgical	33, 34	Undecylenic Acid And Zinc Undecylenate Powder (Desenex)	27
Staple Remover Kit.....	34	Urinal, Male Patient.....	46
Stapler Disposable Skin 3M Vista 15.....	34	Urinary Foley Catheters	45
Sterile Saline Solution for Irrigation.....	28	Urinary Foley Catheters , French Size 14	45
Sterile Water for Injection	15	Urinary Foley Catheters , French Size 16	45
Sterilization Pouch 5 ¼ X 10.....	38	Urinary Foley Catheters , French Size 18	45
Stethoscope	49	Urinary Foley Catheters , French Size 22	45
Suction Tips Adult With Control Vent Yaunkaeur #299	47	Urinary Foley Catheters, French Size 12	45
Sulfamethoxazole & Trimethoprim Tablets.....	6	Urine Pregnancy Testing Kit	44
Suture Removal Kit.....	42	Valacyclovir 500mg Caps Valtrex (30)	7
Suture, Non-Absorbable Surgical	41	Viscous Lidocaine 2%	17
Syringe And Needle Hypodermic	48	Vitamin K (Phytonadione)	13
Syringe and Needle, Hypodermic.....	48	Voltaren Emulgel 100g.....	20
Syringe, Ear and Ulcer	47	Wallmount Bracket.....	56
Syringe, Hypodermic, Disposable	39, 48	Water Sterile Irrig 1000ml	35
Tape Measure, Vinyl.....	56	Xylometazoline Hydrochloride Solution (Otrivin)	22
Test Strep A	23		
Test Strips, Glucose In Blood	51		



ANNEX B CONTROLLED SUBSTANCES REGISTER

C.C.G.S. / N.G.C.C.						Page No.		
Stock No. N� de stock		Description				Drug Classification: Classification du m�dicament : Narcotic / Narcotique _____ Controlled Substance / Substance contr�l�e _____		
Unit Of Issue Unit� de distribution								
Date	Requisition No. Commande n�	Receipt R�ceptio n	Administration (Application)	Loss Perte	Destruction	Balance Reste	Required Signature(s) Signature(s) obligatoire(s)	Signatory(ies)' Name(s) In Block Letters - Remarks / Nom(s) du (des) signataire(s) en lettres moul�es – Remarques

[illegible]

Controlled Substances Register – Example

C.C.G.S. / N.G.C.C.									
Stock No. N° de stock		Description					Page No.		
Unit Of Issue Unité de distribution		Drug Classification: Classification du médicament : Narcotic / Narcotique _____ Controlled Substance / Substance contrôlée _____							
Date	Requisition No. Commande n°	Receipt Réception	Administration (Application)	Loss Perte	Destruction	Balance Reste	Required Signature(s) Signature(s) obligatoire(s)	Signatory(ies)' Name(s) In Block Letters - Remarks / Nom(s) du (des) signataire(s) en lettres moulées - Remarques	
19-02-99	123456	12				12	Commanding Officer / Commandant	Name of Commanding Officer / Nom du commandant	
25-02-99			3			9	Commanding Officer / Commandant Health Officer / Officier de santé	Name of Commanding Officer / Nom du commandant Name of Health Officer / Nom de l'officier de santé If advice via radio communication: medical practitioner's name, address and licence # / Si l'avis est via radiocommunication : nom du médecin, adresse et n° d'autorisation.	
25-03-99				2		7	Commanding Officer / Commandant	Name of patient / Nom du patient Name of Commanding Officer / Nom du commandant	

Controlled Substances Register – Example (cont'd)

C.C.G.S. / N.G.C.C.										Page No.
Stock No. N° de stock			Description							Drug Classification: Classification du médicament : Narcotic / Narcotique _____ Controlled Substance / Substance contrôlée _____
Unit Of Issue Unité de distribution										
Date	Requisition No. Commande n°	Receipt Réception	Administration (Application)	Loss Perte	Destruction	Balance Reste	Required Signature(s) Signature(s) obligatoire(s)	Signatory(ies)' Name(s) In Block Letters - Remarks / Nom(s) du (des) signataire(s) en lettres moulées – Remarques		
15-04-99			2			5	Commanding Officer / Commandant Witness / Témoin Patient (if in condition to sign / si en condition pour signer)	Name of Commanding Officer / Nom du commandant Name of Witness / Nom du témoin Treatment via radio communications: medical practitioner's name, address and licence # / Traitement via radiocommunication : nom du médecin, adresse et n° d'autorisation. Patient's Name / Nom du patient		
26-06-99					3	2	Commanding Officer / Commandant Witness / Témoin	Name of Commanding Officer / Nom du commandant Name of witness / Nom du témoin		
15-08-99	78910	12				14				



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne



ANNEX C OFFICE OF CONTROLLED SUBSTANCES

Compliance, Monitoring and Liaison Division
Office of Controlled Substances
Drug Strategy and Controlled Substances Program
Health Canada

Address Locator:

3502B
Ottawa, Ontario
K1A 1B9

Tel.: (613) 954-1541
Fax : (613) 957-0110



Fisheries and Oceans
Canada
Canadian
Coast Guard

Pêches et Océans
Canada
Garde côtière
canadienne



ANNEX D PLAIN LANGUAGE RADIO COMMUNICATION

PLAIN LANGUAGE RADIO COMMUNICATION CONSULTATION INSTRUCTIONS

This message outline prepared in the briefest form covering all headings below relevant to the case should permit a Health Officer to make a diagnosis and direct treatment by radio communication.

Time:

Date:

1. Patient's name:
2. P.R.I.:
3. Sex:
4. Date of birth:
5. Weight:
6. Exact location of ship:
7. Present complaint in patient's own words:
8. Date and hour of onset disorder:
9. Story of progress of disorder (is it getting worse, better, or changing in some other way?)
10. Any change in appearance of patient (is patient blue, anxious, dehydrated?)
11. Change in vision or speech?
12. Cough (has patient cough, and if so, type of cough, dry, harsh?)
13. Coughing up mucus (is patient coughing up mucus, and if so, the colour and quantity?)
14. Coughing up blood (has patient coughed up blood, and if so, how much?)
15. Vomiting: (If present, how often, what color, and was there any blood?)
16. Bowel movement: (How often in past 24-48 hours, and was there any blood?)
17. Exact center of first pain, and time:
18. Spread of pain : (has pain spread ? If so, give area of spread.)
19. Temperature at certain times:
20. Pulse per minute:
21. Respirations (Breaths) per minute and type:
22. Treatment already tried:
23. Effect of treatment : (What was the response to treatment?)
24. Have there been any similar cases aboard?
When?
How many?

25. Name and identification of person initiating message:

HEALTH OFFICER REPLYING

Date and Time:

Probable diagnosis:

Treatment recommended:

**PLAIN LANGUAGE RADIO COMMUNICATION
CONSULTATION INSTRUCTIONS**

This message outline prepared in the briefest form covering all headings below relevant to the case should permit a Medical Officer to make a diagnosis and direct treatment by radio communication.

Time:

date:

IF EVACUATION BY AIR IS RECOMMENDED, THE FOLLOWING INFORMATION MUST BE AVAILABLE:

	YES	DOUBTFUL	NO
Is this flight a matter of life or death?			
Is satisfactory recovery reasonably possible?			
Is professional medical attention required before embarkation?			
Is a satisfactory landing place reasonably certain?			
Details of financial arrangements (if applicable).			
Is the ship carrying its own operational helicopter?			
Are there any geographical or mechanical limitations of the ship's helicopter?			



Fisheries and Oceans
Canada
Canadian
Coast Guard

Pêches et Océans
Canada
Garde côtière
canadienne



ANNEX E PEP DRUG REQUISITION FORM

When requesting COMBIVIR & KALETRA listed on page A-13, please use the form found in this Annex and ensure the following steps are followed:

- The Logistics Officer is to complete sections “Vessel Information” and “Financial Approval” before faxing it to PRAXES.
- Once the form is signed by the prescriber from PRAXES, it will be faxed directly to Health Canada DDC Pharmacy with a copy back to the vessel.



Fisheries and Oceans
Canada
Canadian
Coast Guard

Pêches et Océans
Canada

Garde côtière
canadienne



PEP Drug Requisition Canadian Coast Guard

Vessel Information

Name: _____
(Please Print)

	# Tablets in each pack	QTY of Packs*
Combivir 300/150 mg	8	
Kaletra 200/50 mg	16	

***Note:** Vessels are limited to a maximum of two (2) packs aboard at any one time. The requisition should not exceed more than two (2) packs.

Financial Approval (RC Manager):

Financial Code: _____ 7347 _____ / _____ - 086- 0600

(Full financial coding required)

Consignee Code

Fax number: _____

Person authorizing purchase is to sign below and then fax to PRAXES
(1-902-420-9987) to order scheduled drugs packed-down for clinic use.

I _____ authorize the above order:
(Please Print)

Signature: _____ Date: _____

Prescriber Information (PRAXES Physician):

I _____ require the above order for clinic use supplies:
(Please Print)

Signature: _____ Date: _____

**All sections to be completed before faxing to the Health Canada DDC
Pharmacy for processing at 1-866-662-3034, also, fax a copy back to
the RC Manager.**

This communication, including any attachments, is intended solely for the use of the addressee and may contain information which is confidential. If you are not an intended recipient, any use, disclosure or distribution is unauthorized and may be unlawful. If you have received this transmission in error, please notify me immediately.



Canada

