



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des soumissions -  
TPSGC**

**11 Laurier St. / 11, rue Laurier**

**Place du Portage, Phase III**

**Core 0B2 / Noyau 0B2**

**Gatineau, Québec K1A 0S5**

**Bid Fax: (819) 997-9776**

**SOLICITATION AMENDMENT  
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**

**Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**

**Vehicles & Industrial Products Division**

**11 Laurier St./11, rue Laurier**

**7A2, Place du Portage, Phase III**

**Gatineau, Québec K1A 0S5**

<b>Title - Sujet</b> Pièces de rechange diverses	
<b>Solicitation No. - N° de l'invitation</b> W8486-184844/A	<b>Amendment No. - N° modif.</b> 001
<b>Client Reference No. - N° de référence du client</b> W8486-184844	<b>Date</b> 2018-04-05
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$\$HP-371-74534	
<b>File No. - N° de dossier</b> hp371.W8486-184844	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-05-01</b>	<b>Time Zone</b> Fuseau horaire Eastern Daylight Saving Time EDT
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Modérie, Christine	<b>Buyer Id - Id de l'acheteur</b> hp371
<b>Telephone No. - N° de téléphone</b> (873) 469-3327 ( )	<b>FAX No. - N° de FAX</b> (819) 953-2953
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm (type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Cette modification N° 001 de l'invitation est présentée afin d'incorporer des informations supplémentaires à la description de l'article et de prolonger la date de fermeture de la demande d'invitation à soumissionner comme suit:

Incorporer l'information aux articles suivant:

19 5330-12-3347146;  
21 5330-12-3253622;  
31 5331-01-1830991  
33 5330-12-3347147;  
34 5330-12-3347148;  
46 5330-01-6242920;  
49 5330-12-3462355; et  
59 5331-01-6134309

Prolonger la date de fermeture de la demande d'invitation à soumissionner comme suit:

SUPPRIMER:	L'invitation prend fin le	2018-04-16
INSÉRER:	L'invitation prend fin le	2018-05-01

Toutes les modalités demeurent les mêmes.

5330-12-334-7146, JOINT (SEAL)

<b>MATERIAL</b>	OVERALL GESAMTARTIKEL KAUTSCHUK, ZELLULAR
<b>MATERIAL DOCUMENT AND CLASSIFICATION</b>	OVERALL Z125V, D8435 MFR REF SINGLE MATERIAL RESPONSE
<b>CROSS-SECTIONAL SHAPE STYLE</b>	SOLID SINGLE OR COMPOSITION
<b>CROSS-SECTIONAL THICKNESS</b>	4,0 MILLIMETERS NOMINAL
<b>STYLE DESIGNATOR</b>	NON-CIRCULAR
<b>OVERALL LENGTH</b>	251,0 MILLIMETERS NOMINAL
<b>OVERALL WIDTH</b>	132,0 MILLIMETERS NOMINAL
<b>INSIDE CORNER RADIUS</b>	4,0 MILLIMETERS NOMINAL
<b>OUTSIDE CORNER RADIUS</b>	6,0 MILLIMETERS NOMINAL
<b>APERTURE WIDTH</b>	120,0 MILLIMETERS NOMINAL
<b>APERTURE LENGTH</b>	239,0 MILLIMETERS NOMINAL
<b>SPECIAL FEATURES</b>	EINSEITIG KLEBEND

---

5330-12-325-3622, JOINT (SEAL)

<b>MATERIAL</b>	OVERALL PLASTIC POLYAMIDE
<b>MATERIAL DOCUMENT AND CLASSIFICATION</b>	OVERALL EWP 210, D8175 MFR REF SINGLE MATERIAL RESPONSE
<b>CROSS-SECTIONAL SHAPE STYLE</b>	SOLID SINGLE OR COMPOSITION
<b>CROSS-SECTIONAL THICKNESS</b>	1,5 MILLIMETERS NOMINAL
<b>STYLE DESIGNATOR</b>	CIRCULAR
<b>OUTSIDE DIAMETER</b>	60,0 MILLIMETERS NOMINAL
<b>APERTURE DIAMETER</b>	42,5 MILLIMETERS NOMINAL

---

5331-01-183-0991, JOINT TORIQUE, (O-RING)

<b>OUTSIDE DIAMETER</b>	1.887 INCHES NOMINAL
<b>TEMP RATING</b>	-65.0 DEG FAHRENHEIT AND 275.0 DEG FAHRENHEIT
<b>CROSS-SECTIONAL HEIGHT</b>	0.135 INCHES MINIMUM AND 0.143 INCHES MAXIMUM
<b>CENTER HOLE DIAMETER</b>	1.594 INCHES MINIMUM AND 1.624 INCHES MAXIMUM
<b>ELONGATION PERCENTAGE</b>	125 MAXIMUM
<b>HARDNESS RATING</b>	75.0 SHORE DUROMETER A NOMINAL
<b>MATERIAL</b>	RUBBER BUTADIENE-ACRYLONITRILE CLASS NBR

5330-12-334-7147, GASKET

<b>MATERIAL</b>	OVERALL GESAMTARTIKEL KAUTSCHUK, KORK
<b>CROSS-SECTIONAL SHAPE</b>	SOLID SINGLE OR COMPOSITION
<b>STYLE</b>	
<b>CROSS-SECTIONAL THICKNESS</b>	0,8 MILLIMETERS NOMINAL
<b>STYLE DESIGNATOR</b>	NON-CIRCULAR
<b>HOLE DIAMETER</b>	3,2 MILLIMETERS NOMINAL
<b>OVERALL LENGTH</b>	42,0 MILLIMETERS NOMINAL
<b>OVERALL WIDTH</b>	42,0 MILLIMETERS NOMINAL
<b>APERTURE DIAMETER</b>	37,5 MILLIMETERS NOMINAL
<b>OUTSIDE CORNER RADIUS</b>	4,0 MILLIMETERS NOMINAL
<b>CENTER TO CENTER DISTANCE BETWEEN BOLT HOLES ALONG WIDTH</b>	31,8 MILLIMETERS NOMINAL
<b>CENTER TO CENTER DISTANCE BETWEEN BOLT HOLES ALONG LENGTH</b>	31,8 MILLIMETERS NOMINAL
<b>OUTSIDE EDGE TO BOLT HOLE CENTER DISTANCE ALONG WIDTH</b>	5,1 MILLIMETERS NOMINAL
<b>OUTSIDE EDGE TO BOLT HOLE CENTER DISTANCE ALONG LENGTH</b>	5,1 MILLIMETERS NOMINAL
<b>BOLT HOLE QUANTITY</b>	4
<b>SPECIAL FEATURES</b>	EINSEITIG SELBSTKLEBEND

5330-12-334-7148, GASKET

<b>MATERIAL</b>	OVERALL GESAMTARTIKEL KAUTSCHUK, ZELLULAR
<b>MATERIAL DOCUMENT AND CLASSIFICATION</b>	OVERALL Z125V, D8435 MFR REF SINGLE MATERIAL RESPONSE
<b>CROSS-SECTIONAL SHAPE STYLE</b>	SOLID SINGLE OR COMPOSITION
<b>CROSS-SECTIONAL THICKNESS</b>	3,0 MILLIMETERS NOMINAL
<b>STYLE DESIGNATOR</b>	NON-CIRCULAR
<b>HOLE DIAMETER</b>	6,0 MILLIMETERS NOMINAL
<b>OVERALL LENGTH</b>	255,0 MILLIMETERS NOMINAL
<b>OVERALL WIDTH</b>	128,0 MILLIMETERS NOMINAL
<b>INSIDE CORNER RADIUS</b>	2,0 MILLIMETERS NOMINAL
<b>OUTSIDE CORNER RADIUS</b>	6,0 MILLIMETERS NOMINAL
<b>APERTURE WIDTH</b>	110,0 MILLIMETERS NOMINAL
<b>APERTURE LENGTH</b>	237,0 MILLIMETERS NOMINAL
<b>CENTER TO CENTER DISTANCE BETWEEN BOLT HOLES ALONG LENGTH</b>	75,0 MILLIMETERS NOMINAL AND 120,0 MILLIMETERS NOMINAL
<b>OUTSIDE EDGE TO BOLT HOLE CENTER DISTANCE ALONG WIDTH</b>	4,5 MILLIMETERS NOMINAL AND 64,0 MILLIMETERS NOMINAL
<b>OUTSIDE EDGE TO BOLT HOLE CENTER DISTANCE ALONG LENGTH</b>	5,0 MILLIMETERS NOMINAL AND 30,0 MILLIMETERS NOMINAL
<b>BOLT HOLE QUANTITY</b>	8

---

5330-01-624-2920, RUBBER SHEET, SOLID, CLOTH INSERT

<b>MINIMUM TENSILE STRENGTH</b>	32 POUNDS PER SQUARE INCH
<b>TEMP RATING</b>	0.00 DEG FAHRENHEIT AND 250.00 DEG FAHRENHEIT
<b>COLOR</b>	BOTH SIDES BLACK
<b>SPECIAL FEATURES</b>	PLIES: 2, WEIGHT: .69LBS, AVAILABLE WIDTH: .72", OVERALL GAUGE: .099+/- .10", RECOMMENDED WORKING TENSION: 32LBS/", MINIMUM PULLEY DIAMETER: 2", MEETS FDA, COVER SURFACE 3/64", BOTTOM SURFACE: FRICTION.

---

**WITCO CHEMICAL CORP**  
**CHEMPRENE DIV**  
COMPANY MIGHT BE OBSOLETE

---

5330-12-346-2355, GASKET

<b>MATERIAL</b>	OVERALL PLASTIC POLYAMIDE
<b>MATERIAL DOCUMENT AND CLASSIFICATION</b>	OVERALL KLINGERSIL C-4400, D1429 MFR REF SINGLE MATERIAL RESPONSE
<b>CROSS-SECTIONAL SHAPE STYLE</b>	SOLID SINGLE OR COMPOSITION
<b>CROSS-SECTIONAL THICKNESS</b>	1,0 MILLIMETERS NOMINAL
<b>BOLT CIRCLE DIAMETER</b>	68,0 MILLIMETERS NOMINAL AND 103,0 MILLIMETERS NOMINAL
<b>SMALLEST BOLT HOLE DIAMETER</b>	4,5 MILLIMETERS NOMINAL
<b>LARGEST BOLT HOLE DIAMETER</b>	5,5 MILLIMETERS NOMINAL
<b>SMALLEST BOLT HOLE QUANTITY</b>	3
<b>LARGEST BOLT HOLE QUANTITY</b>	4

---

5331-01-613-4309, O-RING

<b>MATERIAL</b>	RUBBER
<b>COLOR</b>	BLACK
<b>OUTSIDE DIAMETER</b>	31.0 MILLIMETERS NOMINAL
<b>PERIPHERAL DIAMETER</b>	31.0 MILLIMETERS NOMINAL
<b>CENTER HOLE DIAMETER</b>	27.0 MILLIMETERS NOMINAL
<b>CROSS-SECTIONAL HEIGHT</b>	2.0 MILLIMETERS NOMINAL
<b>END ITEM IDENTIFICATION</b>	6640-01-547-1760
<b>PART NAME ASSIGNED BY CONTROLLING AGENCY</b>	O-RING

---