

Project Description: CCGS Griffon Hull Condition Survey Specification Development

| Compartment  | Close-Up Survey (CUS) | Thickness Measurements <sup>TM</sup> | Estimated Deck Covering Removal (M <sup>2</sup> ) | Estimated Insulation Removal (M <sup>2</sup> ) | Estimated Lining Removal (# of Panels) | Note Reference (see below for all notes) |
|--|-----------------------|--------------------------------------|---|--|--|--|
| Hull (per 1.3.3.1 and 1.3.4.2 of Specification) Note - since the Griffon work will be conducted alongside, the hull envelope can only be surveyed and TM taken from the inside |                       |                                      |   |  |  |  |
| Port Side  | X                     | X                                    |   |  |  | (aa)                                     |
| Starboard Side   | X                     | X                                    |   |  |  | (aa)                                     |
| Below Tank Top   |                       |                                      |   |  |  |  |
| Echo Sounder Compartment Fr.94-95  | X                     | X                                    |   |  |  | (t)                                      |
| No. 1 Double Bottom Tank - FW Fr.71-94(P)  | X                     | X                                    |   |  |  | (x)(y)                                   |
| Pipe Tunnel Fr.60-94(CL)   | X                     | X                                    |   |  |  | (y)                                      |
| No. 1 Double Bottom Tank - FW Fr.71-94(S)  | X                     | X                                    |   |  |  | (x)(y)                                   |
| Void Space Fr.67-71(P)   | X                     | X                                    |   |  |  | (t)                                      |
| Void Space Fr.67-71(S)   | X                     | X                                    |   |  |  | (t)                                      |
| No. 2 Double Bottom Tank - FO Fr.48-62(P)  | X                     | X                                    |   |  |  | (x)                                      |
| No. 2 Double Bottom Tank - FO Fr.48-62(S)  | X                     | X                                    |   |  |  | (x)                                      |
| Sea Well Fr.46-48  | X                     | X                                    |   |  |  | (z)                                      |
| No. 3 Double Bottom Tank - FW(Res.) Fr.37-46(P)  | X                     | X                                    |   |  |  | (x)                                      |
| No. 3 Double Bottom Tank - FW(Res.) Fr.37-46(S)  | X                     | X                                    |   |  |  | (x)                                      |
| Sea Well Fr.36-37  | X                     | X                                    |   |  |  | (z)                                      |
| No. 4 Double Bottom Tank - FW(Res.) Fr.24-36(P)  | X                     | X                                    |   |  |  | (x)                                      |
| No. 4 Double Bottom Tank - FW(Res.) Fr.24-36(S)  | X                     | X                                    |   |  |  | (x)                                      |
| Tank Top   |                       |                                      |   |  |  |  |
| Fore Peak - Water Ballast Fr.113 Fwd.  | X                     | X                                    |   |  |  | (x)                                      |
| Deep Tank FO or Water Ballast Fr.95-113(P)   | X                     | X                                    |   |  |  | (x)                                      |
| Bow Thruster Compartment Fr.102-106(S)   | X                     | X                                    |   |  |  | (t)                                      |
| Bow Thruster Tunnel Fr.102-106   | X                     | X                                    |   |  |  | (t)                                      |
| Deep Tank FO or Water Ballast Fr.95-113(S)   | X                     | X                                    |   |  |  | (x)                                      |
| Cargo Hold Fr.71-95  | X                     | X                                    |   |  |  | (g)(t)(v)(x)(y)(aa)(bb)                  |
| Lower Flume Tank Fr.67-71  | X                     | X                                    |   |  |  | (x)                                      |
| FO Settling Tank Fr.62-67(P)   | X                     | X                                    |   |  |  | (x)                                      |
| FO Settling Tank Fr.62-67(S)   | X                     | X                                    |   |  |  | (x)                                      |
| Main Engine Room Fr.37-62  | X                     | X                                    |   |  |  | (t)(v)(x)(aa)(bb)                        |
| Low Sea Box Fr.46-49(P)  | X                     | X                                    |   |  |  | (z)                                      |
| Low Sea Box Fr.46-49(S)  | X                     | X                                    |   |  |  | (z)                                      |
| High Sea Box Fr.46-49(P)   | X                     | X                                    |   |  |  | (z)                                      |
| High Sea Box Fr.46-49(S)   | X                     | X                                    |   |  |  | (z)                                      |
| Low Sea Box Fr.35-37(P)  | X                     | X                                    |   |  |  | (z)                                      |
| Low Sea Box Fr.35-37(S)  | X                     | X                                    |   |  |  | (z)                                      |
| High Sea Box Fr.35-37(P)   | X                     | X                                    |   |  |  | (z)                                      |
| Low Sea Box Fr.34-35(P)  | X                     | X                                    |   |  |  | (z)                                      |
| Propulsion Motor Room Fr.24-37   | X                     | X                                    |   |  |  | (t)(v)(x)(aa)(bb)                        |
| Aft Void Fr.6-17   | X                     | X                                    |   |  |  | (t)(x)                                   |
| Sewage Compartment Fr.10-24  | X                     | X                                    |   |  |  | (bb)                                     |
| Aft Peak - Water Ballast Aft-Fr.10   | X                     | X                                    |   |  |  | (x)                                      |
| Lower Deck / Engine Flat   |                       |                                      |   |  |  |  |
| Fore Peak - Water Ballast Fr.119 Fwd.  | X                     | X                                    |   |  |  | (x)                                      |
| Chain Locker Fr.113-119(P)   | X                     | X                                    |   |  |  | (t)                                      |
| Chain Locker Fr.113-119(S)   | X                     | X                                    |   |  |  | (t)                                      |
| Buoy & Winch Compartment Fr.95-113   | X                     | X                                    |   |  |  | (t)(bb)                                  |
| Crane Pedestal Fr.97-101   | X                     | X                                    |   |  |  | (t)                                      |
| Cargo Hold Fr.71-95  | X                     | X                                    |   |  |  | (bb)                                     |
| Upper Flume Tank Fr.67-71  | X                     | X                                    |   |  |  | (x)                                      |
| Workshop Fr.62-67  |                       |                                      |   |  |  |  |
| Main Engine Room Fr.44-62  | X                     | X                                    |   |  |  | (t)                                      |
| Power Transformer Room Fr.37-44(P)   | X                     | X                                    |   |  |  | (t)                                      |
| Control Room Fr.37-44  | X                     | X                                    |   |  |  | (t)                                      |
| Engine Room Store Fr.37-44(S)  |                       |                                      |   |  |  |  |
| Propulsion Motor Room Fr.24-37   | X                     | X                                    |   |  |  | (t)(dd)(ee)                              |
| Laundry Fr.8-24(P)   | S                     | X                                    | 1.0   | 0.5  |  | (c)(d)(t)(w)                             |
| Vegetable Room Fr.19-24  | S                     | X                                    | 0.5   |  |  | (c)                                      |
| Cool & Dairy Room Fr.16-24(S)  | S                     | X                                    | 0.5   |  |  | (c)                                      |
| Handling Room Fr.16-19   |                       |                                      |   |  |  |  |
| Lobby Fr.8-16  |                       |                                      |   |  |  |  |
| Cold Room Fr.8-16(S)   | S                     | X                                    | 0.5   |  |  | (c)                                      |
| Steward Store Fr.2-6   |                       |                                      |   |  |  |  |
| Aft Peak - Water Ballast Aft-Fr.2  | X                     | X                                    |   |  |  | (t)                                      |
| Rudder Trunk Fr.B-Fr.1   | X                     | X                                    |   |  |  | (t)                                      |
| Upper Deck   |                       |                                      |   |  |  |  |
| Bosuns Store Fr.119-Fwd  | X                     | X                                    |   |  |  | (t)                                      |
| M.G. Set compartment Fr.104-119  | X                     | X                                    |   |  |  | (o)(t)                                   |
| Buoy Maintenance Workshop Fr.104-113(P)  | X                     | X                                    |   |  |  | (o)(t)                                   |
| Lamp & Paint Room Fr.104-112(S)  | X                     | X                                    |   |  |  | (t)                                      |
| Stairwell Fr.104-109(S)  | X                     | X                                    |   |  |  | (o)                                      |
| Exposed Deck Fr.65-104   | X                     | X                                    |   |  |  | (g)(o)(t)(v)(ff)                         |
| Crane Pedestal Fr.97-101   | X                     | X                                    |   |  |  | (t)                                      |
| Bosun Cabin Fr.58-65(P)  | S                     | X                                    | 0.5   | 1.5  | 3.0                                    | (a)(b)(c)(e)(h)(v)                       |
| Lead Seaman 1st Class / 1 Spare Cabin Fr.60-66(P)  | S                     | X                                    | 0.5   |  |  | (c)(e)                                   |
| Crew's Washroom Fr.60-66(S)  | S                     | X                                    | 1.0   | 1.0  | 3.0                                    | (c)(d)(e)(t)(w)                          |
| Passageway Fr.5-65   | S                     | X                                    | 0.5   |  |  | (e)(i)                                   |
| Chief Cook Cabin Fr.60-65(S)   | S                     | X                                    | 0.5   | 1.5  | 3.0                                    | (a)(b)(c)(e)(h)(v)                       |
| Senior Ratings Washroom Fr.57-60(P)  | S                     | X                                    | 1.0   | 0.5  | 3.0                                    | (c)(d)(e)(t)(w)                          |
| 2-Lead Seaman 2nd Class Cabin Fr.56-60(S)  | S                     | X                                    | 0.5   |  |  | (c)(e)                                   |
| Oil Skin Locker Fr. 56-58(P)   |                       |                                      |   |  |  |  |
| Utility Locker Fr.56-58(S)   |                       |                                      |   |  |  |  |
| Crew & Senior Ratings Mess & Rec. Room Fr.39-57(P)   | S                     | X                                    | 1.0   | 3.0  | 6.0                                    | (a)(b)(c)(e)(f)(h)(v)                    |
| 2-Lead Seaman 2nd Class Cabin Fr.52-56(S)  | S                     | X                                    | 0.5   |  |  | (c)(e)                                   |
| FO Day Tank Fr.53-54(P)  | X                     | X                                    |   |  |  | (t)                                      |
| Locker Fr.52-54(P)   |                       |                                      |   |  |  |  |
| Engine Room Casing Fr.44-54  |                       |                                      |   |  |  |  |

Project Description: CCGS Griffon Hull Condition Survey Specification Development

| Compartment   | Close-Up Survey (CUS) | Thickness Measurements™ | Estimated Deck Covering Removal (M²) | Estimated Insulation Removal (M²) | Estimated Lining Removal (# of Panels) | Note Reference (see below for all notes) |
|---|-----------------------|-------------------------|--------------------------------------|-----------------------------------|--|--|
| 2-Mech. 1st Class Cabin Fr.48-52(S)                 | S                     | X                       | 0.5                                  | 1.5                               | 3.0                                    | (a)(b)(c)(e)(h)(v)                       |
| 2-Mech. 1st/2nd Class Cabin Fr.44-48(S)             | S                     | X                       | 0.5                                  |                                   | 1.5                                    | (c)(e)(f)(h)(v)                          |
| 2-Mech. 2nd Class Cabin Fr.40-44(S)                 | S                     | X                       | 0.5                                  |                                   |  | (c)(e)                                   |
| Canteen Fr.37-42                                    |                       |                         |                                      |                                   |  |  |
| Locker Fr.40-42(S)                                  |                       |                         |                                      |                                   |  |  |
| Baggage Room Fr.37-40(S)                            |                       |                         |                                      |                                   |  |  |
| Steward 2nd Class Cabin Fr.36-40(S)                 | S                     | X                       | 0.5                                  | 1.5                               | 3.0                                    | (a)(b)(c)(e)(f)(h)(v)                    |
| Galley Fr.22-39(P)                                  | S                     | X                       | 2.0                                  | 4.0                               | 7.5                                    | (a)(b)(c)(d)(e)(f)(h)(r)(t)(v)(w)        |
| Refrig. Room Fr.34-37                               | S                     | X                       | 0.5                                  |                                   |  | (c)(e)                                   |
| Cook & St./ Keeper Cabin Fr.32-36(S)                | S                     | X                       | 0.5                                  |                                   | 1.5                                    | (c)(e)(f)(h)(v)                          |
| 2-Steward 1st Class Cabin Fr.28-32(S)               | S                     | X                       | 0.5                                  |                                   |  | (c)(e)                                   |
| Crew's Washroom Fr.24-31                            | S                     | X                       | 1.5                                  | 1.0                               | 3.0                                    | (c)(d)(e)(t)(w)                          |
| 2-Able Seamen Cabin Fr.24-28(S)                     | S                     | X                       | 0.5                                  | 1.5                               | 1.5                                    | (a)(b)(c)(e)(f)                          |
| Ready Use Store Fr.22-27(P)                         | S                     | X                       | 1.0                                  | 2.0                               |  | (b)(c)(d)(e)(t)(w)                       |
| Utility Locker Fr.19-24(S)                          |                       |                         |                                      |                                   |  |  |
| 2-Able Seamen Cabin Fr.18-24(S)                     | S                     | X                       | 0.5                                  |                                   |  | (c)(e)                                   |
| Exercise Room Fr.9-22(P)                            | S                     | X                       | 0.5                                  | 0.5                               |  | (d)(e)(t)(w)                             |
| Lobby Fr.11-22(P)                                   |                       |                         |                                      |                                   |  |  |
| 2-Ordinary Seamen Cabin Fr.12-17(S)                 | S                     | X                       | 0.5                                  |                                   |  | (c)(e)                                   |
| Trunked Hatch Fr.13-16                              |                       |                         |                                      |                                   |  |  |
| Linen Locker Fr.8-13                                |                       |                         |                                      |                                   |  |  |
| 2-Ordinary Seamen Cabin Fr.5-11(P)                  | S                     | X                       | 0.5                                  | 2.0                               | 4.5                                    | (a)(b)(c)(d)(e)(f)(h)(t)(v)(w)           |
| 2-Ordinary Seamen Cabin Fr.5-11(S)                  | S                     | X                       | 0.5                                  | 2.0                               | 4.5                                    | (a)(b)(c)(d)(e)(h)(t)(v)(w)              |
| Steering Gear Compartment Aft-Fr.5                  | X                     | X                       |                                      |                                   |  | (bb)                                     |
| Forecastle Deck / Poop Deck                         |                       |                         |                                      |                                   |  |  |
| Exposed Deck Fr.102-Fwd                             | X                     | X                       |                                      |                                   |  | (j)(k)(o)(s)(t)(v)                       |
| Exposed Deck Fr.Aft-Fr.66                           | X                     | X                       |                                      |                                   |  | (j)(k)(m)(s)(t)(v)                       |
| Passenger Cabin #1 Fr.58-64(P)                      | S                     | X                       | 0.5                                  | 2.0                               | 3.0                                    | (a)(b)(c)(d)(f)(t)(w)                    |
| Ship's Clerk Cabin c/w Washroom Fr.58-64(P)         | S                     | X                       | 1.0                                  | 0.5                               |  | (c)(d)(t)(w)                             |
| Senior Engineer Cabin c/w Washroom Fr.58-64(S)      | S                     | X                       | 0.5                                  | 2.5                               | 4.5                                    | (a)(b)(c)(d)(f)(t)(w)                    |
| Passageway Fr.19.5-58                               | S                     | X                       | 1.5                                  |                                   |  | (i)                                      |
| Ship's Office Fr.51-56(P)                           |                       |                         |                                      |                                   |  |  |
| Logistics Officer Cabin c/w Washroom Fr.49-56(S)    | S                     | X                       | 1.0                                  | 0.5                               |  | (c)(d)(t)(w)                             |
| Engine Room Casing Fr.44-54                         |                       |                         |                                      |                                   |  |  |
| Officer's Mess & Lounge Fr.35-51(P)                 | S                     | X                       | 0.5                                  | 2.0                               | 3.0                                    | (a)(b)(c)(d)(f)(t)(w)                    |
| 1st Engineer Cabin Fr.43-49(S)                      | S                     | X                       | 0.5                                  |                                   |  | (c)                                      |
| Utility Locker Fr.40-44                             | S                     | X                       | 0.5                                  |                                   |  | (c)                                      |
| 2nd Engineer Cabin c/w Washroom Fr.36-43(S)         | S                     | X                       | 1.0                                  | 0.5                               |  | (c)(d)(t)(w)                             |
| Washroom Fr.37-40                                   | S                     | X                       | 0.5                                  |                                   |  | (c)                                      |
| Washroom Fr.34-37                                   | S                     | X                       | 0.5                                  |                                   |  | (c)                                      |
| Engine Room Tech. Cabin Fr.30-36(S)                 | S                     | X                       | 0.5                                  | 2.0                               | 1.5                                    | (a)(b)(c)(d)(f)(w)                       |
| Pantry Fr.30-35(P)                                  | S                     | X                       | 0.5                                  | 0.5                               | 1.5                                    | (c)(d)(t)(w)                             |
| 2-Passenger Cabin #2 Fr.25-30(P)                    | S                     | X                       | 0.5                                  |                                   | 1.5                                    | (c)(f)(u)                                |
| Locker Fr.26.5-30(P)                                |                       |                         |                                      |                                   |  |  |
| S.A.R. Room Fr.26-28(S)                             |                       |                         |                                      |                                   |  |  |
| Fan Room Fr.16-26(S)                                | S                     | X                       |                                      | 1.0                               |  | (n)(t)(w)                                |
| 2-Passenger Cabin #3 Fr.19-25(P)                    | S                     | X                       | 0.5                                  |                                   |  | (c)                                      |
| 2-Passenger Cabin #4 Fr.13-19(P)                    | S                     | X                       | 0.5                                  | 2.0                               | 1.5                                    | (a)(b)(c)(d)(f)(t)(w)                    |
| Trunked Hatch fr.13-16                              |                       |                         |                                      |                                   |  |  |
| Flight & Boat Deck                                  |                       |                         |                                      |                                   |  |  |
| Chief Engineer's Day Cabin c/w Washroom Fr.58-65(P) | S                     | X                       | 0.5                                  | 1.5                               | 1.5                                    | (a)(b)(c)                                |
| Chief Engineer's Night Cabin Fr.59-65(P)            |                       |                         |                                      |                                   |  |  |
| Chief Officer Cabin c/w Washroom Fr.58-65(S)        | S                     | X                       | 1.0                                  | 2.0                               | 3.0                                    | (a)(b)(c)(d)(f)(t)                       |
| Utility Locker Fr.58-59(P)                          |                       |                         |                                      |                                   |  |  |
| Forms Locker Fr.58-59(S)                            |                       |                         |                                      |                                   |  |  |
| 3rd Officer Cabin c/w Washroom Fr.52-59(P)          | S                     | X                       | 0.5                                  | 4.0                               | 6.0                                    | (a)(b)(c)(d)(t)(w)                       |
| Engineer's Office Fr.55-59(S)                       |                       |                         |                                      |                                   |  |  |
| Passageway Fr.47-58                                 | S                     | X                       | 1.0                                  |                                   |  | (i)                                      |
| 2nd Officer Cabin c/w Washroom Fr.49-59(S)          | S                     | X                       | 0.5                                  | 4.0                               | 6.0                                    | (a)(b)(c)(d)(f)(t)(w)                    |
| Linen Locker Fr.54-56(P)                            |                       |                         |                                      |                                   |  |  |
| Engine Room Casing Fr.44-54                         |                       |                         |                                      |                                   |  |  |
| Exposed Deck Fr.Aft-Fr.52                           | X                     | X                       |                                      |                                   |  | (l)(t)                                   |
| Locker Fr.44-47(P)                                  |                       |                         |                                      |                                   |  |  |
| Locker Fr.42-45(S)                                  |                       |                         |                                      |                                   |  |  |
| Emergency Generator Room Fr. 35-43                  | X                     | X                       |                                      | 1.0                               |  | (t)(w)                                   |
| Stairway Fr.32.5-34                                 | S                     | X                       | 0.5                                  |                                   |  | (i)                                      |
| Locker Fr.32.5-34(S)                                |                       |                         |                                      |                                   |  |  |
| Helicopter Gear Compartment Fr.29-32.5              |                       |                         |                                      |                                   |  |  |
| Bridge Deck   |                       |                         |                                      |                                   |  |  |
| Communication Centre & Annex Fr.58-65(P)            | S                     | X                       | 0.5                                  | 3.5                               | 3.0                                    | (a)(b)(d)(f)(w)                          |
| Captain's Night Room Fr.60.5-65                     |                       |                         |                                      |                                   |  |  |
| Captain's Day Room c/w Washroom Fr.58-65(S)         | X                     | X                       | 1.0                                  | 4.0                               | 4.5                                    | (a)(b)(c)(d)(f)(w)                       |
| Exposed Deck Fr.Aft-Fr.58                           | X                     | X                       |                                      |                                   |  | (t)                                      |
| Passageway Fr.49-58                                 | S                     |                         | 1.0                                  |                                   |  | (i)                                      |
| Utility Locker Fr.56-58(S)                          |                       |                         |                                      |                                   |  |  |
| Electrical Locker Fr.54-56(P)                       |                       |                         |                                      |                                   |  |  |
| Battery Room Fr.51-56(S)                            |                       |                         |                                      |                                   |  |  |
| Engine Room Casing Fr.44-54                         |                       |                         |                                      |                                   |  |  |
| Fan Room Fr.35-44                                   |                       |                         |                                      |                                   |  |  |
| Emergency Generator FO Tank Fr.34-35                | X                     | X                       |                                      |                                   |  | (t)                                      |
| Navigating Bridge Deck                              |                       |                         |                                      |                                   |  |  |
| Wheelhouse Fr.58-65                                 | S                     | X                       | 1.0                                  | 9.0                               | 9.0                                    | (a)(b)(i)(m)                             |
| Exposed Deck Fr.Aft-Fr.58                           | X                     |                         |                                      |                                   |  |  |
| Passageway Fr.54-58(P)                              |                       |                         |                                      |                                   |  |  |
| Washroom Fr.56-58                                   | S                     | X                       |                                      | 0.5                               |  | (c)(w)                                   |
| Engine Room Casing Fr.44-54                         | X                     |                         |                                      |                                   |  |  |
| CO2 Room Fr.39-44                                   | X                     |                         |                                      |                                   |  |  |



Naval Architects & Marine Engineers

Project Number: J18021

Project Description: CCGS Griffon Hull Condition Survey Specification Development

| Compartment  | Close-Up Survey (CUS) | Thickness Measurements <sup>TM</sup> | Estimated Deck Covering Removal (M²) | Estimated Insulation Removal (M²) | Estimated Lining Removal (# of Panels) | Note Reference (see below for all notes) |
|--|-----------------------|--------------------------------------|--------------------------------------|-----------------------------------|--|--|
| Additional Areas / Items of Concerns                 |                       |                                      |                                      |                                   |  |  |
| Save-alls  | X                     | X                                    |                                      |                                   |  |  |
| Funnel   | X                     | X                                    |                                      |                                   |  | (p)                                      |
| Forward A-Frame                                      | X                     | X                                    |                                      |                                   |  | (o)                                      |
| Deck Machinery Seats                                 | X                     | X                                    |                                      |                                   |  | (j)(k)(l)                                |
| Main Mast  | X                     | X                                    |                                      |                                   |  | (q)                                      |
| Aluminum / Steel Interfaces                          | X                     | X                                    |                                      |                                   |  | (n)                                      |
| Stern tubes  | X                     | X                                    |                                      |                                   |  | (dd)                                     |
| Port Colborne fairleads                              | X                     | X                                    |                                      |                                   |  | (s)                                      |
| Sprinkler system piping                              | X                     | X                                    |                                      |                                   |  | (u)                                      |
| Vent and sounding pipes                              | X                     | X                                    |                                      |                                   |  | (v)                                      |
| Wheelhouse Top penetrations & Alum/Steel transitions | X                     | X                                    |                                      |                                   |  | (n)(cc)                                  |
| Totals:  |                       |                                      | 37.5                                 | 67                                | 97.5                                   |  |

Notes:

- X - Indicates CUS and TM service to be provided in that compartment
- S - Indicates surveyor to perform CUS of area exposed once lining, insulation, or deck covering has been removed
- (a) 1.5 m² of insulation removal from bulkhead below window or port light (total M² shown in table is a multiple of the number of locations requiring removal)
- (b) 1.5 lining panels removal below window or port light (total panel removals shown in table is a multiple of the locations requiring removal)
- (c) 0.5 m² deck covering removal around each drain / pipe penetration
- (d) 0.5 m² deck covering removal at deck / bhd junction
- (e) Hole saw in deck covering and floating floor sufficient for inspection and TM
- (f) Furnishings removals required
- (g) Wood planking removal
- (h) 1.5 lining panels removal vent / pipe inspection
- (i) 0.5 deck covering removal in way of each door to weather deck
- (j) One mooring winch seat to be TM
- (k) Anchor windlass seat to be TM
- (l) Davit seat to be TM
- (m) 26 windows being replaced in Wheelhouse, survey and TM at these locations
- (n) Aluminum/steel lap connections to be inspected
- (o) TM at base of A-frame mast above & below Forecastle Deck
- (p) TM at funnel top and margin plates
- (q) TM at base and junctions
- (r) TM may be shot from below deck
- (s) TM around two of eight Port Colborne fairleads
- (t) TM deck/shell or deck/bulkhead at junctions
- (u) Inspect water supply piping / TM deck
- (v) Inspect vent & sounding piping / TM deck and pipe.
- (w) 0.5 m² bulkhead insulation removal in way of deck/bulkhead junction
- (x) TM TT/shell junctions and pitted areas
- (y) Cargo hold sandwich construction deck to be TM from above the deck and from tanks and pipe tunnel below
- (z) TM on all sea bay plating
- (aa) TM plates around overboard discharges
- (bb) TM in areas of turn-of-bilge and/or bilge wells
- (cc) Inspect cable penetrations & antenna base welds
- (dd) Inspect under HW heater - Fr 25(S)
- (ee) Inspect under refrigeration cooling pumps - Fr 25(S)
- (ff) TM around three escape hatches & four cowl vents