


GENERAL NOTES - DEMOLITION:

1. CONFIRM ACTUAL LIGHTING CIRCUITS AND RELAY NUMBERS ON-SITE PRIOR TO DEMOLITION. IDENTIFIED CIRCUITS AND RELAYS MAY BE RE-USED DURING THE MODIFICATION PHASE.
2. REMOVE ALL EXISTING LIGHTING BRANCH CIRCUITS (CONDUIT, WIRING, WIRING DEVICES, BOXES) BACK TO POINT OF POWER SUPPLY (PANEL/RELAY).
3. ALL EXISTING LIGHTING PANEL/RELAY CIRCUITS (CONDUIT, WIRING, DEVICES, BOXES) MADE REDUNDANT OR ABANDONED AS A RESULT OF THIS RENOVATION SHALL BE REMOVED BACK TO POINT OF POWER SUPPLY (PANEL).
4. ALL REMOVED WIRING DEVICES AND LUMINAIRES NOT REQUIRED TO BE RE-USED SHALL BE TURNED OVER TO THE OWNER.
5. DISCONNECT AND REMOVE ALL TYPE 'X' EXISTING LUMINAIRES FROM EXISTING SUSPENDED CEILING AND REPORT TO OWNER ALL LUMINAIRES WHICH HAVE ANY DEFECTS (BROKEN LENS, DAMAGED HOUSINGS, FAILED LAMPS, ETC.) PRIOR TO STORING OFF-SITE. WHEN DIRECTED BY THE OWNER, RETURN LUMINAIRES TO SITE, CLEAN THOROUGHLY THE INTERIOR AND EXTERIOR OF THE LUMINAIRE AND INSTALL IN NEW SUSPENDED CEILING AND CIRCUIT AS INDICATED. REFER TO MODIFICATION PLAN FOR NEW LOCATIONS.
6. DISCONNECT, REMOVE AND DISPOSE OF ALL TYPE 'X1' LUMINAIRES. LUMINAIRES SHALL BE REPLACED WITH NEW TYPE 'C' LUMINAIRES AND CIRCUITED AS INDICATED. REFER TO MODIFICATION FLOOR PLAN.

EXISTING	
ROOM #	NAMES
4454	OPEN OFFICE
4455	TELE ROOM
4456	EMERGENCY OPS ROOM
4456A	STORAGE
4457	OFFICE
4458	SPECTRUM
4458A	STORAGE
4459	OFFICE
4460	OPEN OFFICE
4461	STAIRWELL
4462	S.R. MEETING ROOM
4463	HR FILE ROOM



4TH FLOOR DEMOLITION FLOOR PLAN - LIGHTING  
SCALE : 1:100

LEGEND - POWER & COMMUNICATIONS - DEMOLITION

- EXISTING WALL MOUNTED 15A 125V DUPLEX RECEPTACLE TO BE REMOVED, STANDARD MOUNTING HEIGHT AND MOUNTED ABOVE COUNTER
- EXISTING 5-15R, 15A, 120V FLUSH CEILING MOUNTED U-GROUND DUPLEX RECEPTACLE TO BE REMOVED, UNLESS NOTED OTHERWISE
- EXISTING PACK POLE FOR FURNITURE CONNECTIONS, POWER AND COMMUNICATIONS, TO BE REMOVED
- EXISTING COMBINATION VOICE/DATA OUTLET(S) TO BE REMOVED, STANDARD MOUNTING HEIGHT AND MOUNTED ABOVE COUNTER
- EXISTING DATA OUTLET TO BE REMOVED, STANDARD MOUNTING HEIGHT
- EXISTING WIRELESS ACCESS POINT TO BE REMOVED
- EXISTING PULL STATION TO BE REMOVED
- EXISTING JUNCTION BOX IN CEILING SPACE TO REMAIN
- EXISTING FLOOR BOX TO BE REMOVED
- EXISTING WALL SPEAKER TO BE REMOVED
- EXISTING FIRE ALARM SYSTEM SPEAKER TO BE REMOVED
- EXISTING FIRE ALARM SYSTEM STROBE LIGHT TO BE REMOVED
- EXISTING RECESSED PANELBOARD TO REMAIN
- EX - INDICATES EXISTING DEVICE TO REMAIN
- MV - INDICATED EXISTING DEVICE TO BE MOVED

POWER & COMMUNICATIONS LEGEND

SCALE : N.T.S.

LEGEND - LIGHTING - DEMOLITION


- EXISTING TROFFER WITH LED LAMPS TO BE REMOVED AND REUSED
- EXISTING FLUORESCENT WRAP AROUND LUMINAIRE TO BE REMOVED AND TURNED OVER TO OWNER
- EXISTING DOWNLIGHT TO BE REMOVED
- EXISTING CEILING MOUNTED EXIT SIGN TO BE REMOVED
- EXISTING WALL MOUNTED EXIT SIGN TO BE REMOVED
- EXISTING RECESSED MOUNTED PANELBOARD TO REMAIN
- EX - INDICATES EXISTING DEVICE TO REMAIN

LIGHTING LEGEND

SCALE : N.T.S.


GENERAL NOTES - DEMOLITION:

1. CONFIRM ACTUAL POWER CIRCUIT NUMBERS ON-SITE PRIOR TO DEMOLITION.
2. REMOVE ALL EXISTING POWER CIRCUITS (CONDUIT, WIRING, WIRING DEVICES, BOXES) BACK TO POINT OF POWER SUPPLY (PANEL).
3. REMOVE ALL EXISTING COMMUNICATIONS CIRCUITS (CONDUIT, WIRING, WIRING DEVICES, BOXES) BACK TO POINT OF SUPPLY (IT RACK).
4. ALL EXISTING CIRCUITS (CONDUIT, WIRING, DEVICES, BOXES) MADE REDUNDANT OR ABANDONED AS A RESULT OF THIS RENOVATION SHALL BE REMOVED BACK TO POINT OF POWER SUPPLY (PANEL).
5. ALL REMOVED POWER WIRING DEVICES AND COMMUNICATIONS OUTLETS SHALL BE TURNED OVER TO THE OWNER.
6. EXISTING PANEL 'SN' SHALL REMAIN IN PLACE AND BE RE-USED FOR THIS RENOVATION. PANEL SHALL BE MODIFIED AS INDICATED.
7. REMOVE ALL EXISTING DEVICES, BOXES, EQUIPMENT AND CONDUIT IN ROOM 4456A. CONTRACTOR TO CARRY AN ALLOWANCE OF \$2500.00 TO CARRY OUT WORK.



4TH FLOOR DEMOLITION FLOOR PLAN - POWER & COMMUNICATIONS

SCALE : 1:100



0	ISSUED FOR TENDER	MAR 13 2018
revisions		date

project

CANADIAN HERITAGE  
4th FLOOR FIT-UP  
1045 MAIN STREET  
MONCTON, NB

drawing

DEMOLITION PLAN -  
LIGHTING, POWER &  
COMMUNICATIONS

designed R.C.	conçu
date DECEMBER, 2017	
drawn T.J.F./J.A.	dessiné
date DECEMBER, 2017	
approved G.M.	approuvé
date DECEMBER, 2017	
Tender	Soumission
PWSC Project Manager	Administrateur de projets TPSC
project number	no. du projet
R.083347.002	
drawing no.	no. du dessin
E-1	