


## Panel Workstation Typical Layout

## Furniture Plan



Item:	Description:
1	...
2	...
3	...
4	...
5	...
6	...
7	...
8	...
9	...
10	...
11	...
12	...
13	...
14	...
15	...
16	...
17	...
18	...
19	...
20	...
21	...
22	...
23	...
24	...
25	...
26	...
27	...
28	...
29	...
30	...
31	...
32	...
33	...
34	...
35	...
36	...
37	...
38	...
39	...
40	...
41	...
42	...
43	...
44	...
45	...
46	...
47	...
48	...
49	...
50	...
51	...
52	...
53	...
54	...
55	...
56	...
57	...
58	...
59	...
60	...
61	...
62	...
63	...
64	...
65	...
66	...
67	...
68	...
69	...
70	...
71	...
72	...
73	...
74	...
75	...
76	...
77	...
78	...
79	...
80	...
81	...
82	...
83	...
84	...
85	...
86	...
87	...
88	...
89	...
90	...
91	...
92	...
93	...
94	...
95	...
96	...
97	...
98	...
99	...
100	...

- Duplex Receptacle



- Voice/Data Receptacle



- Power pole (install off-module when possible)

--	--

- Under-worksurface wire tray




- Worksurface power module (2x outlets and 2x powered USB ports) (NIC, installation only)
- Edge clamp


Item:	Description:
1	...
2	...
3	...
4	...
5	...
6	...
7	...
8	...
9	...
10	...
11	...
12	...
13	...
14	...
15	...
16	...
17	...
18	...
19	...
20	...
21	...
22	...
23	...
24	...
25	...
26	...
27	...
28	...
29	...
30	...
31	...
32	...
33	...
34	...
35	...
36	...
37	...
38	...
39	...
40	...
41	...
42	...
43	...
44	...
45	...
46	...
47	...
48	...
49	...
50	...
51	...
52	...
53	...
54	...
55	...
56	...
57	...
58	...
59	...
60	...
61	...
62	...
63	...
64	...
65	...
66	...
67	...
68	...
69	...
70	...
71	...
72	...
73	...
74	...
75	...
76	...
77	...
78	...
79	...
80	...
81	...
82	...
83	...
84	...
85	...
86	...
87	...
88	...
89	...
90	...
91	...
92	...
93	...
94	...
95	...
96	...
97	...
98	...
99	...
100	...

24


- 610mm (24") wide x 864-914mm (34-36") high panels




- 762mm (30") wide x 864-914mm (34-36") high panels




- 1067mm (42") wide x 864-914mm (34-36") high panels




- 1524mm (60") wide x 864-914mm (34-36") high panels




- 610mm (24") wide x 381-406mm (15-16")  
high frameless screen, frosted glass



- 762mm (30") wide x 381-406mm (15-16")  
high frameless screen, frosted glass




- 1067mm (42") wide x 381-406mm (15-16") high framless screen, frosted glass



- 1524mm (60") wide x 381-406mm (15-16") high  
framless screen, frosted glass

- 1524mm (60") wide x 610mm (24") deep
- Work surface

- 1524mm (60") wide x 762mm (30") deep (nominal sizes)
- Height adjustable work surface with digital display. Range electrical (24"-48"h)



- 559mm (22") deep x 381mm (15") wide
- Box/box/file pedestal
- Pedestal to lock; finished on all sides




- 610mm (24") deep x 305mm (12") wide x 1270-1321mm (50-52") high
- Wardrobe personal tower
- Wardrobe to lock; finished on all sides
- Coat rod, handle (no push latch)

## Typical B

### Panel Workstation Typical Layout with Architectural Storage

Workstation: 3.9m<sup>2</sup> / 42ft<sup>2</sup>-pi<sup>2</sup>




#### Furniture Plan






#### Furniture Components

Item: Description:

##### Electrical Components:

-  - Duplex Receptacle
-  - Voice/Data Receptacle
-  - Power basefeed







##### Accessory Components:

-  - Under-worksurface wire tray
-  - Worksurface power module (2x outlets and 2x powered USB ports) (NIC, installation only)
-  - Edge clamp



#### Furniture Components

Item: Description:







##### Workstation Components:

-  - 610mm (24") wide x 864-914mm (34-36") high panels
-  - 1524mm (60") wide x 864-914mm (34-36") high panels
-  - 610mm (24") wide x 1270-1321mm (50-52") high panels
-  - 1219mm (48") wide x 1270-1321mm (50-52") high panels
-  - 610mm (24") wide x 381-406mm (15-16") high frameless screen, frosted glass
-  - 1524mm (60") wide x 381-406mm (15-16") high frameless screen, frosted glass

##### Panel Hung Components:



-  - 610mm (24") wide x 610mm (24") deep  
- Work surface
-  - 1219mm (48") wide x 610mm (24") deep  
- Work surface

##### Freestanding Components:

-  - 1524mm (60") wide x 762mm (30") deep (nominal sizes)  
- Height adjustable work surface with digital display. Range electrical (24"-48"h)
-  - 559mm (22") deep x 381mm (15") wide  
- Box/box/file pedestal  
- Pedestal to lock; finished on all sides
-  - 610mm (24") deep x 305mm (12") wide x 1295mm (51") high  
- Wardrobe personal tower  
- Wardrobe to lock; finished on all sides  
- Coat rod, no self, finger pull hardware
-  - 406mm (16") deep x 1829mm (72") wide x 559mm (22") high  
- Low hutch with open storage or similar storage solution with shelves
-  - 406mm (16") deep x 1829mm (72") wide x 559mm (22") high  
- Double sided architectural storage solution
-  - 610mm (24") deep x 914mm (36") wide x 737mm (29") high  
- Table on casters

## Panel Benching Workstation Typical Layout

### Furniture Plan



### General Notes:

-In groups of 2, 4 or 6 configuration, with or without credenzas.




### Furniture Components

Item: Description:




#### Workstation Components:

	- 762mm (30") wide x 864-914mm (34-36") high panels
	- 914mm (36") wide x 864-914mm (34-36") high panels
	- 762mm (30") wide x 381-406mm (15-16") high frameless screen, frosted glass
	- 914mm (36") wide x 381-406mm (15-16") high frameless screen, frosted glass



#### Freestanding Components:

	- 1829mm (72") wide x 762mm (30") deep (nominal sizes) - Height adjustable work surface with digital display. Range electrical (24"-48"h)
	- 406-457mm (16-18") deep x 1067-1219mm (42-48") wide - Box/file storage - Open cubby with adjustable shelf - Cushion
	- 914mm (36") wide x 508mm (20") deep x 1270-1321mm (50-52") high - Triple locker group. Each unit supplies coat and personal storage for 2-3 users

#### Electrical Components:

	- Duplex Receptacle (at base of panel)
	- Voice/Data Receptacle
	- Power pole (install off-module when possible)


#### Accessory Components:

	- Under-worksurface wire tray
	- Worksurface power module (2x outlets and 2x powered USB ports) (NIC, installation only) -Edge clamp



## Fixed Benching Typical Layout

### Furniture Plan




### Furniture Components

Item:

Description:

#### Freestanding Components:



- 1372mm (54") wide x 762mm (30") deep freestanding work surface with full depth metal legs at the end of the run and half depth metal legs in mid run.
- Optional shroud on leg
- Access door to power, left, right or center.



- Suspended modesty panel (wall access height)
- Gap for wires to access the wire management tray
- Must allow for edge clamp monitor arm

#### Electrical Components:



- Duplex Receptacle



- Voice/Data Receptacle



- Power basefeed (with cover)

#### Accessory Components:



- Under-worksurface wire tray



- Worksurface power module (2x outlets and 2x powered USB ports)
- Desk edge clamp



- Desktop lateral privacy divider (glass or laminate)

#### General Notes:

- Rectangular surfaces are to be of two different depths 24"D and 30" D. Additionally, the following sizes must be included but not limited to, in the offering: 30"D x 54"W, 30"D x 72" W and 30"D x 78"W.
- Must be able to mount desk edge clamp monitor arm.