



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Bid Receiving - PWGSC / Réception des soumissions -
TPSGC**

11 Laurier St. / 11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau, Québec K1A 0S5

Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Vehicles & Industrial Products Division

11 Laurier St./11, rue Laurier

7A2, Place du Portage, Phase III

Gatineau, Québec K1A 0S5

Title - Sujet Water Tank Install on Truck Chassis	
Solicitation No. - N° de l'invitation W8476-185810/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client 6000419886	Date 2018-04-24
GETS Reference No. - N° de référence de SEAG PW-\$\$HP-930-74550	
File No. - N° de dossier hp930.W8476-185810	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-05-17	Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: D'Allaire, Yvonne	Buyer Id - Id de l'acheteur hp930
Telephone No. - N° de téléphone (873) 469-3359 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

AMENDMENT 002

This solicitation amendment is raised to extend the bid solicitation period, to respond to bidders' questions and to notify of a discrepancy between the buyandsell.gc.ca website and the Request for Proposal with regard to the Contracting Authority's contact email address.

The bid solicitation period is hereby extended from 02:00 PM EDT 03 May 2018 to 02:00 PM EDT 17 May 2018.

Please send any inquiries or comments regarding this solicitation to yvonne.d'allaire@tpsgc-pwgsc.gc.ca.

Q1.

3.6 Pumping System

f) The nozzles and spray bar must be controllable and adjustable within the cab.

Does DND require the Pump be controlled in the cab? (Start, stop, primer and throttle with master pressure and intake gauges?) Or is this a requirement for "Valve operation" only?

A1.

The requirement of control of the pump from within the cab should be determined based on the cab controls required in the Purchase Description under 3.9 *Spray Bar* and 3.10 *Discharge Nozzles*.

Q2.

3.7.3 Nozzle

b) The nozzle must be NSN 4210-20-004-2127 or equivalent.

Can you provide a make and model of this nozzle?

A2.

NSN 4210-20-004-2127 corresponds to a Protek Style 372-BC Marine & Industrial Nozzle.

Q3.

3.10 Discharge Nozzles

a) Four remote control adjustable nozzles must be provided.

- b) Two nozzles must be provided at the front of the vehicle and two at the rear.
- c) The nozzles must spray water for a minimum range of 0.91 m (3') up to 15.24 m (50 ft).
- d) Each nozzle must be controlled within the cab.

What are these nozzles to accomplish? Are they "Ground Spray Nozzles" for wild land firefighting?

A3.

The discharge nozzles located under the truck are to be used for watering of roadways and will not be used for firefighting activities, including wildland firefighting.

Q4.

3.8.1 Suction Hoses

- b) The hoses must be a Dixon PVC Flexible Suction Hose part number FSH-9682-020 or equivalent.

*Can we supply an equivalent 4" Storz suction hose from Harrington?
<https://www.harrinc.com/shop/pvc-suction-hose-storz/> As the Dixon part number provided does not match their products?*

A4.

Submitted hoses must meet the specifications set out in the Purchase Description, including clause 3.8.1 which requires a 76.2 mm (3") suction hose.

Q5.

3.4.1 Weight Ratings

- a) The GVWR of the vehicle must not be less than the sum of the unloaded vehicle mass, the cargo carrying capacity, and the product obtained by multiplying the designated seating capacity by 68kg as defined in the Motor Vehicle Safety Regulations (C.R.C., c. 1038).
- b) Each GAWR must be equal to or less than the load rating of the weakest component in the axle system, i.e., axle housing, suspension, wheels, or tires.
- c) The total load on each axle of the vehicle must not exceed the GAWR for that axle.
- d) Axle loads must comply with all the provincial weight restrictions across Canada.

Can DND supply all the information on the GSM for these chassis? Front Axle GVW, Rear Axle GVW, Wheel Base, Cab to Axle and all other truck line ticket items? Will these trucks require bumper modifications?

A5.

Detailed information regarding the two chassis variants will be published on the buyandsell.gc.ca website shortly. DND foresees modifications required on the front bumper of several of the GFM in order to relocate them closer to the hood.

Q6.

3.5.1 Water Tank

c) The water tank must be constructed of type 304 stainless steel alloys.

Can we supply a hot dipped galvanized steel tank we use on our water delivery/Range Fire Fighting vehicles with a 25 year warranty meeting all Federal and Provincial drinking water standards?

A6.

Only type 304 stainless steel alloy tanks will be accepted.

Q7.

3.6 Pumping System

a) A self-priming pump must be provided.

Can DND supply the Make and Model of the pump required for this line item?

A7.

DND has no preferred Make or Model pump to suggest. Submitted pumps must meet the performance specifications set out in the Purchase Description.