



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Bid Receiving - PWGSC / Réception des soumissions -
TPSGC**

11 Laurier St. / 11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau, Québec K1A 0S5

Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Vehicles & Industrial Products Division

11 Laurier St./11, rue Laurier

7A2, Place du Portage, Phase III

Gatineau, Québec K1A 0S5

Title - Sujet Water Tank Install on Truck Chassis	
Solicitation No. - N° de l'invitation W8476-185810/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client 6000419886	Date 2018-05-04
GETS Reference No. - N° de référence de SEAG PW-\$\$\$HP-930-74550	
File No. - N° de dossier hp930.W8476-185810	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-05-17	Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: D'Allaire, Yvonne	Buyer Id - Id de l'acheteur hp930
Telephone No. - N° de téléphone (873) 469-3359 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

AMENDMENT 003

This solicitation amendment is raised to respond to bidders' questions, to amend the Purchase Description and to publish information about the two chassis variants on which the water tanks are to be installed (weight summary document).

Q8.

What are the actual axle weights for the existing chassis to confirm conformance to Transport Canada regulations with the requested equipment installed?

A8.

Please see the weight summary document.

Q9.

3.5.1 Water Tank

(i) The water tank must be equipped with a tank volume indicator.

Is this to be electronic or a sight tube?

A9.

DND has no preference for the method of indication as long as the proposed indicator accurately presents tank volume level and is visible to the operator.

Q10.

3.5.2 Access Hatch

b) The access hatch must be no less than 600 mm (24" in) diameter to allow for human access.

Is a 20" manhole cover acceptable?

A10.

The manhole cover must meet the requirements set out in Section 3.5.2.

Q11.

3.5.3 Tank Filling

a) The tank filling system must include a vented filler cap of at least 50.8 mm (2 inches) inside diameter to prevent backflow from occurring.

Can you provide more details about this cap? What is it capping? Typically a back check valve would be used to prevent backflow, not a cap.

A11.

Please refer to the Purchase Description Amendment below.

Q12.

3.8.1 Suction Hoses

a) Two suction hoses with an inside diameter of 76.2 mm (3") and a length of 3.05 m (10') must be provided.

On line (b) a part number of FSH9682-020 is listed, however this is a 2-1/2" hose assembly and the specifications indicate this hose must be 3" inside diameter. Please specify if the suction hoses are to be 2-1/2" inside diameter or 3" inside diameter.

A12.

Submitted hoses must meet the specifications set out in Section 3.8.1 a) which requires a 76.2 mm (3") suction hose.

Please refer to the Purchase Description Amendment below.

Q13.

3.10 Discharge Nozzles

a) Four remote control adjustable nozzles must be provided.

a. What size and pressure are these nozzles to operate at?

b. What does the "remote" control with regards to these nozzles?

A13.

- a. The nozzle must have sufficient pressure and flow to meet the requirements of Section 3.10.
 - b. The remote must be able to control nozzle flow and direction.
-

The Purchase Description is hereby amended as follows:

- Delete Section 3.5.3 a) and replace it with:

3.5.3 a) The tank filling system must be equipped with a backflow prevention system conforming to CSA 126 standards.

- Delete Section 3.8.1 b) in its entirety.