



## RETURN BIDS TO:

## RETOURNER LES SOUMISSIONS À:

Réception des soumissions - TPSGC / Bid Receiving -  
PWGSC

1550, Avenue d'Estimauville

1550, D'Estimauville Avenue

Québec

Québec

G1J 0C7

FAX pour soumissions: (418) 648-2209

## SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

### Comments - Commentaires

### Vendor/Firm Name and Address

Raison sociale et adresse du  
fournisseur/de l'entrepreneur

### Issuing Office - Bureau de distribution

TPSGC/PWGSC

601-1550, Avenue d'Estimauville

Québec

Québec

G1J 0C7

<b>Title - Sujet</b> Snow removal equipment for a truck	
<b>Solicitation No. - N° de l'invitation</b> W0106-18J300/A	<b>Amendment No. - N° modif.</b> 002
<b>Client Reference No. - N° de référence du client</b> W0106-18J300	<b>Date</b> 2018-05-10
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$QCN-032-17379	
<b>File No. - N° de dossier</b> QCN-7-40297 (032)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2018-05-22</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Heure Avancée de l'Est HAE
<b>F.O.B. - F.A.B.</b> Specified Herein - Précisé dans les présentes <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input type="checkbox"/> <b>Other-Autre:</b> <input checked="" type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Fortin, Marie-Claire	<b>Buyer Id - Id de l'acheteur</b> qcn032
<b>Telephone No. - N° de téléphone</b> (418) 649-2764 ( )	<b>FAX No. - N° de FAX</b> (418) 648-2209
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

Instructions: See Herein

Instructions: Voir aux présentes

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

N° de l'invitation - Solicitation No.  
W0106-18J300/A  
N° de réf. du client - Client Ref. No.  
W0106-18J300

N° de la modif - Amd. No.  
002  
File No. - N° du dossier

Id de l'acheteur - Buyer ID  
QCN032  
N° CCC / CCC No./ N° VME - FMS

---

## **AMENDMENT 002**

### **Snow Removal equipment for a truck**

#### **AMENDMENTS :**

##### **Amendment #1**

**The Solicitation closing date is changed for:  
May 22, 2018; 14:00 EST.**

##### **Amendment #2**

Add :

#### **ANNEX A - STATEMENT OF REQUIREMENT**

##### **A.7 Appendix 1 of Annex A – Photos**

Note 2: On the truck, for the installation of the harness, note that the truck valve manifold has only one section. The supplier shall supply and install an additional valve section on the truck valve manifold.

#### **QUESTION / ANSWER**

##### **Question #2**

Reference :

#### **ANNEX A - STATEMENT OF REQUIREMENT**

**5.3 The side-wing snow plough must have the following characteristics:**

- b) Benching operations** – capable of performing limited benching operations at a height of at least 3 to 4 feet;

Do you mean that the back column will be fitted with a mechanism to assist the side wing in order to lower the snow banks?

##### **Answer #2**

Yes

**Question #3**

**Reference :**

**ANNEX A - STATEMENT OF REQUIREMENT**

**5.3 The side-wing snow plough must have the following characteristics:**

- l) Side plough angle of attack** – hydraulically adjustable arm to change the angle between the blade and the vehicle;

Do mean adjust the clearing angle using an extendable hydraulic cylinder controlled through the console inside the cab?

**Answer #3**

Yes

**Question #4**

Not knowing if our products are compatible with the hydraulic mount already in place, do you have any objections to us removing the hydraulic hoses and valves, and starting again from beginning?

**Answer #4**

No problem, as long as everything fits together.

**Question #5**

Is the hydraulic pump a piston pump (pump capacity) or a gear pump (pump capacity)?

**Answer #5**

Hydraulic gear pump. Capacity unknown.

**Question #6**

**Reference :**

**ANNEX A - STATEMENT OF REQUIREMENT**

**5.2 The one-way snow plow must have the following characteristics:**

- b) Nominal dimensions**

v. Moldboard material thickness: 5/8 inch (plus or minus 1/8 inch);

Would a heavy duty Moldboard thickness of 3/16" be acceptable?

**Answer #6**

Yes

**ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME.**