



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC

11 Laurier St. / 11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau, Québec K1A 0S5

Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Ship Refits and Conversions / Radoubss et
modifications de navires and / et
11 Laurier St. / 11, rue Laurier
6C2, Place du Portage
Gatineau, Québec K1A 0S5

Title - Sujet CCGS Griffon Summer Refit	
Solicitation No. - N° de l'invitation F2599-180006/C	Amendment No. - N° modif. 005
Client Reference No. - N° de référence du client F2599-180006	Date 2018-05-30
GETS Reference No. - N° de référence de SEAG PW-\$\$MD-034-26786	
File No. - N° de dossier 034md.F2599-180006	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-06-07	Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Green, Dave	Buyer Id - Id de l'acheteur 034md
Telephone No. - N° de téléphone (819) 420-2900 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation Amendment # 5

This amendment is hereby raised to affect the following:

1. To make administrative revisions to the Solicitation
2. To respond to vendor inquiries
3. To upload additional drawings/pictures associated with the Solicitation
4. To extend the bid closing date

1. To Make Administrative Revisions to the Solicitation

At Part 6 - Financial And Other Requirements - 6.12 Hazardous Waste

Delete: In its entirety

Insert: Not used in this solicitation.

At Part 7 - Resulting Contract Clauses – 7.26 Hazardous Waste

Delete: In its entirety

Insert: Not used in this solicitation.

At Annex H – Appendix 1 Pricing Data Sheet

Delete: In its entirety

Insert:

Ref #	Spec #	Description	Total Hours	Total Labour Cost (\$)	Total Material Cost (\$)	Total FSR & Sub-Contractor Cost (\$)	Total Firm Price (\$)	Unit Cost (\$)
4.0		TOTAL SPEC. 2 SERVICES		\$	\$	\$	\$	
	4.2	Berthing		\$	\$	\$	\$	
	4.3	Mooring Lines		\$	\$	\$	\$	
	4.4	Gangways		\$	\$	\$	\$	
	4.5.5	Electrical Power - Estimated Consumption Of 150,000 Kw-Hr		\$	\$	\$	\$	
	4.5.5	Unit Rate/Kw-Hr For Estimated Consumption Of 150,000 Kw-Hr						\$
	4.6.9	Potable Water – 10m³/Day For Duration Of Contract (108 Days)		\$	\$	\$	\$	

Solicitation No. - N° de l'invitation
F2599-180006/C
Client Ref. No. - N° de réf. du client
F2599-180006

Amd. No. - N° de la modif.
004
File No. - N° du dossier
034mdF2599-180006

Buyer ID - Id de l'acheteur
034md
CCC No./N° CCC - FMS No./N° VME

	4.6.9	Unit Rate/M ³ For Estimated Consumption Of 10m ³ /Day						\$
	4.7.1	Compressed Air Supply – 150 psig at 36 Cubic Feet per Minute For Duration Of Contract (108 Days)		\$	\$	\$	\$	
	4.7.1	Unit Rate/Day for Compressed Air Supply						\$
	4.8.1	Cranage Including Operator – 80 Hrs. For Duration Of Contract	80	\$	\$	\$	\$	
	4.8.2	Unit Rate/Hr For Crane Supply						\$
	4.9.1	Garbage Removal – Supply And Emptying Of 5 M ³ Dumpster (Min. Every 4 Days) For Duration Of Contract		\$	\$	\$	\$	
5.0		TOTAL SPEC. 5 - BILGE CLEANING		\$	\$	\$	\$	
	5.3.1.4	Removal And Disposal Of 20m ³ Of Oily Waste		\$	\$	\$	\$	
	5.3.1.6	Optional Bilge Cleaning for End of Work Period		\$	\$	\$	\$	
6.0		TOTAL SPEC. 6 - PROPULSION GENERATOR REMOVAL ROUTE		\$	\$	\$	\$	
	6.3.7.4	Testing and Certification of Equipment in Table at 6.3.7.6		\$	\$	\$	\$	

	6.3.7.4	Unit Price for Testing and Certifying Lifting Anchors						\$
	6.3.7.5	Supply and Replace Five (5) Lifting Anchors		\$	\$	\$	\$	
	6.3.7.5	Unit Price to Supply and Replace Lifting Anchors						\$
7.0		TOTAL SPEC. 7 – OVERHAUL OF PROPULSION GENERATORS (Survey Item)		\$	\$	\$	\$	
	7.3.1.6	FSR (Fairbanks Morse) – Allowance for Duration of Contract				\$50,000.00	\$50,000.00	
	7.3.3.5 & 7.3.3.6	Optional Armature Work (Unit Cost per Armature)		\$	\$	\$	\$	
	7.3.2.7.4	Core-loss Test (Unit Cost per Armature)		\$	\$	\$	\$	
8.0		TOTAL SPEC. 8 - PROPULSION SYSTEM INSPECTION		\$	\$	\$	\$	
9.0		TOTAL SPEC. 9 – PROPULSION OVERCURRENT PROTECTION SYSTEM		\$	\$	\$	\$	
10.0		TOTAL SPEC. 10 - PROPULSION MOTOR TACHOGENERATOR REPLACEMENT		\$	\$	\$	\$	

Solicitation No. - N° de l'invitation
F2599-180006/C
Client Ref. No. - N° de réf. du client
F2599-180006

Amd. No. - N° de la modif.
004
File No. - N° du dossier
034mdF2599-180006

Buyer ID - Id de l'acheteur
034md
CCC No./N° CCC - FMS No./N° VME

11.0		TOTAL SPEC. 11 – PROPULSION MOTOR SURVEY		\$	\$	\$	\$	
12.0		TOTAL SPEC. 12 – OVERHAUL OF PROPULSION MOTOR BLOWERS		\$	\$	\$	\$	
13.0		TOTAL SPEC. 13 – OVERHAUL OF PROPULSION MOTOR & GENERATOR		\$	\$	\$	\$	
14.0		TOTAL SPEC. 14 – SURVEY OF SHIP'S CIRCUIT BREAKERS		\$	\$	\$	\$	
15.0		TOTAL SPEC. 15 – MEGGER TESTING OF ELECTRICAL CIRCUITS		\$	\$	\$	\$	
16.0		TOTAL SPEC. 16 – HULL CONDITION SURVEY		\$	\$	\$	\$	
	16.3.1.2	FSR (Classification Society - TBD) – Allowance for Duration of Contract		\$	\$	\$10,000.00	\$10,000.00	
	16.3.1.6	Man-lift Including Operator – 100 Hrs. For Duration Of Contract	100	\$	\$	\$	\$	
	16.3.1.6	Unit Rate/Hr For Man- lift Supply						\$
	16.3.4.4	FSR (NDT Specialist - TBD) – Allowance for Duration of Contract		\$	\$	\$10,000.00	\$10,000.00	
	16.3.5.2	Unit Rate For Removal and Re-installation of Each Additional M ² of Insulation Removed						\$

Solicitation No. - N° de l'invitation
F2599-180006/C
Client Ref. No. - N° de réf. du client
F2599-180006

Amd. No. - N° de la modif.
004
File No. - N° du dossier
034mdF2599-180006

Buyer ID - Id de l'acheteur
034md
CCC No./N° CCC - FMS No./N° VME

	16.3.5.2	Unit Rate For Removal and Re-installation of Each Additional M ² of Deck Coverings Removed							\$
	16.3.5.2	Unit Rate For Each Additional Panel Removed and Re-installed							\$
	16.3.5.2	Removal and Re-installation of Fan Housings, Lights, Speakers, Smoke Detectors, and Other Similar Components. Price Based on 50		\$	\$	\$	\$		
	16.3.5.2	Unit Rate For Each Additional Component Removed and Re-installed							\$
	16.3.5.6	Cargo Hold Insulation - HIBAR Spray-Applied Fire Resistant Material (SPFRM) or equivalent. Quote for Supply and Installation of 20m ² .		\$	\$	\$	\$		
	16.3.5.6	Cargo Hold Insulation - HIBAR Spray-Applied Fire Resistant Material (SPFRM) or Equivalent. Unit Price for Supply and Installation Each M ² of Insulation							\$
	16.3.5.6	Thermal Insulation – Supply and Installation of 20m ² Foil Faced Fibrous Mineral Wool Type.		\$	\$	\$	\$		
	16.3.5.6	Thermal Insulation – Foil Faced Fibrous Mineral Wool Type. Unit Price for Supply and Installation Each M ² of Insulation							\$

Solicitation No. - N° de l'invitation
F2599-180006/C
Client Ref. No. - N° de réf. du client
F2599-180006

Amd. No. - N° de la modif.
004
File No. - N° du dossier
034mdF2599-180006

Buyer ID - Id de l'acheteur
034md
CCC No./N° CCC - FMS No./N° VME

	16.3.5.6	A-60 And A-15 Fire Insulation On Aluminum Deckheads - Supply and Installation of 20m2 Rocksill or equivalent		\$	\$	\$	\$	
	16.3.5.6	A-60 And A-15 Fire Insulation On Aluminum Deckheads - Unit Price for Supply and Installation Each M2 of Insulation						\$
17.0		TOTAL SPEC. 17 – SHIP SERVICE GENERATORS MAINTENANCE AND OVERHAULS		\$	\$	\$	\$	
	17.3.1.2	FSR (Toromont) – Allowance for Duration of Contract		\$	\$	\$90,000.00	\$90,000.00	
18.0		TOTAL SPEC. 18 – HVAC SOFTWARE AND CONTROL REPLACEMENT		\$	\$	\$	\$	
19.0		TOTAL SPEC. 19 – MIRANDA DAVIT MAINTENANCE		\$	\$	\$	\$	
	19.3.1.3	FSR (Palfinger) – Allowance for Duration of Contract		\$	\$	\$10,000.00	\$10,000.00	
20.0		TOTAL SPEC. 20 – HIAB SEA CRANE INSPECTION (QUINQUENNIAL)		\$	\$	\$	\$	
	20.3.1.3	FSR (Atlas Polar) Allowance for Duration of Contract				\$10,000.00	\$10,000.00	
21.0		TOTAL SPEC. 21 – WATERTIGHT DOOR REFURBISHMENT		\$	\$	\$	\$	
22.0		TOTAL SPEC. 22 – POOP DECK CARPET REPLACEMENT		\$	\$	\$	\$	

23.0		TOTAL SPEC. 23 – ANNUAL FIREFIGHT SYSTEMS INSPECTION		\$	\$	\$	\$	
24.0		TOTAL SPEC. 24 – ANNUAL REFRIGERATION MAINTENANCE AND DAIRY ROOM EVAPORATOR		\$	\$	\$	\$	
25.0		TOTAL SPEC. 25 – BRIDGE WINDOW GLASS REPLACEMENT		\$	\$	\$	\$	
	25.3.1.3	FSR (Beclawat Manufacturing Inc.) Allowance for Duration of Contract				\$10,000.00	\$10,000.00	
		<u>TOTALS</u>		\$	\$	\$	\$	

2. To respond to vendor inquiries

Q63. On the new Amendment 004; it states for Item 16, para 16.3.7, 16.3.10.1, & 16.3.12.4 that the tanks are to be hydrostatically test. Can CANADA confirm if air testing to the same PSI be an acceptable alternative?

A63. Yes, Canada will accept air testing as an alternative to hydrostatic testing.

Q64. Item 16.3.7 - Hydrostatic tests are specified for fuel tanks, would you accept air pressure tests?

A64. Yes, Canada will accept air testing as an alternative to hydrostatic testing.

Q65. Item 25.3.3 - Is it possible to know the quantity to consider for the following specification in order to fix our quote?

A65. The Contractor must bid on replacing approximately 34 m2 of wood trim/melamine. The Contractor must also provide a unit price per additional m2. Please see the attached photos showing the current installation of the wood trim/melamine on the bridge. The photo starts on the aft port side of the bridge and goes to the starboard side, finishing on the starboard aft side of the bridge.

Q66. We would like to request an additional closing date extension of one week. It was indicated in a previous amendment that just the addition of spec item 25 would be forthcoming. However, the changes made to spec item 16 regarding coating is a major scope addition in which we feel that bidders need more time to accurately price.

A66. During the bidders' conference it was requested that more information be supplied in regards to tank capacities and tank coatings and Canada agreed to provide additional information. It was also stated in the same previous amendment (see Question 35) that Canada would provide a revised version of section 16.0. The additions to section 16.0 reflect what was asked for during the bidders' conference with the goal of providing enough information on which everyone can bid on equally. As part of the hull condition survey, it is expected that tank coatings will have to be removed in order to take proper thickness measurements.

Canada is willing to extend the closing date to June 7th.

Q67. Amendment # 4 – paragraph 16.3.8.4

The Contractor must pressure wash all ballast tanks with a minimum of 8000 psi pressure washer.

Safety matter, we cannot pressure wash 8000psi inside enclose space. Is Coast Guard willing to accept maximum pressure of 5000 psi for cleaning?

A67. Yes CCG will accept 5000 psi for cleaning.

Q68. 16.3.7.1 - Is Coast Guard will accept air test instead of water test for fuel tanks?

A68. Yes, CCG will accept air testing as an alternative to hydrostatic testing.

3. To upload additional drawings associated with the Solicitation

See Technical Package 4 and Bridge Window Pictures

4. To extend the bid closing date

At Invitation to Tender - Cover Page – Solicitation Closes

Delete: June 5, 2018

Insert: June 7, 2018