


WALL TYPES

**W1**  
25mm DOUBLE LOCK STANDING SEAM SIDING  
19x38 PT HORIZONTAL STRAPPING @ 400mm O.C.  
19x38 PT VERTICAL STRAPPING @ 400mm O.C.  
PEEL & STICK AIR BARRIER MEMBRANE  
19mm EXTERIOR PLYWOOD SHEATHING  
38x89 WOOD FRAMING @ 400mm O.C.  
19mm PLYWOOD SHEATHING


**W2**  
19mm x 140mm HORIZONTAL T&G CEDAR SIDING  
19x38 PT VERTICAL STRAPPING @ 400mm O.C.  
PEEL & STICK AIR BARRIER MEMBRANE  
19mm PLYWOOD SHEATHING  
38x89 WOOD FRAMING @ 400mm O.C.  
19mm PLYWOOD SHEATHING



**W3**  
19mm x 140mm HORIZONTAL T&G CEDAR SIDING  
38x89 WOOD FRAMING @ 400mm O.C.  
19mm PLYWOOD SHEATHING

**W4**  
19mm PLYWOOD SHEATHING  
38x89 WOOD FRAMING @ 400mm O.C.  
19mm PLYWOOD SHEATHING


ACCESSORIES LEGEND:  
RH - ROBE HOOK  
MIR - MIRROR  
FE - FIRE EXTINGUISHER



ROOF PLAN

SCALE : 1:100

NOTE:  
STAPPING TO BE INSTALLED TO  
ALLOW FOR VENTILLATION AND  
DRAINAGE. COORDIANTE LOCATIONS  
TO ALLOW THE RIBS OF THE  
FINISHED SURFACE TO ALIGN WITH  
THOSE OF THE WALL PANELS



UNDER ROOF DRAINAGE PLAN


SCALE : 1:100

DIRECTION OF ROOFING  
ABOVE

2 PLY 19x63 STRAPPING @  
ROOF EDGE FOR DRAINAGE  
CURB

SOLID 2 PLY 19x63  
STRAPPING @ RIDGES (TYP)  
REFER TO DETAILS

NOTE:  
ALL STRAPPING AND ROOFING TO  
BE INSTALLED IN SUCH A WAY AS  
TO NOT HAVE ANY EXPOSED  
SCREWS OR FASTENERS WITHIN  
THE INTERIOR OF THE STRUCTURE.  
(TYP)



DOOR & FRAME TYPES

SCALE : 1:50

NINE YARDS



3	ISSUED FOR TENDER	03/13/18
2	99% REVIEW	02/09/18
1	50% REVIEW	12/01/17
revisions		date

project

AMPHITHEATRE  
REPLACEMENT

Fundy National Park

FLOOR & ROOF PLANS

designed SS	conçu
date	
drawn TDR	dessiné
date	
approved	approuvé
date	
Tender	Soumission
PWGSC Project Manager	Administrateur de projets TPSGC
project number	no. du projet
R.075852.001	
drawing no.	no. du dessin
A2	