



BETWEEN POINT A AND B THE ELEVATION OF THE TOP-MOST COMPONENT OF FENCE CANNOT EXCEED 33.92m. ADJUST POST AND FABRIC HEIGHT AS REQUIRED TO ENSURE THIS MAXIMUM HEIGHT IS NOT EXCEEDED.

- NOTES:**
- EXISTING SIGNAGE TO BE REMOVED AND REINSTALLED ON NEW FENCE.
  - EXISTING FENCE (CHAIN LINK AND WILDLIFE) TO BE REMOVED AND DISPOSED OFF SITE UPON COMPLETION OF THE NEW FENCES.



**OVERALL SITE PLAN**  
SCALE: 1:2000

TESTPIT #	TESTPIT #	TESTPIT #	TESTPIT #	TESTPIT #	TESTPIT #	TESTPIT #	TESTPIT #
TESTPIT # 1 EX. GROUND GRAVEL MIXED WITH FINES 1.2 meters NO BEDROCK	TESTPIT # 2 EX. GROUND 100mm GRAVEL / BEDROCK 0.45 meters TO BEDROCK	TESTPIT # 3 EX. GROUND GRAVEL MIXED WITH ROCKS / BEDROCK 0.45 meters TO BEDROCK	TESTPIT # 4 EX. GROUND 150mm GRAVEL / BEDROCK 0.45 meters TO BEDROCK	TESTPIT # 5 EX. GROUND 300mm GRAVEL / BEDROCK 0.45 meters TO BEDROCK	TESTPIT # 6 EX. GROUND GRAVEL MIXED WITH ROCKS 1.10 meters TO BEDROCK	TESTPIT # 7 EX. GROUND SILTY / SAND / ROCKY 0.9 meters TO BEDROCK	TESTPIT # 8 EX. GROUND SANDY / ROCKY 1.2 meters TO BEDROCK
TESTPIT # 9 EX. GROUND COBBELS / SANDY/SILT 1.4 meters TO BEDROCK	TESTPIT # 10 EX. GROUND SANDY / ROCKY 0.75 meters TO BEDROCK	TESTPIT # 11 EX. GROUND SANDY/SILTY / ROCKY 0.60 meters TO BEDROCK	TESTPIT # 12 EX. GROUND SANDY/SILTY SOME ROCKS 1.50 meters NO BEDROCK	TESTPIT # 13 EX. GROUND GRAVEL/SILTY 0.75 meters TO BEDROCK	TESTPIT # 14 EX. GROUND GRAVEL/SILTY 0.75 meters TO BEDROCK	TESTPIT # 15 EX. GROUND 0.3 meters OVER BEDROCK ROCKY/SANDY/SILT 1.2 meters TO BEDROCK	TESTPIT # 16 EX. GROUND BEDROCK AT SURFACE FIRST 300mm FRACTURED EASILY 0.300 meters BEDROCK REFUSAL

**TESTPIT INFORMATION**

0	ISSUED FOR TENDER	JAN 26 2017
revisions		date

project  
**FENCE GATE REPLACEMENT ST. ANTHONY AIRPORT ST. ANTHONY NEWFOUNDLAND AND LABRADOR**

drawing **C01** dessin

**OVERALL SITE PLAN**

designed	KNW	conçu
date		dessiné
drawn	AC	date
approved	CSF	approved
date		date
Tender		Submission
Project Manager		Administrateur de projet
project number		no. du projet
	<b>R.083651.001</b>	
drawing no.		no. du dessin
	<b>C01</b>	