



## RETURN BIDS TO:

## RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions  
Travaux publics et Services gouvernementaux  
Canada

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scotia

B3J 1T3

Bid Fax: (902) 496-5016

## REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

**Proposal To: Public Works and Government  
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services  
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

**Comments - Commentaires**

**Vendor/Firm Name and Address**

**Raison sociale et adresse du**

**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**

Atlantic Region Acquisitions/Région de l'Atlantique  
Acquisitions

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scot

B3J 1T3

<b>Title - Sujet</b> Taps & Gauges	
<b>Solicitation No. - N° de l'invitation</b> W355B-191543/A	<b>Date</b> 2018-07-16
<b>Client Reference No. - N° de référence du client</b> W355B-19-1543	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$HAL-320-10458	
<b>File No. - N° de dossier</b> HAL-8-81057 (320)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2018-08-28</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Atlantic Daylight Saving Time ADT
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Browne, January	<b>Buyer Id - Id de l'acheteur</b> hal320
<b>Telephone No. - N° de téléphone</b> (902) 401-8687 ( )	<b>FAX No. - N° de FAX</b> (902) 496-5016
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> DEPARTMENT OF NATIONAL DEFENCE BLDG D200, FINANCE 3RD FLOOR HALIFAX NOVA SCOTIA B3K5X5 Canada	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b> See Herein	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

## TABLE OF CONTENTS

<b>PART 1 - GENERAL INFORMATION .....</b>	<b>2</b>
1.1 REQUIREMENT .....	2
1.2 DEBRIEFINGS .....	2
1.3 TRADE AGREEMENTS .....	2
<b>PART 2 - BIDDER INSTRUCTIONS .....</b>	<b>2</b>
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS .....	2
2.2 SUBMISSION OF BIDS .....	2
2.3 ENQUIRIES - BID SOLICITATION .....	3
2.4 APPLICABLE LAWS .....	3
<b>PART 3 - BID PREPARATION INSTRUCTIONS .....</b>	<b>3</b>
3.1 BID PREPARATION INSTRUCTIONS .....	3
<b>PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION .....</b>	<b>4</b>
4.1 EVALUATION PROCEDURES .....	4
4.2 BASIS OF SELECTION .....	5
<b>PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION .....</b>	<b>5</b>
5.1 CERTIFICATIONS REQUIRED WITH THE BID .....	5
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION .....	6
<b>PART 6 - RESULTING CONTRACT CLAUSES .....</b>	<b>6</b>
6.1 SECURITY REQUIREMENTS .....	6
6.2 REQUIREMENT .....	6
6.3 STANDARD CLAUSES AND CONDITIONS .....	7
6.4 TERM OF CONTRACT .....	7
6.5 AUTHORITIES .....	7
6.6 PROACTIVE DISCLOSURE OF CONTRACTS WITH FORMER PUBLIC SERVANTS .....	8
6.7 PAYMENT .....	8
6.8 INVOICING INSTRUCTIONS .....	9
6.9 CERTIFICATIONS AND ADDITIONAL INFORMATION .....	10
6.10 APPLICABLE LAWS .....	10
6.11 PRIORITY OF DOCUMENTS .....	10
<b>ANNEX "A" .....</b>	<b>11</b>
REQUIREMENT .....	11
<b>ANNEX "B" .....</b>	<b>18</b>
BASIS OF PAYMENT .....	18
<b>ANNEX "C" TO PART 3 OF THE BID SOLICITATION .....</b>	<b>23</b>
ELECTRONIC PAYMENT INSTRUMENTS .....	23
<b>ANNEX "D" INTEGRITY REQUIREMENTS .....</b>	<b>24</b>

---

## PART 1 - GENERAL INFORMATION

### 1.1 Requirement

The Department of National Defence has a requirement for provision of Taps & Gauges. See specifications listed in Annex A for more details.

### 1.2 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

### 1.3 Trade Agreements

"The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA), the Canada-European Union Comprehensive Economic and Trade Agreement (CETA), and the Canadian Free Trade Agreement (CFTA)."

## PART 2 - BIDDER INSTRUCTIONS

### 2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2017-04-27) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of [2003](#), Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days  
Insert: 90 days

### 2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated in the bid solicitation.

## **2.3 Enquiries - Bid Solicitation**

All enquiries must be submitted in writing to the Contracting Authority no later than 5 calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

## **2.4 Applicable Laws**

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

# **PART 3 - BID PREPARATION INSTRUCTIONS**

## **3.1 Bid Preparation Instructions**

The bid must be gathered per section and separated as follows:

Section I: Technical Bid  
Section II: Financial Bid  
Section III: Certifications

- If the Bidder chooses to submit its bid in hard copies, Canada requests that the Bidder submits its bid in separately bound sections as follows:

Section I: Technical Bid (2 hard copies)  
Section II: Financial Bid (1 hard copies)  
Section III: Certifications (1 hard copies)

Due to the nature of the bid solicitation, bids transmitted by epost Connect service will not be accepted.

Canada requests that bidders follow the format instructions described below in the preparation of hard copy of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573) (<https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

### **Section I: Technical Bid**

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

### **Section II: Financial Bid**

Bidders must submit their financial bid in accordance with the Basis of Payment.

#### **3.1.1 Electronic Payment of Invoices – Bid**

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex “C” Electronic Payment Instruments, to identify which ones are accepted.

If Annex “C” Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

#### **3.1.2 Exchange Rate Fluctuation**

[C3011T](#) (2013-11-06), Exchange Rate Fluctuation

#### **3.1.3 SACC Manual Clauses**

### **Section III: Certifications**

Bidders must submit the certifications and additional information required under Part 5.

## **PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION**

### **4.1 Evaluation Procedures**

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

#### **4.1.1 Technical Evaluation**

##### **4.1.1.1 Mandatory Technical Criteria**

See Annex A requirement and Annex A1.

#### **4.1.2 Financial Evaluation**

*SACC Manual* Clause [A0220T](#) (2014-06-26), Evaluation of Price  
*SACC Manual* Clause A0272T (2010-08-16), Basis of Selection - Multiple Items

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price on an aggregate basis will be recommended for award of a contract.

#### **4.2 Basis of Selection**

*SACC Manual* Clause [A0031T](#) (2010-08-16), Basis of Selection - Mandatory Technical Criteria

##### **4.2.1 SACC Manual Clauses**

*SACC Manual* Clause (A0222T) (2014-06-26), Evaluation of Price - Canadian / Foreign Bidders

*SACC Manual* Clause ([B1000T](#)) (2014-06-26), Condition of Material – Bid

### **PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION**

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

#### **5.1 Certifications Required with the Bid**

Bidders must submit the following duly completed certifications as part of their bid.

##### **5.1.1 Integrity Provisions - Declaration of Convicted Offences**

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

## 5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

### 5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

### 5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

## PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

### 6.1 Security Requirements

6.1.1 There is no security requirement applicable to the Contract.

### 6.2 Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A" and Annex "A1"

### 6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

#### 6.3.1 General Conditions

[2010A](#) (2016-04-04), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

### 6.4 Term of Contract

#### 6.4.1 Period of the Contract

#### 6.4.2 Delivery Date

While delivery is requested by October 30th, 2018, the best delivery that could be offered is

\_\_\_\_\_.

#### 6.4.2 Delivery Terms

Goods must be delivered DDP (Delivery Duty Paid) Incoterms 2010 to:

FMF Cape Scott HMC Dockyard Maritime Forces Atlantic  
Door 13 Bldg D-200  
HALIFAX NS B3K 5X5 CANADA

### 6.5 Authorities

#### 6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: January Browne  
Title: Supply Officer  
Public Works and Government Services Canada  
Acquisitions Branch  
Directorate: Acquisitions  
Address: 1713 Bedford Row  
Halifax, NS, B3J 3C9

Telephone: 902-401-8687  
Facsimile: 902-496-5016  
E-mail address: [january.browne@pwgsc-tpsgc.gc.ca](mailto:january.browne@pwgsc-tpsgc.gc.ca)



Solicitation No. - N° de l'invitation  
W355B-191543/A  
Client Ref. No. - N° de réf. du client  
W355B-191543

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL 8-81057

Buyer ID - Id de l'acheteur  
HAL320  
CCC No./N° CCC - FMS No./N° VME

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

### 6.5.2 Project Authority

The Project Authority for the Contract is:

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Organization: \_\_\_\_\_  
Address: \_\_\_\_\_  
  
Telephone: \_\_\_\_\_  
Facsimile: \_\_\_\_\_  
E-mail address: \_\_\_\_\_

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

### 6.5.3 Contractor's Representative

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Organization: \_\_\_\_\_  
Address: \_\_\_\_\_  
  
Telephone: \_\_\_\_\_  
Facsimile: \_\_\_\_\_  
E-mail address: \_\_\_\_\_  
PBN# : \_\_\_\_\_

## 6.6 Proactive Disclosure of Contracts with Former Public Servants

By providing information on its status, with respect to being a former public servant in receipt of a [Public Service Superannuation Act](#) (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with [Contracting Policy Notice: 2012-2](#) of the Treasury Board Secretariat of Canada.

## 6.7 Payment

### 6.7.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price, as specified in contract for a cost of \$ \_\_\_\_\_. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

### 6.7.2 Limitation of Expenditure

SACC Manual clause C6000C (2017-08-17) Limitation of Price

### 6.7.3 Single Payment

SACC Manual clause H1000C (2008-05-12) Single Payment

### 6.7.4 SACC Manual Clauses

SACC Manual Clause (C2000C) (2007-11-30), Taxes - Foreign-based Contractor

SACC Manual Clause (C2605C) (2008-05-12), Canadian Customs Duties and Sales Tax - Foreign-based Contractor

SACC Manual Clause (B7500C) (2006-06-16), Excess Goods

SACC Manual Clause (G1005C) (2016-01-28), Insurance - No Specific Requirement

SACC Manual Clause (B1006C) (2014-06-26), Condition of Material – Bid

The Contractor must provide material that is new production of current manufacture supplied by the principal manufacturer or its accredited agent. The material must conform to the latest issue of the applicable drawing, specification and part number, as applicable, that was in effect on the bid closing date.

### 6.7.5 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- a. Visa Acquisition Card;
- b. MasterCard Acquisition Card;
- c. Direct Deposit (Domestic and International);
- d. Electronic Data Interchange (EDI);

### 6.8 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

Each invoice must be supported by:

- a. a copy of the release document and any other documents as specified in the Contract;
2. Invoices must be distributed as follows:
    - a. The original and one (1) copy must be forwarded to the following address for certification and payment.

---

DEPT OF NATIONAL DEFENCE  
MAR. FORCES ATL. FMF CAPE SCOTT Bldg D200, Finance, 3rd Floor  
P.O. Box 99000, STN Forces  
HALIFAX NS B3K 5X5  
CANADA

## **6.9 Certifications and Additional Information**

### **6.9.1 Compliance**

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

### **6.10 Applicable Laws**

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

### **6.11 Priority of Documents**

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2016-04-04 ), General Conditions - Goods (Medium Complexity),
- (c) Annex A, Requirement;
- (d) Annex A1 Mandatory Technical Requirement
- (e) Annex B, Basis of payment
- (f) Annex C Electronic payment instruments
- (g) Annex D Integrity requirements
- (h) the Contractor's bid dated \_\_\_\_\_

---

## **ANNEX "A"**

### **REQUIREMENT**

#### Statement of Requirement

##### **1. GENERAL DESCRIPTION**

- 1.1 Supply FMFCS with Taps and Gauges per Annex A ;
- 1.2 All items shall be supplied by the same supplier;
- 1.3 Plug and Ring Gauges must have Manufacturer Part Number;
- 1.4 A long form Certificate of Calibration serial numbered for each individual gauge indicating conformance to applicable standard must be included;
- 1.5 A Long Form Certificate of Conformity must be included;
- 1.6 The Plug and Ring Gauges must be packed individually and preserved to prevent rust;
- 1.7 The Taps must be preserved and packaged as a set;
- 1.8 Plug and Ring Gauges will be inspected by the FMFCS Calibration Centre upon delivery. Further, the items (under the direction of the Technical Authority) will drill, tap and gauge test holes for each size provided. If there are any fails, the applicable taps and/or gauge shall be returned to the Supplier for repair or replacement free of charge.

##### **2. GAUGE SPECIFICATIONS**

- 2.1 All gauges are right hand tread;
- 2.2 Ring gauges and Plug gauges must conform to applicable British Standard 919 part 3 2007 or as indicated along with their specific size and fit requirement;
- 2.3 Gauges must have a Rockwell C hardness between RC57 to RC62 with a knurled body;
- 2.4 Plug gauges must be supplied with handle.
- 2.5 Ring and Plug gauges must have the included information engraved on them: Nominal size, pitch, pitch diameter, thread form, fit, go and no go ends identification, serial numbers corresponding with the applicable certificate of compliance and the suppliers company name.

##### **3. TAP SPECIFICATIONS**

- 3.1 All taps must be right hand tread;
- 3.2 Taps must be made in an acceptable standard dimension of ISO 529, USCTI table 302 with size, pitch, class and fit conforming to British Standard 3643 part 1 and part 2 2007 or as approved by the Technical Authority;
- 3.3 Taps set must consist of one taper, one plug and one bottoming and are to be made of High Speed Steel with ground thread finish and a hardness between RC 57-62.

3.4 The following information must be engraved on the taps: size, pitch, class, and fit.

#### 4. CODES AND STANDARDS

4.1 Rings and Plug Gauges must conform to British Standard 919 part (1), (2), or (3) as applicable;

4.2 Taps must be made in an acceptable standard dimension of ISO 529, USCTI table 302 with size, pitch, class and fit conforming to British Standard 3643 part 1 and part 2 2007 or as approved by the Technical Authority.

#### 5. WARRANTY

5.1 One (1) Year Warranty.

Go ring gauges BS 919 Part 3, 6g, certification of conformance for each		
SIZE:	QTY:	
M6 X 0.8	1	Go ring gauge BS 919 Part 3, 6g
M6.25 X 1.0	1	Go ring gauge BS 919 Part 3, 6g
M8.5 X 1.25	1	Go ring gauge BS 919 Part 3, 6g
M8.75 X 1.25	1	Go ring gauge BS 919 Part 3, 6g
M10 X 1.5	2	Go ring gauge BS 919 Part 3, 6g
M10.25 X 1.5	1	Go ring gauge BS 919 Part 3, 6g
M10.5 X 1.5	1	Go ring gauge BS 919 Part 3, 6g
M12 X 1.75	2	Go ring gauge BS 919 Part 3, 6g
M12.25 X 1.75	1	Go ring gauge BS 919 Part 3, 6g
M12.75 X 1.75	1	Go ring gauge BS 919 Part 3, 6g
M13 X 1.75	1	Go ring gauge BS 919 Part 3, 6g
M14.75 X 2.0	1	Go ring gauge BS 919 Part 3, 6g
M15 X 2.0	1	Go ring gauge BS 919 Part 3, 6g
M16 X 2.0	2	Go ring gauge BS 919 Part 3, 6g
M20 X 2.5	2	Go ring gauge BS 919 Part 3, 6g
M20.75 X 2.5	1	Go ring gauge BS 919 Part 3, 6g
M23.5 X 2.5	1	Go ring gauge BS 919 Part 3, 6g
M24.75 X 3.0	1	Go ring gauge BS 919 Part 3, 6g
M27.5 X 3.0	1	Go ring gauge BS 919 Part 3, 6g
M30.75 X 3.5	1	Go ring gauge BS 919 Part 3, 6g
M31 X 3.5	1	Go ring gauge BS 919 Part 3, 6g
Go ring gauges BS 919 Part 3, 4H, certification of conformance for each		
M20 X 1.5 4H	1	Go ring gauge BS 919 Part 3, 4H
M20.5 X 1.5 4H	1	Go ring gauge BS 919 Part 3, 4H

<b>Go Nogo Plug gauges BS919 Part 3, 6H, with handle and certificate of conformance</b>		
M5 X 0.8	1	Go/NoGo plug gauge BS 919 Part 3, 6H
M5.5 X 0.8	1	Go/NoGo plug gauge BS 919 Part 3, 6H
M10 X 1.5	2	Go/NoGo plug gauge BS 919 Part 3, 6H
M12 X 1.75	2	Go/NoGo plug gauge BS 919 Part 3, 6H
M16 X 2.0	2	Go/NoGo plug gauge BS 919 Part 3, 6H
M20 X 2.5	2	Go/NoGo plug gauge BS 919 Part 3, 6H
M24.5 X 3.0	1	Go/NoGo plug gauge BS 919 Part 3, 6H
M28.25 X 3.0	1	Go/NoGo plug gauge BS 919 Part 3, 6H
M31 X 3.5	1	Go/NoGo plug gauge BS 919 Part 3, 6H
<b>Go Nogo Plug gauges BS919 Part 3, 5H, with handle and certificate of conformance</b>		
M20.75 X 1.5 <b>5H</b>	1	Go/NoGo plug gauge BS 919 Part 3, 5H
M21.25 X 1.5 <b>5H</b>	1	Go/NoGo plug gauge BS 919 Part 3, 5H
<b>Go Nogo Plug gauge BS 919 Part 1, 6H, with handle and certificate of conformance</b>		
0.510 - 13 UNS BS919 PART 1	1	Go/NoGo plug gauge BS 919 Part 1, 6H
<b>Nogo ring gauges BS 919 Part 3, 6g, certificate of conformance for each</b>		
M6 X 0.8	1	NoGo ring gauge BS 919 Part 3, 6g
M6.25 X 1.0	1	NoGo ring gauge BS 919 Part 3, 6g
M10 X 1.5	2	NoGo ring gauge BS 919 Part 3, 6g
M10.75 X 1.5	1	NoGo ring gauge BS 919 Part 3, 6g
M12 X 1.75	2	NoGo ring gauge BS 919 Part 3, 6g
M12.25 X 1.75	1	NoGo ring gauge BS 919 Part 3, 6g
M13.25 X 1.75	1	NoGo ring gauge BS 919 Part 3, 6g
M14 X 2.0	1	NoGo ring gauge BS 919 Part 3, 6g
M16 X 2.0	2	NoGo ring gauge BS 919 Part 3, 6g
M18.50 X 2.5	1	NoGo ring gauge BS 919 Part 3, 6g
M20 X 2.5	2	NoGo ring gauge BS 919 Part 3, 6g
M21 X 2.5	1	NoGo ring gauge BS 919 Part 3, 6g
M21.75 X 2.5	1	NoGo ring gauge BS 919 Part 3, 6g
M23.5 X 2.5	1	NoGo ring gauge BS 919 Part 3, 6g
M24.75 X 3.0	1	NoGo ring gauge BS 919 Part 3, 6g
M25 X 3.0	1	NoGo ring gauge BS 919 Part 3, 6g
M28.5 X 3.0	1	NoGo ring gauge BS 919 Part 3, 6g

Solicitation No. - N° de l'invitation  
W355B-191543/A  
Client Ref. No. - N° de réf. du client  
W355B-191543

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL 8-81057

Buyer ID - Id de l'acheteur  
HAL320  
CCC No./N° CCC - FMS No./N° VME

M30.75 X 3.5	1	NoGo ring gauge BS 919 Part 3, 6g
<b>Nogo ring gauges BS 919 Part 3, 4H, certificate of conformance for each</b>		
M20 X 1.5 <b>4H</b>	1	NoGo ring gauge BS 919 Part 3, 4H
M20.5 X 1.5 <b>4H</b>	1	NoGo ring gauge BS 919 Part 3, 4H
M20.75 X 1.5 <b>4H</b>	1	NoGo ring gauge BS 919 Part 3, 4H
M21.25 X 1.5 <b>4H</b>	1	NoGo ring gauge BS 919 Part 3, 4H
<b>Taps: SET (Taper, Plug and Bottoming), Class 2B, 6H fit</b>		
Oversize:		
M5.25 X 0.8	3 Sets	Class 2B, 6H fit
M5.5 X 0.8	3 Sets	Class 2B, 6H fit
M5.75 X 0.8	3 Sets	Class 2B, 6H fit
M6.25 X 1.0	3 Sets	Class 2B, 6H fit
M6.5 X 1.0	3 Sets	Class 2B, 6H fit
M6.75 X 1.0	3 Sets	Class 2B, 6H fit
M8 X 1.25	3 Sets	Class 2B, 6H fit
M12.25 X 1.75	2 Sets	Class 2B, 6H fit
M12.5 X 1.75	2 Sets	Class 2B, 6H fit
M12.75 X 1.75	2 Sets	Class 2B, 6H fit
M21.75 X 2.5	2 Sets	Class 2B, 6H fit
M24.5 X 3.0	2 Sets	Class 2B, 6H fit
M24.75 X 3.0	2 Sets	Class 2B, 6H fit
M6 X 1.0	3 Sets	Class 2B, 6H fit
M8 X 1.25	3 Sets	Class 2B, 6H fit
M10 X 1.25	3 Sets	Class 2B, 6H fit
M12 X 1.75	3 Sets	Class 2B, 6H fit
M13 X 1.75	3 Sets	Class 2B, 6H fit
M16 X 2.0	3 Sets	Class 2B, 6H fit
M20 X 2.5	3 Sets	Class 2B, 6H fit
M22 X 2.5	3 Sets	Class 2B, 6H fit
M24 X 3.0	3 Sets	Class 2B, 6H fit

<b>Taps: SET (Taper, Plug and Bottoming), Class 1B, 5H fit</b>		
M20 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit
M20.25 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit
M20.75 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit

Solicitation No. - N° de l'invitation  
**W355B-191543/A**  
Client Ref. No. - N° de réf. du client  
**W355B-191543**

Amd. No. - N° de la modif.  
File No. - N° du dossier  
**HAL 8-81057**

Buyer ID - Id de l'acheteur  
**HAL320**  
CCC No./N° CCC - FMS No./N° VME

---

M21 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit
M21.25 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit
M21.5 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit
M21.75 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit



## ANNEX "A 1"

### Mandatory Technical Requirement

Bids will be assessed against the requirements shown in Table 1 mandatory requirements and assigned a pass or fail designation. A compliant bid must pass all requirements to be deemed technically compliant.

**For each and every Mandatory requirement listed in Table 1, the Contractor must provide a reference as to where in their Proposal it states they have met the Mandatory Requirements.** A compliant bid must PASS all "Mandatory Requirements".

**Bidders must complete the table below or be deemed non-compliant.**

**Note: The Crown is under NO obligation to seek clarification of the bid(s) or the supporting technical documentation provided. Failure to meet any of the following will render your proposal non-compliant and will be given no further consideration**

Table 1

NO.	SPECIFICATIONS	COMMENT(S)/ REFERENCE
1.	Taps and Gauges per Annex A	
a.	All items supplied by same Supplier	
b.	Manufacturer Part Numbers Provided	
c.	Long Form Certificate of Certification Serial Numbered for each Individual Gauge indicating conformance to applicable Standard	
d.	Long Form Certificate of Conformity	
e.	Plugs and Rings Packed Individually and Preserved to Prevent Rust	
f.	Taps preserved and packaged as a set	
g.	All Gauges right hand tread	
h.	Ring gauges and Plug gauges must conform to applicable British Standard 919 part 3 2007 or as indicated along with their specific size and fit requirement	
i.	Gauges must have a Rockwell C hardness between RC57 to RC62 with a knurled body	
j.	Plug gauges must be supplied with handle	
k.	Ring and Plug gauges must have the included information engraved on them: Nominal size, pitch, pitch diameter, thread form, fit, go and no go ends identification, serial numbers corresponding with the applicable certificate of compliance and the suppliers company name	
l.	All taps must be right hand tread	

Solicitation No. - N° de l'invitation  
W355B-191543/A  
Client Ref. No. - N° de réf. du client  
W355B-191543

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL 8-81057

Buyer ID - Id de l'acheteur  
HAL320  
CCC No./N° CCC - FMS No./N° VME

NO.	SPECIFICATIONS	COMMENT(S)/ REFERENCE
m.	Taps must be made in an acceptable standard dimension of ISO 529, USCTI table 302 with size, pitch, class and fit conforming to British Standard 3643 part 1 and part 2 2007 or as approved by the Technical Authority	
n.	Taps set must consist of one taper, one plug and one bottoming and are to be made of High Speed Steel with ground thread finish and a hardness between RC 57-62	
o.	The following information must be engraved on the taps: size, pitch, class, and fit	
p.	1 Year Warranty	

## ANNEX "B"

### BASIS OF PAYMENT

Note: Bidders are required to complete the pricing table shown below. An incomplete bid (financial or technical) will be deemed non-responsive and will not be considered for further evaluation.

Prices must be in Canadian Dollars (CAD) and include delivery and all applicable charges to the final destination, DDP (Delivery Duty Paid) Incoterms 2010 to:

FMF Cape Scott HMC Dockyard Maritime Forces Atlantic  
Door 13 Bldg D-200  
HALIFAX NS B3K 5X5 CANADA

Prices for Delivery Duty Paid firm lot price for:

1. Supply
2. Delivery
3. 1 year warranty

Table 1					
Go ring gauges BS 919 Part 3, 6g, certification of conformance for each					
SIZE:	QTY: (a)		MFR Part No.	Price Per Unit (b)	Extended Price (axb= c)
M6 X 0.8	1	Go ring gauge BS 919 Part 3, 6g			
M6.25 X 1.0	1	Go ring gauge BS 919 Part 3, 6g			
M8.5 X 1.25	1	Go ring gauge BS 919 Part 3, 6g			
M8.75 X 1.25	1	Go ring gauge BS 919 Part 3, 6g			
M10 X 1.5	2	Go ring gauge BS 919 Part 3, 6g			
M10.25 X 1.5	1	Go ring gauge BS 919 Part 3, 6g			
M10.5 X 1.5	1	Go ring gauge BS 919 Part 3, 6g			
M12 X 1.75	2	Go ring gauge BS 919 Part 3, 6g			
M12.25 X 1.75	1	Go ring gauge BS 919 Part 3, 6g			
M12.75 X 1.75	1	Go ring gauge BS 919 Part 3, 6g			
M13 X 1.75	1	Go ring gauge BS 919 Part 3, 6g			
M14.75 X 2.0	1	Go ring gauge BS 919 Part 3, 6g			
M15 X 2.0	1	Go ring gauge BS 919 Part 3, 6g			
M16 X 2.0	2	Go ring gauge BS 919 Part 3, 6g			
M20 X 2.5	2	Go ring gauge BS 919 Part 3, 6g			
M20.75 X 2.5	1	Go ring gauge BS 919 Part 3, 6g			
M23.5 X 2.5	1	Go ring gauge BS 919 Part 3, 6g			
M24.75 X 3.0	1	Go ring gauge BS 919 Part 3, 6g			
M27.5 X 3.0	1	Go ring gauge BS 919 Part 3, 6g			
M30.75 X 3.5	1	Go ring gauge BS 919 Part 3, 6g			
M31 X 3.5	1	Go ring gauge BS 919 Part 3, 6g			

Table 2					
Go ring gauges BS 919 Part 3, 4H, certification of conformance for each					
SIZE:	QTY: (a)		MFR Part No.	Price Per Unit (b)	Extended Price (axb= c)
M20 X 1.5 4H	1	Go ring gauge BS 919 Part 3, 4H			
M20.5 X 1.5 4H	1	Go ring gauge BS 919 Part 3, 4H			

  

Table 3					
Go Nogo Plug gauges BS919 Part 3, 6H, with handle and certificate of conformance					
SIZE:	QTY: (a)		MFR Part No.	Price Per Unit (b)	Extended Price (axb= c)
M5 X 0.8	1	Go/NoGo plug gauge BS 919 Part 3, 6H			
M5.5 X 0.8	1	Go/NoGo plug gauge BS 919 Part 3, 6H			
M10 X 1.5	2	Go/NoGo plug gauge BS 919 Part 3, 6H			
M12 X 1.75	2	Go/NoGo plug gauge BS 919 Part 3, 6H			
M16 X 2.0	2	Go/NoGo plug gauge BS 919 Part 3, 6H			
M20 X 2.5	2	Go/NoGo plug gauge BS 919 Part 3, 6H			
M24.5 X 3.0	1	Go/NoGo plug gauge BS 919 Part 3, 6H			
M28.25 X 3.0	1	Go/NoGo plug gauge BS 919 Part 3, 6H			
M31 X 3.5	1	Go/NoGo plug gauge BS 919 Part 3, 6H			

  

Table 4					
Go Nogo Plug gauges BS919 Part 3, 5H, with handle and certificate of conformance					
SIZE:	QTY: (a)		MFR Part No.	Price Per Unit (b)	Extended Price (axb= c)
M20.75 X 1.5 5H	1	Go/NoGo plug gauge BS 919 Part 3, 5H			

Solicitation No. - N° de l'invitation  
W355B-191543/A  
Client Ref. No. - N° de réf. du client  
W355B-191543

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL 8-81057

Buyer ID - Id de l'acheteur  
HAL320  
CCC No./N° CCC - FMS No./N° VME

M21.25 X 1.5 5H	1	Go/NoGo plug gauge BS 919 Part 3, 5H			
-----------------	---	---	--	--	--

**Table 5**

**Go Nogo Plug gauge BS 919 Part 1, 6H, with handle and certificate of conformance**

SIZE:	QTY: (a)		MFR Part No.	Price Per Unit (b)	Extended Price (axb= c)
0.510 - 13 UNS BS919 PART 1	1	Go/NoGo plug gauge BS 919 Part 1, 6H			

**Table 6**

**Nogo ring gauges BS 919 Part 3, 6g, certificate of conformance for each**

SIZE:	QTY: (a)		MFR Part No.	Price Per Unit (b)	Extended Price (axb= c)
M6 X 0.8	1	NoGo ring gauge BS 919 Part 3, 6g			
M6.25 X 1.0	1	NoGo ring gauge BS 919 Part 3, 6g			
M10 X 1.5	2	NoGo ring gauge BS 919 Part 3, 6g			
M10.75 X 1.5	1	NoGo ring gauge BS 919 Part 3, 6g			
M12 X 1.75	2	NoGo ring gauge BS 919 Part 3, 6g			
M12.25 X 1.75	1	NoGo ring gauge BS 919 Part 3, 6g			
M13.25 X 1.75	1	NoGo ring gauge BS 919 Part 3, 6g			
M14 X 2.0	1	NoGo ring gauge BS 919 Part 3, 6g			
M16 X 2.0	2	NoGo ring gauge BS 919 Part 3, 6g			
M18.50 X 2.5	1	NoGo ring gauge BS 919 Part 3, 6g			
M20 X 2.5	2	NoGo ring gauge BS 919 Part 3, 6g			
M21 X 2.5	1	NoGo ring gauge BS 919 Part 3, 6g			

Solicitation No. - N° de l'invitation  
W355B-191543/A  
Client Ref. No. - N° de réf. du client  
W355B-191543

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL 8-81057

Buyer ID - Id de l'acheteur  
HAL320  
CCC No./N° CCC - FMS No./N° VME

M21.75 X 2.5	1	NoGo ring gauge BS 919 Part 3, 6g			
M23.5 X 2.5	1	NoGo ring gauge BS 919 Part 3, 6g			
M24.75 X 3.0	1	NoGo ring gauge BS 919 Part 3, 6g			
M25 X 3.0	1	NoGo ring gauge BS 919 Part 3, 6g			
M28.5 X 3.0	1	NoGo ring gauge BS 919 Part 3, 6g			
M30.75 X 3.5	1	NoGo ring gauge BS 919 Part 3, 6g			

**Table 7**

**Nogo ring gauges BS 919 Part 3, 4H, certificate of conformance for each**

SIZE:	QTY: (a)		MFR Part No.	Price Per Unit (b)	Extended Price (axb= c)
M20 X 1.5 <b>4H</b>	1	NoGo ring gauge BS 919 Part 3, 4H			
M20.5 X 1.5 <b>4H</b>	1	NoGo ring gauge BS 919 Part 3, 4H			
M20.75 X 1.5 <b>4H</b>	1	NoGo ring gauge BS 919 Part 3, 4H			
M21.25 X 1.5 <b>4H</b>	1	NoGo ring gauge BS 919 Part 3, 4H			

**Table 8**

**Taps: SET (Taper, Plug and Bottoming), Class 2B, 6H fit**

SIZE:	QTY: (a)		MFR Part No.	Price Per Unit (b)	Extended Price (axb= c)
Oversize:					
M5.25 X 0.8	3 Sets	Class 2B, 6H fit			
M5.5 X 0.8	3 Sets	Class 2B, 6H fit			
M5.75 X 0.8	3 Sets	Class 2B, 6H fit			
M6.25 X 1.0	3 Sets	Class 2B, 6H fit			
M6.5 X 1.0	3 Sets	Class 2B, 6H fit			
M6.75 X 1.0	3 Sets	Class 2B, 6H fit			
M8 X 1.25	3 Sets	Class 2B, 6H fit			
M12.25 X 1.75	2 Sets	Class 2B, 6H fit			
M12.5 X 1.75	2 Sets	Class 2B, 6H fit			
M12.75 X 1.75	2 Sets	Class 2B, 6H fit			

Solicitation No. - N° de l'invitation  
**W355B-191543/A**  
 Client Ref. No. - N° de réf. du client  
**W355B-191543**

Amd. No. - N° de la modif.  
  
 File No. - N° du dossier  
**HAL 8-81057**

Buyer ID - Id de l'acheteur  
**HAL320**  
 CCC No./N° CCC - FMS No./N° VME

M21.75 X 2.5	2 Sets	Class 2B, 6H fit			
M24.5 X 3.0	2 Sets	Class 2B, 6H fit			
M24.75 X 3.0	2 Sets	Class 2B, 6H fit			
M6 X 1.0	3 Sets	Class 2B, 6H fit			
M8 X 1.25	3 Sets	Class 2B, 6H fit			
M10 X 1.25	3 Sets	Class 2B, 6H fit			
M12 X 1.75	3 Sets	Class 2B, 6H fit			
M13 X 1.75	3 Sets	Class 2B, 6H fit			
M16 X 2.0	3 Sets	Class 2B, 6H fit			
M20 X 2.5	3 Sets	Class 2B, 6H fit			
M22 X 2.5	3 Sets	Class 2B, 6H fit			
M24 X 3.0	3 Sets	Class 2B, 6H fit			

<b>Table 9</b>					
<b>Taps: SET (Taper, Plug and Bottoming), Class 1B, 5H fit</b>					
<b>SIZE:</b>	<b>QTY: (a)</b>		<b>MFR Part No.</b>	<b>Price Per Unit (b)</b>	<b>Extended Price (axb= c)</b>
M20 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit			
M20.25 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit			
M20.75 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit			
M21 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit			
M21.25 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit			
M21.5 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit			
M21.75 X 1.5 CLASS 1, <b>5H FIT</b>	2 Sets	Class 1B, 5h fit			

**Total Evaluated Price of all tables (1-9):** \_\_\_\_\_

Applicable taxes extra.

Solicitation No. - N° de l'invitation  
W355B-191543/A  
Client Ref. No. - N° de réf. du client  
W355B-191543

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL 8-81057

Buyer ID - Id de l'acheteur  
HAL320  
CCC No./N° CCC - FMS No./N° VME

---

## **ANNEX “C” to PART 3 OF THE BID SOLICITATION**

### **ELECTRONIC PAYMENT INSTRUMENTS**

The Bidder accepts any of the following Electronic Payment Instrument(s):

- ☐ ( ) VISA Acquisition Card;
- ☐ ( ) MasterCard Acquisition Card;
- ☐ ( ) Direct Deposit (Domestic and International);
- ☐ ( ) Electronic Data Interchange (EDI);



Solicitation No. - N° de l'invitation  
W355B-191543/A  
Client Ref. No. - N° de réf. du client  
W355B-191543

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL 8-81057

Buyer ID - Id de l'acheteur  
HAL320  
CCC No./N° CCC - FMS No./N° VME

---

## ANNEX “D” INTEGRITY REQUIREMENTS

Bidder must submit with their bid, prior to bid award:

A complete list of names of all individuals who are currently directors of the Bidder;

Complete Legal Name of Supplier:\_\_\_\_\_

Supplier Address:\_\_\_\_\_

Supplier PBN:\_\_\_\_\_

List of Directors: Please provide a list of names of all individuals currently on the Board of Directors of the above company.

### Board of Directors (Full Name and Position)

---

---

---

---

---

---

---

---

---

---

---