

MATCHLINE SHEET C4

DRAWING NOTES:

- 500mm WIDE, 25mm DEEP GRASS COVERED FLEXIBLE POROUS PAVER (TERRAFIX GRASS PAVER OR APPROVED ALTERNATIVE) PLACED OVER 150mm THICK OPSS.MUNI 1010 GRANULAR A BASE, COMPACTED TO 100% SPMD. PAVES CELLS AND VOIDS TO BE FILLED WITH COARSE, WELL-DRAINING SAND (WASHED CONCRETE SAND-AASHTO M6 OR ASTM C-33 OR APPROVED ALTERNATIVE). COVER WITH SOD. MATCH OUTSIDE EDGE TO EXISTING GRADE.
- NEW SP 12.5 ASPHALTIC CONCRETE (ASPHALT CEMENT GRADE PG 58-34) PLACED OVER SCARIFIED, GRADED AND COMPACTED GRANULAR BASE. ADD ADDITIONAL GRANULAR BASE WHERE REQUIRED TO ACHIEVE DESIGN GRADES. COMPACT GRANULAR BASE TO 100% SPMD. NEW PAVEMENT THICKNESS TO MATCH EXISTING. ASSUME 60mm AVERAGE THICKNESS.
- AT TIE-IN JOINTS, MILL EXISTING ASPHALTIC CONCRETE TO DEPTH OF 50mm AT 300mm BACK FROM JOINT. PROVIDE TACK COAT AND NEW SURFACE COURSE ASPHALTIC CONCRETE OVER THE MILLED SURFACE.
- NEW 50mm THICK SP 12.5 ASPHALTIC CONCRETE (ASPHALT CEMENT GRADE PG 58-34) PLACED OVER 150mm THICK OPSS.MUNI 1010 GRANULAR A BASE, COMPACTED TO 100% SPMD. GRANULAR BASE TO BE SALVAGED FROM EXISTING EXCAVATED GRANULAR BASE MATERIAL, AND PLACED OVER BIAXIAL GEOGRID (16kN/m ULTIMATE TENSILE STRENGTH) - TERRAFIX TBX 1500 GEOGRID OR APPROVED ALTERNATIVE.

LEGEND

NEW SPOT ELEVATION

NEW SLOPE

LIMIT OF NEW ASPHALT

STM NEW CATCH BASIN LEAD

NEW SUBDRAIN

NEW CATCH BASIN

NEW LOOP SYSTEM

SAN EXISTING SANITARY SEWER


STM EXISTING STORM SEWER

EXISTING SPOT ELEVATION

SAMH EXISTING SANITARY MAINTENANCE HOLE

STM EXISTING STORM MAINTENANCE HOLE

CB EXISTING CATCH BASIN



SCALE: 1:250



Capital Planning and Real Asset Management Branch  
Direction de l'aménagement de la capitale et gestion de l'immobilier

Design and Construction Division  
Division design et construction

director - Pierre Vaillancourt - directeur

consultant  
expert-conseil

Civil engineer | Ingénieur civil



200 QUEEN STREET WEST  
OTTAWA ONTARIO CANADA K2B 8K2  
TEL: 1-813-259-2800 FAX: 1-813-259-2801 WWW.WSPGROUP.COM  
WSP PROJECT: 181-04607-00

issued or revised  
émis ou révisé

3	REVISED PER COMMENTS	2018-07-26
2	ISSUED FOR APPROVAL	2018-07-11
1	ISSUED FOR REVIEW	2018-04-25
no	description	date

project  
projet

ASPHALTING AND RESURFACING

drawing  
dessin

NEW PAVING PLAN  
NORTH SECTOR

approved by approuvé par	JJ		
designed by conçu par	BL/JJ		
drawn by dessiné par	BN		
date	SEE ISSUE DATE VOIR LA DATE DE SOUMISSION	scale échelle	AS NOTED SELON LES ANNOTATIONS
NCC project no. no. du projet de la CCN		sheet no. no. de la feuille	
DC1110-22			C3