



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des
soumissions – TPSGC

11 Laurier St. / 11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau

Quebec

K1A0S5

Bid Fax: (819) 997-9776

REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION

Proposal To: Public Works and Government Services Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

Proposition aux: Travaux Publics et Services Gouvernementaux Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Victoria Class Integrated Contract Support/Class de Victoria soutien de contrat intégral
455 De la Carrière Blvd - 2-SC06
Gatineau
Quebec
K1A0S5

Title - Sujet Stock & Spares Victoria Class Sub	
Solicitation No. - N° de l'invitation W8482-194453/A	Date 2018-09-06
Client Reference No. - N° de référence du client W8482-194453	
GETS Reference No. - N° de référence de SEAG PW-\$VCI-007-26974	
File No. - N° de dossier 007vci.W8482-194453	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-10-17	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
F.O.B. - F.A.B. Specified Herein - Précisé dans les présentes Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input checked="" type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Poluha, Sarah	
Buyer Id - Id de l'acheteur 007vci	
Telephone No. - N° de téléphone () - ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	
Specified Herein Précisé dans les présentes	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
W8482-194453/A
Client Ref. No. - N° de réf. du client
W8482-194453

Amd. No. - N° de la modif.
File No. - N° du dossier
007vci.W8482-194453

Buyer ID - Id de l'acheteur
007vci.
CCC No./N° CCC - FMS No./N° VME

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	2
1.1 SECURITY REQUIREMENTS	2
1.2 STATEMENT OF REQUIREMENT	2
1.3 DELIVERY REQUIREMENT	2
1.4 DEBRIEFINGS	2
1.5 TRADE AGREEMENTS	2
PART 2 - BIDDER INSTRUCTIONS	3
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS.....	3
2.2 SUBMISSION OF BIDS.....	3
2.3 ENQUIRIES - BID SOLICITATION.....	3
2.4 APPLICABLE LAWS.....	3
PART 3 - BID PREPARATION INSTRUCTIONS.....	4
3.1 BID PREPARATION INSTRUCTIONS	4
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	6
4.1 EVALUATION PROCEDURES.....	6
4.2 BASIS OF SELECTION.....	6
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	7
5.1 CERTIFICATIONS REQUIRED WITH THE BID.....	7
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	7
PART 6 - RESULTING CONTRACT CLAUSES	8
6.1 SECURITY REQUIREMENTS	8
6.2 REQUIREMENT	8
6.3 STANDARD CLAUSES AND CONDITIONS.....	8
6.4 TERM OF CONTRACT	8
6.5 AUTHORITIES	8
6.6 PAYMENT	9
6.7 CERTIFICATIONS AND ADDITIONAL INFORMATION.....	11
6.8 APPLICABLE LAWS.....	11
6.9 PRIORITY OF DOCUMENTS	11
6.10 DEFENCE CONTRACT	11
6.11 SACC MANUAL CLAUSES	11
6.12 SERIALIZED MATERIEL.....	11
6.13 PREPARATION FOR DELIVERY	12
6.14 SHELF LIFE	12
6.15 QUALITY ASSURANCE CODES	12
6.16 SHIPPING	14
ANNEX "A" REQUIREMENT.....	18
ANNEX "B" TO PART 3 OF THE BID SOLICITATION	19
ANNEX "C" MATERIEL IDENTIFICATION DATA SET (MIDS).....	20
ANNEX "D" STATEMENT OF QUALITY REQUIREMENTS (SOQR).....	21

Solicitation No. - N° de l'invitation W8482-194453/A	Amd. No. - N° de la modif. File No. - N° du dossier 007vci.W8482-194453	Buyer ID - Id de l'acheteur 007vci. CCC No./N° CCC - FMS No./N° VME
Client Ref. No. - N° de réf. du client W8482-194453		

PART 1 - GENERAL INFORMATION

1.1 Security Requirements

There are no security requirements applicable to this Requirement.

1.2 Statement of Requirement

The Requirement is detailed under "Annex A – Line Item Details".

1.3 Delivery Requirement

All deliverables as detailed in "Annex A – Line Item Details" must be received as per the lead times submitted with the bid.

1.4 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within fifteen (15) working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.5 Trade Agreements

The Requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA), the Canadian Free Trade Agreement (CFTA), the Canada-Chile Free Trade Agreement (CCFTA), the Canada-Columbia Free Trade Agreement, the Canada-Panama Free Trade Agreement, the Canada-Peru Free Trade Agreement (CPFTA), World Trade Organization Agreement on Government Procurement (WTO-AGP), and the Canada-European Union Comprehensive Economic and Trade Agreement (CETA).

Solicitation No. - N° de l'invitation
W8482-194453/A
Client Ref. No. - N° de réf. du client
W8482-194453

Amd. No. - N° de la modif.
File No. - N° du dossier
007vci.W8482-194453

Buyer ID - Id de l'acheteur
007vci.
CCC No./N° CCC - FMS No./N° VME

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2018-05-22) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of [2003](#), Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days
Insert: 90 days

2.1.1 SACC Manual Clauses

A9130T (2014-11-27) Controlled Goods Program – Bid (For line items 019, and 020)

B1000T (2014-06-26) Condition of Material – Bid

B3000T (2006-06-16) Equivalent Products

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated in the bid solicitation.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than seven (7) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in **Ontario**.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

Solicitation No. - N° de l'invitation
W8482-194453/A
Client Ref. No. - N° de réf. du client
W8482-194453

Amd. No. - N° de la modif.
File No. - N° du dossier
007vci.W8482-194453

Buyer ID - Id de l'acheteur
007vci.
CCC No./N° CCC - FMS No./N° VME

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

- Section I: Technical Bid (1 hard copy)
- Section II: Financial Bid (1 hard copy)
- Section III: Certifications (1 hard copy)

If there is a discrepancy between the wording of the soft copy on electronic media and the hard copy, the wording of the hard copy will have priority over the wording of the soft copy.

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of hard copy of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](#) (<https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

1. Bidders must submit their financial bid in accordance with the Basis of Payment and "Annex A – Line Item Details". The total amount of Applicable Taxes must be shown separately.
2. Bidders do not have to quote a price for every line item in the bid solicitation in order to be evaluated.
3. Bidders must provide individual prices for each destination.
4. More than one contract may be awarded in response to this solicitation.

3.1.1 Electronic Payment of Invoices – Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete "Annex B - Electronic Payment Instruments", to identify which ones are accepted.

If "Annex B - Electronic Payment Instruments" is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Solicitation No. - N° de l'invitation

W8482-194453/A

Client Ref. No. - N° de réf. du client

W8482-194453

Amd. No. - N° de la modif.

File No. - N° du dossier

007vci.W8482-194453

Buyer ID - Id de l'acheteur

007vci.

CCC No./N° CCC - FMS No./N° VME

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.1.2 Exchange Rate Fluctuation Risk Mitigation

1. The Bidder may request Canada to assume the risks and benefits of exchange rate fluctuations. If the Bidder claims for an exchange rate adjustment, this request must be clearly indicated in the bid at time of bidding. The Bidder must submit form [PWGSC-TPSGC 450](http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/450.pdf) (http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/450.pdf), Claim for Exchange Rate Adjustments with its bid, indicating the Foreign Currency Component (FCC) in Canadian dollars for each line item for which an exchange rate adjustment is required.
2. The FCC is defined as the portion of the price or rate that will be directly affected by exchange rate fluctuations. The FCC should include all related taxes, duties and other costs paid by the Bidder and which are to be included in the adjustment amount.
3. The total price paid by Canada on each invoice will be adjusted at the time of payment, based on the FCC and the exchange rate fluctuation provision in the contract. The exchange rate adjustment will only be applied where the exchange rate fluctuation is greater than 2% (increase or decrease).
4. At time of bidding, the Bidder must complete columns (1) to (4) on form [PWGSC-TPSGC 450](http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/450.pdf), (http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/450.pdf) for each line item where they want to invoke the exchange rate fluctuation provision. Where bids are evaluated in Canadian dollars, the dollar values provided in column (3) should also be in Canadian dollars, so that the adjustment amount is in the same currency as the payment.
5. Alternate rates or calculations proposed by the Bidder will not be accepted for the purposes of this exchange rate fluctuation provision.

3.1.3 SACC Manual Clauses

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

Solicitation No. - N° de l'invitation
W8482-194453/A
Client Ref. No. - N° de réf. du client
W8482-194453

Amd. No. - N° de la modif.
File No. - N° du dossier
007vci.W8482-194453

Buyer ID - Id de l'acheteur
007vci.
CCC No./N° CCC - FMS No./N° VME

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

Bidders must indicate the Part Number and NSCM/NCAGE they are offering in accordance with "Annex A – Line Item Details".

4.1.2 Financial Evaluation

1. The price of the bid will be evaluated in Canadian dollars, FCA plant included. Applicable Taxes, Canadian customs duties and excise taxes **excluded**.
2. Bids submitted in foreign currency will be converted to Canadian currency for evaluation purposes with the rate given by the Bank of Canada in effect on the bid solicitation closing date, or on another date specified in the bid solicitation.
3. For the purpose of the bid solicitation, bidders with an address in Canada are considered Canadian-based bidders and bidders with an address outside of Canada are considered foreign-based bidders.

4.2 Basis of Selection

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price on an item by item basis will be recommended for award of a contract.

Solicitation No. - N° de l'invitation

W8482-194453/A

Client Ref. No. - N° de réf. du client

W8482-194453

Amd. No. - N° de la modif.

File No. - N° du dossier

007vci.W8482-194453

Buyer ID - Id de l'acheteur

007vci.

CCC No./N° CCC - FMS No./N° VME

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](#) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the [Ineligibility and Suspension Policy](#) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

Solicitation No. - N° de l'invitation

W8482-194453/A

Client Ref. No. - N° de réf. du client

W8482-194453

Amd. No. - N° de la modif.

File No. - N° du dossier

007vci.W8482-194453

Buyer ID - Id de l'acheteur

007vci.

CCC No./N° CCC - FMS No./N° VME

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

There is no security requirement applicable to the Contract.

6.2 Requirement

The Contractor must provide all line items in accordance with the Requirement at "Annex A – Line Item Details".

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2018-06-21) General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.4 Term of Contract

6.4.2 Delivery Date

All the deliverables must be received on or before _____ (*insert the date*).

6.4.3 Delivery Points

Delivery of the requirement will be made to delivery points specified at "Annex A – Line Item Details" of the Contract.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Sarah Poluha

Title: Senior Purchasing Assistant

Public Works and Government Services Canada

Acquisitions Branch, Marine Sustainment Directorate,

Direktorate: Marine Services and Small Vessels Sector

Address: 2-SC09, 455 Boulevard de la Carrière, Gatineau, QC, J8Y-6V7

Email Address: sarah.poluha@pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Technical Authority

The Technical Authority for the Contract is: **(To be completed at contract award)**

Name: _____

Title: _____

Organization: _____

Address: _____

Solicitation No. - N° de l'invitation
W8482-194453/A
Client Ref. No. - N° de réf. du client
W8482-194453

Amd. No. - N° de la modif.
File No. - N° du dossier
007vci.W8482-194453

Buyer ID - Id de l'acheteur
007vci.
CCC No./N° CCC - FMS No./N° VME

Telephone: _____
E-mail address: _____

The Technical Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative

The Contractor's Representative for the Contract is:

Name: _____
Title: _____
Address: _____
Telephone No: _____
E-mail address: _____

Delivery Follow-Up:

Name: _____
Title: _____
Telephone No: _____
E-mail address: _____

6.6 Payment

6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid *firm unit prices*, as specified in "Annex A – Line Item Details" for a cost of \$_____ Customs Duties are **excluded** and Applicable Taxes are extra.

6.6.2 Multiple Payments

Canada will pay the Contractor upon completion and delivery of units in accordance with the payment provisions of the Contract if:

- a. an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
- b. all such documents have been verified by Canada;
- c. the Work delivered has been accepted by Canada.

6.6.3 SACC Manual Clauses

C2605C (2008-05-12) Canadian Customs Duty and Sales Tax

C2608C (2015-02-25) Canadian Customs Documentation

C2610C (2007-11-30) Customs Duties – Department of National Defence – Importer

C3015C (2017-08-17) Exchange Rate Fluctuation Adjustment

6.6.4 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instruments:

Solicitation No. - N° de l'invitation
W8482-194453/A
Client Ref. No. - N° de réf. du client
W8482-194453

Amd. No. - N° de la modif.
File No. - N° du dossier
007vci.W8482-194453

Buyer ID - Id de l'acheteur
007vci.
CCC No./N° CCC - FMS No./N° VME

-
- a. Direct Deposit (Domestic and International);
 - b. Electronic Data Interchange (EDI);
 - c. Wire Transfer (International Only);

6.6.5 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - a. The original and one (1) copy must be forwarded to the following address for certification and payment:

Department of National Defence
National defence Headquarters
101 Colonel By Drive
Ottawa Ontario Canada K1A 0K2
Attention: D Mar P 5-4-2-2

- b. One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.
 - c. One (1) copy must be forwarded to the consignee:

Department of National Defence
Maritime Forces Atlantic
Accts. Payable Bldg. S-90, Room 334
2686 Sextant Lane, Stadacona
PO Box 99000 Stn Forces
Halifax, NS B3K 5X5
Canada

AND

Department of National Defence
Base Logistics Officer
CFB Esquimalt
STN Forces, P.O. Box 17000
Victoria, BC V9A 7N2
Canada

6.6.5.1 Special Invoicing Instructions

If payment is to be made to an address other than the address on the cover page of the contract, it is to be clearly identified within the body of the contract as the "Remit to" address. This address should include the following:

Company name _____
Full Address _____
City _____
Province/State _____
Postal/Zip Code _____

Solicitation No. - N° de l'invitation

W8482-194453/A

Client Ref. No. - N° de réf. du client

W8482-194453

Amd. No. - N° de la modif.

File No. - N° du dossier

007vci.W8482-194453

Buyer ID - Id de l'acheteur

007vci.

CCC No./N° CCC - FMS No./N° VME

6.7 Certifications and Additional Information

6.7.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.8 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in _____.

6.9 Priority of Documents

If there is a discrepancy between the wordings of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) 2010A (2018-06-21), General Conditions - Goods (Medium Complexity)
- (c) Annex A, Line Item Details
- (d) Annex B, Electronic Payment Instruments
- (e) Annex C, Material Identification Data Set (MIDS)
- (f) Annex D, Statement of Quality Requirements (SOQR)
- (g) the Contractor's bid dated _____ (*insert date of bid*)

6.10 Defence Contract

A9006C (2012-07-16) Defence Contract

6.11 SACC Manual Clauses

B7500C (2006-06-16) Excess Goods (For line items 013, 014, 015, 016, 017, and 018).

D2000C (2007-11-30) Marking (For line items 001-016)

D2001C (2007-11-30) Labelling

D2025C (2017-08-17) Wood Packaging Materials

D6010C (2007-11-30) Palletization

D9002C (2007-11-30) Incomplete Assemblies

6.12 Serialized Materiel

The contractor shall record the Materiel Identification Data Set (MIDS) elements for the following Materiel scheduled for delivery under this contract in the format provided in the MIDS document.

Line item 017 and 018 NSN 99-3627617

Line item 019 and 020 NSN 99-8143284

The contractor shall electronically deliver the MIDS document as part of or prior to submission of the Advanced Shipping Notice to the Procurement Authority listed in the contract.

The MIDS shall be electronically submitted as an XLS file.

Solicitation No. - N° de l'invitation

W8482-194453/A

Client Ref. No. - N° de réf. du client

W8482-194453

Amd. No. - N° de la modif.

File No. - N° du dossier

007vci.W8482-194453

Buyer ID - Id de l'acheteur

007vci.

CCC No./N° CCC - FMS No./N° VME

6.13 Preparation for Delivery

6.13.1 Packaging Requirement using Specification D-LM-008-036/SF-000

For line items **003, 004, 005, 006, 007, 008, 009, 010, 011, 012, 013, 014, 017, 018, 019** and **020**:

If the line items are coming from outside the U.K.:

D3018C (2014-09-25) Packaging Requirement using Specification D-LM-008-036/SF-000

The Contractor must prepare the above line items for delivery in accordance with the latest issue of the Canadian Forces Packaging Specification D-LM-008-036/SF-000. Minimum Requirements for Manufacturer's Standard Pack.

The Contractor must package all items in quantities of one (1) by package.

If the line items are coming from the U.K.:

Preservation, packaging, and packing must be manufacturer's Trae Export Packaging or such packaging of a higher grade as recommended by the British Ministry.

For line items **015, and 016**:

D3016C (2014-09-25) Preparation for Delivery - Canadian Forces Packaging Specifications

The contractor must prepare line items **015, and 016** for delivery in accordance with the latest issue of the Canadian Forces packaging specifications D-LM-008-026/SF-001 Preformed Packaging, Gaskets Seals (rubber natural/synthetic, cork, asbestos or leather / O-Rings)

To be individually marked, labelled and wrapped in black opaque wrapping in quantities of one (1) by package.

6.13.2 Additional Package Markings – Identical

For line items **017, 018, 019, and 020**, the Contractor must ensure that in addition to the required interior and exterior package markings, the following information is provided:

- (a) Manufacturer's name
- (b) Drawing number/Part number
- (c) Batch or lot number;
- (d) Cure date of rubber components;
- (e) Date of manufacture;
- (f) Expiration date of shelf life

The contractor must package items in quantities of one (1) by package.

These markings must be applied and positioned in accordance with Canadian Forces Packaging Specification D-LM-008-002/SF-001.

6.14 Shelf Life

6.15 Quality Assurance Codes

A1009C (2008-05-12) Work Site Access

D5510C (2017-08-17) Quality Assurance Authority (Department of National Defence): Canadian-based Contractors

Solicitation No. - N° de l'invitation

W8482-194453/A

Client Ref. No. - N° de réf. du client

W8482-194453

Amd. No. - N° de la modif.

File No. - N° du dossier

007vci.W8482-194453

Buyer ID - Id de l'acheteur

007vci.

CCC No./N° CCC - FMS No./N° VME

D5515C (2010-01-11) - Quality Assurance Authority (Department of National Defence) – Foreign-based and United States Contractor

D5540C (2010-08-16) ISO 9001:2008 Quality Management Systems – Requirements (Quality Assurance Code Q) for line items 009, 010, 013, 014, 017, 018, 019, and 020.

D5545C (2010-08-16) ISO 9001:2008 Quality Management Systems - Requirements (Quality Assurance Code C) for line items 003, 004, 005, 006, 007, 008, 011, 012, 015, and 016.

6.15.1 Quality Assurance Requirements – Submarine Safety (for line items 017, 018, 019, and 020)

The Work described in the Contract involves submarine systems or equipment classified as First Level or otherwise critical to submarine safety, as defined in Canadian Forces Technical Order (CFTO) C-23-VIC-000/AM-001, Quality Assurance for Safety in Submarines VICTORIA Class. Manufacture, repair, overhaul, installation, inspection and tests for each such item identified in the requirement must be documented in accordance with the requirements of the above mentioned CFTO.

For each such item, the Contractor must provide a Certificate of Conformity [form DND 2513 or locally produced equivalent approved by the Quality Assurance Authority (QAA)] in accordance with this CFTO. For subcontracted work, the Contractor must obtain that Certificate of Conformity from the subcontractor. Obtaining the said certificate from a subcontractor does not relieve the Contractor from its obligation to ensure compliance with the technical requirements of the Contract, nor must it be construed as authorizing any liability on the part of Canada to the subcontractor.

For each such item, the Certificate of Conformity, along with certified true copies of any deviation, waiver and all required records identified in the Statement of Quality Requirements (form DND 2328 or equivalent) attached to the Statement of Requirement, Statement of Work or Technical Specifications in “**Annex D – Statement of Quality Requirements (SOQR)**” to the Contract or otherwise attached to or forming part of the Contract, must be completed and made available for review by the designated QAA before release of such item and associated documents to the Department of National Defence. Unless otherwise directed by the QAA, those documents must be attached to, or enclosed with, the shipment they are associated to, in a waterproof envelope.

6.15.2 Controlled Goods Program

A9131C (2014-11-27) Controlled Goods Program – Contract (for line items 019, and 020).

B4060C (2011-05-16) Controlled Goods (for line items 019, and 020).

6.15.3 Release Documents – Distribution

The Contractor must prepare the release documents in a current electronic format and distribute them as follows:

- a) One (1) copy mailed to consignee marked: "Attention: Receipts Officer";
- b) Two (2) copies with shipment (in a waterproof envelope) to the consignee;
- c) One (1) copy to the Contracting Authority;
- d) One (1) copy to:

*National Defence Headquarters
Mgen George R. Pearkes Building
101 Colonel By Drive
Ottawa, ON K1A 0K2
Attention: D MAR P 5-4-2-2*

- e) One (1) copy to the Quality Assurance Representative;

Solicitation No. - N° de l'invitation
W8482-194453/A
Client Ref. No. - N° de réf. du client
W8482-194453

Amd. No. - N° de la modif.
File No. - N° du dossier
007vci.W8482-194453

Buyer ID - Id de l'acheteur
007vci.
CCC No./N° CCC - FMS No./N° VME

-
- f) One (1) copy to the Contractor; and
 - g) For all non-Canadian contractors, one (1) copy to:

*DQA/Contract Administration
National Defence Headquarters
Mgen George R. Pearkes Building
101 Colonel By Drive
Ottawa, ON K1A 0K2*

E-mail: ContractAdmin.DQA@forces.gc.ca.

6.15.4 SACC Manual Clauses

D5604C (2008-12-12) Release Documents (Department of National Defence) – Foreign-based Contractor

D5605C (2010-01-11) Release Documents (Department of National Defence) – United States-based Contractor

D5606C (2012-07-16) Release Documents (Department of National Defence): Canadian-based Contractor

6.16 Shipping

6.16.1 D0035C (2017-08-17) Shipping Instructions (Department of National Defence) - Foreign-based Contractors

1. Delivery will be FCA Free Carrier at _____ (*insert the named place, e.g. Contractor's facility*) Incoterms 2000. The Contractor must load the goods onto the carrier designated by the Department of National Defence (DND). Onward shipment from the delivery point to the consignee will be Canada's responsibility.
2. Before shipping the goods, the Contractor must contact the following DND Inbound Logistics Coordination Center by facsimile or e-mail, to arrange for shipment, and provide the information detailed at paragraph 3.

Instruction to contracting officers: Before contract award, choose either shipping option (a), (b), (c), or (d), and delete the unused options and this instruction.

- a. *Insert the following when the Contractor is located in the United States (U.S.):*

Inbound Logistics Coordination Center (ILCC):
Telephone: 1-877-447-7701 (toll free)
Facsimile: 1-877-877-7409 (toll free)
E-mail: ILHQOttawa@forces.gc.ca

OR

- b. *Insert the following when the Contractor is located in United Kingdom (UK) and Ireland:*

Inbound Logistics United Kingdom (ILUK):
Telephone: 011-44-1895-613023, or 011-44-1895-613024, or
Facsimile: 011-44-1895-613047
E-mail: CFSUEDetUKMovements@forces.gc.ca

In addition, the Contractor must send to ILUK the completed form "Shipping Advice and Export Certificate" by e-mail to: CFSUEDetUKMovements@forces.gc.ca.

The shipment of any items above the value of 600 GBP (pound sterling) being exported from the United Kingdom and Ireland will be cleared by DND using Her Majesty's Customs & Excise (HMCE) New Export Systems (NES). The Contractor must comply with HMCE requirements by registering with HMCE or by having a freight forwarder complete the entry. A printed copy of the NES entry Export Declaration clearly displaying the Declaration Unique Consignment Reference Number must be provided by the Contractor and attached to the consignment. The Contractor must ensure that this procedure is carried out for all stores whether they be initial purchase or repair and

Solicitation No. - N° de l'invitation

W8482-194453/A

Client Ref. No. - N° de réf. du client

W8482-194453

Amd. No. - N° de la modif.

File No. - N° du dossier

007vci.W8482-194453

Buyer ID - Id de l'acheteur

007vci.

CCC No./N° CCC - FMS No./N° VME

overhaul export items. HMCE will authorize Canadian Forces Support Unit (Europe) to ship the goods only if the procedure has been adhered to completely and properly by the Contractor.

OR

- c. *Insert the following when the Contractor is located in a country other than Canada, the U.S., the UK and Ireland:*

Inbound Logistics Europe Area (ILEA):

Telephone: +49-(0)-2451-717199 or 717200

Facsimile: +49-(0)-2451-717189

Email: ILEA@forces.gc.ca

OR

- d. *Insert the following for U.S. Foreign Military Sales (FMS):*

Inbound Logistics Coordination Center (ILCC):

Telephone: 1-877-447-7701 (toll free)

Facsimile: 1-877-877-7409 (toll free)

Email: ILHQOttawa@forces.gc.ca

Canada is responsible for the carrier selection for shipments of the goods supplied under this FMS contract. Instructions on how to obtain carrier selection from Canada are contained in U.S. Department of Defense 4000.25-8-M, Military Assistance Program Address Directory, and Canadian Special Instructions Indicator (SII). The Contractor must not ship the goods until the SII has been complied with.

Instruction to contracting officers: Insert the following paragraphs 3 through 7 with all options above, except (d) - U.S. FMS, and delete this instruction.

3. The Contractor must provide the following information to the DND Inbound Logistics contact when arranging for shipment:
 - a. the Contract number;
 - b. consignee address (if multiple addresses, items must be packaged and labeled separately with each consignee address);
 - c. description of each item;
 - d. the number of pieces and type of packaging (e.g. carton, crate, drum, skid);
 - e. actual weight and dimensions of each piece type, including gross weight;
 - f. copy of the commercial invoice (in accordance with clause [C2608C](#), section 4, of the [Standard Acquisition Clauses and Conditions Manual](#)) or a copy of the Canada Border Services Agency form CI1 [Canada Customs Invoice](#) (PDF 429KB) - ([Help on File Formats](#));
 - g. [Schedule B](#) codes (for exports) and the Harmonized Tariff Schedule codes (for imports);
 - h. North American Free Trade Agreement Certificate of Origin (in accordance with clause C2608C, section 2) for the U.S. and Mexico only;
 - i. full details of dangerous material, as required for the applicable mode of transportation, signed certificates for dangerous material as required for shipment by the International Maritime Dangerous Goods Code, or International Air Transport Association regulations or the applicable Canadian [Dangerous Goods Shipping Regulations](#) and a copy of the material safety data sheet.
4. Following receipt of this information by Canada, Canada will provide the appropriate shipping instructions, which may include the requirement for specific consignee address labelling, the marking of each piece with a Transportation Control Number and customs documentation.
5. The Contractor must not ship goods before receiving shipping instructions from the DND Inbound Logistics contact.
6. If the Contractor delivers the goods at a place and time that are not in accordance with the given delivery instructions or fail to fulfill reasonable delivery instructions given by Canada, the Contractor must reimburse Canada any additional expenses and costs incurred.

Solicitation No. - N° de l'invitation

W8482-194453/A

Client Ref. No. - N° de réf. du client

W8482-194453

Amd. No. - N° de la modif.

File No. - N° du dossier

007vci.W8482-194453

Buyer ID - Id de l'acheteur

007vci.

CCC No./N° CCC - FMS No./N° VME

-
7. If Canada is responsible for delays in delivering the goods, ownership and risk will be transferred to Canada upon expiry of either thirty (30) days following the date on which a duly completed shipping application is received by Canada or by its appointed forwarding agent, or thirty (30) days following the delivery date specified in the Contract, whichever is later.

6.16.2 D0037C (2016-01-28) Shipping Instructions (Department of National Defence) - Canadian-based Contractor

1. Delivery will be FCA Free Carrier at _____ (*Insert the named place, e.g. Contractor's facility*) Incoterms 2000. The Contractor must load the goods onto the carrier designated by the Department of National Defence (DND). Onward shipment from the delivery point to the consignee will be Canada's responsibility.
2. Before shipping the goods, the Contractor must contact the following DND Inbound Logistics Coordination Center by facsimile or e-mail, to arrange for shipment, and provide the information detailed at paragraph 3.

Instruction to contracting officers: Before contract award, choose either shipping option (a), (b), (c), (d), or (e), and delete the unused options and this instruction.

- a. *Insert the following for all sole source contracts, except repair and overhaul, where the Contractor is located in Canada:*
Inbound Logistics Co-ordination Center (ILCC)
Telephone: 1-877-877-7423 (toll free)
Facsimile: 1-877-877-7409 (toll free)
E-mail: ILHQOttawa@forces.gc.ca
- b. *Insert the following for all repair and overhaul contracts where the Contractor is located between Kingston inclusive and westward to the Ontario/Manitoba border:*
Inbound Logistics Central Area (ILCA)
Telephone: 1-866-371-5420 (toll free)
Facsimile: 1-866-419-1627 (toll free)
E-mail: ILCA@forces.gc.ca
- c. *Insert the following for all repair and overhaul contracts where the Contractor is located in Manitoba, Saskatchewan, Alberta, British Columbia, and the National Capital Region inclusive to east of Kingston:*
Inbound Logistics Coordination Center (ILCC)
Telephone: 1-877-877-7423 (toll free)
Facsimile: 1-877-877-7409 (toll free)
E-mail: ILHQOttawa@forces.gc.ca
- d. *Insert the following for all repair and overhaul contracts where the Contractor is located in Quebec:*
Inbound Logistics Quebec Area (ILQA)
Telephone: 1-866-935-8673 (toll free), or
1-514-252-2777, ext. 4673, 2852
Facsimile: 1-866-939-8673 (toll free), or
1-514-252-2911
E-mail: 25DAFCTrafficQM@forces.gc.ca
- e. *Insert the following for all repair and overhaul contracts where the Contractor is located in Atlantic (New Brunswick, Prince Edward Island, Nova Scotia, Newfoundland and Labrador):*
Inbound Logistics Atlantic Area (ILAA)
Telephone: 1-902-427-1438
Facsimile: 1-902-427-6237
E-mail: BlogILAA@forces.gc.ca

Solicitation No. - N° de l'invitation

W8482-194453/A

Client Ref. No. - N° de réf. du client

W8482-194453

Amd. No. - N° de la modif.

File No. - N° du dossier

007vci.W8482-194453

Buyer ID - Id de l'acheteur

007vci.

CCC No./N° CCC - FMS No./N° VME

-
3. The Contractor must provide the following information to the DND Inbound Logistics Coordination Center when arranging for shipment:
 - a. the Contract number;
 - b. consignee address (for multiple addresses, items must be packaged and labelled separately with each consignee address);
 - c. description of each item;
 - d. the number of pieces and type of packaging (i.e., carton, crate, drum, skid);
 - e. actual weight and dimensions of each piece type, including gross weight;
 - f. full details of dangerous goods/hazardous products, as required for the applicable mode of transportation, signed certificates for dangerous goods/hazardous products as required for shipment by the International Maritime Dangerous Goods Code, the International Air Transport Association regulations or the applicable Canadian *Transportation of Dangerous Goods Regulations*, and a copy of the safety data sheet in English and French.
 4. Following receipt of this information by Canada, Canada will provide the appropriate shipping instructions, which may include the requirement for specific consignee address labelling, and the marking of each piece with a Transportation Control Number.
 5. The Contractor must not ship the goods before receiving shipping instructions from the DND Inbound Logistics contact.
 6. If the Contractor delivers the goods at a place and time which are not in accordance with the given delivery instructions or fail to fulfill reasonable delivery instructions given by Canada, the Contractor must reimburse Canada any additional expenses and costs incurred.
 7. If Canada is responsible for delays in delivering the goods, ownership and risk will be transferred to Canada upon expiry of either 30 days following the date on which a duly completed shipping application is received by Canada or by its appointed forwarding agent, or 30 days following the delivery date specified in the Contract, whichever is later.

Solicitation No. - N° de l'invitation

W8482-194453/A

Client Ref. No. - N° de réf. du client

W8482-194453

Amd. No. - N° de la modif.

File No. - N° du dossier

007vci.W8482-194453

Buyer ID - Id de l'acheteur

007vci.

CCC No./N° CCC - FMS No./N° VME

ANNEX "A" REQUIREMENT

See attached spreadsheet, "Annex A – Line Item Details"

Solicitation No. - N° de l'invitation

W8482-194453/A

Client Ref. No. - N° de réf. du client

W8482-194453

Amd. No. - N° de la modif.

File No. - N° du dossier

007vci.W8482-194453

Buyer ID - Id de l'acheteur

007vci.

CCC No./N° CCC - FMS No./N° VME

ANNEX "B" to PART 3 OF THE BID SOLICITATION

ELECTRONIC PAYMENT INSTRUMENTS

The Bidder accepts any of the following Electronic Payment Instrument(s):

- Direct Deposit (Domestic and International);
- Electronic Data Interchange (EDI);
- Wire Transfer (International Only);

Solicitation No. - N° de l'invitation

W8482-194453/A

Client Ref. No. - N° de réf. du client

W8482-194453

Amd. No. - N° de la modif.

File No. - N° du dossier

007vci.W8482-194453

Buyer ID - Id de l'acheteur

007vci.

CCC No./N° CCC - FMS No./N° VME

ANNEX "C" MATERIEL IDENTIFICATION DATA SET (MIDS)

See attached spreadsheet.

Solicitation No. - N° de l'invitation
W8482-194453/A
Client Ref. No. - N° de réf. du client
W8482-194453

Amd. No. - N° de la modif.
File No. - N° du dossier
007vci.W8482-194453

Buyer ID - Id de l'acheteur
007vci.
CCC No./N° CCC - FMS No./N° VME

ANNEX "D" STATEMENT OF QUALITY REQUIREMENTS (SOQR)

See attached SOQR's.

Item / Article	Part Number(s) / Numéro(s) de pièce(s)	Description / Description	Unit of Issue / Unité de distribution	Quantity / Quantité	Destination Address / Adresse de la destination	Invoicing Address / Adresse de facturation	Quotient, Livraison et Garantie (QCL) / Code d'assurance de la qualité	Controlled Goods (Materiel Contrôlé) / Marchandises Contrôlées (ATCC ou ITAR)	Delivery Date / Date de livraison	TOTAL PRICE / PRIX TOTAL / Taxes included / Taxes comprises / Taxes applicables en Suisse
3	SSK/M/701/97/0002/09/208	NSN / NMO 99-3615933 GUIDE STRIP/GUIDE STRIP Part No. No. de Pièce: SSK/M/701/97/0002/09/208 NCAGE: K6A51 BAE Systems Marine Ltd.	EA / CH	30	FORMATION COMMANDER CRB Equimailt Attn: Receiving Bag 8-Cowwood VICTORIA, BC V9A 7N2 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFC Esquimalt P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	NO / NON C	NO / NON C	TBD	TBD
4	SSK/M/701/97/0002/09/208	NSN / NMO 99-3615933 GUIDE STRIP/GUIDE STRIP Part No. No. de Pièce: SSK/M/701/97/0002/09/208 NCAGE: K6A51 BAE SYSTEMS MARINE LTD.	EA / CH	30	FORMATION COMMANDER HMC DOCKYARD BLDG 206 DOOR 1 THRU 13 HALIFAX NS B3K 5S5 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFC Esquimalt P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	NO / NON C	NO / NON C	TBD	TBD
5	A79370 100402-3003-ASY	NSN / NMO 99-2893316 TOP GUIDE ASSEMBLY/TOP GUIDE ASSEMBLY Part No. No. de Pièce: A79370 NCAGE: K4744 BABCOCK INTEGRATED TECHNOLOGY LTD Part No. No. de Piece: 100402-3003-ASY NCAGE: K1805 MINISTRY OF DEFENCE	EA / CH	4	FORMATION COMMANDER CRB Equimailt Attn: Receiving Bag 8-Cowwood VICTORIA, BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFC Esquimalt P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	NO / NON C	NO / NON C	TBD	TBD
6	A79370 100402-3003-ASY	NSN / NMO 99-2893316 TOP GUIDE ASSEMBLY/TOP GUIDE ASSEMBLY Part No. No. de Pièce: A79370 NCAGE: K4744 BABCOCK INTEGRATED TECHNOLOGY LTD Part No. No. de Piece: 100402-3003-ASY NCAGE: K1805 MINISTRY OF DEFENCE	EA / CH	4	FORMATION COMMANDER HMC DOCKYARD BLDG 206 DOOR 1 THRU 13 HALIFAX NS B3K 5S5 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFC Esquimalt P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	NO / NON C	NO / NON C	TBD	TBD
7	SSK/M/701/97/0002/09/209	NSN / NMO 99-3073711 GUIDE STRIP/GUIDE STRIP Part No. No. de Pièce: SSK/M/701/97/0002/09/209 NCAGE: K6A51 BAE SYSTEMS MARINE LTD.	EA / CH	16	FORMATION COMMANDER CRB Equimailt Attn: Receiving Bag 8-Cowood VICTORIA, BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFC Esquimalt P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	NO / NON C	NO / NON C	TBD	TBD
8	SSK/M/701/97/0002/09/209	NSN / NMO 99-3073711 GUIDE STRIP/GUIDE STRIP Part No. No. de Pièce: SSK/M/701/97/0002/09/209 NCAGE: K6A51 BAE SYSTEMS MARINE LTD.	EA / CH	16	FORMATION COMMANDER HMC DOCKYARD BLDG 206 DOOR 1 THRU 13 HALIFAX NS B3K 5S5 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFC Esquimalt P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	NO / NON C	NO / NON C	TBD	TBD

9	100402-1205-ASY A77043	NSN / NMO 99-2982917 TOP GUIDE ASSEMBLY/TOP GUIDE ASSEMBLY	Part No. No. de Piece: 100402-1205-ASY NCAGE: K1806 MINISTRY OF DEFENCE Part No. No. de Piece: A77043 NCAGE: K4744 BABCOCK INTEGRATED TECHNOLOGY LTD.	EA / CH	12	FORMATION COMMANDER CBR Equipment Attn: Receiving Bldg 66 Cowwood VICTORIA BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFC Esquimalt P.O. Box 17000 VICTORIA BC V9A 7N2 CANADA	NO / NON Q	NO / NON	TBD	TBD
10	100402-1205-ASY A77043	NSN / NMO 99-2982917 TOP GUIDE ASSEMBLY/TOP GUIDE ASSEMBLY	Part No. No. de Piece: 100402-1205-ASY NCAGE: K1806 MINISTRY OF DEFENCE Part No. No. de Piece: A77043 NCAGE: K4744 BABCOCK INTEGRATED TECHNOLOGY LTD.	EA / CH	12	FORMATION COMMANDER HMC DOCKYARD BLDG 206 DOOR 1 THRU 13 HALIFAX NS B3K 5S5 CANADA	DEPT. NATIONAL DEFENCE MARITIME FORCES ATLANTIC P.O. BOX 9900, STN FORCES HALIFAX NS B3K 5S5 CANADA	NO / NON Q	NO / NON	TBD	TBD
11	100402-0101-005	NSN / NMO 99-2706837 SCREW, CAP, SOCKET HEAD/VIS, TITE CRELSE	Part No. No. de Piece: 100402-0101-005 NCAGE: K1806 MINISTRY OF DEFENCE	EA / CH	36	FORMATION COMMANDER CBR Equipment Attn: Receiving Bldg 66 Cowood VICTORIA BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFC Esquimalt P.O. Box 17000 VICTORIA BC V9A 7N2 CANADA	NO / NON C	NO / NON	TBD	TBD
12	100402-0101-005	NSN / NMO 99-2706837 SCREW, CAP, SOCKET HEAD/VIS, TITE CRELSE	Part No. No. de Piece: 100402-0101-005 NCAGE: K1806 MINISTRY OF DEFENCE	EA / CH	36	FORMATION COMMANDER HMC DOCKYARD BLDG 206 DOOR 1 THRU 13 HALIFAX NS B3K 5S5 CANADA	DEPT. NATIONAL DEFENCE MARITIME FORCES ATLANTIC P.O. BOX 9900, STN FORCES HALIFAX NS B3K 5S5 CANADA	NO / NON C	NO / NON	TBD	TBD
13	001280309 SHEET 37 001280309/37 001280309/PART 230 SSK/M/701/97/0001/37 SSK/M/701/97/0001/230 SSK/M/701/97/0001/230 SSK/M/701/97/0001/230	NSN / NMO 99-2981825 BEARING, SLEEVE/COUSINET	Part No. No. de Piece: 001280309 SHEET 37 OR 001280309/37 OR 001280309/230 OR 001280309 PART 230 NCAGE: K2516 MINISTRY OF DEFENCE Part No. No. de Piece: SSK/M/701/97/0001/37 OR SSK/M/701/97/0001/230 OR SSK/M/701/97/0001 SHEET 37 OR SSK/M/701/97/0001/230 NCAGE: K6451 BAE SYSTEMS MARINE LTD.	EA / CH	12	FORMATION COMMANDER CBR Equipment Attn: Receiving Bldg 66 Cowood VICTORIA BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFC Esquimalt P.O. Box 17000 VICTORIA BC V9A 7N2 CANADA	NO / NON Q	NO / NON	TBD	TBD
14	001280309 SHEET 37 001280309/37 001280309/PART 230 SSK/M/701/97/0001/37 SSK/M/701/97/0001/230 SSK/M/701/97/0001/230 SSK/M/701/97/0001/230	NSN / NMO 99-2981925 BEARING, SLEEVE/COUSINET	Part No. No. de Piece: 001280309 SHEET 37 OR 001280309/37 OR 001280309/230 OR 001280309 PART 230 NCAGE: K2516 MINISTRY OF DEFENCE Part No. No. de Piece: SSK/M/701/97/0001/37 OR SSK/M/701/97/0001/230 OR SSK/M/701/97/0001 SHEET 37 OR SSK/M/701/97/0001/230 NCAGE: K6451 BAE SYSTEMS MARINE LTD.	EA / CH	12	FORMATION COMMANDER HMC DOCKYARD BLDG 206 DOOR 1 THRU 13 HALIFAX NS B3K 5S5 CANADA	DEPT. NATIONAL DEFENCE MARITIME FORCES ATLANTIC P.O. BOX 9900, STN FORCES HALIFAX NS B3K 5S5 CANADA	NO / NON Q	NO / NON	TBD	TBD

15	100402-0010-017	NSN / NDC 99-4289990 GASKET, JOINT/GASKET, JOINT	Part No. No. de Piece: 100402-0010-017 NCAGE: K1806 MINISTRY OF DEFENCE	EA / CH	18	FORMATION COMMANDER CFC Esquimalt Attn: Receiving Base Logistics P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFC Esquimalt, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	NO / NON C	NO / NON TBD TBD
16	100402-0010-017	NSN / NDC 99-4289990 GASKET, JOINT/GASKET, JOINT	Part No. No. de Piece: 100402-0010-017 NCAGE: K1806 MINISTRY OF DEFENCE	EA / CH	12	FORMATION COMMANDER HM Dockyard Bldg 206 Room 1 THRU 13 HALIFAX NS B3K 3S5 CANADA	DEPT. NATIONAL DEFENCE MARITIME FORCES ATLANTIC P.O. BOX 9200, STN FORCES HALIFAX, NS B3K 5S5 CANADA	NO / NON C	NO / NON TBD TBD
17	100402-0010-022	NSN / NDC 99-39-3627617 BOLT, MACHINE	Part No. No. de Piece: DEFTAND02-862 PART 2 NCAGE: K0851 MINISTRY OF DEFENCE Part No. No. de Piece: 100402-0010-022 NCAGE: K1806 MINISTRY OF DEFENCE	EA / CH	24	FORMATION COMMANDER CFC Esquimalt Attn: Receiving Bldg 66 Cowwood VICTORIA BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFC Esquimalt, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	NO / NON Q	NO / NON TBD TBD
18	100402-0010-022	NSN / NDC 99-39-3627617 BOLT, MACHINE	Part No. No. de Piece: DEFTAND02-862 PART 2 NCAGE: K0851 MINISTRY OF DEFENCE Part No. No. de Piece: 100402-0010-022 NCAGE: K1806 MINISTRY OF DEFENCE	EA / CH	24	FORMATION COMMANDER HM Dockyard Bldg 206 Room 1 THRU 13 HALIFAX NS B3K 3S5 CANADA	DEPT. NATIONAL DEFENCE MARITIME FORCES ATLANTIC P.O. BOX 9200, STN FORCES HALIFAX, NS B3K 5S5 CANADA	NO / NON Q	NO / NON TBD TBD
19	100405-3150-ASY L503066	NSN / NDC 99-3143284 CARTRIDGE ASSEMBLY/CARTRIDGE ASSEMBLY	Part No. No. de Piece: 100405-3150-ASY NCAGE: K1806 MINISTRY OF DEFENCE Part No. No. de Piece: L503066 K4744 BABCOCK INTEGRATED TECHNOLOGY LIMITED	EA / CH	15	FORMATION COMMANDER CFC Esquimalt Attn: Receiving Bldg 66 Cowood VICTORIA BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFC Esquimalt, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	YES / OUI Q	YES / OUI TBD TBD
19	100405-3150-ASY L503066	NSN / NDC 99-3143284 CARTRIDGE ASSEMBLY/CARTRIDGE ASSEMBLY	Part No. No. de Piece: 100405-3150-ASY NCAGE: K1806 MINISTRY OF DEFENCE Part No. No. de Piece: L503066 K4744 BABCOCK INTEGRATED TECHNOLOGY LIMITED	EA / CH	15	FORMATION COMMANDER HM Dockyard Bldg 206 Room 1 THRU 13 HALIFAX NS B3K 3S5 CANADA	DEPT. NATIONAL DEFENCE MARITIME FORCES ATLANTIC P.O. BOX 9200, STN FORCES HALIFAX, NS B3K 5S5 CANADA	NO / NON Q	YES / OUI TBD TBD

STATEMENT OF QUALITY REQUIREMENTS



DATE RAISED (DD-MM-YYYY)	LCMM
	DNCS 3-3-4
NATO STOCK NUMBER	22/06/2018
SERIAL NUMBER	993627617
DESCRIPTION	(819) 339-3124
CONTRACTOR ADDRESS	DG Aerospace
QCA/ W8482-194453 / 017 /	

DOCUMENTATION REQUIREMENTS									
MATERIAL AND COMPONENTS					WELDING AND BRAZING TESTS				
ASSEMBLY / ORDER ITEM									
1. Customer Data of any Rubber item shall be indicated on the Certificate of Conformity (C of C)									
2. Test pressure for item 38 shall be indicated in the box below (if required)									
3. Surface Flaw examination to be IAW D STN 02-729 , Part 2, 3 and 4 or D STN 08-77 as appropriate to the Material Specifications									
4. As provided as an attachment									
5. Ultrasonic Examination of Bar Material is to be an approved procedure written to the general requirements of D STN 08-77 or D STN 02-729 Part 5									
6. A heat treatment certificate is required if raw material is heat treated from supply condition or post manufacturing/plating, if null then at minimum a comment on the C of C is required									
7. Fasteners IAW D STN 02-862 Part 1 clause 6.6; a mill certification must be supplied IAW clauses -NAB items IAW material specifications or if not required by the specifications than as a minimum a heat treatment certificate shall be supplied that states the heat treatment condition such as "hot worked"									
8. Wall thickness values are to be recorded on a wall thickness recording sheet in such a way that they are cross referenced to a grid based sketch IAW D STN 02-872 Part 2, clause 3.4b									
TYPE OF TEST									
1. Customer Data of any Rubber item shall be indicated on the Certificate of Conformity (C of C)									
2. Test pressure for item 38 shall be indicated in the box below (if required)									
3. Surface Flaw examination to be IAW D STN 02-729 , Part 2, 3 and 4 or D STN 08-77 as appropriate to the Material Specifications									
4. As provided as an attachment									
5. Ultrasonic Examination of Bar Material is to be an approved procedure written to the general requirements of D STN 08-77 or D STN 02-729 Part 5									
6. A heat treatment certificate is required if raw material is heat treated from supply condition or post manufacturing/plating, if null then at minimum a comment on the C of C is required									
7. Fasteners IAW D STN 02-862 Part 1 clause 6.6; a mill certification must be supplied IAW clauses -NAB items IAW material specifications or if not required by the specifications than as a minimum a heat treatment certificate shall be supplied that states the heat treatment condition such as "hot worked"									
8. Wall thickness values are to be recorded on a wall thickness recording sheet in such a way that they are cross referenced to a grid based sketch IAW D STN 02-872 Part 2, clause 3.4b									
DRAWING NO. / PART NO.	DESCRIPTION	QTY	MATERIAL	Test Ref.	Test Ref.	Test Ref.	Test Ref.	Test Ref.	Test Ref.
100402-010-022	BOLT MACHINE		BS3076 NA18 CWPT	A	C	C	C	C	C

- Guidance Notes on the use of this form**
- a) Inspections additional to those indicated by A, B and C (See Key) in this SOQR may be required by yourself or your subcontractor.
 - b) Each item shall be positively identified with its Quality records.
 - c) Third Party release inspection of the inspections and tests indicated in this SOQR may be required. The contracting authority will advise requirements.
 - d) SOQR shall be raised by the organization nominated by the Design Authority responsible for the Quality Assurance requirements. e.g. Design Agent/LCMM, Design Agent, IAW Main Contractor.
 - e) This SOQR originates after the 5 year retention period to meet their requirements.
 - f) The QCA number is structured as QCA contract or order number ; or tracking number / line item on order/ number of item. The QCA number is to be marked on the component or assembly IAW C-23-VIC-000/AM-001 part 3, para 27, 28, 29, 30. g) The standards quoted on this SOQR are current to the SOQR date raised.

SPECIFICATION									
Miscellaneous Notes:									
Additional Note: Item expected to be delivered with SHE root "SHE7782"									
See Drawing									
See Note 3									
DSTAN 02-729 : Pt 5									
Mat. Spec / See Note 6									
Material Specification									
Material Specification									
Record on DND 2513 or Equivalent									
Key to Inspection and Tests									
A. Certification to be retained by the manufacturer for a period of 5 years and copies to be distributed in accordance with contract requirements.									
B. Certification to be retained by the manufacturer for a period of 5 years.									
C. Certification to be copied to the Records Authority for retention in the QA live file.									
D. Documentation to be copied to the Records Authority for retention as required.									
X. Reused item. Original Certs IAW C-23-VIC									
Issue:	Date (dd-mm-yyyy)	Comments	INIT	Test Pressure (Item 38, If required)	R.M.	No Test			
A	22/06/2018	Initial Issue							
Sheet 1 of 2		This form meets the requirements of C-23-VIC-000/AM-001							
		Revision Dated 2013-11-01							

NO. OF ITEMS LISTED ON SOQR	1	DND 2513 or Equivalent (Note 4)
CONTRACT, ORDER, OR TRACKING NO.	6000442700	DND 2328 Dated 28 JAN 2011

**QUALITY PLAN AND PROCESS PROCEDURES
APPROVAL/RECORDS FORM**

COMPANY:

ORDER NUMBER:

SUBMITTED DOCUMENT			PARENT DOCUMENT			ITEM DESCRIPTION	APPROVAL DATE	SOQR LINE ITEM REF.	REMARKS
IDENTIFICATION	OWNER	ISSUE/ REV.	SPEC	METHOD	MATERIAL				

1st Level Submarine Certificate of Conformity and Index of Documentation Certificat de conformité de sous-marin de 1^{er} niveau et index des documents

Unique identification number - Numéro d'identification unique QCA	PWGSC contract number: Numéro du contrat de TPSGC :
Description	PWGSC line item: Ligne d'article de TPSGC :
	NATO stock number: Numéro de nomenclature OTAN :
	Purchase order number: Numéro de commande :
Comments - Commentaires	
Raised by: Demandé par :	

Assembly details - Détails d'assemblage

Quantity - Quantité	Serial no. - N° de série	Deviations / Waivers - Déviations / Exemptions

Component details - Details des composantes

SOQR sheet no. N° de feuille EEQ	Let	Serial no. / Deviations / Waivers N° de série / Déviations / Exemptions	Material ID / Material spec / Batch lot no. ID du matériel / Spéc du matériel / N° de lot	X-Ray no. N° de rayons X	Cure date Date de vulcanisation	Validation date Date de validation

Certification statement - Énoncé de certification

We hereby certify that the goods and documentation as detailed on this form conform to the requirements of the purchase order or contract. Documentation will be retained by _____ and made available for audit. Nous certifions par les présentes que les produits et les documents décrits sur le présent formulaire sont conformes aux exigences du numéro de commande ou du contrat, les documents seront conservés par _____ et seront disponibles à des fins de vérification.	
---	--

Date	Name (printed) - Nom (lettres moulées)	Title - Titre	Signature
DND 2513 (11-2008)			

Comments/Instructions

Unique identification number: A number unique to the assembly or part referenced on the SOQR requisition number. This number shall be preceded by the letter QCA and must include the line number of the item on the SOQR. This unique identification number shall be etched on the materiel IAW C-23-VIC-000/AM-00.

QCA: Quality Control Assured. Acronym used to precede unique number for all 1st level parts

Description: Proper item name IAW CGCS

PWGSC contract number: Contract Number

PWGSC line item: Line number of item from the PWGSC contract

NATO stock number: Self explanatory

Purchase order number: Self explanatory

Comments: Any and all comments/concerns regarding item being provided under this certificate

Raised by: Who raised the comments and under what authority

Quantity: Quantity of items manufactured under this specific number. See "Batch Identification" in C-23-VIC-000/AM-001

Serial no.: Any serial number associated with this assembly

Deviations / Waivers: Any and all deviations or waivers associated with the manufacture of this item

SOQR sheet no.: Multiple SOQR sheets may sometimes be necessary

Let: Letter of line associated with SOQR sheet

Serial no. / Deviations / Waivers: Component specific serial numbers or deviations/waivers

Material ID: Numbers associated to the raw manufactured materiel or stock

Material Spec: Specification number used in the manufacture of this materiel

Batch lot no.: Number assigned to specific batches of materiel

X-Ray no.: Component specific x-ray numbers to include with x-rays taken for NAB castings or similar

Cure date: The date that rubber components were cured

Validation date: Completion date of all NAB casting certifications

Certification statement: To be certified and stamped by approved QA/QC cell

Commentaires /Instructions

Numéro d'identification unique : Un numéro unique pour l'assemblage ou la pièce ou cité en référence sur l'EEQ. Ce numéro doit être gravé sur l'équipement/matériel conformément à C-23-VIC-000/AM-001 cité en référence sur l'EEQ.

CQA : Contrôle de la qualité assure. Acronyme employé qui précède un nombre unique pour toutes les pièces de 1er niveau

Description : Appellation de l'article conformément au SCGC

Numéro du contrat de TPSGC: Numéro du contrat

Ligne d'article de TPSGC : Numéro de l'article provenant du contrat

Numéro de nomenclature OTAN : Explicite

Numéro de commande : Explicite

Commentaires : Tout commentaire concernant l'article fourni conformément au présent certificat.

Demandé par : Qui a soulevé les commentaires et sous quelle autorité.

Quantité : Quantité d'articles fabriqués sous ce numéro spécifique. Voir "Identification du lot " dans le C-23-VIC-000/AM-001

N° de série : Tout numéro de série associé avec cet assemblage

Déviations / Exemptions : Toute déviation ou exemption associée à la fabrication de cet article

N° de feuille EEQ : Plusieurs feuilles EEQ sont parfois nécessaires

Let : Lettre de ligne associée avec la feuille EEQ

N° de série / Déviations / Exemptions : Numéros de séries spécifiques des composantes ou des déviations / exemptions

ID du matériel : Numéros associés aux matières premières manufacturées ou aux stocks

Spéc. du matériel : Numéros des spécifications utilisées dans la fabrication de ce matériel

N° de lot : Numéros assignés à des lots spécifiques de matériel

N° de rayons X : Composantes de numéros de rayons X spécifiques et incluant les rayons X provenant des coulages NAB ou similaires

Date de vulcanisation : Date à laquelle les composants en caoutchouc ont été vulcanisés

Date de validation : Date d'achèvement de toutes les certifications des coulages NAB

Énoncé de certification : Le fait d'être certifié et estampillé par une cellule AQ/CQ approuvée

**STATEMENT OF
QUALITY REQUIREMENTS**



DSEPM(SM)



DGeprüft

DATE RAISED (DD-MM-YYYY)	LCMM
22/06/2018	DNCS 3-3-4
NATO STOCK NUMBER	
993627617	(819) 939-3124
SERIAL NUMBER	
CONTRACTOR	
CONTRACTOR ADDRESS	BOLT, MACHINE
DESCRIPTION	

DOCUMENTATION REQUIREMENTS									
MATERIAL AND COMPONENTS					WELDING AND BRAZING TESTS				
ASSEMBLY / ORDER ITEM									
1	Release Inspection								
2	Concessions / Deviations / Waivers								
3	Class of Documentation								
4	Misc Certs								
5	Certificate of Conformity								
6	Preservation and Packing								
7	Calibration								
8	Dimensional								
9	Cleanliness								
10	Performance / Functional								
11	Pressure								
12	Customer's QASOR (or SOQR)								
13	Process Form								
14	Shock Test								
15	Fire								
16	Open Cable Destruction								
17	High and Low Temp Cycling								
18	Hydraulic and Insulation								
19	Cable Certificate								
20	Load								
21	Weld Repair Records NAB (If applic.)								
22	Radiographic								
23	Ultrasonic								
24	Surface Flaw (Mag Part., Dye Pen.)								
25	Visual								
26	Brazing - Records								
27	Welding - Acceptance Class								
28	Welding - Procedure								
29	Welding - General / Records								
30	High Voltage Ionisation								
31	Hydraulic and Insulation								
32	Insulation Resistance								
33	Continuity and Cond Ident								
34	Certificate of Conformity								
35	Load								
36	Pressure								
37	Surface Finish, Visual and Dimensional								
38	Surface Flaw (Mag Part., Dye Pen.)								
39	Validation / Re-validation								
40	Class of Casting								
41	Radiographic								
42	Ultrasonic								
43	Surface Treatment								
44	Material Control								
45	Heat Treatment								
46	Mechanical								
47	Chemical								
48	Item Identification								
49	Test Rai.								
50	Item Ref.								

Notes:

1) Curve Data of any Rubber item shall be indicated on the Certificate of Conformity (C of C)

2) Test pressure for item 38 shall be indicated in the box below (if required)

3) Surface Flaw examination to be IAW D STN 02-729 , Part 2, 3 and 4 or D STN 08-77 as appropriate to the Material Specifications

4) As provided as an attachment

5) Ultrasonic Examination of Bar Material is to be an approved procedure written to the general requirements of D STN 08-77 or D STN 02-29 Part 5

6. A heat treatment certificate is required if raw material is heat treated from supply condition or post manufacturing/plating, if null then at minimum a comment on the C of C is required

-Fasteners IAW D STN 02-862 Part 1 clause 6.6; a mill certification must be supplied IAW clauses -NAB items IAW material specifications or if not required by the specifications than as a minimum a heat treatment certificate shall be supplied that states the heat treatment condition such as "hot worked"

7. Zinc plated and passivated IAW D STN 02-862 Part 3

8. Wall thickness values are to be recorded on a wall thickness recording sheet in such a way that they are cross referenced to a grid based sketch IAW D STN 02-872 Part 2, clause 3.4b

DRAWING NO. / PART NO.	DESCRIPTION	QTY	MATERIAL
100402-010-022	BOLT, MACHINE	BS3076 NA18 CWPT	A
			C C C C A

SPECIFICATION									
Miscellaneous Notes:									
Additional Note: Item expected to be delivered with SHE root "SHE7282"									
See Drawing									
See Note 3									
DSTAN 02-729 : Pt 5									
Mat. Spec / See Note 6									
Material Specification									
Material Specification									
Record on DND 2513 or Equivalent									
Key to Inspection and Tests									
A. Certification to be retained by the manufacturer for a period of 5 years and copies to be distributed in accordance with contract requirements.									
B. Certification to be retained by the manufacturer for a period of 5 years.									
C. Certification to be copied to the Records Authority for retention in the QA live file.									
D. Documentation to be copied to the Records Authority for retention as required.									
X. Reused item: Original Certs IAW C-23-VIC									
Issue:	Date (dd-mm-yyyy)	Comments	INIT	Test Pressure (item 38, If required)	INIT	Test Pressure (item 38, If required)	INIT	Test Pressure (item 38, If required)	INIT
A	22/06/2018	Initial Issue	R.M.	No Test					
Sheet	2 of 2	This form meets the requirements of C-23-VIC-000/AM-001							
		Revision Dated 2013-11-01							

DND 2328 Dated 28 JAN 2011

**QUALITY PLAN AND PROCESS PROCEDURES
APPROVAL/RECORDS FORM**

COMPANY:

ORDER NUMBER:

SUBMITTED DOCUMENT			PARENT DOCUMENT			ITEM DESCRIPTION	APPROVAL DATE	SOQR LINE ITEM REF.	REMARKS
IDENTIFICATION	OWNER	ISSUE/ REV.	SPEC	METHOD	MATERIAL				

1st Level Submarine Certificate of Conformity and Index of Documentation Certificat de conformité de sous-marin de 1^{er} niveau et index des documents

Unique identification number - Numéro d'identification unique QCA		PWGSC contract number: Numéro du contrat de TPSGC :	
Description		PWGSC line item: Ligne d'article de TPSGC :	
		NATO stock number: Numéro de nomenclature OTAN :	
		Purchase order number: Numéro de commande :	
Comments - Commentaires			
Raised by: Demandé par :			

Assembly details - Détails d'assemblage

Quantity - Quantité	Serial no. - N° de série	Deviations / Waivers - Déviations / Exemptions

Component details - Details des composantes

SOQR sheet no. N° de feuille EEQ	Let	Serial no. / Deviations / Waivers N° de série / Déviations / Exemptions	Material ID / Material spec / Batch lot no. ID du matériel / Spéc du matériel / N° de lot	X-Ray no. N° de rayons X	Cure date Date de vulcanisation	Validation date Date de validation

Certification statement - Énoncé de certification

We hereby certify that the goods and documentation as detailed on this form conform to the requirements of the purchase order or contract. Documentation will be retained by _____ and made available for audit. Nous certifions par les présentes que les produits et les documents décrits sur le présent formulaire sont conformes aux exigences du numéro de commande ou du contrat, les documents seront conservés par _____ et seront disponibles à des fins de vérification.			
Date	Name (printed) - Nom (lettres moulées)	Title - Titre	Signature

DND 2513 (11-2008)

Design: Forms Management 613-993-4050
Conception : Gestion des formulaires 613-993-4062

Comments/Instructions

Unique identification number: A number unique to the assembly or part referenced on the SOQR requisition number. This number shall be preceded by the letter QCA and must include the line number of the item on the SOQR. This unique identification number shall be etched on the materiel IAW C-23-VIC-000/AM-00.

QCA: Quality Control Assured. Acronym used to precede unique number for all 1st level parts

Description: Proper item name IAW CGCS

PWGSC contract number: Contract Number

PWGSC line item: Line number of item from the PWGSC contract

NATO stock number: Self explanatory

Purchase order number: Self explanatory

Comments: Any and all comments/concerns regarding item being provided under this certificate

Raised by: Who raised the comments and under what authority

Quantity: Quantity of items manufactured under this specific number. See "Batch Identification" in C-23-VIC-000/AM-001

Serial no.: Any serial number associated with this assembly

Deviations / Waivers: Any and all deviations or waivers associated with the manufacture of this item

SOQR sheet no.: Multiple SOQR sheets may sometimes be necessary

Let: Letter of line associated with SOQR sheet

Serial no. / Deviations / Waivers: Component specific serial numbers or deviations/waivers

Material ID: Numbers associated to the raw manufactured materiel or stock

Material Spec: Specification number used in the manufacture of this materiel

Batch lot no.: Number assigned to specific batches of materiel

X-Ray no.: Component specific x-ray numbers to include with x-rays taken for NAB castings or similar

Cure date: The date that rubber components were cured

Validation date: Completion date of all NAB casting certifications

Certification statement: To be certified and stamped by approved QA/QC cell

Commentaires /Instructions

Numéro d'identification unique : Un numéro unique pour l'assemblage ou la pièce ou cité en référence sur l'EEQ. Ce numéro doit être gravé sur l'équipement/matériel conformément à C-23-VIC-000/AM-001 cité en référence sur l'EEQ.

CQA : Contrôle de la qualité assure. Acronyme employé qui précède un nombre unique pour toutes les pièces de 1er niveau

Description : Appellation de l'article conformément au SCGC

Numéro du contrat de TPSGC: Numéro du contrat

Ligne d'article de TPSGC : Numéro de l'article provenant du contrat

Numéro de nomenclature OTAN : Explicite

Numéro de commande : Explicite

Commentaires : Tout commentaire concernant l'article fourni conformément au présent certificat.

Demandé par : Qui a soulevé les commentaires et sous quelle autorité.

Quantité : Quantité d'articles fabriqués sous ce numéro spécifique. Voir "Identification du lot " dans le C-23-VIC-000/AM-001

N° de série : Tout numéro de série associé avec cet assemblage

Déviations / Exemptions : Toute déviation ou exemption associée à la fabrication de cet article

N° de feuille EEQ : Plusieurs feuilles EEQ sont parfois nécessaires

Let : Lettre de ligne associée avec la feuille EEQ

N° de série / Déviations / Exemptions : Numéros de séries spécifiques des composantes ou des déviations / exemptions

ID du matériel : Numéros associés aux matières premières manufacturées ou aux stocks

Spéc. du matériel : Numéros des spécifications utilisées dans la fabrication de ce matériel

N° de lot : Numéros assignés à des lots spécifiques de matériel

N° de rayons X : Composantes de numéros de rayons X spécifiques et incluant les rayons X provenant des coulages NAB ou similaires

Date de vulcanisation : Date à laquelle les composants en caoutchouc ont été vulcanisés

Date de validation : Date d'achèvement de toutes les certifications des coulages NAB

Énoncé de certification : Le fait d'être certifié et estampillé par une cellule AQ/CQ approuvée

Guidance Notes on the use of this form

- a) Inspections and Tests additional to those indicated by A, B and C (See Key) in this SOQR may be required by you or your sub-contractor.
- b) Each item shall be positively identified with its Quality records.
- c) Third Party release inspection of the inspections and tests indicated in this SOQR may be required. The contracting authority will advise requirements.
- d) SOQR shall be rated by the organization nominated by the Design Authority responsible for the Quality Assurance requirements. e.g. Design Authority, CMM, Design Agent, Main Contractor.
- e) The SOQR originator may amend the 5 yr retention period to meet their requirements.
- f) The QCA number is structured as QCA/ contract order number, or tracking number / line item on order/ number of item. The QCA numbers is to be marked on the component or assembly IAW C-23-VIC-000/AM-001 part 3, para 27, 28, 29, and 30.
- g) The standards quoted on this SOQR are current to the SOQR date raised.

Notes:

1. Cure date of any Rubber item shall be indicated on the Certificate of Conformity (C of C)
2. Test pressure for item 38 shall be indicated in the box below (if required)
3. Surface flaw examination to be IAW D STN 02-729; Part 2, 3 and 4 or STN 08-171 as appropriate to the Material
4. As Provided as an attachment
5. Ultrasonic Examination of Bar Material is to be an approved procedure written to the general requirements of D STN 08-171 or D STN 02-729 Part 5
6. A heat treatment certificate is required if raw material is heat treated from supply condition or post manufacturing/plating, if null then at minimum a comment on the C of C is required
- Fasteners IAW D STN 02-862 Part 3 clause 6.4.6 a mill certification must be supplied IAW clauses
- NAB items IAW material specifications or if not required by the specifications then as a minimum a heat treatment certificate shall be supplied but states the heat treatment condition such as "hot worked"
- 7 Zinc plated and passivated IAW D STN 02-862 Part 3
8. Wall thickness values are to be recorded on a wall thickness recording sheet in such a way that they are cross referenced to a grid based sketch IAW D STN 02-872 Part 2, clause 3.4b

DRAWING NO. / PART NO.	DESCRIPTION	QTY	MATERIAL	TYPE OF TEST	DOCUMENTATION REQUIREMENTS																ASSEMBLY / ORDER ITEM																																	
					MATERIAL AND COMPONENTS				WELDING AND BRAZING				TESTS				ASSEMBLY / ORDER ITEM																																					
100405-3150-ASY	BLANCKING CARTRIDGE ASSEMBLY			ASSEMBLY	A				B		C						C																																					
100405-3150-001			SCREW RING	FERRULUM 255																																																		
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50

PREVIOUS ENQUIRY/ RFQ / 019 /

NO. OF ITEMS LISTED ON SOQR / 2 /

CONTRACTOR	6000442700
CONTRACTOR ADDRESS	BLANCKING CARTRIDGE ASSEMBLY

DOCUMENTATION REQUIREMENTS

Release Inspection	
Concessions / Deviations / Waivers	
Class of Documentation	
Misc Certs	
Certificate of Conformity	
Preservation and Packing	
Calibration	
Dimensional	
Cleanliness	
Performance / Functional	
Pressure	
Customer's QASOR (or SOQR)	
Process Form	
Shock Test	
Fire	
Open Cable Destruction	
High and Low Temp Cycling	
Hydraulic and Insulation	
Cable Certificate	
Load	
Weld Repair Records NAB (If applicable)	
Radiographic	
Ultrasonic	
Surface Flaw (Mag Part., Dye Pen.)	
Visual	
Brazing - Records	
Welding - Acceptance Class	
Welding - Procedure	
Welding - General / Records	
High Voltage Ionisation	
Hydraulic and Insulation	
Insulation Resistance	
Continuity and Cond Ident	
Certificate of Conformity	
Load	
Pressure	
Surface Finish, Visual and Dimensional	
Surface Flaw (Mag Part., Dye Pen.)	
Validation / Re-validation	
Class of Casting	
Radiographic	
Ultrasonic	
Surface Treatment	
Material Control	
Heat Treatment	
Mechanical	
Chemical	
Item Identification	

Miscellaneous Certificates:

Miscellaneous Notes:
additional Note: Item expected to be delivered with SHE root 'SHE7220'

SPECIFICATION	Drawing
	See Note 3
	DSTAN 02-729 - Pt 1
	DSTAN 02-729 - Pt 5
	Mat. Spec / See Note 6
	Material Specification
	Material Specification
	Record on DND 2513 or Equivalent

Key to Inspection and Tests	
A. Certification to be retained by the manufacturer for a period of 5 years and copies to be distributed in accordance with contract requirements.	
B. Certification to be retained by the manufacturer for a period of 5 years.	
C. Certification to be copied to the Records Authority for retention in the QA live file.	
D. Documentation to be copied to the Records Authority for retention as required.	

X. Re-used items. Original Certs IAW C-23-VIC

Issue:	Date (dd/mm/yyyy)	Comments	INIT	Test Pressure (item 38, If required)	L/M/H	No Test
A	28/06/2018	Initial Iss. u		This form meets the requirements of C-23-VIC-000/AM-001		Revision Dated 2013-11-01

DND 2328 Dated 28 JAN 2011

B

DND 2513 or Equivalent (Note 4)

DSTAN 02-341 : Pt 1 Gr.

D

See Note 4

**QUALITY PLAN AND PROCESS PROCEDURES
APPROVAL/RECORDS FORM**

COMPANY:

ORDER NUMBER:

SUBMITTED DOCUMENT			PARENT DOCUMENT			ITEM DESCRIPTION	APPROVAL DATE	SOQR LINE ITEM REF.	REMARKS
IDENTIFICATION	OWNER	ISSUE/ REV.	SPEC	METHOD	MATERIAL				

1st Level Submarine Certificate of Conformity and Index of Documentation Certificat de conformité de sous-marin de 1^{er} niveau et index des documents

QCA Description	PWGSC contract number: Numéro du contrat de TPSGC :
	PWGSC line item: Ligne d'article de TPSGC :
	NATO stock number: Numéro de nomenclature OTAN :
	Purchase order number: Numéro de commande :
Comments - Commentaires	
Raised by: Demandé par :	

Assembly details - Détails d'assemblage

Quantity - Quantité	Serial no. - N° de série	Deviations / Waivers - Déviations / Exemptions

Component details - Details des composantes

SOQR sheet no. N° de feuille EEQ	Let	Serial no. / Deviations / Waivers N° de série / Déviations / Exemptions	Material ID / Material spec / Batch lot no. ID du matériel / Spéc du matériel / N° de lot	X-Ray no. N° de rayons X	Cure date Date de vulcanisation	Validation date Date de validation

Certification statement - Énoncé de certification

We hereby certify that the goods and documentation as detailed on this form conform to the requirements of the purchase order or contract. Documentation will be retained by _____ and made available for audit.

Nous certifions par les présentes que les produits et les documents décrits sur le présent formulaire sont conformes aux exigences du numéro de commande ou du contrat, les documents seront conservés par _____ et seront disponibles à des fins de vérification.

Date	Name (printed) - Nom (lettres moulées)	Title - Titre	Signature
DND 2513 (11-2008)			

Comments/Instructions

Unique identification number: A number unique to the assembly or part referenced on the SOQR requisition number. This number shall be preceded by the letter QCA and must include the line number of the item on the SOQR. This unique identification number shall be etched on the materiel IAW C-23-VIC-000/AM-00.

QCA: Quality Control Assured. Acronym used to precede unique number for all 1st level parts

Description: Proper item name IAW CGCS

PWGSC contract number: Contract Number

PWGSC line item: Line number of item from the PWGSC contract

NATO stock number: Self explanatory

Purchase order number: Self explanatory

Comments: Any and all comments/concerns regarding item being provided under this certificate

Raised by: Who raised the comments and under what authority

Quantity: Quantity of items manufactured under this specific number. See "Batch Identification" in C-23-VIC-000/AM-001

Serial no.: Any serial number associated with this assembly

Deviations / Waivers: Any and all deviations or waivers associated with the manufacture of this item

SOQR sheet no.: Multiple SOQR sheets may sometimes be necessary

Let: Letter of line associated with SOQR sheet

Serial no. / Deviations / Waivers: Component specific serial numbers or deviations/waivers

Material ID: Numbers associated to the raw manufactured materiel or stock

Material Spec: Specification number used in the manufacture of this materiel

Batch lot no.: Number assigned to specific batches of materiel

X-Ray no.: Component specific x-ray numbers to include with x-rays taken for NAB castings or similar

Cure date: The date that rubber components were cured

Validation date: Completion date of all NAB casting certifications

Certification statement: To be certified and stamped by approved QA/QC cell

Commentaires /Instructions

Numéro d'identification unique : Un numéro unique pour l'assemblage ou la pièce ou cité en référence sur l'EEQ. Ce numéro doit être gravé sur l'équipement/matériel conformément à C-23-VIC-000/AM-001 cité en référence sur l'EEQ.

CQA : Contrôle de la qualité assure. Acronyme employé qui précède un nombre unique pour toutes les pièces de 1er niveau

Description : Appellation de l'article conformément au SCGC

Numéro du contrat de TPSGC: Numéro du contrat

Ligne d'article de TPSGC : Numéro de l'article provenant du contrat

Numéro de nomenclature OTAN : Explicite

Numéro de commande : Explicite

Commentaires : Tout commentaire concernant l'article fourni conformément au présent certificat.

Demandé par : Qui a soulevé les commentaires et sous quelle autorité.

Quantité : Quantité d'articles fabriqués sous ce numéro spécifique. Voir "Identification du lot " dans le C-23-VIC-000/AM-001

N° de série : Tout numéro de série associé avec cet assemblage

Déviations / Exemptions : Toute déviation ou exemption associée à la fabrication de cet article

N° de feuille EEQ : Plusieurs feuilles EEQ sont parfois nécessaires

Let : Lettre de ligne associée avec la feuille EEQ

N° de série / Déviations / Exemptions : Numéros de séries spécifiques des composantes ou des déviations / exemptions

ID du matériel : Numéros associés aux matières premières manufacturées ou aux stocks

Spéc. du matériel : Numéros des spécifications utilisées dans la fabrication de ce matériel

N° de lot : Numéros assignés à des lots spécifiques de matériel

N° de rayons X : Composantes de numéros de rayons X spécifiques et incluant les rayons X provenant des coulages NAB ou similaires

Date de vulcanisation : Date à laquelle les composants en caoutchouc ont été vulcanisés

Date de validation : Date d'achèvement de toutes les certifications des coulages NAB

Énoncé de certification : Le fait d'être certifié et estampillé par une cellule AQ/CQ approuvée

Guidance Notes on the use of this form

- a) Inspections and Tests additional to those indicated by A, B and C (See Key) in this SOQR may be required by yourself or your sub-contractor.
- b) Each item shall be positively identified with its Quality records.
- c) Third Party release of inspection of the inspections and tests indicated in this SOQR may be required. The contracting authority will advise requirements.
- d) SOQR shall be rated by the organization nominated by the Design Authority responsible for the Quality Assurance requirements, e.g., Design Authority CMM, Design Agent, Main Contractor.
- e) The SOQR originator may amend the 5 yr retention period to meet their requirements.
- f) The QCA number is structured as QCA/ contract order number, or tracking number / line item on order/ number of item. The QCA number is to be marked on the component or assembly IAW C-23-VIC-000/AM-001 part 3, para 27, 28, 29, and 30.
- g) The standards quoted on this SOQR are current to the SOQR date raised.

Notes:

1. Cure date of any Rubber item shall be indicated on the Certificate of Conformity (C of C)
2. Test pressure for item 38 shall be indicated in the box below (if required)
3. Surface flaw examination to be IAW D STN 02-729; Part 2, 3 and 4 or STN 08-171 as appropriate to the Material
4. As Provided as an attachment
5. Ultrasonic Examination of Bar Material is to be an approved procedure written to the general requirements of D STN 09-171 or D STN 02-729 Part 5
6. A heat treatment certificate is required if raw material is heat treated from supply condition or post manufacturing/ plating, if null then at minimum a comment on the C of C is required
- Fasteners IAW D STN 02-862 Part 3 clause 6.4 & a mill certification must be supplied IAW clauses - NAB items IAW material specifications or if not required by the specifications then as a minimum a heat treatment certificate shall be supplied that states the heat treatment condition such as "hot worked"
7. Zinc plated and passivated IAW D STN 02-862 Part 3
8. Wall thickness values are to be recorded on a wall thickness recording sheet in such a way that they are cross referenced to a grid based sketch IAW D STN 02-872 Part 2, clause 3.4b

STATEMENT OF QUALITY REQUIREMENTS												
 DATE RAISED (DD-MMM-YYYY) 22/06/2018 NATO STOCK NUMBER 998143284 SERIAL NUMBER DESCRIPTION BLANKING CARTRIDGE ASSEMBLY	LCMM DNC5 3-3-4 TELEPHONE NUMBER (819) 339-3124											
	CONTRACTOR CONTRACTOR ADDRESS		PREVIOUS ENQUIRY / RFQ 6000442700 CONTRACT, ORDER, OR TRACKING NO. QCA/ W8482-194453 / 020		NO. OF ITEMS LISTED ON SOQR 2							
DOCUMENTATION REQUIREMENTS												
ASSEMBLY / ORDER ITEM												
TESTS												
ASSEMBLY / ORDER ITEM												
MATERIAL AND COMPONENTS			WELDING AND BRAZING									
TYPE OF TEST												
DRAWING NO. / PART NO.	DESCRIPTION	QTY	MATERIAL	Test Rpt. Item Ref.	Test Rpt. Item Ref.	Test Rpt. Item Ref.	Test Rpt. Item Ref.	Test Rpt. Item Ref.	Test Rpt. Item Ref.	Test Rpt. Item Ref.	Test Rpt. Item Ref.	
100405-3150-ASY	BLANKING CARTRIDGE ASSEMBLY											
100405-3150-001	SCREW RING		FERRULUM 255	A	C	C	C	C	C	C	C	C

Miscellaneous Certificates: <small>additional Note: Item expected to be delivered with SHE root 'SHE7220'</small>												
Key to Inspection and Tests												
A.	Certification to be retained by the manufacturer for a period of 5 years and copies to be distributed in accordance with contract requirements.											
B.	Certification to be retained by the manufacturer for a period of 5 years.											
C.	Certification to be copied to the Records Authority for retention in the QA live file.											
D.	Documentation to be copied to the Records Authority for retention as required.											
X.	Re-used item. Original Certs IAW C-23-VIC-001											
Issue:	Date (dd/mm/yyyy)	Comments		INIT	Test Pressure (Item 38, If required)							
A	28/06/2018	Initial Iss. Us		LMH	No Test							
Sheet	4 of 4	This form meets the requirements of C-23-VIC-001/AM-001										
					Revision Dated 2013-11-01							

Release Inspection
Concessions / Deviations / Waivers
Class of Documentation
Misc Certs
Certificate of Conformity
Preservation and Packing
Calibration
Dimensional
Cleanliness
Performance / Functional
Pressure
Customer's QASOR (or SOQR)
Process Form
Shock Test
Fire
Open Cable Destruction
High and Low Temp Cycling
Hydraulic and Insulation
Cable Certificate
Load
Weld Repair Records NAB (If applicable)
Radiographic
Ultrasonic
Surface Flaw (Mag Part., Dye Pen.)
Visual
Brazing - Records
Welding - Acceptance Class
Welding - Procedure
Welding - General / Records
High Voltage Ionisation
Hydraulic and Insulation
Insulation Resistance
Continuity and Cond Ident
Certificate of Conformity
Load
Pressure
Surface Finish, Visual and Dimensional
Surface Flaw (Mag Part., Dye Pen.)
Validation / Re-validation
Class of Casting
Radiographic
Ultrasonic
Surface Treatment
Material Control
Heat Treatment
Mechanical
Chemical
Item Identification

DND 2513 or Equivalent (Note 4)

DSTAN 02-341 : Pt 1 Gr. B

See Note 4

DSTAN 02-341 : Pt 1 Gr. C

QCA

QCA

DSTAN 02-729 : Pt 1

DSTAN 02-729 : Pt 5

Mat. Spec / See Note 6

Material Specification

Material Specification

Record on DND 2513 or Equivalent

SPECIFICATION

Drawing

See Note 3

DND 2328 Dated 28 JAN 2011

**QUALITY PLAN AND PROCESS PROCEDURES
APPROVAL/RECORDS FORM**

COMPANY:

ORDER NUMBER:

SUBMITTED DOCUMENT			PARENT DOCUMENT			ITEM DESCRIPTION	APPROVAL DATE	SOQR LINE ITEM REF.	REMARKS
IDENTIFICATION	OWNER	ISSUE/ REV.	SPEC	METHOD	MATERIAL				

1st Level Submarine Certificate of Conformity and Index of Documentation Certificat de conformité de sous-marin de 1^{er} niveau et index des documents

Unique identification number - Numéro d'identification unique QCA		PWGSC contract number: Numéro du contrat de TPSGC :	
Description		PWGSC line item: Ligne d'article de TPSGC :	
		NATO stock number: Numéro de nomenclature OTAN :	
		Purchase order number: Numéro de commande :	
Comments - Commentaires			
Raised by: Demandé par :			

Assembly details - Détails d'assemblage

Quantity - Quantité	Serial no. - N° de série	Deviations / Waivers - Déviations / Exemptions

Component details - Details des composantes

SOQR sheet no. N° de feuille EEQ	Let	Serial no. / Deviations / Waivers N° de série / Déviations / Exemptions	Material ID / Material spec / Batch lot no. ID du matériel / Spéc du matériel / N° de lot	X-Ray no. N° de rayons X	Cure date Date de vulcanisation	Validation date Date de validation

Certification statement - Énoncé de certification

We hereby certify that the goods and documentation as detailed on this form conform to the requirements of the purchase order or contract. Documentation will be retained by _____ and made available for audit.

Nous certifions par les présentes que les produits et les documents décrits sur le présent formulaire sont conformes aux exigences du numéro de commande ou du contrat, les documents seront conservés par _____ et seront disponibles à des fins de vérification.

Date	Name (printed) - Nom (lettres moulées)	Title - Titre	Signature
DND 2513 (11-2008)			

Comments/Instructions

Unique identification number: A number unique to the assembly or part referenced on the SOQR requisition number. This number shall be preceded by the letter QCA and must include the line number of the item on the SOQR. This unique identification number shall be etched on the materiel IAW C-23-VIC-000/AM-00.

QCA: Quality Control Assured. Acronym used to precede unique number for all 1st level parts

Description: Proper item name IAW CGCS

PWGSC contract number: Contract Number

PWGSC line item: Line number of item from the PWGSC contract

NATO stock number: Self explanatory

Purchase order number: Self explanatory

Comments: Any and all comments/concerns regarding item being provided under this certificate

Raised by: Who raised the comments and under what authority

Quantity: Quantity of items manufactured under this specific number. See "Batch Identification" in C-23-VIC-000/AM-001

Serial no.: Any serial number associated with this assembly

Deviations / Waivers: Any and all deviations or waivers associated with the manufacture of this item

SOQR sheet no.: Multiple SOQR sheets may sometimes be necessary

Let: Letter of line associated with SOQR sheet

Serial no. / Deviations / Waivers: Component specific serial numbers or deviations/waivers

Material ID: Numbers associated to the raw manufactured materiel or stock

Material Spec: Specification number used in the manufacture of this materiel

Batch lot no.: Number assigned to specific batches of materiel

X-Ray no.: Component specific x-ray numbers to include with x-rays taken for NAB castings or similar

Cure date: The date that rubber components were cured

Validation date: Completion date of all NAB casting certifications

Certification statement: To be certified and stamped by approved QA/QC cell

Commentaires /Instructions

Numéro d'identification unique : Un numéro unique pour l'assemblage ou la pièce ou cité en référence sur l'EEQ. Ce numéro doit être gravé sur l'équipement/matériel conformément à C-23-VIC-000/AM-001 cité en référence sur l'EEQ.

CQA : Contrôle de la qualité assure. Acronyme employé qui précède un nombre unique pour toutes les pièces de 1er niveau

Description : Appellation de l'article conformément au SCGC

Numéro du contrat de TPSGC: Numéro du contrat

Ligne d'article de TPSGC : Numéro de l'article provenant du contrat

Numéro de nomenclature OTAN : Explicite

Numéro de commande : Explicite

Commentaires : Tout commentaire concernant l'article fourni conformément au présent certificat.

Demandé par : Qui a soulevé les commentaires et sous quelle autorité.

Quantité : Quantité d'articles fabriqués sous ce numéro spécifique. Voir "Identification du lot " dans le C-23-VIC-000/AM-001

N° de série : Tout numéro de série associé avec cet assemblage

Déviations / Exemptions : Toute déviation ou exemption associée à la fabrication de cet article

N° de feuille EEQ : Plusieurs feuilles EEQ sont parfois nécessaires

Let : Lettre de ligne associée avec la feuille EEQ

N° de série / Déviations / Exemptions : Numéros de séries spécifiques des composantes ou des déviations / exemptions

ID du matériel : Numéros associés aux matières premières manufacturées ou aux stocks

Spéc. du matériel : Numéros des spécifications utilisées dans la fabrication de ce matériel

N° de lot : Numéros assignés à des lots spécifiques de matériel

N° de rayons X : Composantes de numéros de rayons X spécifiques et incluant les rayons X provenant des coulages NAB ou similaires

Date de vulcanisation : Date à laquelle les composants en caoutchouc ont été vulcanisés

Date de validation : Date d'achèvement de toutes les certifications des coulages NAB

Énoncé de certification : Le fait d'être certifié et estampillé par une cellule AQ/CQ approuvée