



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada**

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scotia

B3J 1T3

Bid Fax: (902) 496-5016

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

**Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions**

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scot

B3J 1T3

Title - Sujet Front Mount Mower	
Solicitation No. - N° de l'invitation 01804-190180/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client 01804-19-0180	Date 2018-09-10
GETS Reference No. - N° de référence de SEAG PW-\$HAL-406-10482	
File No. - N° de dossier HAL-8-81085 (406)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-09-19	Time Zone Fuseau horaire Atlantic Daylight Saving Time ADT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Matheson, Valerie	Buyer Id - Id de l'acheteur hal406
Telephone No. - N° de téléphone (902) 403-6236 ()	FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation Amendment 002 is raised to address the following:

ANNEX "A"

STATEMENT OF REQUIREMENT

For the supply and delivery of one (1) "Front Mount Mower" to the Kentville Research Development Centre, **32** Main Street, Kentville, Nova Scotia, B4N 1J5 by October 31st 2018. The requirement includes Warranty Maintenance and Repairs of the turf mower and the successful Contractor must provide mower operator training in accordance with the requirement specified herein.

1.0 Mandatory Technical Criteria:

1) The Front Mount Mower must:

- A. Be new, most current manufacturer model year still in production.
- B. Be delivery FOB Destination on site by October 31st 2018.

2) The Front Mount Mower must have the following Specifications:

- A. **Must be a Diesel Motor, liquid cooled, with a minimum power rating of 36 Horse Power**
- B. **Must have fuel tank capacity to contain a minimum of 20 gallons**
- C. Drive Train: -Hydrostatic, 2 & 4 wheel drive and auto assist mechanical rear wheel drive, differential lock
- D. Transmission: - Hydrostatic
- E. Electrical: - (Minimum) 55 amp. 12 volt
- F. Steering:- hydraulic power
- G. **Tires: - Turf, multi - trac turf tires (Minimum size) drive tires 23 x 10.5-12, steering tires 18 x 9.5-8, must be constructed with a minimum of four (4) ply.**
- H. Parking Brake: - Mechanical
- I. Must be fully adjustable suspension seat with, high back, armrests
- J. Mower decks and cutting units: - 1 deck, rear discharge, anti-scalping rollers/wheels, non-flat or pneumatic type
- K. Must be able to cut a minimum width of 72"
- L. **Must be able to cut a minimum height of 1"**
- M. Operator's station: - operator's on board controls plus any diagnostic indicators if provided, all required switches on console/s (temperature, oil pressure, fuel, hours, oil temperatures, etc.)
- N. Standard Night Time Lights
- O. ROPS/seatbelt/operator safety features
- P. Mulching kit for rear discharge.

Warranty

The contractor must supply a minimum of one (2) year/2000 hour total warranty on components, parts, and installation for the costs incurred to replace defective parts and components.

Warranty Maintenance and Repairs

The contractor must perform warranty maintenance and repairs on the vehicle.

The warranty maintenance and repairs must be in accordance with the requirements established by the manufacturer for the optimum performance of the vehicle; which includes associated equipment, and is applicable throughout the warranty period.

ANNEX "A" con't

1. Warranty Maintenance and Repairs Schedule

The contractor must provide to the Technical Authority a Warranty Repairs and Maintenance Schedule that meets the specific requirements established by the manufacturer for the optimum performance of the vehicle, and associated equipment, during the warranty period.

The contractor must perform the Warranty Maintenance and Repairs of the vehicle in accordance with the schedule. If Warranty Maintenance and Repairs Services are to be carried out on the AAFC site the service person must arrive on site to perform the work within 24 hours from the time that the Contractor is notified.

If Warranty Maintenance and Repairs Service are to be carried on outside of the AAFC site, the Maintenance and Repairs Services must be provided no more than 200 kilometres from the AAFC. A.F.H.R.C. 32 Mains Street, Kentville, NS. B4N 1J5

The Contractor must be capable of providing warranty service, on an "as and when" requested basis, and must have ready access to parts inventory from an authorized service/repair facility.

1. Documentation

The Contractor **must** provide the following documentation:

Vehicle Manuals - Manuals required for safe operation, maintenance and repair of the vehicles. It is preferred that a complete set of manuals be provided on CD/DVD-ROM, however, a complete set of Operator's Manuals **must** be provided in paper format, as a minimum, excluding the parts manual which may be available online. The Vehicle Manuals **must** include:

- i. Operator's Manuals – in English, as a minimum;
- ii. Parts Manuals – in English, as a minimum;
- iii. Maintenance, (Shop Repair), Manuals – in English, as a minimum.

a) Warranty Letter - The Contractor must supply a paper copy of the completed bilingual Warranty Letter with the vehicle. The Contractor must send a copy of the Warranty Letter, in electronic format, to the Technical Authority, at shipment.

Front Mount Mower Operator Training

The supplier **must** perform the following training:

- a. Familiarization - One familiarization instruction for up to three (3) users, no later than one (1) month after the delivery of the vehicle.
- b. The instruction **must** include details on how to operate the vehicle and how to carry out the everyday servicing of the vehicle and its associated equipment. (Everyday servicing: i.e. tire pressure, oil maintenance)
- d. The Training shall be carried out on site.

ANNEX “C”

MANDATORY TECHNICAL REQUIREMENTS – CROSS REFERENCE

Instructions: Bidders **must** indicate whether or not they comply with the Mandatory Technical Criteria. Bidders should include two (2) copies of descriptive literature; if available, for the item(s) offered in sufficient detail to clearly indicate compliance with each of the individual requirements from the Mandatory Technical Criteria detailed herein.

Bidders **should** comment /cross reference the page number and highlight the specification in your technical data sheets or brochure to demonstrate and support your compliance for each of the Mandatory Technical Criteria.

The Bidder **must** address each Mandatory Technical Criteria listed below and must indicate whether the product/service offered “Meets” or “Does Not Meet”.

By submitting Annex “C” Mandatory Technical Criteria, the bidder certifies the product they are offering meets and will be built as per the Mandatory Technical Criteria.

It will be to your advantage to furnish as much detail as possible to support your comments and your claims of compliance for each specification.

NOTE: The Crown is under NO obligation to seek clarification of the bid(s) or the supporting technical documentation provided. Failure to meet any of the following will render your proposal non-compliant and will be given no further consideration.

Solicitation No. - N° de l'invitation
01804-190180
Client Ref. No. - N° de réf. du client
01804-19-0180

Amd. No. - N° de la modif.
002
File No. - N° du dossier
HAL-8-81085

Buyer ID - Id de l'acheteur
HAL406
CCC No./N° CCC - FMS No./N° VME

ANNEX "C" con't

No.	Specification	Compliance		Comment(s)/ Cross Reference
		Meet	Does Not Meet	
I.	Be new, most current manufacturer model year still in production, and must be from a manufacturer who has demonstrated acceptability by manufacturing and selling this type and size class of vehicle for at least 1 year.			
II.	The Front Mount Mower must have the following Specifications:			
A.	Must be a Diesel Motor, liquid cooled, with a minimum power rating of 36 Horse Power			
B.	Must have fuel tank capacity to contain a minimum of 20 gallons			
C.	Drive Train: -Hydrostatic, 2 & 4 wheel drive and auto assist mechanical rear wheel drive, differential lock			
D.	Transmission - hydrostatic			
E.	Electrical Minimum -55 amps , 12 volts			
F.	Steering:- hydraulic power			
G.	Tires: - Turf, multi - trac turf tires (Minimum size) drive tires 23 x 10.5-12, steering tires 18 x 9.5-8, must be constructed with a minimum of four (4) ply.			
H.	Parking Brake: - Mechanical			
I.	Must be fully adjustable suspension seat with, high back, armrests			
J.	Mower decks and cutting units: - 1 deck, rear discharge, anti-scalping rollers/wheels, non-flat or pneumatic type.			
K.	Must be able to cut a minimum width of 72"			
L.	Must be able to cut a minimum height of 1"			
M.	Operator's station: - operator's on board controls plus any diagnostic indicators if provided, all required switches on console/s (temperature, oil pressure, fuel, hours, oil temperatures, etc.)			
N.	Standard Night Time Lights			
O.	ROPS/seatbelt/all operator safety features			
P.	Mulching kit for rear discharge.			
Q.	Warranty The contractor must supply a minimum of one (2) year/2000 hour total warranty on components, parts, and installation for the costs incurred to replace defective parts and components.			

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME