



**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving
PWGSC
33 City Centre Drive
Suite 480C
Mississauga
Ontario
L5B 2N5
Bid Fax: (905) 615-2095**

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

**Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution
Public Works and Government Services Canada
Ontario Region
33 City Centre Drive
Suite 480
Mississauga
Ontario
L5B 2N5

Title - Sujet Diesel Utility Tractor and Implemen	
Solicitation No. - N° de l'invitation 5P300-180502/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client 5P300-180502	Date 2018-09-26
GETS Reference No. - N° de référence de SEAG PW-\$TOR-201-7577	
File No. - N° de dossier TOR-8-41054 (201)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-10-05	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Ramnarine, Vashti	Buyer Id - Id de l'acheteur tor201
Telephone No. - N° de téléphone (905) 615-2419 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment 001 is being issued to extend the solicitation closing date, answers questions, and make the following changes:

In section 14.2.

Q1: States that it must have a 3rd SCV hydraulic kit. What are you looking for there? Are you looking for a hydraulic circuit plumbed to back of tractor? Or out to front of loader?

A1: Yes. Hydraulic attachments at back of tractor.

Q2: Also states must have 2 front hooks. Are you looking for hooks on the bucket?

A2: No not on bucket - On front frame of tractor.

Q3: And states it must have a rear quick hitch with receiver hitch. Are you just looking for a rear 3 point hitch quick hitch that can pull trailers? Does it have to be able to pick up other 3 point attachments?

A3: Yes. A quick hitch attachment for to easily change rear implements and also use regular ball hitch.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

~~Delete: Due to the nature of the bid solicitation, bids transmitted by epost Connect service will not be accepted.~~

Delete: Annex C

Insert:

ANNEX "C 001"

EVALUATION CRITERIA

1. Bidders must clearly demonstrate compliance with each mandatory technical criteria. Failure to demonstrate compliance will result in the offer being deemed non-responsive, and be given no further consideration.

Item	Mandatory Criteria	Page # (Identify page number in your proposal where the information can be found)
1	Minimum Vehicle Overview	
1.1	The tractor must be of the current year or later, regular production and not be a demonstrator, trial unit or prototype	
1.3	Must be regular open station, no cab	
	Must have manufacturer standard roll protection	
1.8	Must have capability of operating in temperature range of -40° to +37°. (minimum)	

1.9	Must have standard four wheel drive			
1.1	Colour - manufacturer's standard			
2	Engine			
2.1	Must be 3 cylinder diesel			
	Fuel Type: Must be diesel			
2.2	Must be minimum 32 hp @ 2600 rpm			
2.3	Must have minimum rated PTO 24 hp @ 2600 RPM			
2.4	Must have minimum 75 amp alternator			
3	Drivetrain/Steering/Brakes			
3.1	Must have hydrostatic transmission			
	Must have 2 pedal system for Forward/Reverse			
	Must have wet disc brakes			
	Must have standard differential lock			
	Must have standard 4-wheel drive			
	Must have power assist steering			
	Must have electronic controlled transmission type (eHydro or equivalent)			
5	Wheels and Tires/Axles Capacities			
5.1	Tire and rim provided must meet with all load requirement and axle specifications			
	axle capacities			
5.2	Must have manufacturer standard steel painted wheels			
5.3	Tires - Front - R1 - 7.00-14 6PR			
5.4	Tires - Rear - R1 - 11.2-24 6PR			
7	Fuel System			
7.1	Must have diesel system			
	Fuel tank capacity: 51L			
	Must have: fuel system water separator			

10	Hitch/PTO			
10.1	Must have Category 1: 3 Point hitch			
10.2	Minimum 3-Point hitch lift capacity at hitch point, 1140kg			
10.3	Minimum lift capacity 610mm behind lift ends, 990kg			
10.4	Must have independent PTO			
10.5	Must have standard rear mid PTO			
10.7	PTO Clutch/Brake - wet, multi disc			
10.8	Must have standard PTO brake			
11	Dimensions			
	Wheelbase not to exceed 1730mm			
	Total width, mm 1323-1728			
	Height with roll protection not to exceed 2370mm			
	front axle capacity - 1450 kg			
11.2	rear axle capacity - 2000 kg			
12	Implements - Loader			
12.1	Must come with new loader assembly and equivalent bucket			
12.2	Must be able to quick disconnect loader assembly			
12.3	Must come with manufacture standard ballast box equivalent to loader capacity			
12.4	Must be capable of lifting minimum 388 kg			
12.5	Must include 48" pallet forks with floating tines that quickly attach to loader assembly			
12	Implements - Rotary Tiller			
12.7	Must be compatible with supplied tractor model			
12.8	Must have a minimum tilling width of 1650 mm			
12.9	Must have replaceable tines			
12.10	Must function off rear PTO			
14	Sub Items			

Solicitation No. - N° de l'invitation
5P300-180502/A
Client Ref. No. - N° de réf. du client
5P300-180502

Amd. No. - N° de la modif.
001
File No. - N° du dossier
TOR-8-41054

Buyer ID - Id de l'acheteur
TOR201
CCC No./N° CCC - FMS No./N° VME

14.1	Manufacturer's vehicle brochures DVD's and specifications for offered equipment			
14.2	Warranties - all applicable standard manufacturer warranties			
	Must have Heavy Duty Hood Guard			
	Must have 3rd SCV Hydraulic Kit			
	Must have 2 front hooks			
	Must have - front and rear work lights			
	Must have engine block heater			
	hard canopy on roll over protection assembly			
	Must have rear quick hitch with receiver hitch			