

1 LADDER CONNECTION
2.02 6"=1'-0"

NEW:
GALVANIZED STEEL ANGLE
GALVANIZED READY ROD
GALVANIZED ANCHORE PLATE

3/4 READY ROD TO HAVE AN EDGE DISTANCE OF 6" TOP AND BOTTOM AND 12" EDGE DISTANCE FROM EACH END OF THE METAL PLATE



2 PRECAST PANEL ANCHORS AT WARM STORAGE
1.02 3"=1'-0"

NOTE:

LOCATION & SPACING OF ANCHOR PLATES & READY RODS TO MATCH EXISTING. MINIMUM 4 SETS PER PRECAST PANEL (ONE AT EACH CORNER). NO MINIMUM SPACING REQUIREMENT.

ALL STRUCTURAL STEEL MATERIALS SHALL CONFORM TO CSA G40.20/G40.21 WITH THE FOLLOWING GRADS:

- STEEL ANGLES 350W
- STEEL PLATES 300W
- READY RODS ASTM A325

Public Works and Government Services Canada | Travaux publics et Services gouvernementaux Canada

Client

Parks Canada Agency | L'Agence Parcs Canada

Western and Northern Region | Ouest et Nord du Canada

McElhanney
McElhanney Consulting Services Ltd.
1500, 501 Bow Valley Trail
CHAMPION, AB T1H 7B8
www.mcelhanney.com
PH (403) 824-2800
FAX (403) 824-2899

PINCHIN
11505 35 St. SE, CALGARY, AB. T2Z 4B
pinchin.com | 1-855-PINCHIN

REVISIONS	DESCRIPTION	DATE
5	ISSUED FOR TENDER - GENERAL REVISION	09/22/2016
4	ISSUED FOR TENDER - GENERAL REVISION	03/06/2017
3	ISSUED FOR TENDER	02/14/2017
2	ISSUED FOR 90% REVIEW	01/27/2017
1	ISSUED FOR 50% REVIEW	12/15/2016

A detail number / number du detail
B source drawing no. / de dessin no.
C detail on drawing no. / detail sur dessin no.

project title / titre du projet
MAINTENANCE COMPOUND REHAB - EXTERIOR BLOCK WALL REPAIRS

JASPER NATIONAL PARK
JASPER AB

drawing title / titre du dessin
DETAILS

designed by / conçu par: BW
drawn by / dessiné par: JT
approved by / approuvé par:
PCA Project Manager / Administrateur de Projets TPSGC: PAIGE SHEPPARD
scale / échelle: AS SHOWN
project no. / projet no.:
date / date: March 02, 2017
sheet / feuille: BE-3.05

f:\local\Jobs\227000s\0227559.000 McElhanney, Jasper Park Compound, BSS\Drawings & Figures\CAD\PINCHIN-EDITS\0227559 3.00 Details 2018 08 22.dwg,
8/22/2018 3:26:52 PM