



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Travaux publics et Services gouvernementaux
Canada
Place Bonaventure, portail Sud-Oue
800, rue de La Gauchetière Ouest
7e étage, suite 7300
Montréal
Québec
H5A 1L6

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Travaux publics et Services gouvernementaux Canada
Place Bonaventure, portail Sud-Oue
800, rue de La Gauchetière Ouest
7e étage, suite 7300
Montréal
Québec
H5A 1L6

Title - Sujet Office Furniture	
Solicitation No. - N° de l'invitation 90030-180404/A	Amendment No. - N° modif. 006
Client Reference No. - N° de référence du client 90030-180404	Date 2018-10-23
GETS Reference No. - N° de référence de SEAG PW-\$MTA-160-15021	
File No. - N° de dossier MTA-8-41140 (160)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2018-10-29	
Time Zone Fuseau horaire Heure Avancée de l'Est HAE	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Asquino, Carolina	Buyer Id - Id de l'acheteur mta160
Telephone No. - N° de téléphone (514) 348-4129 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Office National du Film 1500 Balmoral Street Montreal, Qc H3A 2H7	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

AMENDMENT 006

This amendment is raised to respond to questions received to date on October 22, 2018, and modify Annex B accordingly.

To open an epost Connect conversation only, the Bid Receiving Unit email is:

TPSGC.RQReceptionSoumissions-QRSupplyTendersReception.PWGSC@tpsgc-pwgsc.gc.ca

Do not send your bid by email.

Questions:

Q29. Item # 19 Since the panels are inside only, to save costs, we suggest 2 X 36 " laminate tiles with a joint cover instead of a 72 " full tile (also the larger tiles are more easily damaged in transport) is this acceptable?

A29. Yes, it is acceptable.

Q30. Item # 15 and 16 Is it possible to put a 66"x 1.5 " full screen instead of 2 tile panels, for better aesthetics in the corridors?



A30. Yes, it is accepted.

Q31. Table # 14, which is in room 4-115, requests an electrical module in the description and in addition on the plan requests an additional electrical module (item 34) in the center of the table. As item 34 attaches to the surface, so it cannot be in the middle of the table.

So do you want an integrated module at the table as in the description of item 14 or do you want module hanging at the table fills item 34? But this one cannot be in the middle of the table because of how it's done. Or do you want both but item 34 on one edge of the table?

A31. Item 34 shown in room 4-115 should be removed. Keep the same number of item 34 in Annex B, there will be 11 items not installed.

Q32. A21 accepts the addition of perpendicular panels for a line 2 and 3 72 inch (large) panels. This would limit side access to the height adjustable tables.

Can the 'C' legs be substituted for a 'T' legs

A32. No, T legs are not accepted because this limits the possibilities of the workstations.

Delete: Annex B in its entirety

Insert: New Annex B * Note changes are only items #26, 27 & 34. The division of the items 26 & 27 on the floors is not known at this time.

ANNEX "B"

BASIS OF PAYMENT

Note to Bidders:

- Firm prices, all inclusive, DDP destination (National Film Board (NFB), Ilot Balmoral, at the corner of rues Bleury & Mayor in Montréal, Qc., according to the floors indicated below), are required for all items in the table below.
- All prices must include customs duties and Canadian excise taxes, if any.
- Applicable taxes are additional for all items.

Item	Description	Floor	Quantity	Firm Unit Price (\$)	Extended Total (Quantity x Firm Unit Price) (\$)
1	FIX WORK SURFACE 48po X 30po	1ST FLOOR = 2 2SD FLOOR = 1 3RD FLOOR = 0 4TH FLOOR = 0 MEZZA.1 = 1 MEZZA.2= 0	4	\$	\$
2	HEIGHT ADJUSTABLE WORK SURFACE 58po X 30po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 2 4TH FLOOR = 0 MEZZA.1 = 0 MEZZA.2= 0	2	\$	\$
3	HEIGHT ADJUSTABLE WORK SURFACE 70po X 30po	1ST FLOOR = 19 2SD FLOOR = 26 3RD FLOOR = 96 4TH FLOOR = 129 MEZZA.1 = 0 MEZZA.2= 0	270	\$	\$
4	HEIGHT ADJUSTABLE WORK SURFACE 82po X 30po	1ST FLOOR = 0 2SD FLOOR = 9 3RD FLOOR = 0 4TH FLOOR = 3 MEZZA.1 = 0 MEZZA.2= 0	12	\$	\$
5	HEIGHT ADJUSTABLE WORK SURFACE 72po x 36po	1ST FLOOR = 12 2SD FLOOR = 12 3RD FLOOR = 0 4TH FLOOR = 0 MEZZA.1 = 0 MEZZA.2= 0	24	\$	\$
6	HEIGHT ADJUSTABLE WORK SURFACE 84po x 36po	1ST FLOOR = 4 2SD FLOOR = 0 3RD FLOOR = 0 4TH FLOOR = 0 MEZZA.1 = 0 MEZZA.2= 0	4	\$	\$
7	FIX WORK SURFACE 42po x 24po	1ST FLOOR = 8 2SD FLOOR = 8 3RD FLOOR = 0 4TH FLOOR = 0	16	\$	\$

N° de l'invitation - Solicitation No.
90030-180404/A
N° de réf. du client - Client Ref. No.
90030-18-0404

N° de la modif - Amd. No.
006
File No. - N° du dossier
MTA-8-41140

Id de l'acheteur - Buyer ID
MTA160
N° CCC / CCC No./ N° VME - FMS

		MEZZA.1 = 0 MEZZA.2= 0			
8	FIX WORK SURFACE 36po X 24po	1ST FLOOR = 0 2SD FLOOR = 2 3RD FLOOR = 0 4TH FLOOR = 0 MEZZA.1 = 0 MEZZA.2= 0	2	\$	\$
9	FIX WORK SURFACE 72po X 30po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 0 4TH FLOOR = 3 MEZZA.1 = 0 MEZZA.2= 0	3	\$	\$
10	FIX WORK SURFACE 84po x 42po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 1 4TH FLOOR = 4 MEZZA.1 = 0 MEZZA.2= 0	5	\$	\$
11	HEIGHT ADJUSTABLE WORK SURFACE 58po x 24po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 0 4TH FLOOR = 4 MEZZA.1 = 0 MEZZA.2= 0	4	\$	\$
12	HEIGHT ADJUSTABLE WORK SURFACE 46po x 24po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 1 4TH FLOOR = 0 MEZZA.1 = 0 MEZZA.2= 0	1	\$	\$
13	FIX WORK SURFACE 96po x 48po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 0 4TH FLOOR = 1 MEZZA.1 = 0 MEZZA.2= 0	1	\$	\$
14	VIDEO CONFERENCE WORK SURFACE 96po x 48po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 0 4TH FLOOR = 1 MEZZA.1 = 0 MEZZA.2= 0	1	\$	\$
15	NOT ELECTRIFIED PANEL 30po x 42po	1ST FLOOR = 5 2SD FLOOR = 14 3RD FLOOR = 41 4TH FLOOR = 58 MEZZA.1 = 0 MEZZA.2= 0	118	\$	\$
16	NOT ELECTRIFIED PANEL 36po x 42po	1ST FLOOR = 8 2SD FLOOR = 16 3RD FLOOR = 44 4TH FLOOR = 65 MEZZA.1 = 0 MEZZA.2= 0	133	\$	\$
17	NOT ELECTRIFIED PANEL 42po X 42po	1ST FLOOR = 0 2SD FLOOR = 1 3RD FLOOR = 0 4TH FLOOR = 0 MEZZA.1 = 0 MEZZA.2= 0	1	\$	\$
18	ELECTRIFIED PANEL 60po X 42po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 1 4TH FLOOR = 0 MEZZA.1 = 0 MEZZA.2= 0	1	\$	\$

19	ELECTRIFIED PANEL 72po X 42po	1ST FLOOR = 10 2SD FLOOR = 20 3RD FLOOR = 57 4TH FLOOR = 78 MEZZA.1 = 0 MEZZA.2= 0	165	\$	\$
20	ELECTRIFIED PANEL 42po X 42po	1ST FLOOR = 0 2SD FLOOR = 12 3RD FLOOR = 0 4TH FLOOR = 0 MEZZA.1 = 0 MEZZA.2= 0	12	\$	\$
21	FINISHING TILE 66po X 42po	1ST FLOOR = 5 2SD FLOOR = 11 3RD FLOOR = 38 4TH FLOOR = 57 MEZZA.1 = 0 MEZZA.2= 0	111	\$	\$
22	SHORT MODESTY PANEL 54po x 13po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 1 4TH FLOOR = 5 MEZZA.1 = 0 MEZZA.2= 0	6	\$	\$
23	HIGH MODESTY PANEL 54po x 27po	1ST FLOOR = 2 2SD FLOOR = 0 3RD FLOOR = 1 4TH FLOOR = 0 MEZZA.1 = 0 MEZZA.2= 0	3	\$	\$
24	COMMUNICATION SERVICE POLE	1ST FLOOR = 6 2SD FLOOR = 11 3RD FLOOR = 23 4TH FLOOR = 32 MEZZA.1 = 0 MEZZA.2= 0	72	\$	\$
25	ANIMATION COMMUNICATION SERVICE POLE	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 0 4TH FLOOR = 0 MEZZA.1 = 0 MEZZA.2= 0	PROVIDED BY OTHERS	N/A	N/A
26	CREDENZA 60po X 18po	1ST FLOOR = ? 2SD FLOOR = ? 3RD FLOOR = ? 4TH FLOOR = ? MEZZA.1 = 0 MEZZA.2= 0	206	\$	\$
27	PEDESTAL 15po X 24po	1ST FLOOR = ? 2SD FLOOR = ? 3RD FLOOR = ? 4TH FLOOR = ? MEZZA.1 = 0 MEZZA.2= 0	110	\$	\$
28	ACCESSORY RAIL	1ST FLOOR = 24 2SD FLOOR = 36 3RD FLOOR = 98 4TH FLOOR = 133 MEZZA.1 = 0 MEZZA.2= 0	291	\$	\$
29	FILE L:30po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 1 4TH FLOOR = 4 MEZZA.1 = 0 MEZZA.2= 0	5	\$	\$

N° de l'invitation - Sollicitation No.
90030-180404/A
N° de réf. du client - Client Ref. No.
90030-18-0404

N° de la modif - Amd. No.
006
File No. - N° du dossier
MTA-8-41140

Id de l'acheteur - Buyer ID
MTA160
N° CCC / CCC No./ N° VME - FMS

30	SHELVING UNIT L:30po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 1 4TH FLOOR = 4 MEZZA.1 = 0 MEZZA.2= 0	5	\$	\$
31	COUNTER 96po X 20po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 0 4TH FLOOR = 2 MEZZA.1 = 0 MEZZA.2= 0	2	\$	\$
32	FILE 42po X 20po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 0 4TH FLOOR = 2 MEZZA.1 = 0 MEZZA.2= 0	2	\$	\$
33	STORAGE 54po X 20po	1ST FLOOR = 0 2SD FLOOR = 0 3RD FLOOR = 0 4TH FLOOR = 2 MEZZA.1 = 0 MEZZA.2= 0	2	\$	\$
34	ELECTRICAL MODULE	1ST FLOOR = 0 2SD FLOOR = 10 3RD FLOOR = 0 4TH FLOOR = 5 MEZZA.1 = 0 MEZZA.2= 0 11 EXTRAS - NOT INSTALLED	26	\$	\$
35	EXISTING POWER BAR	1ST FLOOR = 24 2SD FLOOR =15 3RD FLOOR = 5 4TH FLOOR = 19 MEZZA.1 = 0 MEZZA.2= 0	63	N/A – only installation needed	N/A – only installation needed
Sub-total of the products (1 to 35)					\$
36	Delivery Charges at a rate of _____% of the total price for products				\$
37	Installation Charges at a rate of _____% of the total price for products				\$
38	Hardware Total (as per article 1.3 of Annex A)				\$
Total Evaluation Price (1 to 38)					\$

Delivery & Installation

See point 6.4.2 and Annex A-2

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME.