

2	NOV 9, 2018	ISSUED FOR TENDER		
1	OCT 15, 2018	ISSUED FOR TENDER REVIEW		
No.	Date	Description	Drawn By Dessiné Par	Approved Approuvé
Revision / Revision				

A	Detail number A Numéro de détail	
B	Sheet number B Numéro de la feuille	

	Linear dimensions in millimetres	Dimensions linéaires en millimètres
--	-------------------------------------	--

Consultant's Name Nom de l'expert-conseil	Arch. Stamp Sceau de l'Architect
DSRA Architecture in association with Baird Sampson Neuert	NEWFOUNDLAND AND LABRADOR MEMBER Professional Council No. 552 Expires Dec 31, 2019 Date: 2018.10.18 ASSOCIATION OF ARCHITECTS
5495 Spring Garden Road, Ste 400 Halifax, Nova Scotia, B3J 1G2 t 902 420 9990 www.dsra.ca	

Project title/Titre du projet


TERRA NOVA VISITOR CENTRE UPGRADES

Trans-Canada Hwy
Terra Nova National Park, NL A0G 4K0
Canada

Drawing title/Titre du dessin

GROUND FLOOR PLAN

Designed by/Concept par	Date
J. NEUERT	NOV 9, 2018
Drawn by/Dessiné par	Date
J. KAN, A. CHUM	NOV 9, 2018
Checked by/Vérifié par	Date
P. CONNELL	NOV 9, 2018
Project No./No. du projet	Scale/Echelle
1708	1 : 100
Drawing Set No./No. de série du dessin	Sheet No./ N° de la feuille
	A2.2



1 GROUND FLOOR PLAN
1 : 100
0m 1m 2m 10m

SHEET A2.2 NOTES

Note Text

- NEW OPENING IN EXISTING WOOD FRAMED ASSEMBLY
- EXTEND FLOOR SLAB
- INFILL EXISTING FLOOR (F1) OPENING WITH 75mm GALVANIZED STEEL DECK WITH CONCRETE INFILL AND PROVIDE 75x75 STEEL ANGLE AT PERIMETER OF OPENING MECHANICALLY FASTENED TO CONCRETE FOUNDATION WALLS BELOW. REFER TO STRUCTURAL A/S-03.
- NEW OPENING IN EXISTING CONCRETE FLOOR CONSTRUCTION FOR NEW HVAC ROUTING.
- NEW WOOD DECK
- NEW WOOD STAIR AND RAILING
- EX. EQUIPMENT BY OWNER TO BE RELOCATED
- PROVIDE NEW STEEL PAN STAIR AND STEEL FRAMED LANDING AND WALL ENCLOSURE. REFER TO 2/A8.1 AND STRUCTURAL.
- NEW SINK, FAUCET & PLAM COUNTERTOP
- NEW KIOSK TICKETING AND INFORMATION DESK. PROVIDE \$25K CASH ALLOWANCE
- NEW GALVANIZED AND PAINTED STEEL CANOPY WITH GALVANIZED STEEL TIES AND CAST IN PLACE CONCRETE FOUNDATIONS.
- TRELIS MEMBER 50x300 @ 600 O.C. REFER TO STRUCTURAL
- NEW WOOD DECK RAMP WITH CURB AND RAILING. REFER TO STRUCTURAL
- GYPSUM ENCLOSURE FOR NEW DUCT RISER. PROVIDE FRAMED OPENING IN EXISTING CONCRETE SLAB FOR DUCT PENETRATION. EXTEND RISER TO UNDERSIDE OF ROOF BEAM AND PROVIDE NEW RETURN AIR GRILLE. REFER TO MECHANICAL.
- EXISTING FLOOR GRATE TO REMAIN. CLEAN AND MAKE GOOD.
- EXISTING WALL MURAL ON GWB WALL. KEEP MURALE AND MAKE GOOD GWB AND PAINT PT1 AROUND.
- ITEMIZED PRICE NO. 3: SCRAPE EX. PAINT & MAKE GOOD. PAINT EXTERIOR & INTERIOR OF TANKS PT5.
- RELOCATED EX. WATER FOUNTAIN. REFER TO MECHANICAL AND STRUCTURAL.
- ITEMIZED PRICE. NO. 2 - REPLACE GLASS & FRAME WITH SINGLE PANE OF GLASS.

SHEET A2.2 NOTES

Note Text

- PREPARE OPENING TO RECEIVE WINDOW. CASE FILM APPLIED TO WINDOW.
- N.I.C. FOR REFERENCE ONLY. REFER TO EXHIBIT WORK.
- PLATFORM FRAMED AND GLAZED WITH G.1.S. PLYWOOD 3/4" ON TOP. HEIGHT TO MATCH UNDERWATER ALLEY FLOOR HEIGHT. PAINTED PT2 TO MATCH.
- RELOCATED METER. REFER TO ELECTRICAL.
- AHU CONDENSING UNIT. REFER TO MECH.
- AREA IN PLYWOOD ON BOTH FACES TO RE-INSTATE SHEAR WALL EFFECTIVENESS. REFER TO STRUCTURAL.
- EX. EXTERIOR SHED TO REMAIN
- RELOCATED EXISTING BASEBOARD HEATER TO BE PAINTED PT1. REFER TO ELEC.
- RELOCATED EXISTING BASEBOARD HEATERS TO BE PAINTED PT3. REFER TO ELEC.
- EXISTING BASEBOARD HEATER PAINTED PT1. REFER TO ELEC.
- EXISTING BASEBOARD HEATERS TO BE PAINTED PT3. REFER TO ELEC.
- 35MM DIAMETER PAINTED STL HANDRAIL & UPRIGHT.
- BLACKOUT FILM TO BE APPLIED ON EX. WINDOW GLAZING.
- PROVIDE NEW PARTITION FROM RAISED FLOOR ELEVATION TO UNDERSIDE OF ROOF
- 250 DIA CONCRETE PEDESTAL W/ 500 DIA SPREAD FOOTING. 1200 DEEP TYP.
- 2 - 38x184 LEDGER CONNECTED TO CONCRETE WALL W/ 15.8 dia. ADHESIVE ANCHORS @ 600 O.C. STAGGERED, EMBED 125 MM.
- SIDE MOUNT BEAM BRACKET BY STRUCT. TYP.

0 10 20mm 40 60 80 100 120 140 160 180 200mm