Annex E - Standard REQUEST FOR BID (RFB)

RFB ISED-190491

	No of Page/	
	N° de page	35
٦.	la damanda	

*	Public Works and Government Service Canada
	Cariada

Travaux publics et Services gouvernementaux

RETURN BIDS TO:

	_	ГС	•						_		•	•	•			-		-					
_	_		1	-	u	N	_	u	-	•				n,	/	•	•	••		•		м.	•
т.			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		п.	ıv		П	 _	-		••		ıw		_	•		,,	w		-	

See Section 1.		
Voir Section 1.		

STANDARD REQUEST FOR BID

INVITATION À SOUMISSIONNER - STANDARD

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/PQ.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indiqués dans la soumission.

Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-140003/PQ.

Solicitation No N° de la demande	Amendment No N° de modification
ISED-190491	

Solicitation closes – La demande prend fin :	File No N° de dossier
at – à See Section 1 Voir Section 1 on – le See Section 1	ISED-190491
Voir Section 1	



	ito oi i age,					
	N° de page	35				
Date of Solicitation – Date de	e la demande					
November 30, 2018						
Address inquiries to – Adress	Address inquiries to – Adresser toute demande de renseignement à :					
See Section 2, Article 4	.1.					
Voir Section 2, Article 4	.1					
Destination						
See Section 2, Annex A	•					
Voir Section 2, Annexe	A.					

Instructions:

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadians funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Instructions:

Les taxes municipales ne s'appliquent pas.

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

Supplier Name and Address – Nom et adresse du fournisseur
Telephone No N° de téléphone
Facsimile No N° de télécopieur
Name and title of person authorized to sign on behalf of supplier
(type or print)
Nom et titre de la personne autorisée à signer au nom du fournisseur
(caractère d'impression)
Signature : Date :

TΛ	DI	_	ΛE	CC	VVI.	TC	NI7	rc
1 4	KI	-	() -		ш	1 -	N	

Section 1 – Invitation and Instructions to Bidders

Section 2 – Resulting Contract including a list of required goods and services

SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS

Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)

Is this a Manufacturer Product Specific Procurement?

Step 2. Competitive or Non-Competitive

For Competitive Requirements:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
 - 1. a current published price list indicating the percentage discount available to Canada; or
 - 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 - 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 - 4. any other supporting documentation as requested by Canada.

For Non-Competitive Requirements:

The Bidder must provide the following information WITH the bid:

- One or more of the following price justifications:
 - 1. a current published price list indicating the percentage discount available to Canada; or
 - 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 - 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 - 4. any other supporting documentation as requested by Canada.

Step 3. General or PSAB

Terms of the RFB:

This RFB is issued pursuant to the Supplier's Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier's SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The Bidder must provide the following information WITH the bid:

The information requested by Canada in Annex A herein.

The Bidder must also provide the information at article 4 below at the time indicated in article 3.

Security Requirement:

- 1. Conditions
 - a. the Bidder must hold a valid organization security (VOS) clearance as indicated in Annex B;

- b. the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Annex B.
- For additional information on security requirements, bidders should refer to the Canadian Industrial Security Directorate (CISD), Industrial Program of Public Works and Government Services Canada (http://ssi-iss.tpsgc-pwgsc.gc.ca/indexeng.html) website.
- 3. The conditions in article 1 above must be met by the Bidder (the checked box applies):
 - a. by the closing date of the bid;
 - b. before the award of a contract. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
- Bidders are to supply the following information, as a minimum, to demonstrate compliance with the Security Requirement.
 - The Bidder's valid VOS clearance number issued by CISD;
 - The name of all individuals who will require access to classified or protected information, assets or sensitive work sites. It is desirable to also include their date of birth, their middle name, and their security clearance number issued by CISD.

RFB Issued by:				
Identified User's (IU) Department/Agency/Crown	See Section 2, article 4.1 below.			
Corporation:				
Contact for this RFB:				
RFB Closing - Submit Bid:				
Bids must be submitted to the Contracting Authority on t	he date and at the time indicated b	elow.		
By no later than date and time:	a. December 13, 2018			
	b. 2:00pm EST			
To e-mail address (if applicable)	Joanne.Plummer@canada.ca			
RFB Enquiries	-			
Unless a different period is listed in the adjacent column,	Bidders may submit enquires	3 business days		
about the RFB to the Contracting Authority two business days prior to the RFB closing date.				
Enquiries received after the timeline indicated may not be answered.				

1. Terms and Conditions of the Contract										
	The terms and conditions of Parts 6B and 6C of the Supplier's SA within the series E60PQ-140003/PQ apply to and form									
	part	of thi	s Contract.							
2.	Secu	ırity R	equirement (the checked article	applies)						
2.1	The	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this								
	cont	ract.	The Contractor must fulfill the sec	urity requirements by meeting the terms below.						
	a.		Contractor may be escorted; po	ossession of security clearance not required.						
		Х	Contractor personnel MAY NOT	ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED						
			information or assets are kept, v	without an escort provided by the department or agency for which the work						
			is being performed.							
	b.		Possession of security clearance	(s) is required.						
				ecurity clearance requirements contained in the clausing in Annex B herein.						
	c.		There is no security requiremen	nt associated with this contract.						
3.	Req	uirem	ent							
3.1	The	Contr	actor must perform the Work liste	d in Annex A herein.						
4.	Authorities									
4.1	Contracting Authority (IU)									
	Nam	ne:		Joanne Plummer						
	Title	:		Senior Contracting & Procurement Officer, Corporate						
	Depa	artme	nt/Agency/Crown Corporation:	Innovation, Science and Economic Development Canada						
	Add	ress:		235 Queen Street, Ottawa On K1A 0H5						
	Tele	phone	e No.:	343-291-2022						
	E-ma	ail add	dress:	<u>Joanne.Plummer@canada.ca</u>						
4.2	Proj	ect Au	thority [To be completed at contr	act award]						
		The Project Authority (PA) is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract.								
	the s	In addition, the PA is also responsible for ensuring that the Supplier's employees and subcontractors requiring access to the site adhere to the allocated time for the Supplier to access the site to deliver and install the furniture in accordance with the master schedule held by the General Contractor (a representative of Canada or a service provider(s) under								

	contract with the Government of Canada).							
	Name:							
	Title:							
	Department/Agency/Crown Corporation:							
	Address:							
	Telephone No.:							
	E-mail address:							
4.3	Contractor's Representative							
	As set out in Annex A, Table 9 below.							
5.	Method of Payment							
	The checked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be							
	used in conjunction with the following.							
	Single Payment							
	Multiple Payment							
6.	Invoicing							
	Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the							
	invoice to the following address for certification and payment:							
	Name of the organization and contact: [To be completed at contract award]							
	Address:							
7.	Defence Contract. This clause applies if the box below is checked.							
	The Contract is a defence contract within the meaning of the <i>Defence Production Act</i> , R.S.C. 1985, c. D-1.							

ANNEX A REQUIREMENT and BASIS OF PAYMENT

1. Category Selection
Combined Categories Rule:
For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:
The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;
Category 1
Category 2
Category 5
Design Upgrade Rule:
The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.
The Design Upgrade amount is used at the discretion of the Project Authority (PA). Within ten business days of the contract award, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.
The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.
Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.
The requirement includes the following category (ies) of work
a. Category 1 – Interconnecting Panels and Freestanding Systems
Category 1a – Interconnecting Panels (Refer to Annex C)
Category 1b – Supporting components and freestanding furniture
RULE: Metal Storage
Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Categor 3 must be used for the metal storage products forming part of this category.
b. Category 2 – Freestanding Height Adjustable Desk / Table Products

RULE: High Storage Products

c.

Category 3 – Metal Filing and Storage Cabinets

acceptable as per 6B. 4.1 of the SA.
Maximum Height for product #(s)at article 3 of this Annex is
d. Category 4 – Wood Veneer – Freestanding Products
e. Category 5 – Ancillary and Lighting Products
f. 🔀 Category 6 - Support Space – Collaborative Furniture
RULE: Category 6 can be further subdivided by space or like item in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like items are defined as products with similar design and construction.
The IU must identify how Category 6 will be subdivided in the Product Table for Category 6.
g. Non-SA Product(s) – Category(ies): 6

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. (Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.)

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. In a resulting contract, the term "Bid" means the Supplier's commitment, the term "Bidder" means "Contractor".

Product Category(ies): 6

Table 1 - Product Table

Table 1 Troduct rable									
Section A - IU REQUIREMENT				Sectio	n B – SUPPLIEI	R'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	Qty	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$			
Categ	ory 6								
1	SREFRQPNNILSAWNILOMCF	Soft seating	2		\$	\$			
	FTFNILNILNIL	Lounge chair							
	PHASE 1	Four legs with non-marking adjustable glides Without arms Metal frame Fixed cushion Fabric							
2	TTDCCCBPBPENILSTNIL14xx 1926NIL20xx	Table C-Shaped Side table Bent plywood	3		\$	\$			

	T =	Leur		ı	
	PHASE 1	Self-edge			
		Plywood			
		20" Depth			
		14" Width			
		19.7-26" Height			
		+/- 2" Variation			
		17-2 Variation			
3	SREBRQPNPAPSAWUSOOBA	Soft-Seating	4	\$	\$
3	BCSI234543541935	Ganging banquette Seating	7	•	7
	BC31234343341933	Four legs with non-marking			
	PHASE 1				
		adjustable glides			
		High Back Add-on Screen			
		Without arms			
		One seat			
		Solid Hardwood frame			
		With Velcro attachment			
		Leather-like 19-35"			
		23.5-45"			
		43-54"			
		43.34			
		* Needs to be compatible with ITEMS			
		#4 & 5			
		#4 & 5			
		** Once assembled, final dimensions			
		are not to exceed 11'-0" x 15'-0"			
4	SREBRQPNDHUSAWUSOOB	High-Back screen with square corner	1	\$	\$
	ABCSI234543541935	unit to create an L shape			
	DUACE 4	Without arms			
	PHASE 1	One seat			
		Solid Hardwood			
		With Velcro attachment			
		Leather like			
		19-35			
		23.5-45			
		43-54			
		Soft seating			
		Ganging banquette seating			
		Four legs with non-marking adjustable			
		glides			
		* Needs to be compatible with ITEMS			
		#3 & 5			
		** Once assembled, final dimensions			
		are not to exceed 11'-0" x 15'-0"			
5	SREBRQPNSTWSAWUSOOB	Soft seating	3	\$	\$
	ABCSI234543541935	Ganging banquette seating			
		Four legs with non-marking adjustable			
	PHASE 1	glides			
		Without arms			
		One seat			
		Solid hardwood frame			
		With Velcro attachment			
		Leather-like			
		19-35			
		23.5-45			
		•			

_	I	-	ı	Г	<u></u>
		43-54			
		* Needs to be compatible with ITEMS #3 & 4			
		** Once assembled, final dimensions are not to exceed 11'-0" x 15'-0"			
6	SCNTDQPMRPFAWANILNILC CRSINILNILNIL PHASE 1	Kitchenette seating Bar stool Four metal legs Footrest With arms Combination of bent plywood and upholstery Leather-like Needs to be compatible with ITEM #36	16	\$	\$
7	SREBRQPNTPASAWDSTOBA BCSI467243541935 PHASE 1	Soft seating Ganging banquette seating Four legs with non-marking adjustable glides With bolster and high back add-on screen Without arms Two seat Solid hardwood frame With Velcro attachment Leather-like 19-35 23.5-45 43-54 Needs to be compatible with ITEM #37	6	\$	\$
8	SCNTDQPMRPFAWANILNILC CRSINILNILNIL PHASE 1	Bar stool Four metal legs Footrest With arms Combination of bent plywood and upholstery Leather-like Needs to be compatible with ITEM #38	3	\$	\$
9	SREFRQPNNILSAWNILOBCFF SINILNILNIL PHASE 1	Soft seating Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions	2	\$	\$

			,	ı	T
		Leather-like			
		18" Depth 30" Width 18" Height			
		Needs to be compatible with ITEMS #10 & 11			
10	SREFRQPNNILSAWNILOBCFF TFNILNILNIL PHASE 1	Soft seating Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 4.75" Depth 30" Width 30" Height	2	\$	\$
		Needs to be compatible with ITEMS #9 & 11			
11	SREFRQPNNILSAWNILOBCFF TFNILNILNIL PHASE 1	Soft seating Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 4.75" Depth 18" Width 30" Height Needs to be compatible with ITEMS #9 & 10	2	\$	\$
12	SREFRQPNNILSAWNILOBCFF SINILNILNIL PHASE 2	Soft seating Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 30" Width 18" Height Needs to be compatible with ITEMS #13 & 14	00	\$	\$

SREFRQPNNILSAWNILOBCEF TRINLINIUNI PHASE 2 SREFRQPNNILSAWNILOBCEF TO Iteather-like 4.75° Depth 30° Width 30° Height Needs to be compatible with ITEMS #12.8 14 14 SREFRQPNNILSAWNILOBCEF TRINLINIUNI PHASE 2 Soft seating Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #12.8 13 TITSDHSCSPESTSSDMQ96xx NILNILABox PHASE 2 Table Multi-media table with monitor support Mount Seated he light with cable or wire management For single monitor Rectangular Heigh pressure laminate top Two recessed box with 4 power and 4 data with a Heabibe casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #15 Height Needs to be compatible with monitor support Mount Seated he light with cable or wire management Rectangular Heigh pressure laminate top Two recessed box with 4 power and 4 data with a Heabibe casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #15 Media to be compatible with ITEM #16 Michael Seating Rickenette chair Four legs With arms Cambination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel base on four legs		1 -	T		1		Τ.,
PHASE 2 Four legs with non-marking adjustable gilds Without arms Solid hardwood frame Fixed cushions Leather-like	13			8		, \$	\$
glides Withou arms Solid hardwood frame Fixed cushions Leather-like 4.75° Depth 30° Width 30° Height Needs to be compatible with ITEMS #12 & 14 Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18° Depth 18° Width 18° Height Needs to be compatible with ITEMS #12 & 13 TTSDHSCSPESTSSDMQ96xx NILINILABxx PHASE 2 Table Needs to be compatible with monitor support South fixed height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a faxible casing 48° Width 98° Length 198°		TFNILNILNIL					
SININILIAN SECONDECOPENILAWANILINICC RICHARD SINININILIAN SCONDECOPENILAWANILINICC RININILIAN RICHARD SCONDECOPENILAWANILINICC RININILIAN Richard		DUACE 2	Four legs with non-marking adjustable				
Solid hardwood frame Fixed cushions Leather-like 4.75" Depth 30" Width 30" Height Needs to be compatible with ITEMS #12.8, 14 1 5 5 5 5 5 5 5 5 5		PHASE 2	glides				
Fixed cushions Leather-like			Without arms				
Fixed cushions Leather-like			Solid hardwood frame				
Leather-like 4,75° Depth 30° Width 30° Height Needs to be compatible with ITEMS #12.8.14 SREFRQPNNILSAWNILOBCFF Trivibilikuit PHASE 2 Soft seating Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18° Depth 18° Width 18° Height Needs to be compatible with ITEMS #12.8.13 15 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 NILNIL48xx PHASE 2 Solid hardwood frame Fixed cushions Leather-like 18° Depth 18' Width 18' Height Needs to be compatible with ITEMS #12.8.13 1 \$ S \$ S S S S S S S S S S S S S							
4.75" Depth 30" Width 30" Height Needs to be compatible with ITEMS #112 & 14 14 SREFROPNNILSAWNILOBCFF TENTIALINIL PHASE 2 15 STORT SERVICE Soft seating Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 15 ITSDHSCSPESTSSDMQ96x NILNILABOX PHASE 2 15 NILNILABOX PHASE 2 16 SAMULT SEATER SOME SEATER							
30" Width 30" Height Needs to be compatible with ITEMS #112 & 14 14 SREFRQPNNILSAWNILOBCFF TTNILNILNIL PHASE 2 Soft seating Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #112 & 13 TSDHSCSPESTSDMQ96xx NILNIL48xx PHASE 2 **NILNIL48xx PHASE 2 **Interval of the property of			Leather-like				
30" Width 30" Height Needs to be compatible with ITEMS #112 & 14 14 SREFRQPNNILSAWNILOBCFF TTNILNILNIL PHASE 2 Soft seating Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #112 & 13 TSDHSCSPESTSDMQ96xx NILNIL48xx PHASE 2 **NILNIL48xx PHASE 2 **Interval of the property of			4.75" Daniel				
14 SREFRQPNNILSAWNILOBCFF TFULININIL PHASE 2 Soft seating Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" bepth 18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 ITSDHSCSPESTSDMQ96xx NILNIL48xx PHASE 2 Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
Needs to be compatible with ITEMS #12 & 14 SREFRQPNNILSAWNILOBCFF TEMILNILNIL Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 Table S S S S S S S S S							
#12 & 14 SREFRQPNNILSAWNILOBCFF TFHILINILNIL PHASE 2 Soft seating Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #112 & 13 TTSDHSCSPESTSSDMQ96xx Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 SORCCQFFILAWANILNILCC Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with ammrests and swivel			30" Height				
#12 & 14 SREFRQPNNILSAWNILOBCFF TFHILINILNIL PHASE 2 Soft seating Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #112 & 13 TTSDHSCSPESTSSDMQ96xx Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 SORCCQFFILAWANILNILCC Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with ammrests and swivel							
14 SREFRQPNNILSAWNILOBCFF TFNILNILNIL Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 TTSDHSCSPESTSSDMQ96xx NILNIL48xx MILNIL48xx MILNIL48			Needs to be compatible with ITEMS				
TENLINIUN L PHASE 2 Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 TISDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 To minute the provided of			#12 & 14				
TENILNILNIL PHASE 2 Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #112 & 13 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 NUMIL48xx PHASE 2 NUMIL48xx PHASE 2 NUMIL48xx PHASE 2 Solid hardwood frame Fixed cushions Leather-like 10 Multi-media table with monitor Support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
TENILNILNIL PHASE 2 Lounge chair Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #112 & 13 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 NUMIL48xx PHASE 2 NUMIL48xx PHASE 2 NUMIL48xx PHASE 2 Solid hardwood frame Fixed cushions Leather-like 10 Multi-media table with monitor Support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel	14	SREEROPNNII SAWNII ORCEE	Soft seating	1		Ś	Ś
PHASE 2 Four legs with non-marking adjustable glides Without arms Solid hardwood frame Fixed cushions Leather-like	1 - 7			1		~	Y
glides Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #12.8.13 TISDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Uphoistery Leather-like Guest chair with armrests and swivel		I I I I I I I I I I I I I I I I I I I					
Without arms Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 Table Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel		PHASE 2					
Solid hardwood frame Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILINIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel			=				
Fixed cushions Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 15 TTSDHSCSPESTSSDMQ96xx PHASE 2 Table Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILINIL PHASE 2 Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
Leather-like 18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 NILNIL48xx PHASE 2 Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILINIL PHASE 2 Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
18" Depth 18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 15 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel			Fixed cushions				
18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 TTSDHSCSPESTSSDMO96xx NILNIL48xx PHASE 2 Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCOPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel			Leather-like				
18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 TTSDHSCSPESTSSDMO96xx NILNIL48xx PHASE 2 Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCOPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
18" Width 18" Height Needs to be compatible with ITEMS #12 & 13 TTSDHSCSPESTSSDMO96xx NILNIL48xx PHASE 2 Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCOPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel			18" Denth				
15 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 Table Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
Needs to be compatible with ITEMS #12 & 13 15 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 Table Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 RICHARD SCNCCQPFNILAWANILNILCC Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
#12 & 13 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 PHASE 2 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 Table Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 TO SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel			18 Height				
#12 & 13 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 PHASE 2 TTSDHSCSPESTSSDMQ96xx NILNIL48xx PHASE 2 Table Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 TO SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
Table Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
NILNIL48xx PHASE 2 Multi-media table with monitor support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
support Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel	15	TTSDHSCSPESTSSDMQ96xx	Table	1		\$	\$
Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel		NILNIL48xx	Multi-media table with monitor				
Mount Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel			support				
Seated height with cable or wire management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel		PHASE 2					
management For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
For single monitor Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
Rectangular High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
High pressure laminate top Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
Two recessed box with 4 power and 4 data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating 6 Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
data with a flexible casing 48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
48" Width 96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
96" Length 29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel			48" Width				
29" Height Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel			96" Length				
Needs to be compatible with ITEM #16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
#16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel							
16 SCNCCQPFNILAWANILNILCC RSINILNILNIL PHASE 2 Kitchenette seating Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel			-				
RSINILNILNIL PHASE 2 Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel	1						
RSINILNILNIL PHASE 2 Kitchenette chair Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel	16	SCNCCODENII AVAVANII NIII CC	Kitchonotto costina	6		ċ	ć
PHASE 2 Four legs With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel	10		_	ь		٦	Ş
With arms Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel		KSINILNILNIL					
Combination of bent plywood Upholstery Leather-like Guest chair with armrests and swivel		PHASE 2					
Upholstery Leather-like Guest chair with armrests and swivel							
Upholstery Leather-like Guest chair with armrests and swivel			Combination of bent plywood				
Leather-like Guest chair with armrests and swivel							
Guest chair with armrests and swivel	1						
			Guest chair with armrests and swivel				
base on rour legs							
, , , , , , , , , , , , , , , , , , ,	1		Subt off four legs				

	<u></u>			T	,
		Needs to be compatible with ITEM #15			
		Three chairs are to fit side-by-side on two sides of the multimedia table (with the armrest - side-by-side and under)			
17	TTPSPQMPNILRSSNILNILNIL 36xxNIL PHASE 2	Table Meeting room tables Four point metal base with glides Round top High pressure laminate Round side table 36" Diameter 17-1/2" Height Without glides Needs to have the same design as ITEM #39	1	\$	\$
18	SREBRQPNPAPSAWTSTOBA BCSI691343541935 PHASE 2	Soft seating Ganging banquette seating Four legs with non-marking adjustable glides High back add-on screen Without arms Three seat Solid hardwood frame With Velcro attachment Leather-like 19-35 39-103.5 43-54 Needs to be compatible with ITEMS #19 & 20 * Final dimensions, once assembled, is not to exceed 9'-0" x 6'-0"	1	\$	\$
19	SREBRQPNPAPSAWDSTOBA BCSI467243541935 PHASE 2	Soft seating Ganging banquette Four legs with non-marking adjustable glides High back add-on screen Without arms Two seat Solid hardwood frame With Velcro attachment Lather-like 19-35 46-72 43-54	1	\$	\$

20	SREBRQPNSTWSAWUSOOB ABCSI234543541935 PHASE 2	Needs to be compatible with ITEMS #18 & 20 * Final dimensions, once assembled, is not to exceed 9'-0" x 6'-0" Soft seating Ganging banquette Four legs with non-marking adjustable glides	3	\$	\$
		Without arms One seat Solid hardwood frame With Velcro attachment Lather-like 19-35 23.5-45 43-54 Needs to be compatible with ITEMS			
		* Final dimensions, once assembled, is not to exceed 9'-0" x 6'-0"			
21	SREBRQPNPAPSAWDSTOBA BCSI467243541935 PHASE 2	Soft seating Ganging banquette Four legs with non-marking adjustable glides High back add-on screen Without arms Three seat Solid hardwood frame With Velcro attachment Leather-like 19-35 46-72 43-54	1	\$	\$
22	TTPSPQMPNILRSSNILNILNIL 36xxNIL PHASE 2	Table Meeting room tables Four point metal base with glides Round top High pressure laminate Round side table 36" Diameter 17-1/2" Height Without glides Needs to have the same design as ITEM #41	1	\$	\$
23	SCNCCQPFNILAWANILNILRR UVCNILNILNIL	Kitchenette seating Kitchenette chair Four legs With arms	2	\$	\$

	T		1	T	T
	PHASE 3	Upholstered Crypton Chair with auto return base on four legs			
		iegs			
24	SCNTDQPMRPFAWANILNILR RUTFNILNILNIL PHASE 3	Kitchenette seating Bar stool Four metal legs Footrest With arms Upholstered Fabric	8	\$	\$
		Needs to be compatible with ITEMS #25, 26, 27, 44 & 45. Armrests are to fit side-by-side and			
		under			
25	SREBRQPNPAPSAWDSTOBA BCSI467243541935 PHASE 3	Soft seating Ganging banquette seating Four legs with non-marking adjustable glides High back add-on screen Without arms Two seat Solid hardwood frame With Velcro attachment Leather-like 19-35 46-72 43-54 Needs to be compatible with ITEMS #24, 26, 2, 44 & 45 * Final dimensions once assemble is not to exceed 11'-0" x 8'-0"	1	\$	\$
26	SREBRQPNPAPSAWDST OBABCSI46724354193 5 PHASE 3	Soft seating Ganging banquette seating Four legs with non-marking adjustable glides High back add-on screen Without arms Three seats Solid hardwood frame With Velcro attachment Leather-like 19-35 69-103.5 43-54 Needs to be compatible with ITEMS #24, 25, 27, 44 & 45 * Final dimensions once assemble is	1	\$	\$

		not to exceed 11'-0" x 8'-0"			
27	SREBRQPNDHUSAWUS OOBABCSI2345435419 35 PHASE 3	High-back screen with square corner unit to create an L shape Without arms One seat Solid hardwood frame With Velcro attachment Leather-like 19-35 23.5-45 43-54 Soft-seating Ganging banquette seating Four legs with non-marking adjustable glides Corner banquette Needs to be compatible with ITEMS #24, 25, 26, 44 & 45. * Final dimensions once assemble is not to exceed 11'-0" x 8'-0"	1	\$	\$
28	TTDCCCBPBPENILSTNIL14xx 1926NIL20xx PHASE 3	Table C-Shaped Side table Bent plywood Self-edge Plywood 20" Depth 14" Width 19.7-26" Height +/- 2" Variation	2	\$	\$
29	SCNCCQPRNILAWANILNILRR USINILNILNIL PHASE 3	Kitchenette seating Kitchenette chair Four legs with casters With arms Upholstered Leather-like High back meeting chair with armrests Needs to be compatible with ITEM #30 Chairs are to fit under the table and side-by-side with the armrests	8	\$	\$
30	TTPSPTPTNILTSSUEP72xxNIL NIL36xx PHASE 3	Table Meeting room tables Three points metal base with glides Rectangular High pressure laminate top	1	\$	\$

		One recessed box with 4 power and 4			
		data with a flexible casing			
		0.5%			
		36" Width			
		72" Length			
		29" Height			
		Needs to be competible with ITEM			
		Needs to be compatible with ITEM			
		#29			
		Chairs are to fit under the table and			
		side-by-side with the armrests			
		side-by-side with the armiests			
31	SRETRBPNNILSAWSPROBNIL	Soft seating	2	\$	\$
31	SINILNIL24xx	Upholstered stool	_	, ,	Ÿ
	SHVIENIEZ-XX	Non-visible base or legs			
	PHASE 4	Without arms			
		Solid round seat shape			
		Solid hardwood frame			
		Leather-like			
		24" Diameter			
		On glides			
		on ginees			
32	TTDCCCBPBPENILSTNIL14xx	Table	4	\$	\$
	1926NIL20xx	C-Shaped Side table		'	,
		Bent plywood			
	PHASE 4	Self-edge			
		Plywood			
		20" Depth			
		14" Width			
		19.7-26" Height			
		+/- 2" Variation			
33	SREBRQPNTPASAWTSTOBA	Soft seating	2	\$	\$
	BCSI691343541935	Ganging banquette			
	DUACE 4	Four legs with non-marking adjustable			
	PHASE 4	glides			
		With bolster and high back add-on			
		screen			
		Without arms			
		Three seat			
		Solid hardwood frame			
		With Velcro attachment			
		Leather-like			
		19-35			
		69-103.5			
		43-54			
		Final width not to exceed 6'-0"	_	1	
34	SCNCCQPFNILAWANILNILRR	Kitchenette seating	6	\$	\$
	USINILNIL	Kitchenette chair			
	PHASE 4	Four legs			
		With arms			
		Upholstered			
		Leather-like			

		Chair with armrests with swivel base on four legs Needs to be compatible with ITEM #35 Chairs are to fit under the table and side-by-side with the armrests			
35	SREBRQPNSTWSAWUS OOBABCSI2345435419 35 PHASE 4	Kitchenette table Self-edge Rectangular High pressure laminate top Without power and data 36" Width 72" Length 29" height Lunch table WITHOUT GABLES With double monopod base Needs to be compatible with ITEM #34 Chairs are to fit under the table and side-by-side with the armrests	1	\$	\$

Non-SA (NSA) products forming part of this requirement not to exceed 30% of the firm quantity from the products above in this table.

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

	Section A - IU REQUIREMENT		Section B – SUPPLIER'S BID		
#	NON-SA Product(s)	Qty	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
36	Bar height table with full gables 36" Width 120" Length 42" Height High pressure laminate Needs to be compatible with ITEM #6. Four seats are to fit side-by- side on each sides PHASE 1	2		\$	\$

		1	I	
37	Lunch table	3	\$	\$
	36" Width			
	120" Length			
	29" Height			
	High pressure laminate			
	Double monopod base			
	Needs to be compatible with ITEM #7 . One banquette is to fit on each sides of the table.			
	PHASE 1			
	[443A]			
38	Par haight table with full cables	1	\$	\$
30	Bar height table with full gables 20" Width	1	٦	Ų
	72" Length			
	42" Height			
	High pressure laminate			
	Needs to be compatible with ITEM #8. Three seats are to fit on one			
	side.			
	PHASE 1			

	437B ZONE 4B			
39	Round side table 24" Diameter 29" Height Four blade legs Without glides Without casters Needs to have the same design as ITEM # 17 PHASE 2	1	\$	\$
40	Bar height table with full gables 20" Width 72" Length 36" Height High pressure laminate PHASE 2	1	\$	\$

41 Round side table 24" Diameter 29" Height Four blade legs Without glides Without casters
24" Diameter 29" Height Four blade legs Without glides
Needs to have the same design as ITEM # 22 PHASE 2 PHASE 2 ZONE 4G
42 18" Round ottoman on glides with laminate top PHASE 3 \$ \$ \$ ZONE 4H
43 24" Round ottoman on glides with laminate top 2 \$ \$

	403B TABLE 154 SEP 15			
44	Bar height table with full gables	2	\$	\$
	14" Width			
	30" Length			
	42" Height			
	High pressure laminate			
	PHASE 3			
	403B 403B 20NE 4H Needs to be compatible with ITEMS #24, 25, 26, 27 & 45.			
	Width and height of table may vary depending on the size of the sofa.			
	Tables are to go over the sofas. See image for reference.			
45	Bar height table with full gables	1	\$	\$
	14" Width			
	100" Length			
	42" Height			
	High pressure laminate			
	PHASE 3		 	

	Needs to be compatible with ITEMS #24, 25, 26, 27 & 44. Width and height of table may vary depending on the size of the sofa. Tables are to go over the sofas. See image for reference.			
46	Round side table 24" Diameter 29" Height	1	\$	\$
	Four blade legs Without glides Without casters			
	PHASE 3			
	403B Total Tot			
47	Credenza with four doors and four drawers	2	\$	\$
	20" Depth 72" Width 36" Height			
	PHASE 4			




Table 2 - Delivery

	Section A - IU REQUIREMENT		Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will deliver on the date and at the time below**	Firm Lot Price \$
1 to 11, 36 to 38	Innovation, Science and Economic Development Canada 235 Queen Street Ottawa, On Floor: 4 East – PHASE 1 *All items are to be stored at supplier's facility until delivery date ** Receipt of goods to be confirmed by Project Authority by March 25, 2019.	2019/03/14	Normal		\$
12 to 35, 39 to 47	To vendor storage PHASES 2, 3 and 4 * Receipt of goods to be confirmed by Project Authority on site for sign- off by March 25, 2019. ** Provide storage fees in table 3b	2019/03/14	NA		\$
12 to 35, 39 to 47	Innovation, Science and Economic Development Canada 235 Queen Street Ottawa, On Floor: 4 East – PHASES 2, 3 & 4 *All items are to be stored at supplier's facility until delivery date ** Receipt of goods to be confirmed	2019/04/04	Normal	(Y) (M) (D)	\$

	by Project Authority by March 25, 2019.			
with Proje **If no da Desired Desired Desired Desired Desired	Business Hours 8:00 – 17:00, as per SA, A cct Authority before proceeding with or tes and times are added by the Supplier ate and Time. rows if necessary.	dering products.	Delivery Total:	\$

Table 3a - Installation

	Section A - IU REQ	UIREMENT		Section B – S	UPPLIER'S BID
Product Item# from Table 1	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install on the date and at the time below**	Firm Lot Price \$
1 to 11, 36 to 38	Innovation, Science and Economic Development Canada 235 Queen Street Ottawa, On Floor: 4 East – PHASE 1	2019/03/14 Finished by: 2019/03/15 by 3:30pm	Normal		\$
12 to 35, 39 to 47	Innovation, Science and Economic Development Canada 235 Queen Street Ottawa, On Floor: 4 East – PHASES 2,3 and 4	2019/04/04 Finished by: 2019/04/05 by 3:30pm Phase 4 to be assembled and stored on C3 level	Normal		\$

Table 3b - Storage

- a) All items are to be stored at the supplier's facility until delivery dates are scheduled; dates will be confirmed by Project Authority.
- **b)** All items will be scheduled for delivery and installation between April 01, 2019 and September 30, 2019.
- c) All items are to be received at supplier's facility by March 23rd, 2019.
- **d)** Site verification for receipt of goods to be completed by Project Authority by March 25th, 2019.
- e) If required, access to storage will be provided to Project Authority for confirmation of inventory throughout duration of contract.

Section A - IU REQUIREMENT				Section B – S	UPPLIER'S BID
Product	Storage Requirement	Storage Start	Storage End Date:		Firm Lot Price
Item#		Date:			\$
from					
Table 1					
12 to 35,	Storage at supplier's facility	2019/03/14	2019/04/04		\$
39 to 47	required for the time frame				
	indicated				

Storage Total:	\$

Not Applicable **Table 4 – Optional Product**

Not Applicable **Table 5 – Optional Delivery**

Not Applicable **Table 6 – Optional Installation**

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	shes and Canada's Facilities to Accommodate the Delivery and Certifications								
1.1	IU is to consult the	Supplier's Website identified in Part 6A of the SA to view the available finishes.								
	Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's									
	finish choices for each of the product(s) in Annex A.									
	The Contraction of Held Contraction and the contraction to Contract the first facilities (A). No end (C)									
	to Canada.	deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied								
2.		to Accommodate the Delivery								
		ees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition								
		the jurisdiction where the work is being performed.								
	During the period of the	he contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the								
		subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the								
	timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.									
2.1	Loading Dock/Locat	ion								
Α	Location	235 Queen Street, Ottawa, ON								
В	Dock	Yes (240 Sparks Street)								
С	Lift	Ramp								
D	Door	78"H x 38"W								
Е	Freight Elevator	Available off loading dock								
F	Other (specify, if									
	any)									
3.	Continuance of Cer									
		that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a								
	Joint Venture, conti	nues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.								
	Canada may roquos	t copies of environmental certification(s) prior to contract award within a time period specified by the Identified								
	User.	it copies of environmental certification(s) prior to contract award within a time period specified by the identified								
3.1	Integrity Provisions									
3.2		s Program for Employment Equity								
3.4	Product Conforman	• • • • • • • • • • • • • • • • • • • •								
3.5		n accordance with the SA, Part 6B)								
3.5		4000. 44.100 41.6 00]								

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3a)	\$
4	Firm Storage Total (Table 3b)	\$
5	Optional Product Total (Table 4) (Applicable if Option is exercised)	\$

6	Optional Delivery Total (Table 5) (Applicable if Option is exercised)	\$
7	Optional Installation Total (Table 6) (Applicable if Option is exercised)	\$
8	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
9	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
10	Contract Price(1+2+3+7): [applicable at contract award only]	\$
11	Applicable Tax(es): [applicable at contract award only]	\$
12	Total Estimated Cost (9+10): [applicable at contract award only]	\$

^{*} Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract					
	Name:	Telephone:				
		E-Mail:				
		Other:				
		PWGSC Security Clearance #				
2.	Names of all Installers and movers					
		DOB:				
		PWGSC Security Clearance #				
		DOB:				
		PWGSC Security Clearance #				
		DOB:				
		PWGSC Security Clearance #				
		DOB:				
		PWGSC Security Clearance #				
		DOB:				
		PWGSC Security Clearance #				
		DOB:				
		PWGSC Security Clearance #				
		DOB:				
		PWGSC Security Clearance #				
		DOB:				
		PWGSC Security Clearance #				
		DOB:				
		PWGSC Security Clearance #				

ANNEX B SECURITY REQUIREMENTS

B. The security requirements set out in the attached Security Requirements Check List (SRCL) and in the terms below apply to and form part of the Contract

Governme of Canada		Gouvernement du Canada				Contra	ct Number / Numéro du contra	at		
						Security Cla	ssification / Classification de s	écurité		
PART A - CONTRACT INF	ORMAT	TE DE VÉRIFIC	CURITY REQUIREM ATION DES EXIGEN INFORMATION CONTR	CES R	ELATIV					
Originating Government I Ministère ou organisme of	Departn	nent or Organization				2. Branch of	r Directorate / Direction généra	ale ou Direct	ion	
3. a) Subcontract Number /			ISED / ISDE s-traitance 3. b)	Name a	and Addr		tractor / Nom et adresse du so	us-traitant		
Brief Description of Work DEUVERY AN	/ Brève	description du tra	vail	DE /	ON 4	F				
LIVEAISON ET	INS	FALLATION	DE NOBILIF	الع	AU 4	FEST.				
	5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées? X No Yes Non Oui									
b) Will the supplier require Regulations? Le fournisseur aura-t-sur le contrôle des do	l accès	à des données tec	,				chnical Data Control ux dispositions du Réglement	X Non	Yes Oui	
Indicate the type of acce			pe d'accès requis							
(Specify the level of a	ie les e cess u	mployés auront-ils sing the chart in Qu	accès à des renseignem restion 7. c)	ents ou	à des bi			χ No Non	Yes Oui	
b) Will the supplier and if PROTECTED and/or Le fournisseur et ses à des renseignements	(Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c) 6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIES n'est pas autorisé.									
	e messi	agerie ou de livrais	on commerciale sans er	trepose				No Non	Yes Oui	
		on that the supplier			quer le ty	pe d'informatio	n auquel le fournisseur devra			
7. b) Release restrictions /	_	tions relatives à la c	NATO / OT	IAN			Foreign / Étranger			
No release restrictions Aucune restriction relative à la diffusion	Г		All NATO countries Tous les pays de l'OT/	AN			No release restrictions Aucune restriction relative à la diffusion			
Not releasable À ne pas diffuser										
Restricted to: / Limité à :			Restricted to: / Limité a	h: [Restricted to: / Limité à :			
Specify country(ies): / Pré	ciser le	(s) pays :	Specify country(ies): /	Précise	r le(s) pa	iys:	Specify country(les): / Précis	ser le(s) pays	s:	
7. c) Level of information /	Niveau	d'information								
PROTECTED A PROTÉGÉ A			NATO UNCLASSIFIED NATO NON CLASSIFI		Γ		PROTECTED A PROTÉGÉ A			
PROTECTED B			NATO RESTRICTED	-		=	PROTECTED B			
PROTĖGĖ B			NATO DIFFUSION RE		NTE L		PROTÉGÉ B			
PROTECTED C PROTÉGÉ C			NATO CONFIDENTIA NATO CONFIDENTIE		Г	43333	PROTECTED C PROTÉGÉ C			
CONFIDENTIAL	늗	1	NATO SECRET	L		=	CONFIDENTIAL			
CONFIDENTIEL			NATO SECRET		L		CONFIDENTIEL			
SECRET	$\overline{}$	1	COSMIC TOP SECRE	T			SECRET			
SECRET			COSMIC TRÈS SECR				SECRET			
TOP SECRET		1	100000000000000000000000000000000000000				TOP SECRET			
TRÈS SECRET							TRÈS SECRET			
TOP SECRET (SIGINT) TRÊS SECRET (SIGINT)							TOP SECRET (SIGINT) TRÊS SECRET (SIGINT)			
							The second second			
TBS/SCT 350-103(2004/	12)		Security Classification	r / Class	sification	de sécurité		Can	aďä	

 + 	Governmen of Canada
--------------	------------------------

nt Gouvernement du Canada

Contract Number / Numéro du contrat	
Security Classification / Classification de sécurité	

DARY A /	in and a particular and a second of								
 Will the sup Le fournisse If Yes, indic 	PARTIA (continued) / PARTIE A (suite) 3. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets? Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS? If Yes, indicate the level of sensitivity: Dans l'affirmative, indiquer le niveau de sensibilité:								
9. Will the sup									
Document N	Short Title(s) of material / Titre(s) abrégé(s) du matériel : Document Number / Numéro du document :								
	PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR) 10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis								
X	RELIABILITY STATUS COTE DE FIABILITÉ	CONFIDENTIAL CONFIDENTIAL	SECRET SECRET	TOP SECR TRÈS SEC					
	TOP SECRET - SIGINT TRÈS SECRET - SIGINT	NATO CONFIDENTIAL NATO CONFIDENTIEL	NATO SECRET NATO SECRET		OP SECRET RÈS SECRET				
	SITE ACCESS ACCES AUX EMPLACEMENTS								
	Special comments: Commentaires spéciaux :								
	NOTE: If multiple levels of screening REMARQUE: Si plusieurs niveau			de la sécurité doit être	fourni.				
Du pers	screened personnel be used for port onnel sans autorisation sécuritaire ;	tions of the work? peut-il se voir confier des parties d			No X Yes Non X Oui				
	vill unscreened personnel be escort ffirmative, le personnel en question				No X Yes Non X Oui				
	EGUARDS (SUPPLIER) / PARTIE ON / ASSETS / RENSEIGNEM		N (FOURNISSEUR)						
11. a) Will the premise	supplier be required to receive and	store PROTECTED and/or CLAS	SIFIED information or assets of	n its site or	X No Yes				
Le four CLASS	nisseur sera-t-il tenu de recevoir et d IFIÉS?	d'entreposer sur place des renseig	nements ou des biens PROTÉ	GÉS et/ou					
	supplier be required to safeguard C nisseur sera-t-il tenu de protéger de		OMSEC?		X No Yes				
PRODUCTIO	ON								
occur al	11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises? Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ?								
INFORMATION	ON TECHNOLOGY (IT) MEDIA	SUPPORT RELATIF À LA TECHN	IOLOGIE DE L'INFORMATION	(TI)					
informa Le fourr	supplier be required to use its IT systetion or data? ition or data? itisseur sera-t-il tenu d'utiliser ses prop nements ou des données PROTÉGÉ	ores systèmes informatiques pour tr			No Yes Oui				
Dispose	e be an electronic link between the su era-l-on d'un lien électronique entre le rementale?			gence	X No Yes Non Oui				

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité

Canadä

Contract Number / Numéro du contrat

of Ca	ınad	da		du Canada												
								Security Classification / Classification de sécurité								
PART C - (sontinued) / PARTIE C - (suite) For users completing the form manually use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises. Les utilisateurs qui remplissent le formulaire manuellement doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur. For users completing the form online (via the Internet), the summary chart is automatically populated by your responses to previous questions. Dans le cas des utilisateurs qui remplissent le formulaire en ligne (par Internet), les réponses aux questions précèdentes sont automatiquement saisies dans le tableau récapitulatif. SUMMARY CHART / TABLEAU RÉCAPITULATIF																
					30	IMIMIARS I	CHART /	INDLEAGR	COAFIIC	LATIF						
Category Catégorie		OTÉG			SSIFIED ASSIFIÉ			NATO						COMSEC		
	A	В	С	CONFIDENTIAL	SECRET	TOP SEGRET	NATO RESTRICTED	NATO CONFIDENTIAL	NATO SECRET	COBMIC		TECTE OTÉGÉ		CONFIDENTIAL	SECRET	TOP SECRET
				CONFIDENTIEL		TMÉS SECRET	NATO DIFFUSION RESTRENTE	NATO CONFIDENTIEL		SECRET COMMIC TRÉS SECRET	A	В	С	CONFIDENTIEL		THES SECRET
Information / Assets Renseignements / Biens																
Production																
IT Media / Support TI																
IT Link / Lien électronique																
12. a) Is the description										SIFIÉE?				[X No	Yes
If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification". Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.																
	12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED? La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE? Yes Oui															
If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments). Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).																

Government

Gouvernement

	Government of Canada
--	-------------------------

nt Gouvernement du Canada

Contract Number / Numero du contrat	
Security Classification / Classification de sécurité	

PART D - AUTHORIZATION / PART	IE D. ALITORISATION	M						
13. Organization Project Authority / Chargé de projet de l'organisme								
Name (print) - Nom (en lettres moulée				Signature				
MARIE-PIER NAULT	,		Title - Titre PLANING AND COORDINATION OFFICE Signature AGENT DE PLANIFICATION ET LOORDINATION					
Telephone No Nº de téléphone	Facsimile No Nº de		E-mail address - Adresse cour	riel /	Date			
613-447-8245	N.A.		marie-pier. naul	t @)	11/10/2018			
14. Organization Security Authority /	Responsable de la séc	urité de l'organi	isme CC4	naida .ca	-			
Name (print) - Nom (en lettres moulé	es)	Title - Titre		Signature				
Pierle Laurendeau F:12 Telephone No N° de téléphone	atrick	security	Anglyst E-mail address - Adresse cour	line	L. F-			
Telephone No Nº de téléphone	Facsimile No Nº de	télécopieur	E-mail address - Adresse cour	riel	Date			
017-3141 7382			pierre. laurendeau-F	trantice	10 canalosca 11/10/2018			
 Are there additional instructions (Des instructions supplémentaires 		curity Classific	ation Guide) attached?	,	No Yes			
16. Procurement Officer / Agent d'app	provisionnement							
Name (print) - Nom (en lettres moulé	Title - Titre		Signature					
Telephone No Nº de téléphone	Facsimile No Nº de	télécopieur	E-mail address - Adresse cor	urriel	Date			
17. Contracting Security Authority / A	utorité contractante en	matière de séc	urité					
Name (print) - Nom (en lettres moulé	Title - Titre		Signature					
Telephone No N° de téléphone	Facsimile No Nº de	télécopieur	E-mail address - Adresse con	urriel	Date			

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité

Canada

ANNEX C FLOOR PLAN(S)

INSTRUCTIONS TO BIDDERS:

For Category 1a products, the Bidders must provide:

- a) Completed floor plan(s) with proposed SA approved products;
- b) A product listing of proposed SA approved products offered at floor plan(s).

As a minimum the product listing must include the following information:

- -Supplier part numbers including NSA products forming part of this category;
- -brief product descriptions;
- -quantities;
- -firm unit prices.

***** Products from categories other than Category 1a shown on floor plan are for information purposes only ****

By submitting a bid, the Bidder certifies that their submission includes all components and quantities for Category 1a, in accordance with the floor plans, panel details, panel matrices and/or workstation layouts stipulated in Annex C.

*At contract award, "By submitting a bid, the Bidder" becomes "The Contractor".

Category 1a Requirement:

1) Floor Plan(s)

See attached pdf and/or AutoCAD floor plan

As a minimum, the IU must identify the following information on their approved floor plan provided as part of this RFB:

- a) All and only the required furniture (sizes and dimensions must be accurate in the plan);
- b) Furniture location and critical dimensions required to ensure conformance with all applicable codes, standards and regulations;
- c) Workstations and room numbers;
- d) Indications of Panel Matrices (which panels are powered, non-powered, panels with glazed elements, etc) or include Workstation Layouts (in the form of Typical Data Sheets or 3 Dimensional drawings) for every station variances.
- e) Indications of power feed locations;
- f) Electrical outlet locations within workstations;
- a) Telecommunications/data symbols;
- h) Lighting components requirements;
- i) Clearly indicate which work surfaces are freestanding height adjustable and which surfaces are panel hung, if applicable and only for information purposes.

2) Panel Details

As a minimum, the IU must identify the following product information below for requirements containing panel matrices or on the Workstation Layouts:

- a. All required panel heights: Base Height, Work Surface Privacy Add-on Height, Seated Privacy Add-on Height;
- b. When power is required, the power is located *below or above* work surface height; should a grouping of workstation types include shared panels and one side is identified as powered and the other side is non-powered, those panels affected must be powered.
- c. Type of power feed: Base feed or Power Pole.

3) Panel Matrix or Workstation Layout

See attached Panel Matrix or Workstation Layout

a. Panel Matrix

A panel matrix is a section view of a panel with the purpose of identifying the configuration of elements and element types on each side of a panel. Below is a sample panel matrix identifying the element locations from the Category 1 CST.

As a minimum, the IU must identify each panel matrix within the requirement. Each panel matrix must identify the element types required. Each panel matrix must use the terminology from the Category 1 CST to identify the required element types (for example: air flow, fabric, plastic laminate, etc.) The below panel matrix format may be copied and used to identify all matrices required.

Each panel matrix must be identified on the floor plan so that Bidders may accurately prepare bids in response to this RFB.

Panel Matrix

upper element 1	upper element 2
lower element 1	lower element 2
Side 1	Side 2

b. Workstation Layout(s)

Workstation Layouts replace the Panel Matrix and must include the following information listed in item #1- Floor Plan(s), instructions a, e, f, g, h, and i.

- The floor plan takes precedent over any discrepancies with the workstation layouts.
- When two or more typical workstation types share a common panel spine, the finishes of the interior side of the workstation panel as outlined in the Typical Data Sheets must be followed and **NO PANELS SHALL BE DOUBLED. Where no workstation exists adjacent to typical workstation, refer to Data Sheet for finish.**
- Should one typical workstation identify power and the other does not power will be required for both. Include Workstation Layouts (in the form of Typical Data Sheets or 3 Dimensional drawings) here or as a separate attachment to this RFB.

ANNEX D NON SUPPLY ARRANGEMENT (NSA) PRODUCTS

This Annex includes the additional Specifications, Certifications associated with NSA products forming part of the requirement.

1. Specifications		
2. Certification		
NSA Product Conformance (Required pre	cedent to Issuance of a contract)	
·	ducts offered will conform to all specifications in quirements found at ANNEX A-1 and A-2 of the	-
 Supplier's Signature	Date	

NSA Product Conformance Certification (applies after contract award)

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A and D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.



Travaux publics et Services gouvernementaux Canada

PURCHASING OFFICE - BUREAU DES ACHATS

CONTRACT – CONTRAT

Use "Canada accepts your bid" when you issued an RFB document, with Sections 1 and 2 completed, and the bidder has submitted a bid document.

Canada accepts your bid to provide to Canada the goods, services or both described in the Contract in accordance with the conditions and at the prices set out in the Contract.

Le Canada accepte votre soumission de fournir au Canada les biens, services ou les deux décrits dans le contrat conformément aux conditions et aux prix prévus au contrat.

Use "You are Requested" when you conducted a verbal solicitation, did not sent a RFB document to the bidder with Section 2 completed, and you did not review terms and conditions of Section 2 with the bidder

You are requested to sell to the Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the supplies and services listed herein and on any attached sheets at the price or prices set out therefor.

Nous vous demandons de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans les présentes et aux annexes ci-jointes, les articles et les services énumérés dans les présentes et sur toute feuille ciannexée, au(x) prix indiqué(s).

Supplier to sign for a "You are Requested" contract only.

The vendor hereby accepts this contract Le fournisseur accepte le présent contra	
Name, title of person authorized to sign (type or print) Nom et titre du signataire autorisé (caractère d'impression)	
Signature	Date

Return signed copy forthwith - Prière de retourner une copie dûment signée immédiatement

PWGSC-TPSGC 9400-4 (11/2008) modified by Furniture Division July 2018

File No. – N° de dossier		
Date of Contract – Date du Contrat		
Contract No N° du contrat	Amendment No N° de modification	
Client Reference No. (optional) - N° du référence du client (facultatif)		
Financial Code(s) – Code(s) financier(s)		
Duty - Droits	GST - TPS/ HST – TVH	
Included Excluded En sus	Included Excluded En sus	
FOB – FAB		
DESTINATION		
Destination		
See Section 2, Annex A.		
Voir Section 2, Annexe A.		
Invoices - Original and two copie	es must be completed and sent to:	
Factures – L'original et deux copies doivent être remplis et envoyés à :		
See Section 2, Article 6.		
Voir Section 2, Article 6.		
Address inquiries to : - Adresser toute demande de renseignements à :		
See Section 2, Article 4.1.		
Voir Section 2, Article 4.1.		
Area Code and Telephone No. Facsimile No.		
Code régional et N° de téléphon	ne N° de télécopieur	
Total estimated cost – Coût total estimatif		
For the Minister – Pour le Ministre		

