



**LEGEND**

QTY.	SYM.	ITEM DESCRIPTION
48	⊙	PRIMARY HUB (PNH-2)
23	⊙	SECONDARY HUB (SNH-1)
4	⊙	POWER HUB (PNH-2P)
	⊙	CEILING MOUNT ADAPTER (CMA-1) (PNH-3)
	⊙	CEILING MOUNT ADAPTER (CMA-1) (SNH-1)
1	⊙	CONTROL PANEL
5	⊙	POWER SUPPLY
	—	FACTORY LOGSUN CABLE

  

	TRAY TYPE 1
	TRAY TYPE 2

- NOTES:**
- REFER TO DRAWINGS EP2.0 AND EP2.1 FOR CONNECTIVAC INFORMATION.
  - PROVIDE CABLETRAY AND COORDINATE ON SITE WITH ALL TRADES PRIOR TO ROUGHIN.
  - PROVIDE A 1" (25mm) EMPTY CONDUIT STUBBED INTO CABLE TRAY TO FEED COMMUNICATION CABLES TO WALLS OR POWER POLES.
  - PROVIDE A 3/4" (19MM) EMPTY CONDUIT FROM WAP AND STUB INTO CABLE TRAY. DEVICE AND CABLE BY TENANT.
  - WAP SHOWN FOR INFORMATION. DEVICE MOUNTED OFF OF CABLE TRAY.
  - PROVIDE 4" (100mm) CONDUITS C/W PULLWIRE.

**1 FIFTH FLOOR PLAN – COMMUNICATIONS AND AV**  
EC2.1 SCALE: 1:100

Revision	Description	Date
5	ISSUED FOR ADDITIONAL WORK	2016/10/04
4	ISSUED FOR CONSTRUCTION	2016/11/21
3	ISSUED FOR PRE CD REVIEW	2016/11/05
2	ISSUED FOR PRE CD REVIEW	2016/09/05
1	ISSUED FOR PRE CD REVIEW	2016/09/05
0	ISSUED FOR SCHEMATIC DESIGN REVIEW	2016/04/04

Client	client	
<b>PUBLIC SERVICES AND PROCUREMENT CANADA</b>		
Project	Project	
<b>ACTIVITY BASED WORKPLACE FIT-UP 269 MAIN STREET</b>		
Designed by DG	Con't'd by Con't'd by	
Drawn by MFP	Design'd by Design'd by	
Approved by	Approv'd by	
PM250 Project Manager JOHN ALIBIN	Administrateur de Projets TP500 JOHN ALIBIN	
Drawing title	Titre du dessin	
<b>FIFTH FLOOR PLAN DATA &amp; COMMUNICATIONS</b>		
Project no./No. du projet R.067379	Drawing no./No. du dessin EC2.1R	Revision no. 0
		7 of 9