

National Defence

National Defence Headquarters Ottawa, Ontario K1A 0K2

Défense nationale

Quartier général de la Défense nationale Ottawa (Ontario) K1A 0K2

REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

Proposal To: National Defence Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods and services listed herein and on any attached sheets at the price(s) set out therefore.

Proposition à : Défense nationale Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens et services énumérés ici et sur toute feuille ci-annexée, au(x) prix indique(s).

Comments - Commentaires

Title - Sujet

Electric motor driven swing-reach, man up with order-picking forklift truck

Solicitation No.
N° de l'invitation

W8476-195947/A

Date of Solicitation
Date de l'invitation
2018-12-14

Address enquiries to: - Adresser toute demande de renseignements à :

Kaman Law

Telephone No. - N° de telephone E-Mail Address - Courriel 819-939-6321 Kaman.Law@forces.gc.ca

Destination

See herein - Voir aux présentes

RETURN BIDS TO: RETOURNER LES SOUMISSIONS À :

Bid Receiving - PWGSC - Réception des soumissions - TPSGC 11 Laurier St. - 11 rue Laurier Place du Portage, Phase III Core 0B2 - Noyau 0B2 Gatineau, Québec K1A 0S5 Instructions: Municipal taxes are not applicable. Unless otherwise specified herein all prices quoted must include all applicable Canadian customs duties, GST/HST, excise taxes and are to be delivered Delivery Duty Paid including all delivery charges to destination(s) as indicated. The amount of the Goods and Services Tax/Harmonized Sales Tax is to be shown as a separate item.

Instructions : Les taxes municipales ne s'appliquent pas. Sauf indication contraire, les prix indiqués doivent comprendre les droits de douane canadiens, la TPS/TVH et la taxe d'accise. Les biens doivent être livrés « rendu droits acquittés », tous frais de livraison compris, à la ou aux destinations indiquées. Le montant de la taxe sur les produits et services/taxe de vente harmonisée doit être indiqué séparément.

Delivery requested Delivery offered Livraison demandée Livraison proposée

See herein - Voir aux présentes

Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur

Solicitation Closes - L'invitation prend fin

At - à: 2:00 PM - 14:00

On - le: 2019-01-23

Time Zone - Fuseau Horaire : Eastern Standard Time (EST) Heure normale de l'Est (HNE) Person authorized to sign on behalf of Vendor/Firm (type or print): La personne autorisée à signer au nom du fournisseur/de l'entrepreneur (taper ou écrire en caractères d'imprimerie) :

Name - Nom Title - Titre

Signature Date



TABLE OF CONTENTS

PARI	I - GENERAL INFORMATION	4
1.1 1.2	Security Requirements Requirement	4 4
1.3	Debriefings	4
1.4	Trade Agreements	4
PART	2 - BIDDER INSTRUCTIONS	5
2.1	Standard Instructions, Clauses and Conditions	5
2.2	Submission of Bids	5
2.3 2.4	Enquiries - Bid Solicitation Applicable Laws	5 5 6
2.5	Improvement of Requirement During Solicitation Period	6
PART	3 - BID PREPARATION INSTRUCTIONS	7
3.1	Bid Preparation Instructions	7
3.2	Section I: Technical Bid	7
3.3 3.4	Section II: Financial Bid Section III: Certifications	8 8
3.5	Section IV: Additional Information	8
ATTA	CHMENT 1 TO PART 3 - PRICING SCHEDULE	10
1.	General	10
2.	Firm Goods and/or Services	10
3. 4.	Optional Goods and/or Services Grand Total	10 11
ATTA	CHMENT 2 TO PART 3 - ELECTRONIC PAYMENT INSTRUMENTS	12
PART	4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	13
4.1	Evaluation Procedures	13
4.2	Basis of Selection - Lowest Evaluated Price, Mandatory Technical Criteria	13
ATTA	CHMENT 1 TO PART 4 - EVALUATION CRITERIA	14
PART	5 - CERTIFICATIONS AND ADDITIONAL INFORMATION	15
5.1	General	15
5.2 5.3	Certifications Required with the Bid Certifications Precedent to Contract Award and Additional Information	15 15
	6 - RESULTING CONTRACT CLAUSES	17
6.1 6.2	Security Requirements Requirement	17 17
6.3	Standard Clauses and Conditions	17
6.4	Term of Contract	18
6.5	Authorities	18
6.6	Payment	20
6.7 6.8	Invoicing Certifications and Additional Information	20 21
6.9	Applicable Laws	21
6.10	Priority of Documents	22
6.11	Defence Contract	22
6.12	Insurance - No Specific Requirement	22
6.13	Inspection and Acceptance	22
6.14 6.15	Post-Contract Award Meeting Quality Management Systems - Requirements (Quality Assurance Code C)	22 23
6.16	Material	23

Solicitation No N° de l'invitation W8476-195947/A	Amd. No N° de la modif. Original	Buyer ID - Id de l'acheteur DLP 5-3-4-5	
 6.17 Interchangeability 6.18 Vehicle Safety 6.19 Recall Notices 6.20 Packaging 6.21 Wood packaging materials 6.22 Preparation for Delivery 6.23 Tools and Loose Equipment 6.24 Delivery and Unloading 6.25 Incomplete Assemblies 6.26 Assembly/Preparation at Delivery 6.27 Work Site Access 6.28 Canadian Forces Site Regulation 			23 23 23 23 24 24 24 24 24 24 24
ANNEX A - REQUIREMENT			25
ANNEX B - BASIS OF PAYMENT			26
 General Firm Goods and/or Services Optional Goods and/or Services 			26 26 26

PART 1 - GENERAL INFORMATION

1.1 Security Requirements

A. There is no security requirement associated with this bid solicitation.

1.2 Requirement

A. The requirement is detailed under the article entitled Requirement of the resulting contract clauses in Part 6.

1.3 Debriefings

A. Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.4 Trade Agreements

A. The requirement is subject to the provisions of the World Trade Organization Agreement on Government Procurement (WTO-AGP), the Canada-European Union Comprehensive Economic and Trade Agreement (CETA), the North American Free Trade Agreement (NAFTA), and the Canadian Free Trade Agreement (CFTA).

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

- A. All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the Standard Acquisition Clauses and Conditions (SACC) Manual (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.
- B. Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.
- C. The <u>2003</u> (2018-05-22), Standard Instructions Goods or Services Competitive Requirements, are incorporated by reference into and form part of the bid solicitation, with the following modification(s):
 - (i) Section 02, Procurement Business Number, is deleted in its entirety;
 - (ii) Section 05, Submission of bids, subsection 4, is amended as follows:

Delete: 60 days Insert: 90 days

(iii) Section 20, Further information, subsection 2, is deleted in its entirety.

2.2 Submission of Bids

- A. Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated in the bid solicitation.
- B. Due to the nature of the bid solicitation, bids transmitted by facsimile will not be accepted.

2.3 Enquiries - Bid Solicitation

- A. All enquiries must be submitted in writing to the Contracting Authority no later than 15 calendar days before the bid closing date. Enquiries received after that time may not be answered.
- B. Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

- A. Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.
- B. Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

2.5 Improvement of Requirement During Solicitation Period

A. Should bidders consider that the specifications or Requirement contained in the bid solicitation could be improved technically or technologically, bidders are invited to make suggestions, in writing, to the Contracting Authority named in the bid solicitation. Bidders must clearly outline the suggested improvement as well as the reason for the suggestion. Suggestions that do not restrict the level of competition nor favour a particular bidder will be given consideration provided they are submitted to the Contracting Authority at least 15 days before the bid closing date. Canada will have the right to accept or reject any or all suggestions.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

A. Canada requests that Bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid: 2 hard copy(ies);

Section II: Financial Bid: 1 hard copy(ies);

Section III: Certifications: 1 hard copy(ies); and

Section IV: Additional Information: 1 hard copy(ies).

- B. Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.
- C. Canada requests that Bidders follow the format instructions described below in the preparation of their bid:
 - (i) Use 8.5 x 11 inch (216 mm x 279 mm) paper; and
 - (ii) Use a numbering system that corresponds to the bid solicitation.
- D. In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green
 Procurement (https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573). To assist Canada in reaching its objectives, bidders should:
 - (i) Use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
 - (ii) Use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

3.2 Section I: Technical Bid

A. In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

3.2.1 Substitutes and Alternatives

- A. Bidders may propose substitutes and alternatives where equivalent is indicated in Annex A, Requirement.
- B. Substitutes and alternatives that are equivalent in form, fit, function, quality and performance will be considered for acceptance where the Bidder:
 - (i) Clearly identifies a substitute and/or an alternative;
 - (ii) Designates the brand name, model and/or part number of the substitute and/or of the product, where applicable;
 - (iii) States that the substitute product is fully interchangeable with the item specified in the technical requirement description;
 - (iv) Provides complete specifications and brochures, where applicable;
 - (v) Provides compliance statements that include technical details showing the substitute and/or the alternative meet all technical requirements specified in the technical requirement description; and

- (vi) Clearly identifies those areas in the technical requirement description and in the brochures that support the substitute and/or the alternative compliance with the technical requirements.
- C. Substitutes and alternatives offered as equivalent in form, fit, function quality and performance will not be considered for acceptance by the Technical Authority if:
 - (i) The bid fails to provide all of the information requested to allow the Technical Authority to fully evaluate the equivalency; or
 - (ii) The substitute and/or the alternative fail to meet or fail to exceed the technical requirements specified in the technical requirement description.
- D. Bidders are encouraged to offer or suggest green products whenever possible.

3.3 Section II: Financial Bid

A. Bidders must submit their financial bid in accordance with the attachment to Part 3 entitled Pricing Schedule.

3.3.1 Electronic Payment of Invoices - Bid

- A. If you are willing to accept payment of invoices by Electronic Payment Instruments, complete the attachment to Part 3 entitled Electronic Payment Instruments, to identify which ones are accepted.
- B. If the attachment to Part 3 entitled Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.
- C. Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.3.2 Exchange Rate Fluctuation

A. The requirement does not offer exchange rate fluctuation risk mitigation. Requests for exchange rate fluctuation risk mitigation will not be considered. All bids including such provision will render the bid non-responsive.

3.4 Section III: Certifications

A. Bidders must submit the certifications and additional information required under Part 5.

3.5 Section IV: Additional Information

- A. In Section IV of their bid, bidders should provide:
 - (i) A completed, signed, and dated Page 1 of this solicitation, or final amendment, as applicable;
 - (ii) The name of the person(s) and associated contact information (title, mailing address, phone number, and e-mail address) authorized by the Bidder to:
 - (a) Enter into communications with Canada with regards to their bid, and any contract that may result from their bid;
 - (b) Coordinate delivery and follow-up; and
 - (c) Provide after sales service, maintenance, warranty repairs, and a full range of repair parts for the vehicle/equipment offered. The Bidder should show the distance between the delivery point and the authorized dealer and/or agent and the delivery point, which should not be more than 150 kilometres;

- (iii) For the article in Part 2 entitled Applicable Laws of the bid solicitation: the province or territory if different than specified; and
- (iv) Any other information submitted in the bid not already detailed.

3.5.1 Delivery Date(s)

A. Any delivery date(s) offered will not be included in the evaluation.

3.5.1.1 Firm Goods and/or Services

A. Delivery of the Firm Goods and/or Services is requested on or before May 31, 2019. If a longer delivery period is required, the Bidder must submit the best delivery that could be offered, in the form of either a fixed date or a period of time from contract award. Failure to submit a date or time period will be taken as acceptance of delivery within the requested timeframe.

3.5.1.2 Optional Goods and/or Services

A. Should an option be exercised for optional quantities, delivery of the Optional Goods and/or Services is requested by 16 weeks from date of amendment. If a longer delivery period is required, the Bidder must submit the best delivery that could be offered, in the form of a period of time from date of amendment. Failure to submit a time period will be taken as acceptance of delivery within the requested timeframe.

3.5.2 Warranty Period

3.5.2.1 Manufacturer's Standard Warranty Period

A. Canada requests that the Bidder provide details of the manufacturer's standard warranty period for the vehicle/equipment and its component that exceeds the minimum warranty period of 12 months. Any additional manufacturer's standard warranty such as those derived from the Original Equipment Manufacturer (OEM) for component/subassemblies will form part of the proposed contract.

ATTACHMENT 1 TO PART 3 - PRICING SCHEDULE

1. General

- Bidders are requested to complete the following Pricing Schedule and include it in the bid. At a minimum, A. the Firm Unit Price for each Item must be submitted.
- B. All prices and costs must be submitted in Canadian Dollars. Canadian customs duties and excise taxes included. Applicable Taxes excluded.

2. Firm Goods and/or Services

2.1 Electric Motor Driven Swing-Reach Man Up with Order-Picking Forklift Truck

Original

The Firm Unit Price(s) include(s) associated specifications, training, and deliverables as per Annex A, A. Requirement, Delivered Duty Paid (DDP) specified Delivery Point, Incoterms 2010:

Item	Delivery Point	Quantity Required (A)	Firm Unit Price (B)	Total (C = A x B)
001	CFB Wainwright, AB Major Equipment Section Building 593 Denwood Alberta T0B 1B0	1	\$	\$

2.2 Familiarization Training - English

A. The Firm Unit Price(s) include(s) associated services, deliverables, and travel and living expenses as per Annex A, Requirement:

Item	Delivery Point	Quantity Required (D)	Firm Unit Price (E)	Total (F = D x E)
002	CFB Wainwright, AB Major Equipment Section Building 593 Denwood Alberta T0B 1B0	1	\$	\$

3. **Optional Goods and/or Services**

3.1 Electric Motor Driven Swing-Reach Man Up with Order-Picking Forklift Truck

A. The Firm Unit Price(s) include(s) associated specifications, training, and deliverables as per Annex A, Requirement, Free Carrier (FCA) Contractor's Canadian facility or Contractor's Canadian distribution point, Incoterms 2010:

Item	Quantity of Optional Items	Firm Unit Price	Total
	(G)	(H)	$(I = G \times H)$
1001	1	\$	\$

B.	Bidders must provide the address of the Contractor's Canadian facility or Contractor's Canadian distribution point at which the Optional Goods will be made available:		

3.2 Transportation

- A. At Canada's sole discretion, under any resulting contract the Contractor may be required to transport the item(s) detailed below from the Contractor's Canadian facility or Contractor's Canadian distribution point to one or more of the destination(s) detailed below. Canada reserves the right to use other means for the delivery(ies).
- B. The Firm Unit Price(s) consist(s) of the transportation of quantity 1 of Item 1001 Delivered Duty Paid (DDP) destinations in specified Delivery Region, Incoterms 2010:

Item	Delivery Region	Firm Unit Price
		(J)
1002	British Columbia	\$
1003	Alberta	\$
1004	Saskatchewan	\$
1005	Manitoba	\$
1006	Ontario	\$
1007	Quebec	\$
1008	New Brunswick	\$
1009	Nova Scotia	\$
1010	Prince Edward Island	\$
1011	Newfoundland and Labrador	\$
1012	Northwest Territories	\$
1013	Nunavut	\$
1014	Yukon	\$

Average Firm Unit Price (K = average J)	\$
T . I // O I/O	•

Total (L = G x K) \$

3.3 Familiarization Training

A. The Firm Unit Price(s) include(s) associated services and deliverables, as per Annex A, Requirement, and excludes travel and living expenses:

3.3.1 English

Item	Quantity of Optional Items	Firm Unit Price	Total
	(M)	(N)	$(O = M \times N)$
1015	1	\$	\$

3.3.2 French

Item	Quantity of Optional Items	Firm Unit Price	Total
	(P)	(Q)	(R = P x Q)
1016	1	\$	\$

4. Grand Total

Price of the bid (S = C + F + I + L + O + R)	\$ \$

ATTACHMENT 2 TO PART 3 - ELECTRONIC PAYMENT INSTRUMENTS

A. The Bidder accepts to be paid by any of t		der accepts to be paid by any of the following Electronic Payment Instrument(s):
	()	VISA Acquisition Card;
	()	MasterCard Acquisition Card;
	()	Direct Deposit (Domestic and International);
	()	Electronic Data Interchange (EDI);
	()	Wire Transfer (International Only); and
	()	Large Value Transfer System (LVTS) (Over \$25M).

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- A. Bids will be assessed in accordance with the entire requirement of the bid solicitation.
- B. An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

A. Mandatory technical evaluation criteria are included in the attachment to Part 4 entitled Evaluation Criteria.

4.1.2 Financial Evaluation

4.1.2.1 Firm Goods and/or Services

A. The price of the bid will be evaluated in Canadian dollars, Delivered Duty Paid (DDP) destination, Incoterms 2010, Canadian customs duties and excise taxes included, Applicable Taxes excluded.

4.1.2.2 Optional Goods and/or Services

A. The price of the bid will be evaluated in Canadian dollars, Free Carrier (FCA) Contractor's Canadian facility or Contractor's Canadian distribution point, Incoterms 2010, Canadian customs duties and excise taxes included, Applicable Taxes excluded.

4.2 Basis of Selection - Lowest Evaluated Price, Mandatory Technical Criteria

A. A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

ATTACHMENT 1 TO PART 4 - EVALUATION CRITERIA

See attached document entitled "TECHNICAL INFORMATION QUESTIONNAIRE FOR ELECTRIC MOTOR DRIVEN SWING-REACH, MAN UP WITH ORDER-PICKING FORKLIFT TRUCKS"





NOTICE

This documentation has been reviewed by the Technical Authority and does not contain controlled goods.

AVIS

Cette documentation a été révisée par l'Autorité technique et ne contient pas de marchandises contrôlées

TECHNICAL INFORMATION QUESTIONNAIRE FOR ELECTRIC MOTOR DRIVEN SWING-REACH, MAN UP WITH ORDER-PICKING FORKLIFT TRUCKS

This questionnaire covers technical information, which *must* be provided for evaluation of the Configurations of the vehicle offered.

Where the specification paragraphs below indicate "Substantial information", the "Substantial information" must be provided for each performance requirement/specification.

Bidders is required to indicate the document name/title and page number where the **Substantial information** can be found.

Definitions for "*Equivalent*" is found in the <u>DEFINITIONS</u> section at the end of this document.

CONTRACTOR INFORMATION

Contractor Name

Date



Substitutes/Alternatives

If yes,	Are any substitutes/alternatives offered as <i>Equivalent</i> ? YES \(\subseteq \text{NO} \(\subseteq \) If yes, please identify all equipment substitutes/alternatives offered as <i>Equivalents</i> below:				
	E: Substantial information on how they meet requirement must be provided for ms offered as a substitute or alternative.				
SPEC	CIFICATION PARAGRAPHS				
3.4.2	Forklift Performance - Substantial Information				
(a)	Information on rated lift capacity on page of document				
	Information on Maximum forklift lift height on page of document				
(c)	Information on Overall Collapsed Height on page of document				
(d)	Information on Degree of Swing on page of document				
3.4.3	Manoeuvrability - Substantial Information				
	Information on manoeuvrability on page of document				
3.5.1	Application Equipment – Substantial information				
(c)	Information on height limiter on page of document				
3.15	Electrical System - Substantial information				
(c)	Information on Battery Voltage and Capacity on page of document				



DEFINITIONS

The following definitions apply to the interpretation of this Technical Information Questionnaire:

(a) "Equivalent" must mean a standard, means, or component type, which the Technical Authority has approved for this requirement, in writing, as meeting the specified requirements for fit, form, function and performance;

PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION

5.1 General

- A. Bidders must provide the required certifications and additional information to be awarded a contract.
- B. The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue, whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.
- C. The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.2 Certifications Required with the Bid

A. Bidders must submit the following duly completed certifications as part of their bid.

5.2.1 Integrity Provisions - Declaration of Convicted Offences

A. In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, if applicable, the Integrity declaration form available on the Forms for the Integrity Regime website (http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html), to be given further consideration in the procurement process.

5.3 Certifications Precedent to Contract Award and Additional Information

A. The certifications and additional information listed below should be submitted with the bid but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame specified will render the bid non-responsive.

5.3.1 Integrity Provisions - Required Documentation

A. In accordance with the section titled "Information to be provided when bidding, contracting, or entering into a real procurement agreement" of the Ineligibility and Suspension Policy (https://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.3.2 Federal Contractors Program for Employment Equity - Bid Certification

- A. By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the Employment and Social Development Canada (ESDC) Labour's website (https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#).
- B. Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

5.3.3 Product Conformance

A.	The Bidder certifies that all vehicles/equipment proposed conform, and will continue to conform throughout the duration of the contract, to all technical specifications of Annex A, Requirement. This certification does not relieve the bid from meeting all mandatory technical evaluation criteria detailed in Part 4.
	Signature of Bidder's Authorized Representative Date

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

A. There is no security requirement applicable to the Contract.

6.2 Requirement

A. The Contractor must provide the item(s) detailed under the Requirement at Annex A and the Basis of Payment at Annex B.

6.2.1 Technical Changes, Substitutes, and Alternatives

- A. Any technical changes, substitutes and alternatives proposed by the Contractor must be evaluated for acceptance by the Technical Authority. Any substitutes and alternatives must be equivalent in form, fit, function, quality and performance to what is being replaced and must be at no additional cost to Canada. Substitutes and alternatives that are offered as equivalent will only be acceptable once they are approved by the Technical Authority as an equivalent. A contract amendment or a completed Design Change/Deviation form will be issued.
- B. Should the Technical Authority not accept the substitute or the alternative and the Contractor is unable to meet the technical requirement, Canada may terminate the contract for default in accordance with the general conditions stated in the contract.

6.2.2 Optional Goods and/or Services

- A. The Contractor grants to Canada the irrevocable option to acquire the goods, services, or both described at Annex A, Requirement and Annex B, Basis of Payment, of the Contract under the same conditions and at the prices and/or rates stated in the Contract. The option may only be exercised by the Contracting Authority and will be evidenced, for administrative purposes only, through a contract amendment.
- B. The Contracting Authority may exercise the option within 12 months after contract award by sending a written notice to the Contractor.
- C. The option may be exercised at the discretion of Canada in whole or in part or in more than one occasion, up to the maximum quantity identified herein.
- D. The Contractor must advise the Technical Authority and Contracting Authority of any design updates that could affect the procurement of additional vehicles/equipment.

6.3 Standard Clauses and Conditions

A. All clauses and conditions identified in the Contract by number, date and title are set out in the <u>Standard Acquisition Clauses and Conditions (SACC) Manual</u> (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

- A. <u>2010A</u> (2018-06-21), General Conditions Goods (Medium Complexity), apply to and form part of the Contract, with the following modification:
 - (i) Article 01, Interpretation, definition of "Canada", "Crown", "Her Majesty" or "the Government", is deleted in its entirety and replaced with the following:

"Canada", "Crown", "Her Majesty" or "the Government"

means Her Majesty the Queen in right of Canada as represented by the Minister of National Defence and any other person duly authorized to act on behalf of that minister or, if applicable, an appropriate minister to whom the Minister of National Defence has delegated his or her powers, duties or functions and any other person duly authorized to act on behalf of that minister.

- (ii) Article 09, Warranty, subsections 1 and 2 are deleted in their entirety and replaced with the following:
 - 1. Despite inspection and acceptance of the Work by or on behalf of Canada and without restricting any provisions of the Contract or any condition, warranty or provision imposed by law, the Contractor, if requested by Canada to do so, must replace, repair or correct, at its own option and expense any work that becomes defective or fails to conform to the requirements of the Contract, where applicable. The warranty period will be [time-period to-be-detailed in the resulting contract, after delivery and acceptance of the Work or the length of the Contractor's or manufacturer's standard warranty period, whichever is longer.
 - 2. The Contractor must pay the transportation cost associated with returning the Work or any part of the Work to the Contractor's plant for replacement, repair or making good. The Contractor must also pay the transportation cost associated with forwarding the replacement or returning the Work or part of the Work when rectified to the delivery point specified in the Contract or to another location as directed by Canada. If, in the opinion of Canada, it is not expedient to remove the Work from its location, the Contractor must carry out any necessary repair or making good of the Work at that location. In such cases, the Contractor will be responsible for all Costs (including travel and living expenses) incurred in so doing, Canada will not reimburse these Costs.

If action to effect repairs under warranty cannot be initiated within 2 working days and completed within a reasonable time period, or if the Contractor has no repair facilities in the immediate vicinity (within 150 kilometers) of the specified delivery destinations, Canada reserves the right to make the repairs and be reimbursed by the Contractor at the rate of \$103.91 per hour and the cost for replaced parts.

6.4 Term of Contract

6.4.1 Delivery Dates

A. All the deliverables must be received on or before the date(s) specified in Annex B of the Contract.

6.4.2 Delivery Points

- A. Delivery of the requirement must be made to delivery point(s) specified at Annex B of the Contract.
- B. If an option is exercised, the Contractor must, at Canada's sole discretion, deliver the optional goods to the specified delivery point(s).
- C. The Contractor must deliver the goods by appointment only. The Contractor or its carrier must arrange delivery appointments by contacting the delivery point. The consignee may refuse shipments when prior arrangements have not been made. The Contractor is responsible for contacting the Contracting Authority in advance of shipping to obtain the contact information for the delivery point(s).

6.5 Authorities

6.5.1 Contracting Authority

A. The Contracting Authority for the Contract is:

Name: Kaman Law

Buyer ID - Id de l'acheteur DLP 5-3-4-5

Title: Procurement Officer

Position: DLP 5-3-4-5

Address: Department of National Defence Headquarters

101 Colonel By Drive Ottawa, Ontario K1A 0K2

Telephone: 819-939-6321

E-mail: Kaman.Law@forces.gc.ca

B. The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Technical Authority

A. The Technical Authority for the Contract is:

		·
		mation to be detailed in the resulting contract]
	Name:	
	Title: Position:	
	Address:	Department of National Defence Headquarters 101 Colonel By Drive
		Ottawa, Ontario K1A 0K2
	Telephone: E-mail:	
B.	carried out ur Work under t Technical Au	al Authority is the representative of the department or agency for whom the Work is being nder the Contract and is responsible for all matters concerning the technical content of the he Contract. Technical matters may be discussed with the Technical Authority; however, the thority has no authority to authorize changes to the scope of the Work. Changes to the scope can only be made through a contract amendment issued by the Contracting Authority.
6.5.3	Contractor's	Representative
	[Contact infor	mation to be detailed in the resulting contract]
	Name:	
	Title:	
	Address:	
	Telephone: E-mail:	
6.5.4	After Sales S	Service
A.		dealer(s) and/or agent(s) is(are) authorized to provide after sales service, maintenance, and airs; and a full range of repair parts for the vehicle/equipment offered:
		mation to be detailed in the resulting contract]
	Name:	
	Title: Address:	
	Addi 633.	
	Telephone: E-mail:	

6.6 Payment

6.6.1 Basis of Payment

6.6.1.1 Firm Unit Price(s)

- A. For the Work described in the Requirement at Annex A and the Basis of Payment at Annex B, excluding Travel and Living Expenses:
 - (i) In consideration of the Contractor satisfactorily completing its obligations under the Contract, the Contractor will be paid firm unit price(s), as specified in Annex B for a cost of \$[amount to be detailed in the resulting contract]. Customs duties are included and Applicable Taxes are extra.

6.6.2 Limitation of Price

A. Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.3 Method of Payment

6.6.3.1 Multiple Payments

- A. Canada will pay the Contractor upon completion and delivery of units in accordance with the payment provisions of the Contract if:
 - (i) an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
 - (ii) all such documents have been verified by Canada; and
 - (iii) the Work delivered has been accepted by Canada.

6.6.4 Electronic Payment of Invoices

A. The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

[List to be updated in the resulting contract]

- (i) Visa Acquisition Card;
- (ii) MasterCard Acquisition Card;
- (iii) Direct Deposit (Domestic and International);
- (iv) Electronic Data Interchange (EDI);
- (v) Wire Transfer (International Only); and
- (vi) Large Value Transfer System (LVTS) (Over \$25M).

6.7 Invoicing

6.7.1 Invoicing Instructions

- A. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
- B. Each invoice must be supported by:

- (i) A copy of the release document and any other documents as specified in the Contract; and
- (ii) A copy of the invoices, receipts, vouchers for all direct expenses, and all travel and living expenses.
- C. Invoices must be distributed as follows:
 - (i) The original and 1 copy must be forwarded to the following address for certification and payment:

National Defence Headquarters (NDHQ) Department of National Defence (DND) 101 Colonel By Drive Ottawa, Ontario K1A 0K2

c/o: [organization to be detailed in the resulting contract]

attn: [name to be detailed in the resulting contract]

(ii) For invoices not claiming any Travel and Living costs, the Contractor may provide, in lieu of a hard copy, a .pdf copy of the original invoice along with any required supporting documentation to the Contracting Authority at:

[Invoice e-mail destination address to be specified in the resulting contract]

(iii) By submitting a .pdf copy, the Contractor certifies that the .pdf copy of each invoice will be considered as the original invoice. In addition, the Contractor must indicate the contract number and name of the Contracting Authority in its covering e-mail. Invoices claiming Travel and Living costs must be submitted in hard copy in order to provide original receipts, as per Treasury Board regulations.

6.7.2 Holdback

- A. A 10% holdback will apply on any due payment of the following items:
 - (i) Items 001 and 1001 as per Annex B.
- B. Applicable Taxes must be calculated on the total amount of the claim before the holdback is applied. At the time the holdback is claimed, there will be no Applicable Taxes payable as it was claimed and payable under the previous invoice.
- C. Release of the 10% holdback is conditional upon receipt and certified acceptance of all Work under this Contract.
- D. Invoicing instructions for the holdback are as detailed in the clause entitled "Invoicing Instructions".

6.8 Certifications and Additional Information

6.8.1 Compliance

A. Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.9 Applicable Laws

A. The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario [or as specified by the bidder in its bid, if applicable].

6.10 Priority of Documents

- A. If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list:
 - (i) The Articles of Agreement;
 - (ii) The General Conditions 2010A (2018-06-21), General Conditions Goods (Medium Complexity);
 - (iii) Annex A, Requirement;
 - (iv) Annex B, Basis of Payment; and
 - (v) the Contractor's bid dated [date to be specified in the resulting contract], as clarified on [date to be specified in the resulting contract, if required], and as amended on [date to be specified in the resulting contract, if required].

6.11 Defence Contract

- A. The Contract is a defence contract within the meaning of the <u>Defence Production Act</u>, R.S.C. 1985, c. D-1 (http://laws-lois.justice.gc.ca/eng/acts/d-1/), and must be governed accordingly.
- B. Title to the Work or to any materials, parts, work-in-process or finished work must belong to Canada free and clear of all claims, liens, attachments, charges or encumbrances. Canada is entitled, at any time, to remove, sell or dispose of the Work or any part of the Work in accordance with section 20 of the <u>Defence Production Act</u>.

6.12 Insurance - No Specific Requirement

A. The Contractor is responsible for deciding if insurance coverage is necessary to fulfill its obligation under the Contract and to ensure compliance with any applicable law. Any insurance acquired or maintained by the Contractor is at its own expense and for its own benefit and protection. It does not release the Contractor from or reduce its liability under the Contract.

6.13 Inspection and Acceptance

A. The Technical Authority is the Inspection Authority. All reports, deliverable items, documents, goods and all services rendered under the Contract are subject to inspection by the Inspection Authority or representative. Should any report, document, good or service not be in accordance with the requirements of the Requirement and to the satisfaction of the Inspection Authority, as submitted, the Inspection Authority will have the right to reject it or require its correction at the sole expense of the Contractor before recommending payment.

6.14 Post-Contract Award Meeting

A. Within 10 days of the date of Contract, the Contractor must contact the Contracting Authority to determine if a post-contract award meeting is required. A meeting will be convened at the discretion of the Contracting Authority to review technical and contractual requirements. The Contractor must prepare and distribute the minutes of the meeting within 5 calendar days after the completion of the meeting. The meeting will be held at the Contractor's facility, at a Department of National Defence facility, or via teleconference at Canada's discretion at no additional cost to Canada, with representatives of the Contractor, the Department of National Defence, and, if applicable, Public Works and Government Services Canada.

6.15 Quality Management Systems - Requirements (Quality Assurance Code C)

- A. The Contractor is responsible for implementing a quality system appropriate to the scope of the work to be performed. It is recommended that the quality system be based on *ISO 9001:2008 "Quality management systems Requirements."*
- B. The Contractor is responsible for performing or having performed all inspections and tests necessary to substantiate that the materiel or services provided conform to the drawings, specifications and the requirements of the contract. The Contractor must keep accurate and complete inspection records which must, upon request, be made available to the authorized Department of National Defence (DND) representative, who may make copies and take extracts during the performance of the Contract and for a period of 1 year after the completion of the Contract.
- C. Despite the above, all materiel is subject to verification and acceptance by DND at destination. The authorized DND representative at destination may either be the consignee(s), the Technical Authority, or the Quality Assurance Authority.

6.16 Material

A. Material supplied must be new unused and of current production by manufacturer.

6.17 Interchangeability

A. Unless changes during the production run are authorized by the Contracting Authority, all vehicles/equipment supplied against any one item of a contract must be the same make and model, and all like assemblies, sub-assemblies and parts must be interchangeable.

6.18 Vehicle Safety

A. Each vehicle supplied pursuant to the Contract must meet the applicable provisions of the <u>Motor Vehicle Safety Act</u>, S.C. 1993, c. 16 (http://laws-lois.justice.gc.ca/eng/acts/M-10.01/page-1.html), and the applicable regulations that are in force on the date of its manufacture.

6.19 Recall Notices

A. All recall notices must be forwarded to the Technical Authority identified in this Contract.

6.20 Packaging

A. The methods used for preservation and packaging must be in conformity with the Contractor's normal standard for domestic shipment or, if necessary, with standards for overseas shipment as below deck cargo.

6.21 Wood packaging materials

- A. All wood packaging materials used in shipping must conform to the <u>International Standards for Phytosanitary Measures No. 15: Regulation of Wood Packaging Material in International Trade (ISPM 15) (https://www.ippc.int/en/core-activities/standards-setting/ispms/).</u>
- B. Pertinent additional information on Canada's import and export programs is provided in the following Canadian Food Inspection Agency policy directives:
 - (i) D-98-08 Entry Requirements for Wood Packaging Materials Produced in All Areas Other Than the Continental United States (http://www.inspection.gc.ca/plants/plant-protection/directives/forestry/d-98-08/eng/1323963831423/1323964135993); and

(ii) D-13-01 - <u>Canadian Heat Treated Wood Products Certification Program (HT Program)</u> (http://www.inspection.gc.ca/plants/forestry/exports/ht-program/eng/1319462565070/1319462677967).

6.22 Preparation for Delivery

A. The equipment must be serviced, adjusted and delivered in condition for immediate use. The equipment must be cleaned before leaving the factory and being released to Inspection Authority or consignee personnel at the final delivery point. All equipment delivered to the consignee are to be delivered between the hours of 8:00 am and 4:00 pm local time Monday through Friday, except Federal holidays. Any attempt by the carrier to deliver equipment before or after these hours may be refused unless arrangements have been made for authorized, qualified personnel to be available to perform inspections and to accept the delivery. When the carrier is required to return due to its failure to make an appointment for delivery, Canada will not be liable to pay for additional costs.

6.23 Tools and Loose Equipment

A. For shipment verification, all items and tools, which are shipped loose with the vehicle/equipment must be listed on the Inspection Certificate (CF1280) or on an attached packing note.

6.24 Delivery and Unloading

- A. Delivery trucks must be equipped with an unloading device which will permit unloading at sites with no hydraulic, stationary or other type of unloading facility.
- B. When making deliveries, sufficient personnel must be provided to permit unloading of any type of vehicle without the assistance of federal government personnel.
- C. At some sites, the delivery truck must be unloaded while parked at the curb. When material is placed on the sidewalk, it must be placed in proximity to the designated entrance so as to be readily accessible to transport by mechanical handling equipment utilized by site personnel.

6.25 Incomplete Assemblies

A. The Contractor must not ship incomplete assemblies unless the authorization for such shipment has been obtained from the Contracting Authority.

6.26 Assembly/Preparation at Delivery

A. The Contractor must send a Service Representative to each delivery destination to perform the assembly/preparation on all vehicles/equipment delivered. Cost to provide this service must be included in the price of each vehicle/equipment.

6.27 Work Site Access

A. Authorized representatives of Canada must have access to any site where any part of the Work is being carried out at any time during working hours to make examinations and such tests of the Work as they may think fit.

6.28 Canadian Forces Site Regulations

A. The Contractor must comply with all standing orders or other regulations, instructions, and directives in force on the site where the Work is performed.

ANNEX A - REQUIREMENT

See attached document entitled "PURCHASE DESCRIPTION (PD) FOR ELECTRIC MOTOR DRIVEN SWING-REACH, MAN UP WITH ORDER-PICKING FORKLIFT TRUCKS"



NOTICE

This documentation has been reviewed by the Technical Authority and does not contain controlled goods.

AVIS

Cette documentation a été révisée par l'Autorité technique et ne contient pas de marchandises contrôlées.

The Canadian Forces Material Handling Equipment

Purchase Description (PD) for Electric Motor Driven Swing-Reach, Man Up with Order-picking Forklift Trucks

File # W8476-195947 23 November 2018

OPI: DSVPM 4/DAPVS 4 National Defence Headquarters Major General George R. Pearkes Building Ottawa, Ontario K1A 0K2

Issued on Authority of the Chief of the Defence Staff



© 2018 DND Canada

TABLE OF CONTENTS

1.	SCOPE	3
1.1	Scope	3
1.2	Instructions	3
1.3	Definitions	3
1.4	Requirements Summary Table	4
2	APPLICABLE DOCUMENTS	5
2.1	Governments Furnished Documents	5
2.2	Other Publications	5
3.	REQUIREMENTS	6
3.1	Standard Design	6
3.2.	Operating Conditions	6
3.3	Safety Standards	6
3.4	Performance	6
3.5	Equipment	7
3.6	Operator Station	8
3.7	Chassis	8
3.8	Motors	8
3.9	Drive Unit	8
3.10	Brake System	8
3.11	Steering	8
3.12	Tires	8
3.13	Controls	8
3.14	Instruments	8
3.15	Electrical System	9
3.16	Lighting	9
3.17	Hydraulic System	9
3.18	Lubricants and Hydraulic Fluids	9
3.19	Paint	9
3.20	Identification	9
3.21	Instruments, Decals and Data plates	9
4.	INTEGRATED LOGISTICS SUPPORT	11
4.1	Documentation and Support Items	11
4.2	Training	14
5.	ACCEPTANCE TESTING	16
6.	DELIVERY CONDITION	16

RDIMS # 4764110 Page 2 of 16

1. SCOPE

- 1.1 **Scope** This Purchase Description describes the requirements for an electric motor driven, swing reach, man up with Order-picking Forklift Trucks.
- 1.2 **Instructions** The following instructions apply to this Purchase Description:
 - a) Requirements, which are identified by the word "*must*", are mandatory. Deviations will not be permitted;
 - b) Requirements identified with a "will" define actions to be performed by Canada and require no action/obligation on the Contractor's part;
 - c) Where "*must*", or "will" are not used, the information provided is for guidance only;
 - d) Where a standard is specified and the Contractor has offered an equivalent, that equivalent standard must be supplied by the Contractor, at no cost to Canada, when requested by the Technical Authority;
 - e) Where technical certification is required, a copy of the certification or an *Equivalent must* be provided by the Contractor upon request;
 - f) While the SI system is used as the primary system of measurement to define requirements in this Purchase Description, both the SI system and the Standard system of measurements may be indicated. Conversions from one system of measurement to the other may not be exact; and
 - g) Dimensions stated as nominal *must* be treated as approximate dimensions. Nominal dimensions reflect a method by which materials or products are generally identified for sale commercially, but which differ from the actual dimensions.
- 1.3 <u>Definitions</u> The following definitions apply to the interpretation of this Purchase Description:
- 1.3.1 "Technical Authority" The government official responsible for technical content of this requirement.
- 1.3.2 In the document, "provided" *must* mean "provided and installed.

RDIMS # 4764110 Page 3 of 16

1.4 Requirements Summary Table - Vehicles covered by this Purchase Description are represented as Configurations. The following table indicates performance and features by Configuration:

_			CONFIGURATION
CHARACTERISTIC	Paragraph	UNITS	A
LIET CADACITY	0.4.0(=)	kg	1,360
LIFT CAPACITY	3.4.2(a)	lb	3,000
LIETLIEIOLIT	0.4.0(*)	mm	4,267
LIFT HEIGHT	3.4.2(a)	inches	168
OVERALL COLLAPSED		mm	3,607
HEIGHT	3.4.2(c)	inches	142
DEGREE OF SWING	3.4.2(d)		180
HEIGHT LIMITER	0.5.4(-)	mm	3,048
3.5.1(c)		inches	120
BATTERY CAPACITY	3.15 (a)	kWh	30

RDIMS # 4764110 Page 4 of 16

2. APPLICABLE DOCUMENTS

2.1 Government Furnished Documents - NOT APPLICABLE

2.2 <u>Other Publications</u> – The following documents form part of this Purchase Description. Websites for the organization are given when available. Unless otherwise specified, effective documents are those in effect on the date of manufacture. Sources are as shown:

2.2.1 CAN/CSA Standards

CAN/CSA-B335-04 Safety Standard for Lift Trucks Canadian Standards Association (CSA) 5060 Spectrum Way, Mississauga, Ontario, L4W 5N6 http://www.csa.ca/Default.asp?language=English

2.2.2 **UL Standards**

UL 583 Standards for Safety, Electric Battery Powered Industrial Trucks Underwriters' Laboratories of Canada 7 Crouse Road, Scarborough, Ontario, M1R 3A9 http://www.ulc.ca/

2.2.3 ANSI Standards

ANSI/ITSDF B56.1 Standard for Safety for Low Lift and High Lift Trucks Industrial Truck Standards Development Foundation 1750 K Street NW, Suite 460 Washington DC 20009, USA http://www.itsdf.org/

RDIMS # 4764110 Page 5 of 16

3. **REQUIREMENTS**

3.1 Standard Design

- 3.1.1 The vehicle **must** be the latest model from a manufacturer who has demonstrated acceptability by manufacturing and selling this type and size class of vehicle for at least one (1) year;
- 3.1.2 The vehicle *must* have engineering certification available, upon demand, for this application from the original equipment manufacturers (OEM) of major equipment systems and assemblies;
- 3.1.3 The vehicle *must* conform to all applicable laws, regulations and industrial standards governing manufacture, safety, noise levels and emissions in effect in Canada at the time of manufacture;
- 3.1.4 The vehicle *must* have systems and components not operating at greater than their ratings published by the systems or components manufacturers; and
- 3.1.5 The vehicle *must* include all components, equipment and accessories normally supplied for the model offered, although they may not be specifically described in this Purchase Description.

3.2 **Operating Conditions**

- 3.2.1 <u>Weather</u> The vehicle *must* start and operate under weather conditions found in Canada in temperatures ranging from 0 to 40°C (32 to 104°F).
- 3.2.2 <u>Terrain</u> The vehicle *must* operate on use-roughened concrete floors, deteriorated outdoor paved surfaces while being used for moving general supplies in and around warehouses.

3.3 Safety Standards

3.3.1 <u>Vehicle Safety</u> – All vehicle design, construction and safety aspects *must* be in accordance with the latest edition of ANSI/ITDSF B56.1.

3.3.2 Safety Rating Options

- (a) The vehicle *must* be manufactured to meet the requirements of a "E" rating in accordance with standard UL 583; and
- (b) A UL authorized certification mark confirming the vehicle meets the UL safety rating *must* be permanently affixed to the vehicle(s) before delivery.
- 3.4 **Performance** The forklift *must* be operable from a seated and standing position.

3.4.1 **Vehicle Performance**

- (a) The vehicle with rated capacity load *must* have forward and reverse speeds of at least 6.4 km/h (4 mph) on a level surface; and
- (b) The vehicle *must* be provided with automatic speed reduction with the platform raised and an inching mode in both the forward and reverse directions.

RDIMS # 4764110 Page 6 of 16

3.4.2 Forklift Performance

- (a) The vehicle equipped with the standard mast but without optional equipment or features *must* have a rated load capacity of no less than that given as "LIFT CAPACITY" in the Requirements Summary Table and forklift height of no less than that given as "LIFT HEIGHT" in the Requirements Summary Table;
- (b) The load capacity *must* not de-rate to below the specified load capacity before a lift height of 3,048 mm (120 inches);
- (c) The Overall Vehicle Height *must* not be of no more than that given as "OVERALL COLLAPSED HEIGHT" in the Requirements Summary Table; and
- (d) The vehicle *must* be a swing reach, operator-up type with a fork mechanism swinging 180 degrees to serve both sides of the aisle by moving the carriage to either side.
- 3.4.3 <u>Maneuverability</u> The vehicle *must* operate in intersecting aisle dimensions not exceeding 3,962 mm wide (156-inch) using a wire guidance system. The aisle dimensions with the wire guidance *must* be:
- (a) Rack to rack 1,981 mm (78-inch); and
- (b) Load to load 1,829 mm (72-inch).

3.5 **Equipment**

3.5.1 Application Equipment -

(a) <u>Mast</u> – The vehicle must be provided with a wide, see-through, telescopic hydraulic mast;

(b) Forks

- i The vehicle must be provided with forks having a nominal length of 1,066 mm (42 inches); and
- ii Upon request by DND, forks with a nominal length of 1,219 mm (48 inches) or 914 mm (36 inches) must be provided in lieu of 1,066 mm (42 inch) forks.

(c) **Height Limiter**

- i. When indicated in the Requirements Summary Table, the vehicle *must* be provided with a height limiting system that restricts the height of lift;
- ii. The height limiter system *must* allow for the adjustment of the height limits; and
- iii. The height that the limiter stops the lift **must** be at that given as "**LIMITER HEIGHT**" in the Requirements Summary Table. An over-ride switch is required.

RDIMS # 4764110 Page 7 of 16

3.6 **Operator Station**

- (a) The operator station *must* be a man-up style;
- (b) The vehicle *must* be provided with an Operator Platform no less than 1,016 mm (40 in) wide, and 660 mm (26 in) long;
- (c) The operator station *must* be provided with retractable side gates;
- (d) The operator station *must* be provided with an overhead guard and an antifatigue floor mat;
- (e) The operator station *must* be provided with overhead lights, fans and a document storage pocket;
- (f) The operator station *must* be provided with a retractor for self-coiling the harness tether strap; and
- (g) The operator station *must* be provided with a full body harness type, in lieu of the standard belt type harness.
- 3.7 <u>Chassis</u> The vehicle chassis *must* be the commercial standard for a vehicle of this type and size.
- 3.8 <u>Motors</u> The vehicle *must* be provided with a standard electric motor for this type and size of vehicles.
- 3.9 **<u>Drive Unit</u>** The vehicle *must* be equipped with a commercial standard drive unit for this size and type of vehicle.
- 3.10 <u>Brake System</u> The vehicle *must* be equipped with a standard braking system, which *must* conform to CSA B335 or an *equivalent*.
- 3.11 <u>Steering</u> The vehicle *must* be equipped with manufacturer's standard steering system, which *must* conform to with CSA B335 or an *equivalent*.

3.12 **Tires**

- (a) The tires of the vehicle *must* be the commercial standard being a smooth face press-on type; and
- (b) The tread material *must* be optimized for use on an electric forklift.
- 3.13 <u>Controls</u> The vehicle *must* be provided with commercial standard controls for this size and type of vehicle.
- 3.14 <u>Instruments</u> The vehicle must be provided with commercial standard instruments which *must* include a digital read-out hour-meter which records accumulated running time up to 9,999 hours and a battery state-of-charge indicator with lift interrupt.

RDIMS # 4764110 Page 8 of 16

3.15 **Electrical System**

- (a) The vehicle *must* be provided with an electrical system having a battery capacity of at least that given as "BATTERY CAPACITY" in the Requirements Summary Table;
- (b) The vehicle *must* be provided with a battery system having a voltage of at least 48 volts;
- (c) The vehicle *must* be provided with battery connectors colour coded to indicate the polarity;
- (d) The vehicle *must* be provided with a CSA approved, fully automatic constant voltage heavy-duty type battery charger;
- (e) The battery charger *must* be capable of charging the forklift batteries from the designated source of a 550 volt, three phase, 60Hz power source;
- (f) The vehicle *must* be provided with a back-up alarm system to alert personnel that the vehicle is in back-up mode;
- (g) The vehicle *must* be provided with an emergency power disconnect located within easy reach of the operator;
- (h) The vehicle *must* have battery compartment rollers and other features, which allow the rapid changing of the battery with a recharged battery; and
- (i) When requested by DND, the vehicle *must* be provided with battery charger capable of charging the forklift batteries from a 208 volt, three phase, 60 Hz power source.

3.16 **Lighting**

- (a) Reverse Movement Strobe Light The vehicle lighting *must* be provided with a red strobe mounted on the rear of the forklift, which is activated when the vehicle travels in reverse.
- 3.17 <u>Hydraulic System</u> The vehicle *must* be provided with a hydraulic system that supports the operation of all hydraulic components.
- 3.18 <u>Lubricants and Hydraulic Fluids</u> The vehicle *must* operate with non-proprietary, lubricants and hydraulic fluids.
- 3.19 **Paint** The vehicle *must* be painted using commercial colours having a high-durability, corrosion-resistant type coating.
- 3.20 <u>Identification</u> The vehicle *must* be provided with an identification plate having manufacturer's name, model and serial number permanently marked in a conspicuous and protected location.

3.21 <u>Instruments, Decals and Data Plates</u>

3.21.1 Instruments, decals and data plates provided on the vehicle *must* be marked in metric units:

RDIMS # 4764110 Page 9 of 16

3.21.2 Instruments, decals and data plates *must* be marked using international symbols. Where international symbols are not possible, bilingual markings (English and French) must be provided; and

3.21.3 Warning and precautionary data plates *must* be provided in a bilingual format.

RDIMS # 4764110 Page 10 of 16

4. INTEGRATED LOGISTICS SUPPORT

4.1 <u>Documentation and Support Items</u>

4.1.1 <u>Items Provided to Technical Authority</u>

(a) Manuals for Approval

- i The Contractor *must* supply a set of manuals for each Configuration/model, in digital format, including the operator, parts and maintenance (shop repair) manuals. Manuals may cover more than one (1) Configuration/model;
- ii The set of manuals *must* include manuals for all the specified accessories and features for the Configuration/model. Accessory manuals may be included as supplements to the vehicle manuals;
- iii The operator manuals *must* be supplied in a bilingual format as a package;
- iv Digital copies *must* be functional without the requirement for a password, an auto-run installation procedure or an Internet connection;
- v Digital copies *must* be supplied on a CD or DVD;
- vi Digital copies *must* be supplied in a searchable PDF format;
- vii The CD or DVD *must* be permanently and legibly marked with a list of contents;
- viii Manuals will not be returned;
- ix Paper copies of manuals delivered under this contract must have the same content as the electronic format approved by the Technical Authority;
- Manual approval or comments will be supplied within 15 working days of receipt; and
- xi The Contractor *must* supply responses to the *Technical Authority's* comments.

(b) **Photographs and Line Drawings**

- i The Contractor *must* supply two (2) digital colour photographs, one left-front three-quarter view, and one right-rear three-quarter view of each Configuration/Model;
- ii One (1) digital colour photograph of each attachment taken at the three-quarter view that best illustrates the attachment *must* be supplied;
- iii One front-view and one side-view line drawing showing dimensions of the vehicle *must* be supplied. Brochure line drawings are acceptable;

RDIMS # 4764110 Page 11 of 16

- iv Photographs *must* have a plain background;
- v Photographs *must* be in a JPEG (Joint Photographic Experts Group) format; and
- vi Photographs *must* have a resolution of at least eight (8) Mega pixels.

(c) **Data Summary**

- i The Contractor *must* supply a bilingual data summary for each Configuration/model, with vehicle data (including accessories and features) and a vehicle picture;
- ii The *Technical Authority* will supply a bilingual template of a data summary to the Contractor;
- iii The Contractor *must* supply a digital copy (MS Word) of the completed data summary for approval;
- iv Data summary approval or comments will be supplied within 15 working days of receipt; and
- v The Contractor *must* supply responses to the *Technical Authority's* comments.

(d) Safety Data Sheets

- i The Contractor *must* supply a list, in digital format, of all hazardous materials used on the vehicle;
- ii If there are no hazardous materials used, this *must* be stated on the list; and
- iii The Contractor *must* supply safety data sheets for all hazardous materials in the list.

(e) Warranty Letter

- i The *Technical Authority* will supply a bilingual warranty letter template to the Contractor;
- ii The Contractor **must** supply a complete description of the warranty with the requested warranty terms and any system or sub system warranty that exceeds the minimum requested;
- iii The warranty letter *must* include the name and contact information of the closest designated warranty provider and other designated warranty providers across Canada; et
- iv The Contractor *must* supply the original warranty letter in digital format, for each vehicle delivered, to the *Technical Authority*.

(f) Initial Parts Kit List

The Contractor *must* supply a list of parts needed to perform preventive maintenance on one (1) vehicle for a period of one (1)

RDIMS # 4764110 Page 12 of 16

- year in accordance with the maintenance manual for each Configuration/Model;
- ii A complete change of all filters and filter elements *must* be included in the list; and
- iii The list *must* include the following elements: part description; Original Equipment Manufacturer (OEM) Part number; suggested quantity and unit cost.
- (g) <u>Training Plan(s)</u> The Contractor *must* supply a training plan for approval for each of the training courses listed in this purchase description to the *Technical Authority*. Approval or comments will be supplied within 15 working days of receipt.

4.1.2 <u>Items with Each Vehicle</u>

- (a) Operator's Manual The Contractor must supply an approved bilingual operator's manual in both paper and digital format with each vehicle delivered:
- (b) <u>Warranty Letter</u> The Contractor *must* supply a copy of the warranty letter with each vehicle delivered;

(c) Safety Data Sheets

- The Contractor *must* supply a set of safety data sheets, in either Digital PDF format or in a paper format, by the discretion of the *Technical Authority*; and
- ii The safety data sheets *must* be the same as those supplied to the *Technical Authority* as described in the purchase description.

(d) Initial Parts Kit

- i One (1) initial parts kit *must* be supplied; and
- ii The initial parts kit *must* include a set of parts in the approved initial parts kit list as described in this purchase description.

(e) Paper Maintenance Manual – English

- i The Contractor *must* supply the approved maintenance (shop repair) manuals in paper format in English required for the maintenance and repair of the vehicle, features and accessories; and
- ii The Contractor may supply this deliverable as a bilingual package.

(f) <u>Digital Maintenance Manual - English</u>

i The Contractor *must* supply the approved, searchable digital maintenance (shop repair) manuals in English required for

RDIMS # 4764110 Page 13 of 16

- maintenance and repair of the vehicle features and accessories; and
- ii The Contractor may supply this deliverable as a bilingual package.

(g) Paper Parts Manual

- i The Contractor *must* supply the approved parts manuals for the vehicle, features and accessories;
- ii The parts manual *must* be supplied in English; and
- iii It is desirable to supply the parts manual in French in addition to the English version.
- (h) <u>Digital Parts Manual</u> The Contractor *must* supply the approved, searchable, digital parts manuals required for the vehicle, features and accessories on a CD/DVD-ROM.

4.2 **Training**

(a) **Training - Familiarization**

- The Contractor *must* supply a familiarization course, at the delivery destination, optimized for operators and technicians who are qualified on the vehicle type but require training on newer or unique features and sub-systems of the delivered model;
- ii The instructor *must* be an OEM Factory Certified Training Provider;
- The course *must* be delivered in the official language (English or French) specified in the contract for that delivery destination;

iv **Curriculum**

- 1. The familiarization course *must* include operation and maintenance segments;
- The operation segment *must* include safety precautions to be observed while operating and servicing the vehicle, vehicle operating characteristics, pre-operating and shutdown procedures and daily/weekly operator servicing procedures;
- 3. The operation segment *must* include sub-systems including automatic grease system and pre-heaters; and
- 4. The maintenance segment *must* include diagnostics, trouble shooting and operation of any special tools and test equipment (if any).
- v The familiarization course *must* have a minimum duration of eight (8) hours, divided into four (4) hours for operators and four (4) hours for technicians;
- vi The familiarization course *must* accommodate up to eight (8) personnel; four (4) operators and four (4) technicians;

RDIMS # 4764110 Page 14 of 16

- vii The date for the familiarization course *must* be arranged with the *Technical Authority*;
- viii After completion of the familiarization course, the Contractor *must* have the "PROOF OF FAMILIARIZATION" certificate signed by the senior course attendee; and
- ix The *Technical Authority* will supply the "PROOF OF FAMILIARIZATION" document template in a digital format.

RDIMS # 4764110 Page 15 of 16

5. **ACCEPTANCE TESTING**

- 5.1 The first vehicle **must** be examined and performance tested by the Contractor, at the Contractor's facility, to ensure conformance to the requirements in this document;
- 5.2 The Contractor *must* arrange and provide necessary tools/equipment and personnel required to conduct the acceptance testing;
- 5.3 The *Technical Authority* will select items for the testing as per performance characteristics described in section 3 of this document and provide a test plan before the testing is conducted;
- 5.4 The *Technical Authority* or their authorized representative will witness this testing to assess the handling characteristics; and
- 5.5 The Contractor *must* rectify deficiencies to requirements that are identified during the acceptance testing prior to the vehicle(s) being shipped to their delivery destination.

6. **DELIVERY CONDITION**

- 6.1 The vehicle must be delivered to destination in a fully operational condition (serviced and adjusted). Both the interior and exterior must be cleaned;
- 6.2 If the vehicle requires assembly at destination, the Contractor *must* be responsible for all manpower and equipment to perform assembly;
- 6.3 The space for assembly at the destination will be provided; and
- 6.4 All items such as wheel wrenches, jacks, and all other tools, equipment and accessories, which are shipped loose with the equipment, must be listed on the shipping certificate or to an attached packing note.

RDIMS # 4764110 Page 16 of 16

ANNEX B - BASIS OF PAYMENT

1. General

A. All prices, rates, and costs are in Canadian Dollars, Canadian customs duties and excise taxes included, Applicable Taxes excluded.

2. Firm Goods and/or Services

2.1 Electric Motor Driven Swing-Reach Man Up with Order-Picking Forklift Truck

A. The Firm Unit Price(s) include(s) associated specifications, training, and deliverables as per Annex A, Requirement, Delivered Duty Paid (DDP) specified Delivery Point, Incoterms 2010:

Item	Delivery Point	Delivery Date	Quantity Required	Firm Unit Price
001	CFB Wainwright, AB Major Equipment Section Building 593 Denwood Alberta T0B 1B0	[Date to be detailed in the resulting contract]	1	\$[Cost to be detailed in the resulting contract]

2.2 Familiarization Training - English

A. The Firm Unit Price(s) include(s) associated services, deliverables, and travel and living expenses as per Annex A, Requirement:

Item	Delivery Point	Quantity	Firm Unit Price
		Required	
001	CFB Wainwright, AB	1	\$[Cost to be detailed in
	Major Equipment Section		the resulting contract]
	Building 593		
	Denwood Alberta T0B 1B0		

3. Optional Goods and/or Services

3.1 Electric Motor Driven Swing-Reach Man Up with Order-Picking Forklift Truck

A. The Firm Unit Price(s) include(s) associated specifications, training, and deliverables as per Annex A, Requirement, Free Carrier (FCA) Contractor's Canadian facility or Contractor's Canadian distribution point, Incoterms 2010:

Item	Contractor's Canadian facility or Contractor's Canadian distribution point	Delivery Date	Quantity of Optional Items	Firm Unit Price
1001	[Location to be detailed in the resulting contract]	[Date to be detailed in the resulting contract]	1	\$[Cost to be detailed in the resulting contract]

3.2 Transportation

- A. At Canada's sole discretion, under any resulting contract the Contractor may be required to transport the item(s) detailed below from the Contractor's Canadian facility or Contractor's Canadian distribution point to one or more of the destination(s) detailed below. Canada reserves the right to use other means for the delivery(ies).
- B. The Firm Unit Price(s) consist(s) of the transportation of quantity 1 of Item 1001 Delivered Duty Paid (DDP) destinations in specified Delivery Region, Incoterms 2010:

Item	Delivery Region	Firm Unit Price
1002	British Columbia	\$[Cost to be detailed in the resulting contract]
1003	Alberta	\$[Cost to be detailed in the resulting contract]
1004	Saskatchewan	\$[Cost to be detailed in the resulting contract]
1005	Manitoba	\$[Cost to be detailed in the resulting contract]
1006	Ontario	\$[Cost to be detailed in the resulting contract]
1007	Quebec	\$[Cost to be detailed in the resulting contract]
1008	New Brunswick	\$[Cost to be detailed in the resulting contract]
1009	Nova Scotia	\$[Cost to be detailed in the resulting contract]
1010	Prince Edward Island	\$[Cost to be detailed in the resulting contract]
1011	Newfoundland and Labrador	\$[Cost to be detailed in the resulting contract]
1012	Northwest Territories	\$[Cost to be detailed in the resulting contract]
1013	Nunavut	\$[Cost to be detailed in the resulting contract]
1014	Yukon	\$[Cost to be detailed in the resulting contract]

3.3 Familiarization Training

A. The Firm Unit Price(s) include(s) associated services and deliverables, as per Annex A, Requirement, and excludes travel and living expenses:

3.3.1 English

Item	Quantity of Optional Items	Firm Unit Price
1015	1	\$[Cost to be detailed in the resulting contract]

3.3.2 French

Item	Quantity of Optional Items	Firm Unit Price
1016	1	\$[Cost to be detailed in the resulting contract]

3.4 Travel and Living Expenses - National Joint Council Travel Directive – Familiarization Training

- A. The Contractor will be reimbursed its authorized travel and living expenses reasonably and properly incurred in the performance of the Work, at cost, without any allowance for profit and/or administrative overhead, in accordance with the meal, and private vehicle allowances specified in Appendices B, C and D of the National Joint Council Travel Directive (http://www.njc-cnm.gc.ca/directive/d10/en), and with the other provisions of the directive referring to "travellers", rather than those referring to "employees". Canada will not pay the Contractor any incidental expense allowance for authorized travel.
- B. All travel must have the prior authorization of the Technical Authority.
- C. All payments are subject to government audit.
- D. Estimated Cost: \$[Cost to be detailed in the resulting contract].