



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Réception des soumissions - TPSGC / Bid Receiving -

PWGSC

1550, Avenue d'Estimauville

1550, D'Estimauville Avenue

Québec

Québec

G1J 0C7

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

TPSGC-PWGSC

601-1550, Avenue d'Estimauville

Québec

Québec

G1J 0C7

Title - Sujet Navigation Lights Coast Guard	
Solicitation No. - N° de l'invitation F3051-180031/A	Date 2018-12-19
Client Reference No. - N° de référence du client F3051-180031	Amendment No. - N° modif. 001
File No. - N° de dossier QCM-8-41107 (036)	CCC No./N° CCC - FMS No./N° VME
GETS Reference No. - N° de référence de SEAG PW-\$QCM-036-17568	
Date of Original Request for Standing Offer Date de la demande de l'offre à commandes originale 2018-12-12	
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-01-22	
Address Enquiries to: - Adresser toutes questions à: Parent, Mélanie	Buyer Id - Id de l'acheteur qcm036
Telephone No. - N° de téléphone (418) 649-2813 ()	FAX No. - N° de FAX (418) 648-2209
Delivery Required - Livraison exigée	
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.	

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required	Yes - Oui	No - Non
Accusé de réception requis	<input type="checkbox"/>	<input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

Amendment 001

Please amend the above mentioned bidding solicitation with the changes here below:

1. Questions 1, 2, 3 and 4

1. Question 1:

Could you please specify whether the desired light range for each of the 5 types of lanterns is daytime or nighttime range? ("Daytime" or "Night time")

Answer 1:

The light range searched for each of the 5 types of lanterns is a night range.

Question 2:

More specifically, for items 1 to 5, s.v.p. provide a definition of the terms "Quantity per order" and "Quantity for bid" and their use in this solicitation.

Answer 2:

Quantity per Order is the quantity that may be requested by Call-up against the Standing Offer and the Bid Quantity is an approximate quantity for bid evaluation purposes to allow us to evaluate a quantity and approximate price per unit. For items 01 to 05, each of the 3 lines must be completed and the total firm price is the Bid Quantity multiplied by the price per unit. The subtotal of line 07 represents the sum of the total firm price for items 01 to 06 inclusive. The grand total (line 07 + line 08) is the sum of the subtotal (line 01 to 06) plus the amount of deliveries (line 08) or only one price for Québec or Prescott or both if applicable.

Question 3:

We do not understand the requirement for the horizontal angles. It says up to 20deg. That is a very large horizontal angle. Does this mean that there is only a 20deg model required? Or also other models? Can we offer a smaller horizontal angle, like 8 deg model or wider angle like 40deg?

Answer 3:

The majority of lanterns ($\pm 90\%$) will have a horizontal divergence angle between 6 and 8 degrees. Some sites will need an angle of 20 degrees or more. The CCG will specify the horizontal divergence angle when ordering.

Question 4:

In Document Appendix B

01.06 - Horizontal divergence «Up to 20°, inclusive, at 50% power»

1. Is this a minimum or maximum requirement?
2. Is 50% the emergency code mode?

N° de l'invitation - Sollicitation No.
F3051-180031/A
N° de réf. du client - Client Ref. No.
F3051-180031

N° de la modif - Amd. No.
File No. - N° du dossier
QCM-8-41107

Id de l'acheteur - Buyer ID
qcm036
N° CCC / CCC No./ N° VME - FMS

Answer 4:

1. All the required horizontal divergence are at 50% of the maximum power. This is a minimum requirement.
 2. In emergency mode, the power must be reduced by 50%, day and night.
-

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.