



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government Services Canada/Réception des soumissions Travaux publics et Services gouvernementaux Canada
1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
Halifax
Nova Scotia
B3J 1T3
Bid Fax: (902) 496-5016

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Title - Sujet Portable Hydraulic Unit		
Solicitation No. - N° de l'invitation W355B-193265/A		Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client W355B-19-3265		Date 2018-12-20
GETS Reference No. - N° de référence de SEAG PW-\$HAL-405-10579		
File No. - N° de dossier HAL-8-81133 (405)	CCC No./N° CCC - FMS No./N° VME	
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-01-08		Time Zone Fuseau horaire Atlantic Standard Time AST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>		
Address Enquiries to: - Adresser toutes questions à: Kendell, Byron		Buyer Id - Id de l'acheteur hal405
Telephone No. - N° de téléphone (902) 497-5345 ()		FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:		

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du fournisseur/de l'entrepreneur

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
W355B-193265

Amd. No. - N° de la modif.
002

Buyer ID - Id de l'acheteur
hal405

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

Amendment 002 is raised for the following:

Question 1: Item 2.1.25 states that the relief valve must be tamper proof and adjustable from 0 to 3500psi. While the relief can be made tamperproof (typically fitted with a metal cap), no relief valve can perform down to 0 psi due to the internal spring to hold the valve closed. An alternative starting pressure will be required. 100psi (ideally) is a suitable minimum pressure. Would you accept a minimum starting pressure of 100psi?

Answer 1: If unable to provide a starting pressure of 0 psi, a starting pressure of 100 psi will be considered during the evaluation process.

Question 2: Section 2.3 'Electrical' has no mention of indicator lights for the start box. Please indicate colour and associated function (if required).

Answer 2: Indicator lights are not required.

Question 3: Regarding the subject solicitation the following information regarding the power unit selection is required:

- a) Maximum system operating pressure in PSI? Is it 3500 PSI?
- b) Solenoid voltage if control valves required?
- c) Is the unit operating the cylinder on a down acting press? If so does the system require monitored directional valves?
- d) Is the preferred power unit design vertical or horizontal?
- e) If a cooler is required would you prefer air or water cooled?
- f) What is the duty cycle? Does it operate 24/7?
- g) Are you using standard mineral-based hydraulic oil?
- h) Do we need a tank heater for cold conditions?
- i) If the cylinder is mounted rod down is cylinder drift of concern?
- j) Will the cylinder stop mid stroke?
- k) Do you want to control cylinder speed with a flow control?

Answer 3: The following information is provided in response to the above questions:

- a) Yes, 3500 psi is the maximum.
- b) Not required.
- c) The unit is not operating the cylinder on a down acting press.
- d) The preferred power unit design is horizontal.
- e) A cooler is not required.
- f) The unit may run for 1 hour continuously at times and may not run for days or weeks afterwards
- g) The oil in use is AW32.
- h) A tank heater for cold conditions is not required?

Solicitation No. - N° de l'invitation
W355B-193265

Amd. No. - N° de la modif.
002

Buyer ID - Id de l'acheteur
hal405

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

- i) Cylinder drift is of no concern.
- j) Yes, the cylinder could stop mid stroke but the type of pump requested should allow bypass.
- k) No, control cylinder speed with flow control is not required.

Question 4: Due to the holiday break, we would like to ask for an extension of time in order to prepare the best offer possible. Would an extension be considered?

Answer 4: An extension to the solicitation period is not being considered at this time.

All other terms and conditions remain the same