



National Defence

Défense nationale

National Defence Headquarters
Ottawa, Ontario
K1A 0K2

Quartier général de la Défense nationale
Ottawa (Ontario)
K1A 0K2

REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

RETURN BIDS TO: RETOURNER LES SOUMISSIONS À:

Bid Receiving – PWGSC / Réception des
soumissions - TPSGC
11 Laurier St. / 11 rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau
Québec
K1A 0S5
Bid Fax: (819) 997-9776

Proposal To: National Defence Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods and services listed herein and on any attached sheets at the price(s) set out therefore.

Proposition à : Défense nationale Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens et services énumérés ici et sur toute feuille ci-annexée, au(x) prix indique(s).

Solicitation Closes – L'invitation prend fin

At – à : 14 :00 EST

On - le : 11 / 01 / 2019

Title/Titre Multiple Victoria Class Spares / Plusieurs Pièces de Rechange de Classe Victoria	Solicitation No – N° de l'invitation W8482-195220/A
Date of Solicitation – Date de l'invitation 24-12-2018	
Address Enquiries to – Adresser toutes questions à Jeffrey.Milks@forces.gc.ca	
Telephone No. – N° de téléphone 819-939-3036	FAX No – N° de fax N/A
Destination Specified Herein / Précisé dans les présentes	

Instructions:

Municipal taxes are not applicable. Unless otherwise specified herein all prices quoted must include all applicable Canadian customs duties, GST/HST, excise taxes and are to be delivered Delivery Duty Paid including all delivery charges to destination(s) as indicated. The amount of the Goods and Services Tax/Harmonized Sales Tax is to be shown as a separate item.

Instructions: Les taxes municipales ne s'appliquent pas. Sauf indication contraire, les prix indiqués doivent comprendre les droits de douane canadiens, la TPS/TVH et la taxe d'accise. Les biens doivent être livrés « rendu droits acquittés », tous frais de livraison compris, à la ou aux destinations indiquées. Le montant de la taxe sur les produits et services/taxe de vente harmonisée doit être indiqué séparément.

Delivery required - Livraison exigée	Delivery offered - Livraison proposée
Vendor Name and Address - Raison sociale et adresse du fournisseur	
Name and title of person authorized to sign on behalf of vendor (type or print) - Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'imprimerie)	
Name/Nom _____	Title/Titre _____
Signature _____	Date _____

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	2
1.1 SECURITY REQUIREMENTS	2
1.2 REQUIREMENT	2
1.3 DEBRIEFINGS	2
1.4 TRADE AGREEMENTS	2
PART 2 - BIDDER INSTRUCTIONS	2
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	2
2.2 SUBMISSION OF BIDS.....	3
2.3 ENQUIRIES - BID SOLICITATION.....	3
2.4 APPLICABLE LAWS.....	3
PART 3 - BID PREPARATION INSTRUCTIONS.....	3
3.1 BID PREPARATION INSTRUCTIONS	3
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	4
4.1 EVALUATION PROCEDURES.....	4
4.2 BASIS OF SELECTION.....	5
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	6
5.1 CERTIFICATIONS REQUIRED WITH THE BID	6
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	6
PART 6 - RESULTING CONTRACT CLAUSES	7
6.1 SECURITY REQUIREMENTS	7
6.2 REQUIREMENT	7
6.3 STANDARD CLAUSES AND CONDITIONS.....	7
6.4 TERM OF CONTRACT	7
6.5 AUTHORITIES	8
6.6 PAYMENT	9
6.7 PACKAGING.....	9
6.8 QUALITY ASSURANCE.....	10
6.9 SHIPPING	10
6.10 INVOICING INSTRUCTIONS	13
6.11 EXCHANGE RATE FLUCTUATION ADJUSTMENT	13
6.12 COMPLIANCE.....	14
6.13 PRIORITY OF DOCUMENTS	14
6.14 DEFENCE CONTRACT	14
ANNEX “A” TO PART 3 OF THE BID SOLICITATION	15
ANNEX “B” LINE ITEM DETAILS	16
ANNEXE « C » PROPOSED BID SUBMISSION	17
ANNEX “D” ADDITIONAL ITEM DETAILS.....	18

PART 1 - GENERAL INFORMATION

1.1 Security Requirements

1.1.1 There is no security requirement applicable to this Contract.

1.2 Requirement

The requirement is detailed in Annex "B", Line Item Details.

1.3 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.4 Trade Agreements

No trade agreements apply.

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2017-04-27) Standard Instructions – Goods and Services – Competitive Requirements, are incorporated by reference into and form part of the bid solicitation, with the following modifications:

- a) Section 01, Integrity Provisions, is deleted in its entirety and replaced by:

By submitting a bid, the Bidder certifies that it complies with the *Code of Conduct for Procurement* (<http://www.tpsgc-pwgsc.gc.ca/app-acq/cndt-cndct/index-eng.html>) and agrees to be bound by its terms. The Bidder also certifies that it complies with the terms of section 18 of the *Government Contracts Regulations*, (SOR/87-402).

- b) Section 02, Procurement Business Number is deleted in its entirety.

- c) Section 05, Submission of Bids – Subsection 2(d) is deleted and replaced by:

It is the Bidder's responsibility to:

- (a) send its bid only to the Public Works and Government Services Canada organization receiving the bids as specified on page 1 of the bid solicitation.

- d) Section 20, Further Information is deleted in its entirety.

2.1.1 SACC Manual Clauses

B1000T (2014-06-26) Condition of Materiel - Bid

B3000T (2006-06-16) Equivalent Products

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada by the date, time and place indicated on page 1 of the bid solicitation.

Bidders who do not submit a completed Annex C must clearly provide the information indicated in Annex C on their firm's letterhead/template.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than 7 calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

Canada requests that Bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (1 hard copy)

Section II: Financial Bid (1 hard copy)

Section III: Certifications (1 hard copy)

Prices must appear in the financial bid (Annex C) only. No prices must be indicated in any other section of the bid.

Estimated delivery dates must appear in the technical bid.

Canada requests that Bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, Bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

3.1.1 Electronic Payment of Invoices – Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex "A" Electronic Payment Instruments, to identify which ones are accepted.

If Annex "A" Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.1.2 Exchange Rate Fluctuation

[C3010T](#) (2014-11-27), Exchange Rate Fluctuation Risk Mitigation

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

Acceptable part number and NCAGE:

Item 1-2, GSIN: 5330, NSN: 99-6021318, Gasket
Part No.: 001279634 SHEET019 ISSUE 001, NCAGE: K2516
Part No.: SSK/M/510/60/0009/019, NCAGE: K2516

Item 3-4, GSIN: 5310, NSN: 99-7239161, Nut, Plain, Hexagon
Part No.: SSK/M/510/0060/0014/215, NCAGE: K6451
Part No.: M/510/0060/0014/215, NCAGE: K6451

Bidders must indicate the Part Number and the NSCM/NCAGE they are offering.

4.1.1.2 Mandatory Technical Evaluation Criteria – Equivalent and Substitute Products

Substitute Products – Replaced Part Numbers from the OEM

Products that are replaced part numbers (superseded or obsolete) from the Original Equipment Manufacturer (OEM) must be equivalent in form, fit, function, quality and performance to the original items(s) specified in the bid solicitation and will be considered where the bidder provides:

- a) Proof by submitting a copy of a Certificate of Conformity from the OEM providing justification/explanation that the part numbers are a replacement of the OEM parts specified herein and are equivalent in form, fit, function, quality and performance to the OEM's parts specified herein; or
- b) All required technical information to demonstrate their technical compliance and to confirm form, fit, function, quality and performance of these replaced part numbers.

In conducting its evaluation of the bids, Canada may, but will have no obligation to, request bidders offering a substitute product to demonstrate, at the sole cost of the bidder(s), that the substitute product is equivalent to the item specified in the bid solicitation. If the Bidder fails to provide the requested information within five (5) business days, Canada may declare the bid non-responsive.

Bidders proposing an Equivalent or a Substitute Product must indicate the brand name and model and/or Part Number and the NSCN/NCAGE they are offering.

[B3000T](#) (2006-06-16) Equivalent Products

4.1.2 Financial Evaluation

SACC Manual Clause [A0222T](#) (2014-06-26), Evaluation of Price - Canadian / Foreign Bidders

4.2 Basis of Selection

SACC Manual Clause [A0272T](#) (2010-08-16), Basis of Selection – Multiple Items

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price on an item by item basis will be recommended for award of a contract.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.1.2 Declaration of Convicted Offences

As applicable, pursuant to subsection Declaration of Convicted Offences of section 01 of the Standard Instructions, the Bidder must provide with its bid, a completed [Declaration Form](http://www.tpsgc-pwgsc.gc.ca/ci-if/formulaire-form-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/formulaire-form-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Integrity Provisions – List of Names

Bidders who are incorporated, including those bidding as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Bidder.

Bidders bidding as sole proprietorship, as well as those bidding as a joint venture, must provide the name of the owner(s).

Bidders bidding as societies, firms or partnerships do not need to provide lists of names.

5.2.3 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 There is no security requirement applicable to this Contract.

6.2 Requirement

6.2.1 The requirement is detailed in the completed Annex B of the contract.

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

The [2010A](#) (2016-04-04), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract, with the following modifications:

a. Definition of Minister is modified as follows:

"Canada", "Crown", "Her Majesty" or "the Government" means Her Majesty the Queen in right of Canada as represented by the Minister of National Defence and any other person duly authorized to act on behalf of that minister or, if applicable, an appropriate minister to whom the Minister of National Defence has delegated his or her powers, duties or functions and any other person duly authorized to act on behalf of that minister.

6.4 Term of Contract

6.4.1 Delivery Date

All the deliverables must be received on or before date specified in Annex B.

6.4.2 Delivery Points

Delivery of the requirement will be made to delivery points specified at Annex "B" of the Contract.

DND reserves the right to negotiate the delivery date to before or after March 31st, 2019.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name:
Title: Material Acquisition and Support Officer
Department of National Defence
Maritime Equipment Program Management
Directorate: D Mar P 5
Address: 101 Colonel By Drive
Ottawa, Ontario, K1A 0K2

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Technical Authority

The Technical Authority for the Contract is:

Name: _____
Title: Technical Authority
Department of National Defence
Maritime Equipment Program Management
Directorate: D Mar P 5
Address: 101 Colonel By Drive
Ottawa, Ontario, K1A 0K2
E-Mail : _____

The Technical Authority named above is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative

The Contractor's Representative for the Contract is:

Name: _____
Title: _____

Organization: _____
Address: _____
Telephone: ____-____-____
Facsimile: ____-____-____
E-mail: _____.

6.6 Payment

6.6.1 Basis of Payment

H1001C (2008-05-12) Terms of Payment - Multiple Payments

6.6.2 Limitation of Price

C6000C (2011-05-16) Limitation of Price

6.6.3 SACC Manual Clauses

C2605C (2008-05-12) Canadian Customs Duty and Sales Tax - Foreign-based Contractor

C2608C (2015-02-25) Canadian Customs Documentation

C2610C (2007-11-30) Customs Duties - Department of National Defence - Importer

D2000C (2007-11-30) Marking

D2001C (2007-11-30) Labelling

D0050C (2007-05-25) End User Certificate

B7500C (2006-06-16) Excess Goods

A9062C (2011-05-16) Canadian Forces Site Regulations

A9068C (2010-01-11) Government Site Regulations

6.7 Packaging

D3018C (2014-09-25) Packaging Requirement using Specification D-LM-008-036/SF-000

The Contractor must prepare item numbers 3 and 4 for delivery in accordance with the latest issue of the Canadian Forces Packaging Specification *D-LM-008-036/SF-000*, DND Minimum Requirements for Manufacturer's Standard Pack.

The Contractor must package item numbers 3 and 4 in quantities of up to a maximum of 100 by package.

AND

D3016C (2014-09-25) Preparation for Delivery - Canadian Forces Packaging Specifications

The Contractor must prepare items 1 and 2 for delivery in accordance with the latest issue of the Canadian Forces packaging specifications D-LM-008-026/SF-001, Preformed Packing, Gaskets or Seals (rubber natural/synthetic, cork, asbestos or leather).

D2025C (2013-11-06) Wood Packaging Materials

D6010C (2007-11-30) Palletization

D2015C (2010-01-11) Additional Package Markings – Identical

1. The Contractor must ensure that in addition to the required interior and exterior package markings, the following information is provided:

- (a) Manufacturer's name
- (b) drawing number/part number
- (c) Batch or lot number;
- (d) Cure date of rubber components;
- (e) Date of manufacture;
- (f) Expiration date of shelf life

2. These markings must be applied and positioned in accordance with Canadian Forces Packaging Specification D-LM-008-002/SF-001.

SHELF LIFE

B1204C (2011-05-16) Shelf Life

The Contractor must ensure that items 1-2 will contain 75 percent of the authorized shelf life as listed in ISO 2230 at date of delivery to the Department of National Defence.

DND approved shelf life for line item 001 and 002 is currently listed as 60 months.

6.8 Quality Assurance

A1009C (2008-05-12) Work Site Access

Authorized representatives of Canada must have access to any site where any part of the Work is being carried out at any time during working hours to make examinations and such tests of the Work as they may think fit.

D5545C (2010-08-16) ISO 9001:2008 - Quality Management Systems - Requirements (Quality Assurance Code C) for all items.

6.9 Shipping

D0037C (2015-02-25) Shipping Instructions (DND) Canadian-Based Contractor

1. Delivery will be FCA Free Carrier at _____ Incoterms 2000. The Contractor must load the goods onto the carrier designated by the Department of National Defence (DND). Onward shipment from the delivery point to the consignee will be Canada's responsibility.
2. Before shipping the goods, the Contractor must contact the following DND Inbound Logistics Coordination Center by facsimile or e-mail, to arrange for shipment, and provide the information detailed at paragraph 3.

Inbound Logistics Co-ordination Center (ILCC)
Telephone: 1-877-877-7423 (toll free)

Facsimile: 1-877-877-7409 (toll free)
E-mail: ILHQOttawa@forces.gc.ca

3. The Contractor must provide the following information to the DND Inbound Logistics Coordination Center when arranging for shipment:
 - a) the Contract number;
 - b) consignee address (for multiple addresses, items must be packaged and labelled separately with each consignee address);
 - c) description of each item;
 - d) the number of pieces and type of packaging (i.e., carton, crate, drum, skid);
 - e) actual weight and dimensions of each piece type, including gross weight;
 - f) full details of dangerous material, as required for the applicable mode of transportation, signed certificates for dangerous material as required for shipment by the International Maritime Dangerous Goods Code, the International Air Transport Association regulations or the applicable Canadian Dangerous Goods Shipping Regulations, and a copy of the material safety data sheet.
4. Following receipt of this information by Canada, Canada will provide the appropriate shipping instructions, which may include the requirement for specific consignee address labeling, and the marking of each piece with a Transportation Control Number.
5. The Contractor must not ship the goods before receiving shipping instructions from the DND Inbound Logistics contact.
6. If the Contractor delivers the goods at a place and time which are not in accordance with the given delivery instructions or fail to fulfill reasonable delivery instructions given by Canada, the Contractor must reimburse Canada any additional expenses and costs incurred.
7. If Canada is responsible for delays in delivering the goods, ownership and risk will be transferred to Canada upon expiry of either thirty (30) days following the date on which a duly completed shipping application is received by Canada or by its appointed forwarding agent, or thirty (30) days following the delivery date specified in the Contract, whichever is later.

OR

D0035C (2010-01-11) Shipping Instructions (DND) Foreign-Based Contractor

1. Delivery will be FCA Free Carrier at _____ Incoterms 2000. The Contractor must load the goods onto the carrier designated by the Department of National Defence (DND). Onward shipment from the delivery point to the consignee will be Canada's responsibility.
2. Before shipping the goods, the Contractor must contact the following DND Inbound Logistics Coordination Center by facsimile or e-mail, to arrange for shipment, and provide the information detailed at paragraph 3.

Inbound Logistics Coordination Center (ILCC):
Telephone: 1-877-447-7701 (toll free)
Facsimile: 1-877-877-7409 (toll free)
E-mail: ILHQOttawa@forces.gc.ca

OR

Inbound Logistics United Kingdom (ILUK):
Telephone: 011-44-1895-613023, or 011-44-1895-613024, or
Facsimile: 011-44-1895-613047
E-mail: CFSUEDetUKMovements@forces.gc.ca

In addition, the Contractor must send to ILUK the completed form "Shipping Advice and Export Certificate" by e-mail to: CFSUEDetUKMovements@forces.gc.ca.

The shipment of any items above the value of 600 GBP (pound sterling) being exported from the United Kingdom and Ireland will be cleared by DND using Her Majesty's Customs & Excise (HMCE) New Export Systems (NES). The Contractor must comply with HMCE requirements by registering with HMCE or by having a freight forwarder complete the entry. A printed copy of the NES entry Export Declaration clearly displaying the Declaration Unique Consignment Reference Number must be provided by the Contractor and attached to the consignment. The Contractor must ensure that this procedure is carried out for all stores whether they be initial purchase or repair and overhaul export items. HMCE will authorize Canadian Forces Support Unit (Europe) to ship the goods only if the procedure has been adhered to completely and properly by the Contractor.

OR

Inbound Logistics Europe Area (ILEA):
Telephone: +49-(0)-2451-717199 or 717200
Facsimile: +49-(0)-2451-717189
Email: ILEA@forces.gc.ca

3. The Contractor must provide the following information to the DND Inbound Logistics contact when arranging for shipment:

- a) the Contract number;
- b) consignee address (if multiple addresses, items must be packaged and labeled separately with each consignee address);
- c) description of each item;
- d) the number of pieces and type of packaging (e.g. carton, crate, drum, skid);
- e) actual weight and dimensions of each piece type, including gross weight;
- f) copy of the commercial invoice (in accordance with clause C2608C, section 4, of the Standard Acquisition Clauses and Conditions Manual) or a copy of the Canada Border Services Agency form C11, Canada Customs Invoice;
- g) Schedule B codes (for exports) and the Harmonized Tariff Schedule codes (for imports);
- h) North American Free Trade Agreement Certificate of Origin (in accordance with clause C2608C, section 2) for the U.S. and Mexico only;
- i) full details of dangerous material, as required for the applicable mode of transportation, signed certificates for dangerous material as required for shipment by the International Maritime Dangerous Goods Code, or International Air Transport Association regulations or the applicable Canadian Dangerous Goods Shipping Regulations and a copy of the material safety data sheet.

4. Following receipt of this information by Canada, Canada will provide the appropriate shipping instructions, which may include the requirement for specific consignee address labeling, the marking of each piece with a Transportation Control Number and customs documentation.

5. The Contractor must not ship goods before receiving shipping instructions from the DND Inbound Logistics contact.

6. If the Contractor delivers the goods at a place and time that are not in accordance with the given delivery instructions or fail to fulfill reasonable delivery instructions given by Canada, the Contractor must reimburse Canada any additional expenses and costs incurred.

7. If Canada is responsible for delays in delivering the goods, ownership and risk will be transferred to Canada upon expiry of either thirty (30) days following the date on which a duly completed shipping application is received by Canada or by its appointed forwarding agent, or thirty (30) days following the delivery date specified in the Contract, whichever is later.

6.10 Invoicing Instructions

H5001C (2008-12-12) Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

Invoices must be submitted on the supplier's own invoice form and must be prepared to show:

- a) The date
- b) Name and address of the consignee(s)
- c) Item number, quantity, part number, reference number and description
- d) Contract numbers.

2. Invoices must be distributed as follows:

- a. The original and one (1) copy must be forwarded to the consignee for certification and payment.

Department of National Defence
Maritime Forces Atlantic
Accts Payable Bldg. S-90, Room 334
2686 Sextant Lane, Stadacona
PO Box 99000 Stn Forces
Halifax, NS B3K 5X5
Canada

AND

Department of National Defence
Base Logistics Officer
CFB Esquimalt
STN Forces, P.O. Box 17000
Victoria, BC V9A 7N2
Canada

- b. One (1) copy must be forwarded to:

Department of National Defence
101 Colonel By Drive
Ottawa, Ontario K1A 0K2
Attention: D Mar P 5-4-2-8

- b. One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.
- c. one (1) copy must be forwarded to the consignee.

6.11 Exchange Rate Fluctuation Adjustment

C3015C (2017-08-17) - Exchange Rate Fluctuation Adjustment

6.12 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.13 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) The DND Contract;
- (b) [2010A](#) (2016-04-04) General Conditions - Goods (Medium Complexity);
- (c) The Contractor's bid dated _____", as clarified on _____. (do not keep)

6.14 Defence Contract

SACC *Manual* clause [A9006C](#) (2012-07-16) Defence Contract

ANNEX "A" to PART 3 OF THE BID SOLICITATION

ELECTRONIC PAYMENT INSTRUMENTS

As indicated in Part 3, clause 3.1.1, the Bidder must identify which electronic payment instruments they are willing to accept for payment of invoices.

The Bidder accepts any of the following Electronic Payment Instrument(s):

- Direct Deposit (Domestic and International) ;
- Electronic Data Interchange (EDI) ;
- Wire Transfer (International Only) ;

W8482-195220/A

ANNEX B - For procurement Officer to complete (DND's requirement)

Item / Article	Item Details/ Détails de l'article	Unit of Issue / Unité de distribution	Quantity / Quantité	Deliver Code and Invoice Code/ Codes de livraison et de facturation	Security Requirement / Besoin de Sécurité	Quality Assurance Code (QAC) / Code de l'Assurance de la Qualité	SOQR Required	Controlled Goods (CTAT or ITAR) / Marchandises Contrôlées (ATTC ou ITAR)	Trade Agreements / Accords commerciaux
1	NSN/NNO 5330-99-602-1318 Item/Article: Gasket / Joint PN/N 001279634 SHEET019 ISSUE 001 NCAGE/EEPO K2516 MANUFACTURER / FABRICANT MINISTRY OF DEFENCE (NAVY) PN/N SSK/M/510/60/0009/019 NCAGE/EEPO K2516 MANUFACTURER / FABRICANT MINISTRY OF DEFENCE (NAVY) Or equivalent / Ou Equivalent	EA / CH	20	CFB Esquimalt Delivery Code 002E Invoice Code W0103	NO / NON	C	No/Non	No/Non	Yes/Oui
2	NSN/NNO 5330-99-602-1318 Item/Article: Gasket / Joint PN/N 001279634 SHEET019 ISSUE 001 NCAGE/EEPO K2516 MANUFACTURER / FABRICANT MINISTRY OF DEFENCE (NAVY) PN/N SSK/M/510/60/0009/019 NCAGE/EEPO K2516 MANUFACTURER / FABRICANT MINISTRY OF DEFENCE (NAVY) Or equivalent / Ou Equivalent	EA / CH	10	CFB Halifax Delivery Code 007X Invoice Code W010B	NO / NON	C	No/Non	No/Non	Yes/Oui
3	NSN/NNO 5310-99-723-9161 Item/Article: Nut,Plain,Hexagon / Ecrou, Hexagonal PN/N SSK/M/510/0060/0014/215 NCAGE/EEPO K6451 MANUFACTURER / FABRICANT BAE SYSTEMS MARINE LIMITED PN/N M/510/0060/0014/215 NCAGE/EEPO K6451 MANUFACTURER / FABRICANT BAE SYSTEMS MARINE LIMITED Or equivalent / Ou Equivalent	EA / CH	35	CFB Esquimalt Delivery Code 002E Invoice Code W0103	NO / NON	C	No/Non	No/Non	Yes/Oui

4	NSN/NNO 5310-99-723-9161 Item/Article: Nut,Plain,Hexagon / Ecrou, Hexagonal PN/N SSK/M/510/0060/0014/215 NCAGE/EEPO K6451 MANUFACTURER / FABRICANT BAE SYSTEMS MARINE LIMITED PN/N M/510/0060/0014/215 NCAGE/EEPO K6451 MANUFACTURER / FABRICANT BAE SYSTEMS MARINE LIMITED Or equivalent / Ou Equivalent	EA / CH	15	CFB Halifax Delivery Code 007X Invoice Code W010B	NO / NON	C	No/Non	No/Non	Yes/Oui
---	---	---------	----	---	----------	---	--------	--------	---------

NOTE: To receive the Excel Format of this Annex, please contact me at Jeffrey.Milks@forces.gc.ca

REMARQUE: Pour recevoir le format Excel de cette annexe, veuillez communiquer avec moi à l'adresse suivante: Jeffrey.Milks@forces.gc.ca

W8482-195220/A - ANNEX C

Line/Ligne	Item Details/ Détails de l'article	Unit of Issue/ Unité de distribution	Quantity/ Quantité	Delivery and Invoice Codes / Codes de livraison et de facturation	Delivey Date / Date de Livraison	Firm Unit Price/ Prix unitaire ferme **Please clearly specify currency** **S'il vous plaît confirmer la devise** (Applicable taxes extra/ Les taxes applicables sont en sus)
1	NSN/NNO: Item Description/ DESCRIPTION DE L'ARTICLE: PN/NdP: NCAGE/EEPO: Manufacturer Name/ Nom de Fabricant:	EA/CH	20	CFB ESQUIMALT Delivery Code 002E Invoice Code W0103	DD-MM-YYYY JJ-MM-AAAA	\$0.00
2	NSN/NNO: Item Description/ DESCRIPTION DE L'ARTICLE: PN/NdP: NCAGE/EEPO: Manufacturer Name/ Nom de Fabricant:	EA/CH	10	CFB HALIFAX Delivery Code 007X Invoice Code W010B	DD-MM-YYYY JJ-MM-AAAA	\$0.00
3	NSN/NNO: Item Description/ DESCRIPTION DE L'ARTICLE: PN/NdP: NCAGE/EEPO: Manufacturer Name/ Nom de Fabricant:	EA/CH	35	CFB ESQUIMALT Delivery Code 002E Invoice Code W0103	DD-MM-YYYY JJ-MM-AAAA	\$0.00
4	NSN/NNO: Item Description/ DESCRIPTION DE L'ARTICLE: PN/NdP: NCAGE/EEPO: Manufacturer Name/ Nom de Fabricant:	EA/CH	15	CFB HALIFAX Delivery Code 007X Invoice Code W010B	DD-MM-YYYY JJ-MM-AAAA	\$0.00

ANNEX "D" ADDITIONAL ITEM DETAILS

NSN/NNO	DESCRIPTION																																													
5330-99-602-1318	<table border="1"> <thead> <tr> <th data-bbox="561 394 920 422">Characteristic</th> <th data-bbox="933 394 1446 422">Reply</th> </tr> </thead> <tbody> <tr><td>MATERIAL</td><td>RUBBER</td></tr> <tr><td>MATERIAL DOCUMENT AND CLASSIFICATION</td><td>MOD(N)/DG SHIPS DGS 221 OZ13 MIL STD SINGLE MATERIAL RESPONSE</td></tr> <tr><td>CROSS-SECTIONAL SHAPE STYLE</td><td>F33 SOLID SINGLE OR COMPOSITION NONMETALLIC MATERIAL</td></tr> <tr><td>CROSS-SECTIONAL THICKNESS STYLE DESIGNATOR</td><td>3.00 MILLIMETERS NOMINAL B12F NON-CIRCULAR</td></tr> <tr><td>HOLE DIAMETER</td><td>6.00 MILLIMETERS MINIMUM AND 6.18 MILLIMETERS MAXIMUM</td></tr> <tr><td>OVERALL LENGTH</td><td>125.50 MILLIMETERS MINIMUM AND 126.50 MILLIMETERS MAXIMUM</td></tr> <tr><td>OVERALL WIDTH</td><td>125.50 MILLIMETERS MINIMUM AND 126.50 MILLIMETERS MAXIMUM</td></tr> <tr><td>INSIDE CORNER RADIUS</td><td>5.50 MILLIMETERS MINIMUM AND 6.50 MILLIMETERS MAXIMUM</td></tr> <tr><td>OUTSIDE CORNER RADIUS</td><td>18.50 MILLIMETERS MINIMUM AND 19.50 MILLIMETERS MAXIMUM</td></tr> <tr><td>APERTURE WIDTH</td><td>102.00 MILLIMETERS NOMINAL</td></tr> <tr><td>APERTURE LENGTH</td><td>102.00 MILLIMETERS NOMINAL</td></tr> <tr><td>CENTER TO CENTER DISTANCE BETWEEN BOLT HOLES ALONG WIDTH</td><td>64.00 MILLIMETERS NOMINAL</td></tr> <tr><td>CENTER TO CENTER DISTANCE BETWEEN BOLT HOLES ALONG LENGTH</td><td>64.00 MILLIMETERS NOMINAL</td></tr> <tr><td>OUTSIDE EDGE TO BOLT HOLE CENTER DISTANCE ALONG WIDTH</td><td>31.00 MILLIMETERS NOMINAL</td></tr> <tr><td>OUTSIDE EDGE TO BOLT HOLE CENTER DISTANCE ALONG LENGTH</td><td>31.00 MILLIMETERS NOMINAL</td></tr> <tr><td>BOLT HOLE QUANTITY</td><td>8</td></tr> <tr><td>REFERENCE NUMBER</td><td>ELRN</td></tr> <tr><td>DIFFERENTIATING CHARACTERISTICS</td><td></td></tr> <tr><td>EXTRA LONG REFERENCE NUMBER</td><td>DRAWING NUMBER SSK/M/510/60/0009 SHEET 019 ISSUE 001/ADOPTED/1994/</td></tr> <tr><td>PART NAME ASSIGNED BY CONTROLLING AGENCY</td><td>JOINT</td></tr> <tr><td>PROPRIETARY CHARACTERISTICS</td><td>PACS</td></tr> </tbody> </table>	Characteristic	Reply	MATERIAL	RUBBER	MATERIAL DOCUMENT AND CLASSIFICATION	MOD(N)/DG SHIPS DGS 221 OZ13 MIL STD SINGLE MATERIAL RESPONSE	CROSS-SECTIONAL SHAPE STYLE	F33 SOLID SINGLE OR COMPOSITION NONMETALLIC MATERIAL	CROSS-SECTIONAL THICKNESS STYLE DESIGNATOR	3.00 MILLIMETERS NOMINAL B12F NON-CIRCULAR	HOLE DIAMETER	6.00 MILLIMETERS MINIMUM AND 6.18 MILLIMETERS MAXIMUM	OVERALL LENGTH	125.50 MILLIMETERS MINIMUM AND 126.50 MILLIMETERS MAXIMUM	OVERALL WIDTH	125.50 MILLIMETERS MINIMUM AND 126.50 MILLIMETERS MAXIMUM	INSIDE CORNER RADIUS	5.50 MILLIMETERS MINIMUM AND 6.50 MILLIMETERS MAXIMUM	OUTSIDE CORNER RADIUS	18.50 MILLIMETERS MINIMUM AND 19.50 MILLIMETERS MAXIMUM	APERTURE WIDTH	102.00 MILLIMETERS NOMINAL	APERTURE LENGTH	102.00 MILLIMETERS NOMINAL	CENTER TO CENTER DISTANCE BETWEEN BOLT HOLES ALONG WIDTH	64.00 MILLIMETERS NOMINAL	CENTER TO CENTER DISTANCE BETWEEN BOLT HOLES ALONG LENGTH	64.00 MILLIMETERS NOMINAL	OUTSIDE EDGE TO BOLT HOLE CENTER DISTANCE ALONG WIDTH	31.00 MILLIMETERS NOMINAL	OUTSIDE EDGE TO BOLT HOLE CENTER DISTANCE ALONG LENGTH	31.00 MILLIMETERS NOMINAL	BOLT HOLE QUANTITY	8	REFERENCE NUMBER	ELRN	DIFFERENTIATING CHARACTERISTICS		EXTRA LONG REFERENCE NUMBER	DRAWING NUMBER SSK/M/510/60/0009 SHEET 019 ISSUE 001/ADOPTED/1994/	PART NAME ASSIGNED BY CONTROLLING AGENCY	JOINT	PROPRIETARY CHARACTERISTICS	PACS	
Characteristic	Reply																																													
MATERIAL	RUBBER																																													
MATERIAL DOCUMENT AND CLASSIFICATION	MOD(N)/DG SHIPS DGS 221 OZ13 MIL STD SINGLE MATERIAL RESPONSE																																													
CROSS-SECTIONAL SHAPE STYLE	F33 SOLID SINGLE OR COMPOSITION NONMETALLIC MATERIAL																																													
CROSS-SECTIONAL THICKNESS STYLE DESIGNATOR	3.00 MILLIMETERS NOMINAL B12F NON-CIRCULAR																																													
HOLE DIAMETER	6.00 MILLIMETERS MINIMUM AND 6.18 MILLIMETERS MAXIMUM																																													
OVERALL LENGTH	125.50 MILLIMETERS MINIMUM AND 126.50 MILLIMETERS MAXIMUM																																													
OVERALL WIDTH	125.50 MILLIMETERS MINIMUM AND 126.50 MILLIMETERS MAXIMUM																																													
INSIDE CORNER RADIUS	5.50 MILLIMETERS MINIMUM AND 6.50 MILLIMETERS MAXIMUM																																													
OUTSIDE CORNER RADIUS	18.50 MILLIMETERS MINIMUM AND 19.50 MILLIMETERS MAXIMUM																																													
APERTURE WIDTH	102.00 MILLIMETERS NOMINAL																																													
APERTURE LENGTH	102.00 MILLIMETERS NOMINAL																																													
CENTER TO CENTER DISTANCE BETWEEN BOLT HOLES ALONG WIDTH	64.00 MILLIMETERS NOMINAL																																													
CENTER TO CENTER DISTANCE BETWEEN BOLT HOLES ALONG LENGTH	64.00 MILLIMETERS NOMINAL																																													
OUTSIDE EDGE TO BOLT HOLE CENTER DISTANCE ALONG WIDTH	31.00 MILLIMETERS NOMINAL																																													
OUTSIDE EDGE TO BOLT HOLE CENTER DISTANCE ALONG LENGTH	31.00 MILLIMETERS NOMINAL																																													
BOLT HOLE QUANTITY	8																																													
REFERENCE NUMBER	ELRN																																													
DIFFERENTIATING CHARACTERISTICS																																														
EXTRA LONG REFERENCE NUMBER	DRAWING NUMBER SSK/M/510/60/0009 SHEET 019 ISSUE 001/ADOPTED/1994/																																													
PART NAME ASSIGNED BY CONTROLLING AGENCY	JOINT																																													
PROPRIETARY CHARACTERISTICS	PACS																																													
5310-99-723-9161	<table border="1"> <thead> <tr> <th data-bbox="561 1497 920 1524">Characteristic</th> <th data-bbox="933 1497 1446 1524">Reply</th> </tr> </thead> <tbody> <tr><td>THREAD SERIES</td><td>ISO M</td></tr> <tr><td>NOMINAL THREAD SIZE</td><td>20.00 MILLIMETERS</td></tr> <tr><td>THREAD PITCH IN MILLIMETERS</td><td>2.50</td></tr> <tr><td>THREAD TOLERANCE CLASS</td><td>6H INTERNAL</td></tr> <tr><td>THREAD DIRECTION</td><td>RIGHT-HAND</td></tr> <tr><td>MATERIAL</td><td>OVERALL COPPER ALLOY</td></tr> <tr><td>MATERIAL DOCUMENT AND CLASSIFICATION</td><td>OVERALL BS 2874 PB102 NATIONAL STD/SPEC SINGLE MATERIAL RESPONSE</td></tr> <tr><td>NUT STYLE</td><td>HEXAGON</td></tr> <tr><td>NUT HEIGHT</td><td>17.00 MILLIMETERS NOMINAL</td></tr> <tr><td>WIDTH ACROSS FLATS</td><td>30.00 MILLIMETERS NOMINAL</td></tr> <tr><td>BEARING SURFACE TYPE</td><td>CHAMFERED</td></tr> </tbody> </table>	Characteristic	Reply	THREAD SERIES	ISO M	NOMINAL THREAD SIZE	20.00 MILLIMETERS	THREAD PITCH IN MILLIMETERS	2.50	THREAD TOLERANCE CLASS	6H INTERNAL	THREAD DIRECTION	RIGHT-HAND	MATERIAL	OVERALL COPPER ALLOY	MATERIAL DOCUMENT AND CLASSIFICATION	OVERALL BS 2874 PB102 NATIONAL STD/SPEC SINGLE MATERIAL RESPONSE	NUT STYLE	HEXAGON	NUT HEIGHT	17.00 MILLIMETERS NOMINAL	WIDTH ACROSS FLATS	30.00 MILLIMETERS NOMINAL	BEARING SURFACE TYPE	CHAMFERED																					
Characteristic	Reply																																													
THREAD SERIES	ISO M																																													
NOMINAL THREAD SIZE	20.00 MILLIMETERS																																													
THREAD PITCH IN MILLIMETERS	2.50																																													
THREAD TOLERANCE CLASS	6H INTERNAL																																													
THREAD DIRECTION	RIGHT-HAND																																													
MATERIAL	OVERALL COPPER ALLOY																																													
MATERIAL DOCUMENT AND CLASSIFICATION	OVERALL BS 2874 PB102 NATIONAL STD/SPEC SINGLE MATERIAL RESPONSE																																													
NUT STYLE	HEXAGON																																													
NUT HEIGHT	17.00 MILLIMETERS NOMINAL																																													
WIDTH ACROSS FLATS	30.00 MILLIMETERS NOMINAL																																													
BEARING SURFACE TYPE	CHAMFERED																																													