



**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

PWGSC/TPSGC Acquisitions Bid
Receiving/Réception des Soumissions
Sherwood Business Centre
161 St. Peters Road/
161, rue St. Peters
2nd Floor, Suite 204/
2ième étage, pièce 204
Charlottetown
Prince Edward Island
C1A 5P7

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

All enquiries are to be submitted in writing to the Contracting Authority, Crystal Bysterveldt, either by facsimile or by e-mail at:
crystal.bysterveldt@pwgsc.gc.ca.

**Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Commercial Acquisitions (PEI)
Sherwood Business Centre
161 St. Peters Road/
161, rue St. Peters
2nd Floor, Suite 204/
2ième étage, pièce 204
Charlottetown
Prince Ed
C1A 5P7

Title - Sujet Edge Bander	
Solicitation No. - N° de l'invitation 21C21-184103/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client 21C21-184103	Date 2019-02-08
GETS Reference No. - N° de référence de SEAG PW-\$PEI-001-4394	
File No. - N° de dossier PEI-8-41096 (001)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-02-19	
Time Zone Fuseau horaire Atlantic Standard Time AST	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Bysterveldt (PEI), Crystal	Buyer Id - Id de l'acheteur pei001
Telephone No. - N° de téléphone (902) 940-7122 ()	FAX No. - N° de FAX (902) 566-7514
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

THIS ADDENDUM IS RAISED TO PROVIDE THE FOLLOWING ANSWERS TO QUESTIONS PROVIDED BY BIDDERS.

THE FOLLOWING CHANGES IN THE TENDER DOCUMENTS ARE EFFECTIVE IMMEDIATELY. THIS ADDENDUM WILL FORM PART OF THE CONTRACT DOCUMENTS.

1. **Question:** ANNEX A - A3.10 Capable of accepting Edge banding material thickness of min 0.3 mm to 6mm. Please advise if edge thickness of 0.4 mm to 6mm is also acceptable.

Answer: Yes, this is acceptable.

See modified Annex B below:

ANNEX "B"**Revised: February 11, 2019****MANDATORY REQUIREMENTS:**

Bids MUST meet the mandatory requirements specified below. To demonstrate that all requirements of the technical specifications are respected, bidders MUST respond with complete specifications and/or descriptive literature of the equipment being offered.

The complete specifications and/or descriptive literature should be submitted with the proposal but may be submitted afterwards. If the complete specifications and/or descriptive literature are not submitted with the proposal, the Contracting Authority will so inform the Bidder and provide the Bidder with a time frame within which to meet this requirement. Failure to comply with the request of the Contracting Authority and meet the requirement within that time period will render the bid non-responsive.

Any proposal which fails to meet all mandatory specifications and requirements will be deemed non-responsive. Each requirement should be addressed separately.

Any changes to the requirement and/or questions will be answered with an amendment to the solicitation and posted on the Government Electronic Tendering System (GETS) at www.buyandsell.gc.ca.

Technical Specifications for: Edge Bander

Technical Specifications		Supplier's Cross Reference to Technical Offer (indicate page #)	Supplier Comments:
A3	Technical Requirement: Edge Bander must meet all of the following mandatory specifications:		
A3.1	Fast glue heat-up time.		
A3.2	Fast glue colour change.		
A3.3	Non propriety glue system.		
A3.4	Glue type to EVA or PUR.		
A3.5	No chains in the gluing operation.		
A3.6	Conveyor speed 10 meters per min, minimum.		

A3.7	Pull out piece work support.		
A3.8	Minimum work piece width 70mm, length 140mm, maximum.		
A3.9	Panel thickness 8mm - 50mm.		
A3.10	Capable of accepting Edge banding material thickness of min 0.4 mm to 6mm.		
A3.11	Automatic guillotine capable of cutting 3.mm thick Polyvinyl Chloride (PVC) more correctly but unusually poly, commonly abbreviated PVC, is the world's third-most widely produced synthetic plastic polymer. I Acrylonitrile Butadiene Styrene (ABS) is a common thermoplastic polymer. ABS plastics are used largely for mechanical purposes.		
A3.12	End cutting unit to be adjustable from control panel.		
A3.13	Pre- milling unit to be able to adjust: 45mm/minimum.		
A3.14	Corner rounding unit for front and rear rounding, switched from control panel.		
A3.15	Surface glue scraper switched from control panel.		
A3.16	Surface buffer switched from control panel.		
A3.17	Tilt-able edge trimmers. 0-15 degrees.		
A3.18	Pivoting control panel.		

A3.19	All working units to be enclosed for safety and noise reduction.		
A3.20	Dust -proof touch keyboard.		
A3.21	Diagnostic system.		
A3.22	Must be capable of Individual operator password protection.		
A3.23	Buffing unit.		
A3.24	CSA Approved		