

## RETURN BIDS TO: RETOURNER LES SOUMISSIONS À:

# Bid Receiving - Environment Canada / Réception des soumissions - Environnement Canada

Heidi Noble

heidi.noble@canada.ca

#### BID SOLICITATION DEMANDE DE SOUMISSONS

# PROPOSAL TO: ENVIRONMENT CANADA

We offer to perform or provide to Canada the services detailed in the document including any attachments and annexes, in accordance with the terms and conditions set out or referred to in the document, at the price(s) provided.

#### SOUMISSION À: ENVIRONNEMENT CANADA

Nous offrons d'effectuer ou de fournir au Canada, aux conditions énoncées ou incluses par référence dans le document incluant toutes pièces jointes et annexes, les services détaillés dans le document, au(x) prix indiqué(s).

#### Title - Titre

Canadian Air and Precipitation Monitoring Network Site Operator at the Kejimkujik Site in Nova Scotia

EC Bid Solicitation No. /SAP No. –  $N^{o}$  de la demande de soumissions EC /  $N^{o}$  SAP

5000043427

Date of Bid solicitation (YYYY-MM-DD) – Date de la demande de soumissions (AAAA-MM-JJ)

2019-02-15

Bid Solicitation Closes (YEAR-MM-DD) - La demande de soumissions prend fin (AAAA-MM-JJ)

at – à 2:00 P.M.

on – le 2019-03-04 **F.O.B – F.A.B** 

Not Applicable

Address Enquiries to - Adresser toutes questions à

Heidi Noble heidi.noble@canada.ca

**Telephone No. – Nº de téléphone** 905-319-6982

Fax No. – Nº de Fax

Time Zone – Fuseau

Eastern Standard Time

horaire

Delivery Required (YEAR-MM-DD) – Livraison exigée (AAAA-MM-JJ) 2020-03-31

2020-03-31

**Destination - of Services / Destination des services** Nova Scotia

#### Security / Sécurité

There is a security requirement associated with this requirement.

Vendor/Firm Name and Address - Raison sociale et adresse du fournisseur/de l'entrepreneur

Telephone No. – N° de téléphone

Fax No. - N° de Fax

Name and title of person authorized to sign on behalf of Vendor/Firm: (type or print) /

Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur (taper ou écrire en caractères d'imprimerie)

Signature

Date

#### **TABLE OF CONTENTS**

#### **PART 1 – INFORMATION**

- 1. Security Requirement
- 2. Statement of Work
- 3. Debriefings

#### **PART 2 – BIDDER INSTRUCTIONS**

- 1. Standard Instructions, Clauses and Conditions
- 2. Submission of Bids
- 3. Former public servants Competitive Bid
- 4. Enquiries Bid Solicitation
- 5. Applicable Laws

#### **PART 3 - BID PREPARATION INSTRUCTIONS**

1. Bid Preparation Instructions

#### PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

- 1. Evaluation Procedures
- 2. Basis of Selection

#### **PART 5 – CERTIFICATIONS**

- 1. Certifications Required Precedent to Contract Award
- 2. Certifications Required with the Bid

#### **PART 6 - RESULTING CONTRACT CLAUSES**

- 1. Security Requirement
- 2. Insurance Requirement
- 3. Statement of Work
- 4. Standard Clauses and Conditions
- 5. Term of Contract
- 6. Authorities
- 7. Proactive Disclosure of Contracts with Former Public Servants
- 8. Payment
- 9. Invoicing Instructions
- 10. Certifications
- 11. Applicable Laws
- 12. Priority of Documents

#### **List of Annexes:**

Annex A Annex B Annex C Annex D	Statement of Work Basis of Payment Security Requirements Check List English Language Certification
Annex E Annex F	Daily Service Certification Access to Reliable Transportation Certification
Annex G Annex H	Working Alone at an Isolated Location Certification Proposed Resources

**Title:** Canadian Air and Precipitation Monitoring Network Site Operator at the Kejimkujik Site in Nova Scotia

#### **PART 1 – GENERAL INFORMATION**

#### 1. Security Requirement

- 1.1 There is a security requirement associated with this requirement.
- **1.2.** Before award of a contract, the following conditions must be met:
- the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Part 6 - Resulting Contract:
- (b) the Bidder must provide the name of all individuals who will require access to classified or protected information, assets or sensitive work sites;
- **1.2.1** Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
- **1.2.2** The Contractor's personnel requiring access to PROTECTED information, assets or work site must EACH hold a valid RELIABILITY STATUS, granted or approved by the Government of Canada.
- 1.2.3 Contractor's personnel requiring access to PROTECTED information, assets or work site(s) not already holding a valid RELIABILITY STATUS, granted or approved by the Government shall ensure that the personnel requiring access to PROTECTED information, assets or work site(s) are security screened to RELIABILITY STATUS at the Contractor's expense.
- **1.2.4** The Contractor must comply with the provisions of the Security Requirements Check List, attached at Annex C.
- 1.2.5 For additional information on security requirements, bidders should refer to the Canadian Industrial Security Directorate (CISD), Industrial Security Program of Public Works and Government Services Canada (http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html) website.

#### 2. Statement of Work

The Work to be performed is detailed under Annex A, Statement of Work of the resulting contract.

#### 3. Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days of receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

#### **PART 2 – BIDDER INSTRUCTIONS**

#### 1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the PWGSC Standard Acquisition Clauses and Conditions Manual (https://buyandsell.gc.ca/policy-

<u>and-guidelines/standard-acquisition-clauses-and-conditions-manual</u>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2016-04-04) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

The standard instructions 2003 are modified as follows:

Under "Text" at 02:

Delete: "Procurement Business Number"

Insert: "Deleted"

#### **At Section 02 Procurement Business Number**

**Delete:** In its entirety **Insert:** "Deleted"

#### At Section 05 Submission of Bids, Subsection 05 (2d):

Delete: In its entirety

Insert: "send its bid only to Environment Canada (EC) as specified on page 1 of the bid solicitation or to

the address specified in the bid solicitation;"

#### At Section 06 Late Bids:

Delete: "PWGSC"

Insert: "Environment Canada"

#### At Section 07 Delayed Bids:

Delete: "PWGSC"

Insert: "Environment Canada"

#### At Section 08 Transmission by Facsimile, Subsection 08 (1):

**Delete:** In its entirety

Insert: "Bids may be submitted by facsimile if specified in the bid solicitation."

#### At Section 12 Rejection of Bid, Subsection 12 (1) a. and b.:

Delete: In their entirety

Insert: "Deleted"

#### At Section 17 Joint Venture, Subsection 17 (1) b.:

Delete: "the Procurement Business Number of each member of the joint venture,"

Insert: "Deleted"

#### At Section 20 Further Information, Subsection 20 (2):

**Delete:** In its entirety **Insert:** "Deleted"

#### At Section 05 Submission of Bids, Subsection 05 (4)

Delete: "sixty (60) days"

**Insert:** "one hundred and twenty (120) days"

#### 2. Submission of Bids

**2.1** Bids must be submitted to Environment Canada (EC) at the address and by the date, time and place indicated on page 1 of the bid solicitation.

#### 3. Former Public Servant - Competitive Bid

Contracts awarded to former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny, and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts awarded to FPS, bidders must provide the information required below before contract award. If the answer to the questions and, as applicable the information required have not been received by the time the evaluation of bids is completed, Canada will inform the Bidder of a time frame within which to provide the information. Failure to comply with Canada's request and meet the requirement within the prescribed time frame will render the bid non-responsive.

#### **Definitions**

For the purposes of this clause, "former public servant" is any former member of a department as defined in the *Financial Administration Act*, R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the Royal Canadian Mounted Police. A former public servant may be:

- a. an individual;
- b. an individual who has incorporated;
- c. a partnership made of former public servants; or
- d. a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means a pension or annual allowance paid under the *Public Service Superannuation Act* (PSSA), R.S., 1985, c.P-36, and any increases paid pursuant to the *Supplementary Retirement Benefits Act*, R.S., 1985, c.S-24 as it affects the PSSA. It does not include pensions payable pursuant to the *Canadian Forces Superannuation Act*, R.S., 1985, c.C-17, the *Defence Services Pension Continuation Act*, 1970, c.D-3, the *Royal Canadian Mounted Police Pension Continuation Act*, 1970, c.R-10, and the *Royal Canadian Mounted Police Superannuation Act*, R.S., 1985, c.R-11, the *Members of Parliament Retiring Allowances Act*, R.S., 1985, c.M-5, and that portion of pension payable to the *Canada Pension Plan Act*, R.S., 1985, c.C-8.

#### Former Public Servant in Receipt of a Pension

As per the above definitions, is the Bidder a FPS in receipt of a pension? Yes () No ()

If so, the Bidder must provide the following information, for all FPS in receipt of a pension, as applicable:

- a. name of former public servant;
- b. date of termination of employment or retirement from the Public Service.

By providing this information, Bidders agree that the successful Bidder's status, with respect to being a former public servant in receipt of a pension, will be reported on departmental websites as part of the

published proactive disclosure reports in accordance with Contracting Policy Notice: 2012-2 and the Guidelines on the Proactive Disclosure of Contracts.

#### **Work Force Adjustment Directive**

Is the Bidder a FPS who received a lump sum payment pursuant to the terms of the Work Force Adjustment Directive? **Yes** ( ) **No** ( )

If so, the Bidder must provide the following information:

- a. name of former public servant;
- b. conditions of the lump sum payment incentive;
- c. date of termination of employment;
- d. amount of lump sum payment;
- e. rate of pay on which lump sum payment is based;
- f. period of lump sum payment including start date, end date and number of weeks;
- g. number and amount (professional fees) of other contracts subject to the restrictions of a work force adjustment program.

For all contracts awarded during the lump sum payment period, the total amount of fees that may be paid to a FPS who received a lump sum payment is \$5,000, including Applicable Taxes.

#### 4. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than seven (7) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated and the enquiry can be answered to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

#### 5. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

#### PART 3 - BID PREPARATION INSTRUCTIONS

#### 1. Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (2 hard copies)

Section II: Financial Bid (1 hard copies)

Section III: Certifications (2 hard copies)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

The total size of the email, including all attachments, **must be less than 15 megabytes (MB).** It is each Bidder's responsibility to ensure that the total size of the email does not exceed this limit.

Bids sent by mail, fax or other means will not be accepted.

Bidders should ensure that their name, address, Closing Date of the solicitation and Solicitation Number are clearly indicated in the body of their email. Bids and supporting information may be submitted in either English or French.

It is important to note that emails systems can experience systematic delays and, at times, large attachments may cause systems to hold or delay transmission of emails. It is solely the Bidder's responsibility to ensure that the Contracting Authority receives a bid on time, in the mailbox that has been identified for bid receipt purposes. Date stamps for this form of transmission are not acceptable.

#### Section I: Technical Bid

In their technical bid, bidders should demonstrate their understanding of the requirements contained in the bid solicitation and explain how they will carry out the Work

#### Section II: Financial Bid

1. Bidders must submit their financial bid in accordance in accordance with the Basis of Payment in Annex B. The total amount of Applicable Taxes must be shown separately.

#### 1.1 Price Breakdown

In their financial bid, the bidders are requested to provide a detailed breakdown of the price for the following elements for each task of the Work, as applicable:

(a) Professional fees: For each individual and (or) labour category to be assigned to the Work, the bidders should indicate: i) the firm hourly rate or the firm daily rate, inclusive of overhead and profit; and ii) the estimated number of hours or days, as applicable. The bidders should indicate the number of hours in one working day.

The professional fees must include the total estimated cost of all travel and living expenses that may need to be incurred for:

- (i) Work described in Part 6, Resulting Contract of the bid solicitation required to be performed within the Nova Scotia Region.
- (ii) travel between the successful bidder's place of business and the Nova Scotia Region.

- to satisfy the terms of any resulting contract. These expenses cannot be charged directly and separately from the professional fees to any contract that may result from the bid solicitation.
- (b) Applicable Taxes: The bidders should indicate the Applicable Taxes separately.
- **1.2** Bidders should include the following information in their financial bid:
- (a) Their legal name; and
- (b) The name of the contact person (including this person's mailing address, phone and facsimile numbers and email address) authorized by the Bidder to enter into communications with Canada with regards to their bid; and any contract that may result from their bid.

#### **Section III - Certifications**

#### 1. Certifications Required Precedent to Contract Award

Bidders must provide the required certifications Part 5.

#### PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

#### 1. Evaluation Procedures

Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.

#### 1.1 Technical Evaluation

Except where expressly provided otherwise, the experience described in the bid must be the experience of the Bidder itself (which includes the experience of any companies that formed the Bidder by way of a merger but does not include any experience acquired through a purchase of assets or an assignment of contract). The experience of the Bidder's affiliates (i.e. parent, subsidiary or sister corporations), subcontractors, or suppliers will not be considered.

#### 1.2 Technical Evaluation

#### 1.2.1. Mandatory Technical Criteria

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive.

Number	Criterion	Met/Not	Page
		Met	Number
MT1	The Bidder must propose a minimum of two (2) resource(s) and up to a maximum of four (4) resource(s).  The Bidder must propose one (1) primary resource and a minimum of one (1) back-up resource and up to a maximum of three (3) back up resource(s).  The Bidder must list the names of all proposed resource(s) (individual names).  Refer to Annex H		

#### 1.3.2 Evaluation of Price

The price of the bid will be evaluated in Canadian dollars including all option periods, the Applicable Taxes excluded, Canadian customs and excise taxes included.

#### 2. Basis of Selection -

A bid must comply with the requirements of the bid solicitation and meet all mandatory evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

#### **PART 5 - CERTIFICATIONS**

Bidders must provide the required certifications and associated information to be awarded a contract.

The certifications provided by bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default in carrying out any of its obligations under the Contract, if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority may render the bid non-responsive or constitute a default under the Contract.

#### 1. Certifications Required Precedent to Contract Award

#### 1.1 Integrity Provisions - Associated Information

By submitting a bid, the Bidder certifies that the Bidder and its Affiliates are in compliance with the provisions as stated in Section 01 Integrity Provisions - Bid of Standard Instructions 2003. The associated information required within the Integrity Provisions will assist Canada in confirming that the certifications are true.

#### 1.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list (http://www.labour.gc.ca/eng/standards\_equity/eq/emp/fcp/list/inelig.shtml) available from Employment and Social Development Canada (ESDC) - Labour's website.

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid "list at the time of contract award.

#### 2. Additional Certifications Required Precedent to Contract Award

The certifications listed below should be completed and submitted with the bid but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to comply with the request of the Contracting Authority and to provide the certifications within the time frame provided will render the bid non-responsive.

#### 2.1 Status and Availability of Resources

The Bidder certifies that, should it be awarded a contract as a result of the bid solicitation, every individual proposed in its bid will be available to perform the Work as required by Canada's representatives and at the time specified in the bid solicitation or agreed to with Canada's representatives. If for reasons beyond its control, the Bidder is unable to provide the services of an individual named in its bid, the Bidder may propose a substitute with similar qualifications and experience. The Bidder must advise the Contracting Authority of the reason for the substitution and provide the name, qualifications and experience of the

proposed replacement. For the purposes of this clause, only the following reasons will be considered as beyond the control of the Bidder: death, sickness, maternity and parental leave, retirement, resignation, dismissal for cause or termination of an agreement for default.

If the Bidder has proposed any individual who is not an employee of the Bidder, the Bidder certifies that it has the permission from that individual to propose his/her services in relation to the Work to be performed and to submit his/her résumé to Canada. The Bidder must, upon request from the Contracting Authority, provide a written confirmation, signed by the individual, of the permission given to the Bidder and of his/her availability. Failure to comply with the request may result in the bid being declared non-responsive.

#### 3. Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid:

- 1. English Language Certification at Annex D
- 2. Daily Service Certification at Annex E
- 3. Access to Reliable Transportation Certification at Annex F
- 4. Working Alone at an Isolated Location Certification at Annex G
- 5. Proposed Resources at Annex H

#### **PART 6 - RESULTING CONTRACT**

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation

**Title:** Canadian Air and Precipitation Monitoring Network Site Operator at the Kejimkujik Site in Nova Scotia

#### 1. Security Requirement

- 1.1 The following security requirement (SRCL and related clauses) applies and form part of the Contract.
  - The Contractor's personnel requiring access to PROTECTED information, assets or work site(s) must EACH hold a valid RELIABILITY STATUS, granted or approved by the Government of Canada.
  - 2. The attached security requirement checklist (SRCL and related clauses) applies and form part of the Contract found at Annex C.

#### 2. Insurance Requirement

The Contractor is responsible for deciding if insurance coverage is necessary to fulfill its obligation under the Contract and to ensure compliance with any applicable law. Any insurance acquired or maintained by the Contractor is at its own expense and for its own benefit and protection. It does not release the Contractor from or reduce its liability under the Contract.

#### 3. Statement of Work

The Contractor must perform the Work in accordance with the Statement of Work at Annex A

#### 4. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the PWGSC Standard Acquisition Clauses and Conditions Manual (https://buyandsell.gc.ca/policy-and-

guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

#### 4.1 General Conditions

2010B (2016-04-04), General Conditions - Professional Services (Medium Complexity), as modified below, apply to and form part of the Contract.

General conditions 2010B is modified as follows:

#### **At Section 12 Transportation Costs**

**Delete:** In its entirety **Insert:** "Deleted"

#### At Section 13 Transportation Carriers" Liability

**Delete:** In its entirety. **Insert:** "Deleted"

#### At Section 18, Confidentiality:

**Delete:** In its entirety **Insert:** "Deleted"

#### Insert Subsection: "35 Liability"

"The Contractor is liable for any damage caused by the Contractor, its employees, subcontractors, or agents to Canada or any third party. Canada is liable for any damage caused by Canada, its employees or agents to the Contractor or any third party. The Parties agree that no limitation of liability or indemnity provision applies to the Contract unless it is specifically incorporated in full text in the Articles of Agreement. Damage includes any injury to persons (including injury resulting in death) or loss of or damage to property (including real property) caused as a result of or during the performance of the Contract."

#### At Section 06 Subcontracts

**Delete:** paragraphs 1, 2, and 3 in their entirety.

*Insert:* "The Contractor may subcontract the supply of goods or services that are customarily subcontracted by the Contractor. Subcontracting does not relieve the Contractor from any of its obligations under the Contract or impose any liability upon Canada to a subcontractor. In any subcontract, the Contractor agrees to bind the subcontractor by the same conditions by which the Contractor is bound under the Contract, unless the Contracting Authority agrees otherwise, with the exception of requirements under the Federal Contractors Program for employment equity which only apply to the Contractor."

#### At Section 19 Copyright

**Delete:** In its entirety **Insert:** "Deleted"

#### 5. Term of Contract

#### 5.1 Period of the Contract

The period of the Contract is from April 1, 2019 to March 31, 2020 inclusive.

The Contractor grants to Canada the irrevocable option to extend the term of the Contract by up to two (2) additional one (1) year periods under the same conditions. The Contractor agrees that, during the extended period of the Contract, it will be paid in accordance with the applicable provisions as set out in the Basis of Payment.

Canada may exercise this option at any time by sending a written notice to the Contractor at least fifteen (15) calendar days before the expiry date of the Contract. The option may only be exercised by the Contracting Authority, and will be evidenced for administrative purposes only, through a contract amendment.

#### 6. Authorities

#### 6.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Heidi Noble Title: Procurement Officer

**Environment and Climate Change Canada** 

**Procurement and Contracting** 

Address: 867 Lakeshore Road, Burlington, Ontario, L7S 1A1

Telephone: 905-319-6982 Facsimile: 905-336-8907

E-mail address: <a href="mailto:heidi.noble@canada.ca">heidi.noble@canada.ca</a>

The Technical Authority for the Contract is:

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

#### 6.2 Technical Authority

Name:	
Title:	_
Organization:	
Address:	
Telephone:	
Facsimile:	
E-mail address:	

The Technical Authority named above is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

#### 6.3 Contractor's Representative

The Contractor's Representative for the Contractor	act is
Name: Title:	

E-mail	ddress:		
7.	Proactive Disclosure of Contracts with Former Public Servants		
Service reporte	ling information on its status, with respect to being a former public servant in receipt of a Public Superannuation Act (PSSA) pension, the Contractor has agreed that this information will be on departmental websites as part of the published proactive disclosure reports, in accordance tracting Policy Notice: 2012-2 of the Treasury Board Secretariat of Canada.		
8.	Payment		
8.1	Basis of Payment		
Contra	eration of the Contractor satisfactorily completing all of its obligations under the Contract, the or will be paid a firm price of \$ (insert the amount at contract award). Customs duties (insert "included", "excluded" OR "subject to exemption") and Applicable Taxes are extra.		
	will not pay the Contractor for any design changes, modifications or interpretations of the Work ey have been approved, in writing, by the Contracting Authority before their incorporation into .		
8.2	imitation of Expenditure		
(a)	Canada's total liability to the Contractor under the Contract must not exceed \$ Customs duties are ( <i>insert "</i> included", "excluded" or "subject to exemption") and Applicable Taxes are extra.		
(b)	No increase in the total liability of Canada or in the price of the Work resulting from any design changes, modifications or interpretations of the Work, will be authorized or paid to the Contractor inless these design changes, modifications or interpretations have been approved, in writing, by the Contracting Authority before their incorporation into the Work. The Contractor must not perform any work or provide any service that would result in Canada's total liability being exceeded before obtaining the written approval of the Contracting Authority. The Contractor must notify the Contracting Authority in writing as to the adequacy of this sum:		
	when it is 75 percent committed, or		
	ii) four (4) months before the contract expiry date, or		
	iii) as soon as the Contractor considers that the contract funds provided are inadequate for the completion of the Work,		
w	whichever comes first.		
(c)	f the notification is for inadequate contract funds, the Contractor must provide to the Contracting Authority a written estimate for the additional funds required. Provision of such information by the Contractor does not increase Canada's liability.		
9	nvoicing Instructions		

9.1

**Monthly Payment** 

Canada will pay the Contractor on a monthly basis for work performed during the month covered by the invoice in accordance with the payment provisions of the Contract if:

- an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
- b. all such documents have been verified by Canada;
- c. the Work performed has been accepted by Canada.

#### 10. Certifications

#### 10.1 Compliance

Compliance with the certifications provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the term of the Contract. If the Contractor does not comply with any certification or it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

#### 11. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

#### 12. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) Modified 2010B General Conditions Professional Services (Medium Complexity) (2016-04-04)
- (c) Annex A, Statement of Work;
- (d) Annex B, Basis of Payment;
- (e) Annex C, Security Requirements Check List;
- (f) Annex D, English Language Certification;
- (g) Annex E, Daily Service Certification;
- (h) Annex F, Access to Reliable Transportation Certification:
- (i) Annex G, Working Alone at an Isolated Location Certification;
- (j) Annex H, Proposed Resources;
- (k) the Contractor's bid dated \_\_\_\_\_, (insert date of bid) (If the bid was clarified or amended, insert at the time of contract award: "as clarified on \_\_\_\_\_" or "as amended on \_\_\_\_\_" and insert date(s) of clarification(s) or amendment(s)).

#### ANNEX A

#### STATEMENT OF WORK

#### Objective:

Environment and Climate Change Canada (ECCC) requires a Contractor for daily technical support at the Canadian Air and Precipitation Monitoring Network Kejimkujik site in Nova Scotia, herein referred to as the CAPMoN Site.

#### Scope of Work:

The primary focus of the CAPMoN Site is the daily collection of precipitation. There is also a requirement for air, ozone, Mercury in Precipitation, Total Gaseous Mercury (TGM), and passive ammonia collection. Environmental data is collected from both automatic and manual samplers. A contractor is required to attend to the CAPMoN Site to retrieve the air and precipitation samples according to the CAPMoN Standard Operating Procedures (SOPs). The air and precipitation samples are then packaged and shipped for analysis to the CAPMoN National Laboratory located in Toronto, Ontario, every week. The Mercury in Precipitation and passive ammonia samples must be shipped to its separate analytical laboratory. Other duties include daily reading and recording of various gauges, diagnostics, and regular servicing, troubleshooting, and minor repair of a variety of monitoring equipment.

#### CAPMoN Air and Precipitation Sampling, Shipping, and Maintenance Instructions:

The instruction outlined under Annex A, Statement of Work of the resulting contract is of a general nature. All sampling, shipping, and maintenance shall be performed in accordance with the CAPMoN Precipitation and Air Sampling Standard Operating Procedures; and in accordance with any amendments to the aforementioned manuals. The daily routine may involve additional collectors and various climatological and meteorological instruments.

#### Location:

The CAPMoN Site is located in the Kejimkujik National Park, Nova Scotia, with coordinates N 44.402983° latitude, W 65.202742° longitude.

#### Schedule:

The Contractor must perform the Work daily, 365 days per year and 366 days per year in a leap year, between 0700 and 0900 hours Local Standard Time (LST), all functions and records remain on LST all year long.

#### **ECCC Will Provide the Contractor:**

#### Reference Material:

- 1. Site Operations Reference Manual Precipitation, CAPMoN; the CAPMoN Precipitation Sampling Standard Operating Procedures (including amendments)
- 2. Site Operations Reference Manual Air System, CAPMoN; the CAPMoN Air Sampling Standard Operating Procedures (including amendments)
- 3. Site Operations Reference Manual Ozone, CAPMoN; the CAPMoN Ozone Standard Operating Procedures (including amendments)
- 4. Site Operations Reference Manual Mercury in Precipitation, CAPMoN; the CAPMoN Mercury in Precipitation Standard Operating Procedures (including amendments)

- 5. Site Operations Reference Manual Total Gaseous Mercury (TGM), CAPMoN; the CAPMoN Total Gaseous Mercury Standard Operating Procedures (including amendments)
- 6. Site Operations Reference Manual Passive Ammonia (AMoN) Standard Operating Manual
- 7. The Sample History Forms

#### Equipment

- 1. Monitoring equipment required to perform the Work
- 2. Maintenance equipment required to perform the Work
- 3. Replacement parts for equipment

#### Training

On-site training in established CAPMoN protocols will be provided by ECCC staff. The training will take place over a three day period, after which the Contractor will be assessed.

#### Shipping

ECCC is responsible for all shipping costs associated with the Work.

#### Tasks:

#### 1. Precipitation Sample Collection Procedure:

- a) The Contractor must walk from the designated parking area to the CAPMoN Site, which is between 50 and 100 meters.
- b) Sampling from the daily collector must be done on a daily basis, and the procedures must be followed regardless of whether precipitation has occurred during the past 24 hours or not. The Sample History Form must be completed every day. Prior to making a daily sample change, a clean plastic bag must be placed in the spare collector bucket in the sample handling hut using the procedures outlined in the CAPMoN SOP's.
- **c)** Upon arrival at the CAPMoN site, even if precipitation is presently occurring, the following procedure must be followed:
  - i. Check the precipitation collector for normal functioning.
  - ii. Remove collector bucket containing the past 24 hours sample from the collector.
  - **iii.** Remove bucket lid from new collector bucket and place this on the collector bucket containing the past 24 hours sample.
  - iv. Install the new collector bucket onto the precipitation collector.
  - v. Measure the amount of precipitation (rain, snow, or mixed) in the appropriate precipitation gauge and record that amount.
- **d)** Upon returning to the storage building the following procedures must be followed to prepare the samples for storage and later shipment:
  - i. Remove the bucket lid from the collector bucket and discard the used lid bag.
  - **ii.** Use clean disposable gloves, remove the sample bag from the collector bucket while avoiding unfolding the top of the sample bag.
  - iii. Place the sample bag, whether dry or containing precipitation in the heat sealer.
  - iv. Remove all the air from the bag and seal them close to the top of the sample. Large samples (500 grams or more) shall be partitioned as per CAPMoN SOP's to prevent breakage and loss during shipment.
  - v. Affix correct numbered label to the outside of the bag.
  - vi. Check the weighing scale with the 200-gram reference weight and record indicated weight on the Sample History Form.
  - **vii.** Place the sealed sample bag on the scale and record its weight on the Sample History Form.

- **viii.** Place the sample bag, whether dry or containing precipitation into a plastic container and store in the refrigerator.
- ix. Complete all required entries on the Sample History Form using appropriate codes, and using one line for each day.

#### 2. CAPMoN Precipitation Collector Maintenance

- a) The Contractor must perform routine maintenance to ensure that the CAPMoN collector is functioning properly. The CAPMoN collector must be kept clean, and (in winter) must be kept free of ice and snow. On a daily basis the Contractor must ensure that:
  - i. Sensor grids are checked, cleaned with water as required, or replaced as required.
  - ii. Snow and ice is removed to prevent a buildup that would obstruct the proper operation of the collector.
  - iii. The underside of the lid cover is lined with a clean gasket; the Contractor must check daily for damage, condensation and dirt, and will replace as necessary. The lid cover gasket is wiped weekly with a lint free towel and deionized water.
  - iv. The lid movement is checked daily for proper operation of the electric motor drive, smooth motion and proper start/stop switching.
  - v. The Contractor must perform other maintenance or repair as directed by the Technical Authority.
- b) If the CAPMoN collector or associated equipment is found to be operating abnormally, or ceases to operate completely, the Contractor must contact the Technical Authority for further advice or action.
- c) Equipment failures or supply shortages must be reported immediately to the Technical Authority.
- d) Every Tuesday the samples must be placed in the sample shipping boxes provided and sent that day, via courier, to the CAPMoN Laboratory using the following procedures:
  - i. Pack the plastic containers containing the sample bags into the shipping boxes.
  - ii. Pack a number of frozen ice packs in the side of each shipping box.
  - iii. Pack two copies of the Sample History Form in a zip-lock bag and place on top of the containers.
  - iv. Insert a foam-insulating lid into the box and tape the box shut.
  - v. Complete a Courier Bill of Lading and take, or arrange for pick up, for shipment to:

CAPMoN Precipitation Samples Environment and Climate Change Canada 4905 Dufferin Street Toronto, Ontario M3H 5T4

The Contractor will be supplied with preprinted manifests and must ensure the samples are delivered to or picked up by the designated courier. The Contractor must also pick up empty shipping containers at the closest Canada Post outlet on a weekly basis.

#### 3. Electronic Precipitation Gauge Maintenance

- a) Contractor Duties
  - i. During the summer the precipitation gauge must be emptied as required.
  - ii. During the winter the precipitation gauge must be maintained with antifreeze and visually checked on a quarterly basis. The precipitation gauge must be emptied into waste containers and disposed of according to local regulations when the gauge is full and recharged with antifreeze.

#### 4. Air Sampling Collection Procedure

- a) Daily Contractor System Checks: Arrival between 0800-0900 Hours. On arrival at the sampling site the Contractor must:
  - i. Inspect the sample tower, mast and ropes, making sure that everything is intact;
  - ii. Visually check the sample head to determine which filter pack is being sampled as shown by the position indicator. If the indicator is not on, check to see if the source can be tracked (no power to the head, burnt out indicator, etc.).
  - iii. Check the sample line to ensure that there are no breaks or kinks in the line, or any other factors that may adversely affect the sample flow
  - iv. Observe the surrounding area to see if there are any conditions that may affect the sampling program (smoke from fires, construction nearby, vehicle activity, noticeable odour, etc.). These should be noted in the field notebook and on the sample history form.
- b) Weekly Contractor System Checks: Arrival post 08:00 LST, on arrival at the sampling site the Contractor must:
  - i. Complete daily contractor system checks.
  - ii. The sample pump is turned off and sets of filter packs are changed on a weekly basis post 08:00 LST.
  - iii. The sampling port on the sequential sampler is advanced using the data logger.
  - iv. All SHF are completed.
  - v. All filter packs are labeled, correctly sealed and placed in the shipping container for shipment.
  - vi. Complete a Courier Bill of Lading and take, or arrange for pick up, for shipment to:

CAPMoN Air Filter Samples Environment and Climate Change Canada 4905 Dufferin Street Toronto, ON. M3H 5T4

- c) Quarterly Contractor Duties
  - i. Four times a year, the contractor will be responsible for changing the Compact Flash memory card in the chart recorder. At the end of each quarter the contractor will be sent a Compact Flash memory card in the mail.
  - ii. On the first air filter change day in January, April, July and October the contractor will remove the compact flash memory card.
  - iii. Record on the Air Sample History Form (SHF) the date and time the card was removed using the time displayed on the data logger.
  - iv. Insert the new compact flash memory card.
  - v. Send the old memory card inside the air filter box to the CAPMoN laboratory.

#### 5. Ground Level Ozone Procedures

- a) Daily Requirements
  - i. Complete the instrument status checks and document the readings on the ozone sample history form. This includes observing and recording ozone concentration, instrument flow rates, modem and alarm status etc.
  - ii. If the ozone analyzer is in alarm mode, the Contractor must telephone the CAPMoN site contact for further instructions.
  - iii. Document all events, which may affect the air quality at the sampling site (such as unusual weather, forest fires, use of motorized vehicles etc.)
- b) Weekly Requirements
  - i. The inlet filter must be changed every Tuesday. Replace the inlet filter pack with the new filter pack containing a new filter.

- ii. Prepare the filter pack for the next inlet change by loading a new filter in the filter pack. Seal the replacement filter pack in a whirl pack bag.
- iii. After the filter pack has been changed, the flow rate of the unit must be checked to confirm correct installation of the filter pack. The flow rate should be between 0.5 LPM and 0.8 LPM.
- iv. If the analyzer is operating correctly, no further action is required until the next visit by the Contractor.
- v. The Contractor must mail the white and Canary copies of the Ozone Sample History Form provided by ECCC to CAPMoN weekly (accompanying other network shipments). The pink copies are retained in a file at the site.

#### 6. Mercury in Precipitation

- Weekly Contractor System Checks: On arrival at the sampling site the Contractor must:
  - Retrieve the previous week's sample from the sampler and complete the Mercury Observer Form, provided by ECCC
  - ii. Deploy the new sample collection glassware and start a new Mercury Observer Form.
  - iii. Retrieve the previous week's rain gauge data using the supplied flash memory device and e-mail the data to <a href="mailto:ec.rcepa-capmon.ec@canada.ca">ec.rcepa-capmon.ec@canada.ca</a>.
  - iv. Package and ship by courier the Mercury in Precipitation sample. The Contractor will be supplied with preprinted waybills and manifests and will be responsible for ensuring the samples are delivered to or picked up by the designated courier. The Contractor is NOT responsible for shipping expenses.
    - Complete a Courier Bill of Lading and take, or arrange for pick up, for shipment to:

Eurofins Frontier Global Sciences Inc. 11720 North Creek Parkway N., Suite 400 Bothell, WA 98011

#### 7. Total Gaseous Mercury (TGM) System

- a) Daily Contractor System Checks: On arrival at the sampling site the Contractor must:
  - i. Complete the instrument status checks and document the readings on the TGM sample history form. This includes but is not limited to observing and recording mercury concentration, instrument flow rates, gas cylinder pressures and alarm status
  - ii. If the mercury analyzer is in alarm mode, the Contractor must telephone the CAPMoN site contact for further instructions. The CAPMoN site contact name will be provided by the Technical Authority.
  - iii. Ensure to document all events, which may affect the air quality at the sampling site (such as unusual weather, forest fires, use of motorized vehicles etc.)
- b) Monthly Contractor System Checks: On arrival at the sampling site the Contractor must:
  - i. Change the inlet filter pack the first Tuesday of the month with the new filter pack containing a new filter.
  - ii. Perform minor adjustments to maintain the analyzer within its operational parameters as required.
  - iii. The Contractor must mail the white and Canary copies of the Mercury Sample History Form provided by ECCC to CAPMoN weekly (pre-paid envelope or accompanying other network shipments). The pink copies are retained in a file at the site.

- c) As required the Contractor must:
  - i. Change the compressed gas cylinder up to a maximum of six (6) times per year.

#### 8. Passive Ammonia Sampling

There is a requirement to set out and retrieve passive samplers on a bi-weekly basis. The Standard Operating Procedures (SOPs) are specific to the sampling of passive samplers. The instructions outlined in the statement of work for this contract is of a general nature. All sampling, shipping, and maintenance shall be performed in accordance with the Passive Sampling Standard Operating Procedures – Operators Manual, and in accordance with any amendments to the aforementioned manual.

- a) Bi-weekly Filter Change Requirements
  - i. The passive samples are changed every fourteen (14) days and shipped to the laboratory as outlined in the standard operating procedures. The contractor will document all events which may affect the air quality at the sampling site (such as unusual weather, forest fires, use of motorized vehicles, etc.)

#### 9. Routine Site Maintenance:

The Contractor is responsible for routine site maintenance including:

- a) Keeping the sample hut clean, the Contractor must clean and wash the interior counters and floor of the building when required using only distilled water and dust must be swept or vacuumed as required. All equipment and supplies will be provided by ECCC),
- b) Removing the snow off the sampling hut stairs and deck as required.
- c) Grass cutting to keep the vegetation within the fenced or designated compound area (30mx30m) at an acceptable height (~15cm).
- **d)** The general cleanliness of the immediate sampling location is the responsibility of the contractor, including the removal of garbage/waste from the site.

These tasks must be carried out in proximity of sensitive and expensive research and monitoring equipment and it is essential that the Contractor understand the need to avoid adverse effects on the measurements and data.

e) The Contractor must report by phone once per month to the Technical Authority. The Contractor will be supplied with a phone number and name for emergencies. Only the Technical Authority can make any changes to the sampling program. All changes will be made known to the Contractor, either orally or in writing, or both.

#### **General Conditions:**

- 1 The Contractor's proposed resource(s) must service the measurement site at least once per month in order to maintain their proficiency at performing the tasks. Extended periods of not completing sample changes results in poor or compromised samples due to lack of familiarity with procedures.
- 2 The Contractor and proposed resource(s) must be available for one inspection each year as well as for certifications as required. The inspection and certifications will be during normal sample collection periods and will take less than 2 hours each.
- 3 The Contractor must have knowledge of daily local weather conditions.
- 4 Smoking is not permitted within 500 meters of the compound. Vehicles must not approach closer than the designated parking area. The Contractor must not enter the building with contaminated clothing or footwear.

- 5 The Contractor must not bring toxic or contaminating compounds such as oil based products, soaps, disinfectants, or insect repellents to the CAPMoN Site. No paints, solvents or glues must be used onsite or in the vicinity of the compound.
- The Contractor must contribute to the security of the site by adhering to the use of locks where applied. Any suspicious activity or tampering of the site equipment must be reported to the Technical Authority, as should any event or activity that may compromise the sampling integrity.

### **Estimated Time Required:**

Daily	Minutes	Hours
Precipitation Sample Collection & Associated Gauges	30	0.5
Air system checks	5	0.083
Ozone system check	5	0.083
Total Gaseous Mercury daily checks	5	0.083
Daily total:		0.75
Annual Sub-total:		273.75

Weekly	Minutes	Hours
Shipping	35	0.58
Air system filter change	30	0.5
Ozone filter change	15	0.25
Hg in precipitation sample change	30	0.5
Weekly total:		1.83
Annual Sub-total:		95.16

Bi-Weekly	Minutes	Hours
AMoN passive ammonia sample change	15	0.25
Bi-Weekly total:		0.25
Annual Sub-total:		6.5

Quarterly	Minutes	Hours
Air system memory card change (4)	15	0.25
Quarterly total:		0.25
Annual Sub-total:		1.0

As Required	Minutes	Hours
Electronic gauge emptying and recharge (4)	15	1.0
Hood gasket change (4)	15	1.0
Argon cylinder change (6/year)	20	2.0
Cleaning of building counter/floor (12)	15	3.0
Removal of snow from stairs/deck/path		20.0
Vegetation cutting around instruments (15)	60	15.0
Annual As Required Sub-total:		42.0

Total of approximately 420 hours.

Firm Price for Period 1

(one year period) (A) \* (B)

#### **ANNEX B**

#### **BASIS OF PAYMENT**

Initial Contract Period: April 1, 2019 to March 31, 2020 – CAPMON Site Operator

**Number of Days for** 

Period 1 (one year period)

The Contractor will be paid as follows:

Fixed Price per Day (A)

\$	366 Days	\$
Total Price for Initial Conti (applicable taxes extra)	ract Period: \$	
Option Year 1: April 1, 202	0 to March 31, 2021 – CAPMoN	Site Operator
Fixed Price per Day (A)	Number of Days for Period 1 (one year period) (B)	Firm Price for Period 1 (one year period) (A) * (B)
\$	365 Days	\$
Total Price for Option Yea (applicable taxes extra)	r 1: \$	

Option Year 2: April 1, 202	1 to March 31, 2022 – CAPMoN	Site Operator
Fixed Price per Day (A)	Number of Days for Period 1 (one year period) (B)	Firm Price for Period 1 (one year period) (A) * (B)
\$	365 Days	\$
Total Price for Option Yea (applicable taxes extra)	r 2: \$	
otal Proposal Price includi	ng initial contract and options	1 and 2:
5(	applicable taxes extra)	

#### **ANNEX C**

#### SECURITY REQUIREMENTS CHECK

Government Gouvernent du Canada	ent	500	ntract Number / Numéro du cor	$\mathcal{I}$			
LISTE DE VÉR	SECURITY REQUIREMENTS	RELATIVES À LA S	CL) SÉCURITÉ (LVERS)				
PART A - CONTRACT INFORMATION / PARTI 1. Originaling Government Department or Organi Ministère ou organisme gouvernemental d'orig	zation/ C . / c/-/	2. Branch	or Directorate / Direction géne	erale ou Direction			
3. a) Subcontract Number / Numéro du contrat de sous-traitance 3. b) Name and Address of Subcontractor / Nom et adressé du sous-traitant							
4. Brief Description of Work / Brève description du travail  Control of Work /							
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control  No  No  Ves  Regulations?  Le fournisseur aura-t-II accès à des données techniques militaires non classifiées qui sont assujettles aux dispositions du Règlement sur le contrôle des données techniques?							
<ol><li>Indicate the type of access required / Indiquer</li></ol>							
Will the supplier and its employees require a Le fournisseur ainst que les employés auron (Specify the level of access using the chart i (Préciser le niveau d'accès en utilisant le tat	t-lls accès à des renseignements ou n Question 7. c) leau qui se trouve à la question 7. c	ià des blens PROTÉ :	GÉS et/ou CLASSIFIÉS?	No Yes Oul			
PROTECTED and/or CLASSIFIED informati Le fournisseur et ses employés (p. ex. netto	6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permittled.  Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entrellen) auront-ils accès à des zones d'accès restreintes? L'accès à des renselgnements ou à des blens PROTÉCES et/ou CLASSIFIES n'est pas autorisé.  6. O le bits a compreçait quiet or delignement with no overnight storage?						
S'agit-il d'un contrat de messagerie ou de liv	ralson commerciale sans entreposa	-	, ·	Non L Oui			
7. a) Indicate the type of information that the supp		uer le type d'informat					
Canada	NATO / OTAN		Foreign / Étranger				
7. b) Release restrictions / Restrictions relatives à	la diffusion All NATO countries		No release restrictions				
Aucune restriction relative à la diffusion	Tous les pays de l'OTAN		Aucune restriction relative à la diffusion				
Not releasable À ne pas diffuser		_					
Restricted to: / Limíté à :	Restricted to: / Limité à :		Restricted to: / Limité à :				
Specify country(les): / Préciser le(s) pays :	Specify country(les): / Préciser	le(s) pays :	Specify country(ies): / Précis	ser le(s) pays :			
7, c) Level of Information / Niveau d'information PROTECTED A	NATO UNCLASSIFIED		PROTECTED A				
PROTÉGÉ A	NATO NON CLASSIFIÉ		PROTÉGÉ A				
PROTECTED B PROTÉGÉ B	NATO RESTRICTED NATO DIFFUSION RESTREIN	TE	PROTECTED B PROTÉGÉ B				
PROTECTED C	NATO CONFIDENTIAL	Tille	PROTECTED C				
PROTÉGÉ C	NATO CONFIDENTIEL		PROTÉGÉ C				
CONFIDENTIAL CONFIDENTIEL	NATO SECRET NATO SECRET	46,300	CONFIDENTIAL CONFIDENTIEL	la o subarante			
SECRET SECRET	COSMIC TOP SECRET		SECRET				
SECRET L	COSMIC TRÈS SECRET		SECRET TOP SECRET				
TOP SECRET TRÈS SECRET			TRES SECRET				
TOP SECRET (SIGINT)			TOP SECRET (SIGINT)				
TRÈS SECRET (SIGINT)			TRÈS SECRET (SIGINT)				
TBS/SCT 350-103(2004/12)	Security Classification / Classif	ication de sécurité		Canadä			



	Contract Number / Numéro du contrat				
Se	urity Classifica	ion / Class	ification de sécu	rité	

PART A (cont	inued) / PARTIE A (suite) plier require access to PROTECTED a	dor CLASSIFIED COMSEC	nformation or assets?	Carlot Carlot Carlot	√No Yes	
Le fournisse	eur aura-t-ll accès à des renselgnement	s ou à des blens COMSEC dé	signés PROTÉGÉS el/ou	CLASSIFIÉS?	Non L Oui	
If Yes, indic	ale the level of sensilivily:		-			
Dans l'affirn	native, indiquer le niveau de sensibilité	ha INFOSEC Information or a	rente?		. No Yes	
Le fournisse	D. Will the supplier require access to extremely sensitive INFOSEC information or assets?  Le fournisseur aura-t-il acces à des renseignements ou à des blens INFOSEC de nature extrêmement délicate?  Non Yes Oul					
Document N	) of material / Tilre(s) abrégé(s) du mai lumber / Numéro du document :		,			
PART B - PER	SONNEL (SUPPLIER) / PARTIE B - P	ERSONNEL (FOURNISSEUR				
10. a) Personn	el security screening level required / Ni	veau de contrôle de la sécurité	du personnel requis			
V	RELIABILITY STATUS COTE DE FIABILITÉ	CONFIDENTIAL	SECRET SECRET	TOP SECF		
	TOP SECRET- SIGINT TRÈS SECRET - SIGINT	NATO CONFIDENTIAL NATO CONFIDENTIAL	NATO SECRET		OP SECRET RES SECRET	
	SITE ACCESS ACCES AUX EMPLACEMENTS				,	
	ACOEC ACA EMI EACEMENTO					
	Special comments:  Commentaires spéciaux :			•		
	NOTE: If multiple levels of screening a REMARQUE: SI plusieurs niveaux de	re Identified, a Security Classific	alion Guide must be provid	ed. ion do la récudié dell Alre	fourni	
10 b) May une	Creened personnel be used for portions	of the work?	uis, un guide de classificat	ion de la seculité doit elle	No Yes	
Du pers	onnel sans autorisation sécuritaire peut	-il se voir confier des parties d	u travail?		Non Oul	
	ill unscreened personnel be escorted?				No Yes	
Dans l'a	ffirmalive, le personnel en question ser	a-t-il escorté?			Non L_Oul	
PART C - SAF	EGUARDS (SUPPLIER) / PARTIE C -	MESURES DE PROTECTION	(FOURNISSEUR)	97K 975 72 T	93	
	ON / ASSETS / RENSEIGNEMENT				• *	
	supplier be required to receive and stor	e PROTECTED and/or CLAS	SIFIED information or asse	ets on its site or	No Yes Non Oui	
premise	s? Isseur sera-t-li tenu de recevoir et d'eni	renoser sur niace des rensela	nements ou des hiens PRO	OTÉGÉS el/ou	I NOIL TOU	
CLASSI	FIÉS?	reposer sur place des renseig	, inclined by dear pione (	012020000		
					- Ala - Van	
11. b) Will the	supplier be required to safeguard COM isseur sera-t-il tenu de protéger des rei	SEC Information or assets?	MSEC2		No Yes Oui	
Le loui	isseul sela-t-il tella de proteger des rei	iseignementa ou des biens oc	MOLOI		[ ] Holi [ ] our	
PRODUCTIO	N				_	
11, c) Will the p	roduclion (manufacture, and/or repair an	d/or modification) of PROTECT	ED and/or CLASSIFIED ma	iterial or equipment	No TYes	
occur at	the supplier's site or premises?		lles elles modification	do moládol PDOTÉCÉ	Non Oui	
	illations du fournisseur serviront-elles à la ASSIFIÉ?	a production (tablication evolute	parauon evou modilication)	de malenei PROTEGE		
E POU OL	AODII ILI					
INFORMATIO	N TECHNOLOGY (IT) MEDIA / SUF	PORT RELATIF À LA TECHN	OLOGIE DE L'INFORMATI	ON (TI)		
11, d) Will the s	upplier be required to use its IT systems	to electronically process, produ	ce or store PROTECTED ar	nd/or CLASSIFIED	No Yes	
Informal	on or data?				Non LOul	
Le fourn	isseur sera-t-il tenu d'utiliser ses propres ements ou des données PROTÉGÉS et	systemes informatiques pour tra fou CLASSIFIÉS?	alter, produire ou stocker ele	ectroniquement des		
Tellseigi	reflictits on des doffices PNOTEGEO et	od opygoli ingi			, .	
11, e) Will there	be an electronic link between the suppli	er's IT systems and the governr	nent department or agency	7	No Yes	
Dispose	ra-t-on d'un lien électronique entre le sys	tème Informatique du fournisser	ır et celul du ministère ou de	e l'agence	Non L Oui	
gouvern	ementale?					
TBS/SCT 35	0-103(2004/12)	Security Classification / Clas	silication de sécurité		711+1	
		1			Canadä	

Contract Number / Numéro du contrat

Security Classification / Classification de sécurité

For users comple Dans le cas des dans le tableau r	utilis	ate	irs q	n online (via t ui remplissen	t le formul	aire en lig	gne (par Inte	is automatical rnet), les répo TABLEAU F	nses aux	questions	r res préc	pons éder	es to	o previous que sont automatic	estions, quement	saisies
Calegory Calégorie		OTECT		CL	ASSIFIED LASSIFIÉ			NATO	*******					COMSEC		
Categuile	A	В	С	CONFIDENTIAL.	SECRET	TOP SECRET TRÈS SECRET	NATO RESTRICTED NATO DIFFUSION	NATO CONFIDENTIAL NATO CONFIDENTIEL	NATO SECRET	COSMIC TOP SECRET COSMIC TRÈS SECRET		ROTEG		CONFIDENTIAL	SECRET	TOP SECRET TRES SECRET
ormation / Assets nseignements / Blens		•					RESTREINTE			SECRE!						
oduction											L	_	L			
Media / pport TI Link /	_	_			-	<u> </u>					$\vdash$	H	_			<del> </del>
a) Is the descrip La description If Yes, classify	du t	rava	il vis	é par la prése	ente LVER	S est-elle	de nature Pl	ROTÉGÉE et/	ou CLAS		on".				No Non	
Dans l'affirma « Classificatio	tive n d	, cla e sé	ssif curl	ier le présent té » au haut d	formulal et au bas	re en ind du formu	iquant le niv Iaire.	reau de sécur	ité dans	la case ir	titul	áe			_	
b) Will the docur	nen	tatio	n att	ached to this	SRCL be	PROTEC'	TED and/or (	CLASSIFIED? et/ou CLASS	IFIÉE?					[i	No	

TBS/SCT 350-103(2004/12)

Government Gouvernement du Canada

Security Classification / Classification de sécurité

Canadä<sup>\*</sup>

Government of Canada

Gouvernement du Canada

Contract Number / Numéro du contrat	
· ·	
Security Classification / Classification de sécurité	

2000 and 1000 and 100					
PART D - AUTHORIZATION / PART 13. Organization Project Authority / C					
Name (print) - Nom (en lettres moulé		Tille Tiles	\	Signature	· /
C / Com (em louico modio			ted, CAPHON	A	!
ROSZ Wu	L		ted, CAPHON	le V	4
Telephone No N° de téléphone	Facsimile No N° de		E-mail address - Adresse cou		Date Tebrusy 4,2019
14. Organization Security Authority /	the second second		lsme	, ca	()
Name (print) - Nom (en lettres moulé	es)	Title - Titre		Signature	
Telephone No Nº de téléphone	Facsimile No Nº de	télécopleur	E-mall address - Adresse cou	rriel	Date
<ol> <li>Are there additional instructions ( Des instructions supplémentaires</li> </ol>	e.g. Security Guide, Se (p. ex. Guide de sécur	curity Classific ité, Guide de c	ation Guide) attached? lassification de la sécurité) son	t-elles jointes	No Yes Oul
16. Procurement Officer / Agent d'app	provisionnement	0,000			
Name (print) - Nom (en lettres moulé	es)	Title - Titre		Signature	8.
aperitand are Mandaux Sur Taurent and Paparitan delivers and or sur-					
Telephone No Nº de téléphone	Facsimile No Nº de	télécopleur	E-mail address - Adresse co	urriel	Date
17. Contracting Security Authority / A	utorité contractante en	matlère de séc	curité		
Name (print) - Nom (en lettres moulé	es)	Title - Titre		Signature	
Telephone No N° de téléphone	Facsimile No Nº de	télécopieur	E-mail address - Adresse co	urriel	Dale

TBS/SCT	350-103	(2004/12

Security Classification / Classification de sécurité

Canadä

#### **ANNEX D**

#### **ENGLISH LANGUAGE CERTIFICATION**

The Bidder and all proposed resource(s) who will perform Work under the resulting Contract must fluently communicate in English, both orally and in writing. In order to demonstrate compliance with this mandatory certification, the Bidder must complete, sign and submit the following certification with the proposal.

The Bidder certifies that the Bidder and all proposed resource(s) who will perform Work under the resulting Contract will fluently communicate in English, both orally and in writing.

Name of the Bidder:	
Signature of the Bidder:	
Solicitation Number:	
Date Signed:	

#### **ANNEX E**

#### **DAILY SERVICE CERTIFICATION**

The Bidder and all proposed resource(s) who will perform Work under the resulting Contract must perform the Work between 0700 and 0900 Local Standard Time, 365 days per year and 366 days in a leap year. In order to demonstrate compliance with this mandatory certification, the Bidder must complete, sign and submit the following certification with the proposal.

The Bidder certifies that that the Bidder and all proposed resource(s) who will perform Work under the resulting Contract will perform the Work between 0700 and 0900 Local Standard Time, 365 days per year and 366 days in a leap year.

Name of the Bidder:	
Signature of the Bidder:	
Solicitation Number:	
Date Signed:	

#### **ANNEX F**

#### ACCESS TO RELIABLE TRANSPORTATION CERTIFICATION

The Bidder and all proposed resource(s) who will perform Work under the resulting Contract must have access to reliable transportation to and from the work site. In order to demonstrate compliance with this mandatory certification, the Bidder must complete, sign and submit the following certification with the proposal.

The Bidder certifies that the Bidder and all proposed resource(s) who will perform Work under the resulting Contract will have access to reliable transportation to and from the work site.

Name of the Bidder:	
Signature of the Bidder:	
Solicitation Number:	
Date Signed:	

#### **ANNEX G**

#### **WORKING ALONE AT AN ISOLATED LOCATION CERTIFICATION**

The Bidder and all proposed resource(s) who will perform Work under the resulting Contract must ensure the issue of working alone at an isolated location is addressed by using a buddy type system. In order to demonstrate compliance with this mandatory certification, the Bidder must complete, sign and submit the following certification with the proposal.

The Bidder certifies that the Bidder and all proposed resource(s) who will perform Work under the resulting Contract will ensure the issue of working alone at an isolated location is addressed by using a buddy type system.

A buddy type system must designate a person responsible to ensure that the Bidder or the proposed resource has returned from the work site each day.

Name of the Bidder:	
Signature of the Bidder:	
Solicitation Number:	
Date Signed:	

#### **ANNEX H**

#### PROPOSED RESOURCES

The Bidder must propose a minimum of two (2) resource(s) and up to a maximum of four (4) resource(s). The Bidder must propose one (1) primary resource and a minimum of one (1) back-up resource and up to a maximum of three (3) back up resource(s).

The Bidder must list the names of all proposed resource(s) (individual names). **Primary Resource (mandatory): Back-up Resource 1 (mandatory):** Back-up Resource 2 (optional): Back-up Resource 3 (optional): The Bidder certifies that the Bidder and all proposed resource(s) will perform the Work under the resulting Contract. Name of the Bidder: Signature of the Bidder: Solicitation Number: Date Signed: