


## Annex J Flight Deck Marking


### J.1 HEAVY ICEBREAKER (1300)

1. Pilot Reference Line, forward from ship stern 37' to 38' 4" = 16" wide & 20' in length. (Yellow colour). For Bell 429/412/212.
2. Rubber Mat, 14' x 20', located 1 foot ahead of forward clearance indicator line.
3. Limited Obstacle Line located before any obstructions (e.g., deck cranes, fire boxes). Each marker is 24" long x 16" wide, alternating pattern as pictured (Yellow colour).
4. Flight Deck Line to be continuous and unbroken. 16" wide (Yellow colour). Flight deck line starts at safety net.
5. Maximum Overall Helicopter Length indicated in feet. Font 32" high by 4" wide (Yellow colour).
6. Safe Load Indication indicated in 1000 lbs. Font 32" high by 4" wide (Yellow colour).
7. Helicopter Deck Identifier, Centred on flight deck, 10 feet high by 16" wide. (White colour). Has to be visible & painted on top as shown




## J.2 MEDIUM ICEBREAKER (1200)

1. Pilot Reference Line, forward from ship stern 34' 8" to 36' = 16" wide & 20' in length. (Yellow colour). For Bell 429/412/212.
2. Rubber Mat, 14' x 20', located 1 foot ahead of forward clearance indicator line.
3. Limited Obstacle Line located before any obstructions (e.g., deck cranes, fire boxes). Each marker is 24" long x 16" wide, alternating pattern as pictured (Yellow colour).
4. Flight Deck Line to be continuous and unbroken. 16" wide (Yellow colour). Flight deck line starts at safety net.
5. Maximum Overall Helicopter Length indicated in feet. Font 32" high by 4" wide (Yellow colour).
6. Safe Load Indication indicated in 1000 lbs. Font 32" high by 4" wide (Yellow colour).
7. Helicopter Deck Identifier, Centred on flight deck, 10 feet high by 16" wide. (White colour). Has to be visible & painted on top as shown.



**J.3 HIGH ENDURANCE MULTI-TASKED VESSEL (1100)**

1. Pilot Reference Line, for Bell 212 measured from ship stern 23' to 24' 6" = 16" wide & 20' in length. (Yellow color). Bell 212 Designator Required. Font, height same as line, 16", high & 4" wide (Yellow color).
2. Pilot Reference Line, forward from ship stern 31' 6" to 32' 10" = 16" wide (Yellow color). For Bell 429 & MBB105 use. Does not require designator for type helicopter.
3. Rubber Mat, 14' x 20', located 1 foot ahead of forward clearance indicator line.
4. Limited Obstacle Line located before any obstructions (e.g., deck cranes, fire boxes). Each marker is 24" long x 16" wide, alternating pattern as pictured (Yellow color).
5. Flight Deck Line to be continuous and unbroken. 16" wide. (Yellow color). Flight deck line starts at safety net.
6. Maximum Overall Helicopter Length indicated in feet. Font 32" high by 4" wide (Yellow color).
7. Safe Load Indication indicated in 1000 lbs. Font 32" high by 4" wide (Yellow color).
8. Helicopter Deck Identifier, Centred on flight deck, 10 feet high by 16" wide (White color). Has to be visible & painted on top as shown.



*J.4 OFFSHORE PATROL VESSEL & OFFSHORE OCEANOGRAPHIC SCIENCES VESSEL*

Pending