



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
Government of Canada Building
101 - 22nd Street East, Suite 110
Saskatoon
Saskatchewan
S7K 0E1
Bid Fax: (306) 975-5397

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services
Canada/Réception des soumissions Travaux publics et
Services gouvernementaux Canada
Government of Canada Building
101 - 22nd Street East
Suite 110
Saskatoon
Saskatche
S7K 0E1

Title - Sujet Cable TV System Upgrade	
Solicitation No. - N° de l'invitation 21120-193016/A	Amendment No. - N° modif. 004
Client Reference No. - N° de référence du client 21120-193016	Date 2019-03-08
GETS Reference No. - N° de référence de SEAG PW-\$STN-191-5124	
File No. - N° de dossier STN-8-41074 (191)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-03-20	
Time Zone Fuseau horaire Central Standard Time CST	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Gerstmar, Denise	Buyer Id - Id de l'acheteur stn191
Telephone No. - N° de téléphone (306) 241-1018 ()	FAX No. - N° de FAX (306) 975-5397
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Stony Mountain Institution Correctional Services Canada Highway #7 North at Stony Mountain Stony Mountain MB R0C 3A0	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
21120-193016/A

Amd. No. - N° de la modif.
004

Buyer ID - Id de l'acheteur
stn191

Client Ref. No. - N° de réf. du client
21120-193016

File No. - N° du dossier
STN-8-41074

CCC No./N° CCC - FMS No./N° VME

This amendment is for solicitation 21120-193016/A – Cable TV System Upgrade – Manitoba.

Comment 1


A landscaping project that has been tendered by PWGSC may impact the CATV. The schedule for this project is unknown at this time. The CATV bidders requested information on this project.

Please follow the link below for more information on the project:

<https://buyandsell.gc.ca/procurement-data/tender-notice/PW-PWU-004-11543>

AE CONSULTING ENGINEERS
 1000-101 Avenue Road
 Suite 1000
 Toronto, Ontario M5S 1A5
 Tel: (416) 593-9300
 Fax: (416) 593-9301
 Email: info@aec.com

AE CONSULTING ENGINEERS



KEY PLAN

- 100 SITING**
 - EMPLACEMENT**
 - L-1001 - EXISTING CONDITIONS (General)
 - L-1002 - PATHWAY IMPROVEMENT
 - L-1003 - DETAILS
- 500 ELECTRICAL**
 - ELECTRIQUE**
 - E-5001 - ELECTRICAL PLAN
 - E-5002 - ELECTRICAL DETAILS
- 600 CIVIL**
 - CIVIL**
 - C-6001 - GRADING PLAN NORTH AREA OF SITE
 - C-6002 - GRADING PLAN SOUTH AND EAST AREA OF SITE

DO NOT SCALE DRAWINGS

PUBLIC WORKS & GOVERNMENT SERVICES CANADA

MINISTRE DES TRAVAUX PUBLICS ET DES SERVICES GOUVERNEMENTAL

STONY MOUNTAIN INSTITUTION LANDSCAPING MINIMUM HOUSING UNITS

CONNECTICUT SERVICE CANADA
TOWN OF STONY MOUNTAIN, MB

COVER SHEET AND KEY PLAN

Project Number: G-0001
Revision: 0
Date: 01/01/01

Author: J. [Name]



UTILITY, STREETING AND SERVICES NOTICES
1. UTILITY, STREETING AND SERVICES NOTICES ARE FOR INFORMATION ONLY. NO QUANTITIES ARE GIVEN THAT ALL WORK SHOULD BE DONE. THE OPEN LAYOUTS ARE EXACT
2. BEFORE OR AFTER THE STREETING AND SERVICES
3. THESE PREPARATIONS ARE IN ORDER. BEFORE THE STREETING
4. PREPARATIONS TO BE USED IN ORDER OF BUILDING UNDERGROUND
5. UTILITY, STREETING AND SERVICES. CONTRACTOR MUST
6. AVOID DAMAGING ANY UTILITY, STREETING AND SERVICES
7. AND WILL BE RESPONSIBLE FOR REPAIR AND COST OF
8. REPAIR OF ANY DAMAGED UTILITY, STREETING OR SERVICES

REAL PROPERTY SERVICES
STANDARD PROGRAM
SERVICES AVAILABLE

The Heritage Society
 1000 1st St
 March 29, 2013

DO NOT SCALE DRAWING



Real Property Services
 Brokerage Services
 Commercial Services
 Construction Services
 Development Services
 Financial Services
 Insurance Services
 Legal Services
 Marketing Services
 Management Services
 Miscellaneous Services

ADCO
Continuity of Supply Program
ADCO Canada Ltd
Box 4877 Don Mills, Ont. M3B 2K6

DO NOT SCALE DRAWING

**PUBLIC WORKS &
GOVERNMENT SERVICES
CANADA**

REFERENCES

STONY MOUNTAIN INSTITUTION

MINIMUM HOUSING UNITS

STONY MOUNTAIN, GA

Index

Personal Information

Enter reference for List

From America

Check/return _____

Guiding Users/Trainers the system

PATHWAY IMPROVEMENT PLAN

Project No./Title	Project/Location	Project/Location
1	2	3
4	5	6
7	8	9
10	11	12
13	14	15
16	17	18
19	20	21
22	23	24
25	26	27
28	29	30
31	32	33
34	35	36
37	38	39
40	41	42
43	44	45
46	47	48
49	50	51
52	53	54
55	56	57
58	59	60
61	62	63
64	65	66
67	68	69
70	71	72
73	74	75
76	77	78
79	80	81
82	83	84
85	86	87
88	89	90
91	92	93
94	95	96
97	98	99
100	101	102
103	104	105
106	107	108
109	110	111
112	113	114
115	116	117
118	119	120
121	122	123
124	125	126
127	128	129
130	131	132
133	134	135
136	137	138
139	140	141
142	143	144
145	146	147
148	149	150
151	152	153
154	155	156
157	158	159
160	161	162
163	164	165
166	167	168
169	170	171
172	173	174
175	176	177
178	179	180
181	182	183
184	185	186
187	188	189
190	191	192
193	194	195
196	197	198
199	200	201
202	203	204
205	206	207
208	209	210
211	212	213
214	215	216
217	218	219
220	221	222
223	224	225
226	227	228
229	230	231
232	233	234
235	236	237
238	239	240
241	242	243
244	245	246
247	248	249
250	251	252
253	254	255
256	257	258
259	260	261
262	263	264
265	266	267
268	269	270
271	272	273
274	275	276
277	278	279
280	281	282
283	284	285
286	287	288
289	290	291
292	293	294
295	296	297
298	299	300
301	302	303
304	305	306
307	308	309
310	311	312
313	314	315
316	317	318
319	320	321
322	323	324
325	326	327
328	329	330
331	332	333
334	335	336
337	338	339
340	341	342
343	344	345
346	347	348
349	350	351
352	353	354
355	356	357
358	359	360
361	362	363
364	365	366

PLANTING, PO1 L-1002 0

99024170-0000 1-800-01

LUMINANCE SCHEDULE			
STIMULUS	WAVELENGTH	STIMULUS INTENSITY	ADAPTATION TIME
1	LED	490 nm	1000
2	LED	490 nm	1000
3	LED	490 nm	1000
4	LED	490 nm	1000
5	LED	490 nm	1000
6	LED	490 nm	1000
7	LED	490 nm	1000
8	LED	490 nm	1000
9	LED	490 nm	1000
10	LED	490 nm	1000
11	LED	490 nm	1000
12	LED	490 nm	1000
13	LED	490 nm	1000
14	LED	490 nm	1000
15	LED	490 nm	1000
16	LED	490 nm	1000
17	LED	490 nm	1000
18	LED	490 nm	1000
19	LED	490 nm	1000
20	LED	490 nm	1000
21	LED	490 nm	1000
22	LED	490 nm	1000
23	LED	490 nm	1000
24	LED	490 nm	1000
25	LED	490 nm	1000
26	LED	490 nm	1000
27	LED	490 nm	1000
28	LED	490 nm	1000
29	LED	490 nm	1000
30	LED	490 nm	1000
31	LED	490 nm	1000
32	LED	490 nm	1000
33	LED	490 nm	1000
34	LED	490 nm	1000
35	LED	490 nm	1000
36	LED	490 nm	1000
37	LED	490 nm	1000
38	LED	490 nm	1000
39	LED	490 nm	1000
40	LED	490 nm	1000
41	LED	490 nm	1000
42	LED	490 nm	1000
43	LED	490 nm	1000
44	LED	490 nm	1000
45	LED	490 nm	1000
46	LED	490 nm	1000
47	LED	490 nm	1000
48	LED	490 nm	1000
49	LED	490 nm	1000
50	LED	490 nm	1000
51	LED	490 nm	1000
52	LED	490 nm	1000
53	LED	490 nm	1000
54	LED	490 nm	1000
55	LED	490 nm	1000
56	LED	490 nm	1000
57	LED	490 nm	1000
58	LED	490 nm	1000
59	LED	490 nm	1000
60	LED	490 nm	1000
61	LED	490 nm	1000
62	LED	490 nm	1000
63	LED	490 nm	1000
64	LED	490 nm	1000
65	LED	490 nm	1000
66	LED	490 nm	1000
67	LED	490 nm	1000
68	LED	490 nm	1000
69	LED	490 nm	1000
70	LED	490 nm	1000
71	LED	490 nm	1000
72	LED	490 nm	1000
73	LED	490 nm	1000
74	LED	490 nm	1000
75	LED	490 nm	1000
76	LED	490 nm	1000
77	LED	490 nm	1000
78	LED	490 nm	1000
79	LED	490 nm	1000
80	LED	490 nm	1000
81	LED	490 nm	1000
82	LED	490 nm	1000
83	LED	490 nm	1000
84	LED	490 nm	1000
85	LED	490 nm	1000
86	LED	490 nm	1000
87	LED	490 nm	1000
88	LED	490 nm	1000
89	LED	490 nm	1000
90	LED	490 nm	1000
91	LED	490 nm	1000
92	LED	490 nm	1000
93	LED	490 nm	1000
94	LED	490 nm	1000
95	LED	490 nm	1000
96	LED	490 nm	

POLES	
BRAND	WARRIOR ACTUATOR CATALYTIC INJECTION
WAPCD	WAP 1000-4
BATCH	WAP0716A.D
INSTRUMENT	WAP-8-10-00-1-1-00

CSO	DESCRIPTION	LOAD	TIME	LOAD	DESCRIPTION	CSO
1	2	3	4	5	6	7
81	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	81
82	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	82
83	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	83
84	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	84
85	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	85
86	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	86
87	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	87
88	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	88
89	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	89
90	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	90
91	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	91
92	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	92
93	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	93
94	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	94
95	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	95
96	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	96
97	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	97
98	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	98
99	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	99
100	RECEIVE FROM CREDIT	100	10	100	RECEIVE FROM CREDIT	100

[illegible]

ESB BUILDING MOUNTING

Diagram illustrating two methods of ESB building mounting:

- Top Method:** Shows a horizontal mounting on a wall. Labels include:
 - HOT, ALL POSITIVE WIRE
 - HOT SWITCH AND CONTROLS
 - RECORD CLAMP TO DOOR
- Bottom Method:** Shows a vertical mounting. Label includes:
 - HOT WIRE (ON INSIDE BUILDING)

[illegible]

1. POLAR HOLE MUST BE PERPENDICULAR TO LAYER PLANE AT DISCONTINUITY LOCATION.
2. CORRECTED LENGTH IS 1/2 IN. 30 MM. APPROXIMATE 4.7% REMOVED FILL DEPTH. SHALL BE 100 MM.
3. MAXIMUM POLY. 10.4% (MAXIMUM MAX SPEC. PERM TO BE MAXIMUM PER 100% OF MAXIMUM)
4. TOP 400 MM OF MAXIMUM POLY. 10.4% AND MAXIMUM LAYER BE EVALUATED
5. LIFTING LAYER AND MATERIALS REQUIRED. HINDER OF MAXIMUM POLY. ABOVE CONCRETE AT PER POLY. MAXIMUM

HOUSING MOUNTING

AECOM

REAL PROPERTY SERVICES
Midwest Region
SERVICES MANAGER
Reports to President



ASACOM
 Committee of Accreditation
 ASACOM (January 1991)
 Box 4917 Little

DO NOT SCALE DRAWINGS

**PUBLIC WORKS &
GOVERNMENT SERVICES
CANADA**

WINTER, MAITON

**STONY MOUNTAIN INSTITUTION
LANDSCAPING**

CORRECTIONAL SERVICE CANADA
STREET MONTREAL, QUEBEC

11

100

Public Policy Issues/Recommendations to Regulate Work

Public Health and Veterinary Services

WILEY-INTERSCIENCE A JOHN WILEY & SONS, INC. PUBLICATION

Abstract

1000

200	200
-----	-----




**PUBLIC WORKS &
GOVERNMENT SERVICES
CANADA**

STONY MOUNTAIN INSTITUTION
LANDSCAPING
MINIMUM HOUSING UNITS

Adapted by/Adapted for	OSHA
Original by/Original year	LAF
Country	USA
Project name	Project 1: Safety Manager/Supervisor at OSHA 1994
Project description and/or business objectives	Project 1: Safety Manager/Supervisor at OSHA 1994
Project phase	Phase 1: Safety Manager/Supervisor at OSHA 1994
Public sector or government? Summary statistics	Public sector or government? Summary statistics
Other	Other

Approved By / Date	C-6001	Date Received BY 0
RUBEN LUCIO		



GRADING PLAN

LEGEND

[illegible]

