



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

**Bid Receiving - PWGSC / Réception des soumissions -
TPSGC**

**11 Laurier St./ 11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776**

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Clothing and Textiles Division / Division des
vêtements et des textiles
L'Esplanade Laurier,
East Tower 7th Floor
Tour est 7e étage
140 O'Connor, rue O'Connor,
Ottawa
Ontario
K1A 0R5

Title - Sujet Thermal Fabric	
Solicitation No. - N° de l'invitation 21C31-196054/A	Date 2019-03-14
Client Reference No. - N° de référence du client 21C31-19-3076054	Amendment No. - N° modif. 004
File No. - N° de dossier pr723.21C31-196054	CCC No./N° CCC - FMS No./N° VME
GETS Reference No. - N° de référence de SEAG PW-\$\$PR-723-76486	
Date of Original Request for Standing Offer 2019-02-19	
Date de la demande de l'offre à commandes originale	
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-04-09	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
Address Enquiries to: - Adresser toutes questions à: Gravel, Sylvie	Buyer Id - Id de l'acheteur pr723
Telephone No. - N° de téléphone (613) 240-7281 ()	FAX No. - N° de FAX () -
Delivery Required - Livraison exigée	
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: See herein/ Voir ci-inclus	
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.	

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required Accusé de réception requis	Yes - Oui <input type="checkbox"/>	No - Non <input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

AMENDMENT 004

The Solicitation Amendment is raised to revise Annex B - Technical Specifications for all items in order to revise the test methods (evaluation and acceptance procedures) acceptable for this requirement. Only the test methods specified in Annex B will be accepted.

Pages 24 to 29 of the solicitation – Annex B:

Delete: Annex B (items 1-5) in its entirety
Replace with: Annex B (items 1-5) attached

All other terms and conditions remain the same.

A bid already submitted may be amended prior to RFP closing time by sending the amended correspondence to Bid Receiving Unit, the envelope/message bearing the PWGSC file number and the most current closing date.

ANNEX B – ITEMS 1 & 2 TUBULAR WAFFLE KNIT Technical specifications

Item #1 and #2 – Tubular waffle knit (#1- 16 15/16 in (43 cm) - #2 – 20 ½ in (52 cm))

The fabric and samples must meet all the requirements specified hereunder within the minimum and maximum acceptable range. Only the test methods specified below will be accepted.

Property	Evaluation and acceptance procedure (Test Method)	Required specifications	Minimum acceptable	Acceptable Maximum
Quantitative analysis of fibre mixtures	ISO / TR 11827 : 2012 ASTM D276	50% polyester 50% cotton	- 5%	+ 5%
Weave		Waffle knit	Waffle knit	Waffle knit
Unit mass of fabrics	CAN/CGSB 4.2 No. 5.1-M90 ASTM D3776 ISO 3801 :1977 option 5	254 g/m ² (7.5 oz/yd ²)	- 3%	+3%
Width of the tubes	Item #1	16 15/16 in (43 cm)	16 ⅞ in (41 cm)	17 ¾ in (45 cm)
	Item #2	20 ½ in (52 cm)	19 5/16 in (49 cm)	21 5/8 in (55 cm)
Dimensional Change in Commercial Type Laundering	CAN/CGSB 4.2 No. 24.2-2002 Washing procedure 3 Drying procedure E AATCC 96			Length:7% Width : 5%

Waffle knit design	Required specifications	Minimum acceptable	Acceptable Maximum
Square	3, 5 or 7mm	3mm	7mm

ANNEX B – ITEM 3

RIB KNIT 1X1

Technical specifications

Item #3 – Rib knit 1x1 in 2 3/8 in (6 cm) strip - Cross-cut

The fabric and samples must meet all the requirements specified hereunder within the minimum and maximum acceptable range. Only the test methods specified below will be accepted.

Property	Evaluation and acceptance procedure (Test Method)	Required specifications	Minimum acceptable	Maximum acceptable
Quantitative analysis of fibre mixtures	ISO / TR 11827 : 2012 ASTM D276	2% spandex 49% cotton 49% polyester	- 5%	+ 5%
Weave		Rib knit	Rib knit	Rib knit
Unit mass of fabrics	CAN/CGSB 4.2 No. 5.1-M90 ASTM D3776 ISO 3801 :1977 option 5	254 g/m ² (5.5 oz/yd ²)	- 3%	+3%
Width of strip		2 3/8 in (6 cm)	2 5/16 in (5.9 cm)	2 7/16 in (6.2 cm)
Dimensional Change in Commercial Type Laundering	CAN/CGSB 4.2 No. 24.2-2002 – Washing procedure 3 Drying procedure E AATCC 96			Length:7% Width : 5%

ANNEX B – ITEM 4 TUBULAR RIB KNIT Technical specifications

Item #4 – 21 ¼ in (54 cm) tubular Rib knit 1x1

The fabric and samples must meet all the requirements specified hereunder within the minimum and maximum acceptable range. Only the test methods specified below will be accepted.

Property	Evaluation and acceptance procedure (Test Method)	Required specifications	Minimum acceptable	Maximum acceptable
Quantitative analysis of fibre mixtures	ISO / TR 11827 : 2012 ASTM D276	49% polyester 49% cotton 2% spandex	- 5%	+ 5%
Weave		Rib knit	Rib knit	Rib knit
Unit mass of fabrics	CAN/CGSB 4.2 No. 5.1-M90 ASTM D3776 ISO 3801 :1977 option 5	254g/m ² (7.5 oz/yd ²)	- 3%	+3%
Width of the tube		21 ¼ in (54 cm)	20 1/16 in (51 cm)	22 1/16 in (56 cm)
Dimensional Change in Commercial Type Laundering	CAN/CGSB 4.2 No. 24.2-2002 Washing procedure 3 Drying procedure E AATCC 96			Length:7% Width : 5%

ANNEX B – ITEM 5 JERSEY KNIT Technical specifications

Item #5 - Jersey knit in 1 1/8 in (2.9 cm) strip - Cross-cut

The fabric and samples must meet all the requirements specified hereunder within the minimum and maximum acceptable range. Only the test methods specified below will be accepted.

Property	Evaluation and acceptance procedure (Test Method)	Required specifications	Minimum acceptable	Maximum acceptable
Quantitative analysis of fibre mixtures	ISO / TR 11827 : 2012 ASTM D276	50% polyester 50% cotton	- 5%	+ 5%
Weave		Jersey knit	Jersey knit	Jersey knit
Unit mass of fabrics	CAN/CGSB 4.2 No. 5.1-M90 ASTM D3776 ISO 3801 :1977 option 5	175 g/m ² (6.2 oz/yd ²)	-3%	+3%
Width of strip		1 1/8 in (2.9 cm)	1 1/16 in (2.7 cm)	1 3/16 in (3 cm)
Dimensional Change in Commercial Type Laundering	CAN/CGSB 4.2 No. 24.2-2002 Washing procedure 3 Drying procedure E AATCC 96			Length:7% Width : 5%