



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Travaux publics et Services gouvernementaux
Canada

Place Bonaventure, portail Sud-Oue

800, rue de La Gauchetière Ouest

7^e étage, suite 7300

Montréal

Québec

H5A 1L6

FAX pour soumissions: (514) 496-3822

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Travaux publics et Services gouvernementaux Canada

Place Bonaventure, portail Sud-Oue

800, rue de La Gauchetière Ouest

7^e étage, suite 7300

Montréal

Québec

H5A 1L6

Title - Sujet Forklift Rental - SO	
Solicitation No. - N° de l'invitation W0130-18B037/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client W0130-18-B037	Date 2019-03-19
GETS Reference No. - N° de référence de SEAG PW-\$MTA-490-15242	
File No. - N° de dossier MTA-8-41328 (490)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-04-01	Time Zone Fuseau horaire Heure Avancée de l'Est HAE
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Sirois, Richard	Buyer Id - Id de l'acheteur mta490
Telephone No. - N° de téléphone (514) 718-5993 ()	FAX No. - N° de FAX (514) 496-3822
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

AMENDMENT 003

This amendment is required to modify the request for standing offer.

1) Annex "A" item 4.1 (Propane forklift, capacity 3 000 to 6 000 lb).

DELETE ENTIRELY

Description

Mast in three sections with sideshifter, free height between 35 and 45 inches minimum, inflatable or solid tires, maximum height of closed mast **84 inches** from floor, single front wheel, minimum lift height of forks 185 inches. On request by the Project Authority, the vehicle must be equipped with forks of 42 to 48 inches. An enclosed cab must be supplied upon request.

For each propane forklift rented, the Contractor must supply, on request, two (2) 33½-lb full propane cylinders. The cylinders will be returned to the Contractor at the end of the rental term. At the end of the contract, the Contractor will refill the cylinders and bill DND for the quantity of propane used.

AND REPLACE WITH

Description

Mast in three sections with sideshifter, free height between 35 and 45 inches minimum, inflatable or solid tires, maximum height of closed mast **86 inches** from floor, single front wheel, minimum lift height of forks 185 inches. On request by the Project Authority, the vehicle must be equipped with forks of 42 to 48 inches. An enclosed cab must be supplied upon request.

For each propane forklift rented, the Contractor must supply, on request, two (2) 33½-lb full propane cylinders. The cylinders will be returned to the Contractor at the end of the rental term. At the end of the contract, the Contractor will refill the cylinders and bill DND for the quantity of propane used.

2) Annex "A" item 4.2 (Electric forklift, capacity 3 000 to 6 000 lb).

DELETE ENTIRELY

Description

Mast in three sections with sideshifter, free lift height between 35 and 45 inches minimum, solid tires, 3 or 4 wheels, maximum height of closed mast **84 inches** from floor, minimum lift height 185 inches. On request by the Project Authority, the vehicle must be equipped with forks of 42 to 48 inches. A battery charger, 550/600 volt, 60 cycle, 3 phase, must be included in the firm rental rate. On request by the Project Authority, the vehicle must be fitted for 220-volt or 550-volt connection.

AND REPLACE WITH

Description

Mast in three sections with sideshifter, free lift height between 35 and 45 inches minimum, solid tires, 3 or 4 wheels, maximum height of closed mast **86 inches** from floor, minimum lift height 185 inches. On request by the Project Authority, the vehicle must be equipped with forks of 42 to 48 inches. A battery charger, 550/600 volt, 60 cycle, 3 phase, must be included in the firm rental rate. On request by the Project Authority, the vehicle must be fitted for 220-volt or 550-volt connection.

3) Annex "A" item 4.5 (Electric forklift, capacity 8 000 to 10 000 lb).

DELETE ENTIRELY

Description

Mast in three sections with sideshifter, free height between 35 and 45 inches minimum, inflatable or solid tires, maximum height of closed mast **84 inches** from floor, single front wheel, minimum lift height of forks 185 inches. On request by the Project Authority, the vehicle must be equipped with forks of 48 to 84 inches. A battery charger, 550/600 volt, 60 cycle, 3 phase, must be included in the firm rental rate. On request by the Project Authority, the vehicle must be fitted for 220-volt or 550-volt connection

AND REPLACE WITH

Description

Mast in three sections with sideshifter, free height between 35 and 45 inches minimum, inflatable or solid tires, maximum height of closed mast **86 inches** from floor, single front wheel, minimum lift height of forks 185 inches. On request by the Project Authority, the vehicle must be equipped with forks of 48 to 84 inches. A battery charger, 550/600 volt, 60 cycle, 3 phase, must be included in the firm rental rate. On request by the Project Authority, the vehicle must be fitted for 220-volt or 550-volt connection

*******All other terms and conditions remain unchanged.*******