



## RETURN BIDS TO:

## RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions  
Travaux publics et Services gouvernementaux  
Canada

Government of Canada Building

101 - 22nd Street East, Suite 110

Saskatoon

Saskatchewan

S7K 0E1

Bid Fax: (306) 975-5397

## REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

### Proposal To: Public Works and Government Services Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

### Proposition aux: Travaux Publics et Services Gouvernementaux Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

### Comments - Commentaires

### Vendor/Firm Name and Address

### Raison sociale et adresse du

### fournisseur/de l'entrepreneur

### Issuing Office - Bureau de distribution

Public Works and Government Services Canada/Réception  
des soumissions Travaux publics et Services gouvernementaux  
Canada

Government of Canada Building

101 - 22nd Street East

Suite 110

Saskatoon

Saskatche

S7K 0E1

<b>Title - Sujet</b> Breathing Air Compressor	
<b>Solicitation No. - N° de l'invitation</b> 5P412-180774/B	<b>Date</b> 2019-03-26
<b>Client Reference No. - N° de référence du client</b> 5P412-180774	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$STN-203-5146	
<b>File No. - N° de dossier</b> STN-8-41054 (203)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2019-05-07</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Central Standard Time CST
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> McDonald, Shannon M.	<b>Buyer Id - Id de l'acheteur</b> stn203
<b>Telephone No. - N° de téléphone</b> (306) 251-2684 ( )	<b>FAX No. - N° de FAX</b> (306) 975-5397
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> PARKS CANADA 100 MAIN ST P.O.BOX 100 WASKESIU Saskatchewan S0J2Y0 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

<b>Delivery Required - Livraison exigée</b> See Herein	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

## TABLE OF CONTENTS

<b>PART 1 - GENERAL INFORMATION .....</b>	<b>2</b>
1.1 REQUIREMENT .....	2
1.2 DEBRIEFINGS .....	2
1.3 TRADE AGREEMENTS .....	2
1.4 EPOST CONNECT SERVICE .....	2
<b>PART 2 - BIDDER INSTRUCTIONS .....</b>	<b>3</b>
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS .....	3
2.2 SUBMISSION OF BIDS.....	3
2.3 ENQUIRIES - BID SOLICITATION.....	3
2.4 APPLICABLE LAWS.....	4
<b>PART 3 - BID PREPARATION INSTRUCTIONS .....</b>	<b>5</b>
3.1 BID PREPARATION INSTRUCTIONS .....	5
<b>PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION .....</b>	<b>7</b>
4.1 EVALUATION PROCEDURES.....	7
4.2 BASIS OF SELECTION.....	7
<b>PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION .....</b>	<b>8</b>
5.1 CERTIFICATIONS REQUIRED WITH THE BID .....	8
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION .....	8
<b>PART 6 - RESULTING CONTRACT CLAUSES .....</b>	<b>9</b>
6.1 SECURITY REQUIREMENTS .....	9
6.2 REQUIREMENT .....	9
6.3 STANDARD CLAUSES AND CONDITIONS .....	9
6.4 TERM OF CONTRACT .....	9
6.5 AUTHORITIES .....	9
6.6 PAYMENT .....	10
6.7 INVOICING INSTRUCTIONS .....	11
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION.....	11
6.9 APPLICABLE LAWS.....	12
6.10 PRIORITY OF DOCUMENTS .....	12
6.12 SACC MANUAL CLAUSES .....	12
<b>ANNEX "A" - REQUIREMENT .....</b>	<b>13</b>
<b>ANNEX "B" – BASIS OF PAYMENT .....</b>	<b>14</b>
<b>ANNEX “C” TO PART 3 OF THE BID SOLICITATION .....</b>	<b>15</b>
<b>ANNEX “D” - COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS .....</b>	<b>16</b>

**This bid solicitation cancels and supersedes previous bid solicitation number 5P412-180774/A dated December 5, 2018, with a closing of January 23, 2019, at 2:00 pm CST. A debriefing or feedback session will be provided upon request to bidders/offerors/suppliers who bid on the previous solicitation.**

## **PART 1 - GENERAL INFORMATION**

### **1.1 Requirement**

The requirement is detailed under Article 6.2 of the resulting contract clauses.

### **1.2 Debriefings**

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

### **1.3 Trade Agreements**

The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA) and the Canadian Free Trade Agreement (CFTA).

### **1.4 epost Connect service**

This bid solicitation allows bidders to use the epost Connect service provided by Canada Post Corporation to transmit their bid electronically. Bidders must refer to Part 2 entitled Bidder Instructions, and Part 3 entitled Bid Preparation Instructions, of the bid solicitation, for further information.

## **PART 2 - BIDDER INSTRUCTIONS**

### **2.1 Standard Instructions, Clauses and Conditions**

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2018-05-22) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

### **2.2 Submission of Bids**

Bids must be submitted only to the Public Works and Government Services Canada (PWGSC) Bid Receiving Unit specified below by the date and time indicated on page 1 of the bid solicitation:

Mailing address:  
Public Works and Government Services Canada  
Government of Canada Building  
101 – 22nd Street East, Suite 110  
Saskatoon, SK S7K 0E1

Email address:  
[ROReceptionSoumissions.WRBidReceiving@tpsgc-pwgsc.gc.ca](mailto:ROReceptionSoumissions.WRBidReceiving@tpsgc-pwgsc.gc.ca) **Bids/Offer will be not be accepted if emailed directly to this email address. This email is to initiate an ePost Connect conversation, as detailed in the Standard Instructions.**

Fax number:  
306-975-5397

#### **2.2.1 Best Delivery Date – Bid**

While delivery is requested by May 31, 2019, the best delivery that could be offered is

---

### **2.3 Enquiries - Bid Solicitation**

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

Solicitation No. - N° de l'invitation  
5P412-180774/B  
Client Ref. No. - N° de réf. du client  
5P412-180774

Amd. No. - N° de la modif.  
File No. - N° du dossier  
STN-8-41054

Buyer ID - Id de l'acheteur  
STN203  
CCC No./N° CCC - FMS No./N° VME

---

## **2.4 Applicable Laws**

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Saskatchewan.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

---

## PART 3 - BID PREPARATION INSTRUCTIONS

### 3.1 Bid Preparation Instructions

- If the Bidder chooses to submit its bid electronically, Canada requests that the Bidder submits its bid in accordance with section 08 of the 2003 standard instructions. Bidders must provide their bid in a single transmission. The epost Connect service has the capacity to receive multiple documents, up to 1GB per individual attachment.

The bid must be gathered per section and separated as follows:

Section I: Technical Bid  
Section II: Financial Bid  
Section III: Certifications  
Section IV: Additional Information

- If the Bidder chooses to submit its bid in hard copies, Canada requests that the Bidder submits its bid in separately bound sections as follows:

Section I: Technical Bid (1hard copy)  
  
Section II: Financial Bid (1hard copy)  
  
Section III: Certifications (1hard copy)

If there is a discrepancy between the wording of the soft copy on electronic media and the hard copy, the wording of the hard copy will have priority over the wording of the soft copy.

- If the Bidder is simultaneously providing copies of its bid using multiple acceptable delivery methods, and if there is a discrepancy between the wording of any of these copies and the electronic copy provided through epost Connect service, the wording of the electronic copy provided through epost Connect service will have priority over the wording of the other copies.

If there is a discrepancy between the wording of the soft copy on electronic media and the hard copy, the wording of the hard copy will have priority over the wording of the soft copy.

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of hard copy of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573) (<https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and

- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

### **Section I: Technical Bid**

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

### **Section II: Financial Bid**

Bidders must submit their financial bid in accordance with the Basis of Payment.

#### **3.1.1 Electronic Payment of Invoices – Bid**

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex “C” Electronic Payment Instruments, to identify which ones are accepted.

If Annex “C” Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

#### **3.1.2 Exchange Rate Fluctuation**

[C3011T](#) (2013-11-06), Exchange Rate Fluctuation

#### **3.1.3 SACC Manual Clauses**

### **Section III: Certifications**

Bidders must submit the certifications and additional information required under Part 5.

## **PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION**

### **4.1 Evaluation Procedures**

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

#### **4.1.1 Technical Evaluation**

##### **4.1.1.1 Mandatory Technical Criteria**

As per Annex D – Minimum Mandatory Performance Specifications

#### **4.1.2 Financial Evaluation**

*SACC Manual* Clause [A0222T](#) (2014-06-26), Evaluation of Price

### **4.2 Basis of Selection**

#### **4.2.1 Basis of Selection - Mandatory Technical Criteria**

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.



---

## PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

### 5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

#### 5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

### 5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

#### 5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

#### 5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

---

## PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

### 6.1 Security Requirements

6.1.1 There is no security requirement applicable to the Contract.

### 6.2 Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

### 6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

#### 6.3.1 General Conditions

[2010A](#) (2018-06-21), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

### 6.4 Term of Contract

#### 6.4.1 Delivery Date

All the deliverables must be received on or before \_\_\_\_\_ (*To be inserted at Contract Award*)

#### 6.4.2 Delivery Points

Delivery of the requirement will be made to delivery point(s) specified at Annex "A" of the Contract.

### 6.5 Authorities

#### 6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Shannon McDonald  
Title: Procurement Officer  
Public Services and Procurement Canada  
Procurement Branch  
Address: Suite 110, 101-22<sup>nd</sup> St E  
Saskatoon SK S7K 0E1  
Telephone: 306-251-2684  
Facsimile: 306-975-5397  
E-mail address: [Shannon.mcdonald@tpsgc-pwgsc.gc.ca](mailto:Shannon.mcdonald@tpsgc-pwgsc.gc.ca)

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

Solicitation No. - N° de l'invitation  
5P412-180774/B  
Client Ref. No. - N° de réf. du client  
5P412-180774

Amd. No. - N° de la modif.  
File No. - N° du dossier  
STN-8-41054

Buyer ID - Id de l'acheteur  
STN203  
CCC No./N° CCC - FMS No./N° VME

---

### 6.5.2 Project Authority

The Project Authority for the Contract is: **(To be inserted at Contract Award)**

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Organization: \_\_\_\_\_  
Address: \_\_\_\_\_

Telephone: \_\_\_\_\_  
Facsimile: \_\_\_\_\_  
E-mail address: \_\_\_\_\_

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

### 6.5.3 Contractor's Representative

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Organization: \_\_\_\_\_  
Address: \_\_\_\_\_  
\_\_\_\_\_

Telephone: \_\_\_\_\_  
Facsimile: \_\_\_\_\_  
E-mail address: \_\_\_\_\_

## 6.6 Payment

### 6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price, as specified in Annex B for a cost of \$\_\_\_\_\_ **(insert the amount at contract award)**. Customs duties are excluded and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

### 6.6.2 Limitation of Price

SACC Manual clause C6000C (2017-08-17) Limitation of Price

### **6.6.3 Single Payment**

Canada will pay the Contractor upon completion and delivery of the Work in accordance with the payment provisions of the Contract if:

- a. an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
- b. all such documents have been verified by Canada;
- c. the Work delivered has been accepted by Canada.

### **6.6.4 SACC Manual Clauses**

SACC Manual Clause C2000C (2007-11-30) – Taxes – Foreign Based Contractor

### **6.6.5 Electronic Payment of Invoices – Contract**

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

***To be inserted at Contract Award***

## **6.7 Invoicing Instructions**

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
  - a. The original and one (1) copy must be forwarded to the following address for certification and payment.  
Prince Albert National Park  
Parks Canada  
PO Box 100  
Waskesui Lake, SK S0J 2Y0
  - b. One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

## **6.8 Certifications and Additional Information**

### **6.8.1 Compliance**

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

---

## 6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Saskatchewan.

## 6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A, (2018-06-21) Goods (medium complexity);
- (c) Annex A, Requirement;
- (d) Annex B, Basis of Payment;
- (e) the Contractor's bid dated \_\_\_\_\_

## 6.11 Inspection and Acceptance

The Project Authority is the Inspection Authority. All reports, deliverable items, documents, goods and all services rendered under the Contract are subject to inspection by the Inspection Authority or representative. Should any report, document, good or service not be in accordance with the requirements of the Statement of Work and to the satisfaction of the Inspection Authority, as submitted, the Inspection Authority will have the right to reject it or require its correction at the sole expense of the Contractor before recommending payment.

## 6.12 SACC Manual Clauses

D0018C	Delivery and Unloading	2007-11-30
G1005C	Insurance – No Specific Requirement	2016-01-28
B7500C	Excess Goods	2006-06-16

## **ANNEX "A" - REQUIREMENT**

Parks Canada, Prince Albert National Park requires the supply, delivery, installation and training of one  
(1) Breathing Air Compressor/Fill Station.

The Breathing Air Compressor / Fill station is used by the Waskesiu Fire Department to fill the Self-Contained Breathing Apparatus (SCBA) cylinders. The air cylinders hold breathable air used for firefighters during firefighting operations. The use of compressed breathable air is required for a significant portion of structural firefighting activities and is critical to the health and safety of firefighting personal.

### **Mandatory Product Specifications**

*[To be inserted from Annex "D" Compliance Matrix at contract award]*

#### **Delivery:**

Prince Albert National Park  
Waskesiu Fire Hall  
1300 Montreal Drive  
Waskesiu Lake, Saskatchewan

Solicitation No. - N° de l'invitation  
5P412-180774/B  
Client Ref. No. - N° de réf. du client  
5P412-180774

Amd. No. - N° de la modif.  
File No. - N° du dossier  
STN-8-41054

Buyer ID - Id de l'acheteur  
STN203  
CCC No./N° CCC - FMS No./N° VME

## ANNEX "B" – Basis of Payment

Line Number	Item Description	Quantity	Price
1	Breathing Air Compressor/Fill Station  (Supply, delivery, installation and training)	1	\$ _____

Manufacturer: \_\_\_\_\_

Model Number: \_\_\_\_\_

Solicitation No. - N° de l'invitation  
5P412-180774/B  
Client Ref. No. - N° de réf. du client  
5P412-180774

Amd. No. - N° de la modif.  
File No. - N° du dossier  
STN-8-41054

Buyer ID - Id de l'acheteur  
STN203  
CCC No./N° CCC - FMS No./N° VME

---

## **ANNEX "C" to PART 3 OF THE BID SOLICITATION**

### **ELECTRONIC PAYMENT INSTRUMENTS**

The Bidder accepts any of the following Electronic Payment Instrument(s):

( ) Direct Deposit (Domestic and International);



---

## **ANNEX “D” - COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS**

A complete list of the minimum mandatory performance specifications are detailed below in the “Compliance Matrix”. Bidders are to clearly demonstrate compliance with each mandatory specification.

1. Bidders **must** show compliance by addressing each performance specification in the Compliance Matrix, whether the product offered “meets” or “doesn’t meet”.
2. Bidders are requested to indicate how they meet each performance specification by recording this information under the Performance Specification Offered column in the Compliance Matrix.
3. It is requested that supporting technical documentation, including but not limited to, specification sheets, technical brochures, photographs or illustrations be provided with the bid at solicitation close and be cross-referenced on the Compliance Matrix for each performance specification to outline where in the supporting technical documentation it demonstrates compliance. It is the Bidders responsibility to ensure that the submitted supporting technical documentation provides detail to prove that the proposed product(s) meet the requirements of the Performance Specification. If published supporting technical document is not available, the Bidder should prepare a written narrative complete with a detailed explanation of how its bid demonstrates technical compliance.
4. If the supporting documentation referenced above has not been provided at bid closing, the Contracting Authority will notify the Bidder that they must provide supporting documentation within two (2) business days following notification. Failure to comply with the request of the Contracting Authority within that time period, will deem the bid non-responsive and the bid will be given no further consideration.
5. Bidders must address any concerns with the performance specifications in written detail to the Contracting Authority before bid closing as outlined in the Request for Proposal (RFP) document.
6. Failure to meet each mandatory performance specification will result in the bid being deemed non-responsive, and be given no further consideration.

Solicitation No. - N° de l'invitation  
5P412-180774/B  
Client Ref. No. - N° de réf. du client  
5P412-180774

Amd. No. - N° de la modif.  
File No. - N° du dossier  
STN-8-41054

Buyer ID - Id de l'acheteur  
STN203  
CCC No./N° CCC - FMS No./N° VME

### COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS:

Requirement:	Manufacturer Offered:	Model number Offered#:
Breathing Air Compressor and fill station		

Item #	Performance Specification	Status (M) Mandatory	Performance Specification Met? Indicate either Yes/No	Performance Specification Offered: Bidder should indicate how they meet the performance specification by recording this information in this column	Cross Reference: In this column, Bidders should cross-reference where this performance specification is indicated in their supporting documents.
1	Must include Compressor and fill station	M			
2	Physical dimensions not to exceed 176 cm (H) x 85cm (D) x 99cm (W) Due to room size limitations the air compressor should not exceed these dimensions.	M			
3	Warranty on compressor and fill station must be a minimum of 2 years	M			
4	Compressor and fill station must meet National Fire Protection Association (NFPA) 1901 and Canadian Standards Association (CSA) Z180 standards	M			
5	Fill station to be vertical with enclosed cabinet for SCBA cylinders as per NFPA 1901	M			
6	230 Volt Single Phase to accommodate the Fire Station wiring.	M			
7	Compressor must be a single stage.	M			

Solicitation No. - N° de l'invitation  
5P412-180774/B  
Client Ref. No. - N° de réf. du client  
5P412-180774

Amd. No. - N° de la modif.  
File No. - N° du dossier  
STN-8-41054

Buyer ID - Id de l'acheteur  
STN203  
CCC No./N° CCC - FMS No./N° VME

8	The compressor is powered by a 7.5-10.0 Horsepower motor	M			
9	The compressor should have a flow rate between 9.0-11.0 SCFM (Standard cubic feet per minute) delivery capacity	M			
10	Compressor air purification to be minimum 28,000 CUFT	M			
11	The compressor is to have a compact open frame style.	M			
12	The compressor must have minimum 6,000 Pounds Per Square Inch (psi) capacity	M			
13	Air compressor must have an hour meter that is easily accessible for the user.	M			
14	Plumbing must be stainless steel tubing plumbing as per CSA Standards B31 & B51	M			
15	Compressor frame must be powder coated to extend life expectancy of the frame. Non powder coated frame must have explanation as to why the frame is not powder coated.	M			
16	Vibration isolation of compressor and motor to be identified for the user.	M			
17	Relief valves to include Final Stage and Inter Stage for the compressor	M			
18	Must have Canadian Registration Number (CRN) registered purification and	M			

	separator towers				
19	Compressor filters and Canadian Registration Number (CRN) vessels to meet Canadian Standards Association (CSA) Z180 standards	M			
20	The compressor Oil/Water separator to include Inter Stage and Final Stage	M			
21	The compressor must have an automatic and manual shutdown mode	M			
22	Compressor to have a 5-hour continuous run shut down capacity	M			
23	Compressor must have pressure maintaining and check valves	M			
24	The compressor to have an individual stage and discharge pressure gauge panel.	M			
25	Compressor to have visual and audible fault indicators	M			
26	Parameter Logic Control (PLC) control of compressor system or alternate to be identified by the vendor.	M			
27	Compressor must have automatic condensate drain with silent collection reservoir	M			
28	Compressor to have alarm for high air temperature with shutdown	M			
29	Compressor to have alarm for low oil level/pressure and automatic shutdown	M			

30	Panels on compressor housing to be insulated to reduce noise or vendor identify alternate	M			
31	Compressor to have Carbon Dioxide or Moisture Monitors	M			
32	Compressor to have low pressure connection	M			
33	Fill station to be all steel construction that meets CSA Z180 standards	M			
34	Blast tubes to be vertical to direct air blast and debris away from operator	M			
35	Filling station capacity, 2-Self Contained Breathing Apparatus (SCBA) cylinder capacity	M			
36	Filling station tubes designed to fit all SCBA cylinders	M			
37	Liners within Filling station tubes to minimize wear and damage to SCBA cylinders. Vendor to identify lining.	M			
38	The fill station will have Isolation valves for each cylinder	M			
39	Fill station will have a safety relief valve for each fill pressure	M			
40	Fill station to have an isolation valve for each fill pressure	M			
41	Fill station to have a main supply shut off valve	M			
42	Color coded labels for each fill station, fill position and fill pressure.	M			

Solicitation No. - N° de l'invitation  
5P412-180774/B  
Client Ref. No. - N° de réf. du client  
5P412-180774

Amd. No. - N° de la modif.  
File No. - N° du dossier  
STN-8-41054

Buyer ID - Id de l'acheteur  
STN203  
CCC No./N° CCC - FMS No./N° VME

43	Color coded fill lines for each fill position and fill pressure	M			
44	An adjustable, self-venting regulator with inlet and outlet gauges.	M			
45	Vendor must include operation, service manual and parts list for compressor and fill station.	M			
46	Vendor to supply 2 complete sets of required filters for compressor and fill station operation.	M			
47	Vendor to provide delivery and installation. The compressor is to be fitted with an 8 foot long cord including a 220v male plug to connect to building power supply.	M			
48	Vendor to provide on-site training to Parks Canada staff and or Fire Chief on air compressor operation including routine maintenance and filter changing.	M			
49	Compressor and fill station must be, at minimum, capable of filling 2216 PSI SCBA cylinders. A dual 2216 / 4500 PSI would be acceptable.	M			
50	2 Cascade cylinders rated at 6,000 psi with all required adapters and lines required to connect to the compressor and fill station.	M			