



**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des
soumissions - TPSGC**
11 Laurier St./11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Furniture Division/Division des ameublements
L'Esplanade Laurier,
East Tower 7th Floor
Tour est 7^e étage,
140 O'Connor, Street,
140 O'Connor, rue O'Connor,
Ottawa
Ontario
K1A 0R5

Title - Sujet Office Furniture - 25 Eddy	
Solicitation No. - N° de l'invitation EN448-193464/A	Date 2019-03-29
Client Reference No. - N° de référence du client 20193464	
GETS Reference No. - N° de référence de SEAG PW-\$\$PQ-995-76795	
File No. - N° de dossier pq995.EN448-193464	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-04-16	Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Périard, Nathalie	Buyer Id - Id de l'acheteur pq995
Telephone No. - N° de téléphone (613) 324-8251 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: See herein.	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

Section 1 – Invitation and Instructions to Bidders

Section 2 – Resulting Contract including a list of required goods and services

SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS

Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)

Is this a Manufacturer Product Specific Procurement? No.

Step 2. ☒ Competitive or ☐ Non-Competitive

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
 1. a current published price list indicating the percentage discount available to Canada; or
 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 4. any other supporting documentation as requested by Canada.

Step 3. ☐ General or ☒ PSAB

For PSAB procurement:

Canadian Content

The Supplier should propose conforming products(s) denoted as “Canadian Content” in the Supplier’s SA. Canada may preference all bids containing products(s) with this designation.

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

Terms of the RFB:

This RFB is issued pursuant to the Supplier's Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier's SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The Bidder must provide the following information WITH the bid:

- The information requested by Canada in Annex A herein.

Bid Evaluation

An evaluation team composed of representatives of Canada will evaluate the bids.

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

RFB Issued by:	
Identified User's (IU) Department/Agency/Crown Corporation: Contact for this RFB:	See Section 2, article 4.1 below.
RFB Closing - Submit Bid: Bids must be submitted on the date and at the time indicated below.	
By no later than date and time:	See cover page
To physical location	Bid Receiving Unit – PWGSC 11 Laurier Street Place du Portage, Phase III Core 0B2 Gatineau, Quebec K1A 0S5
Additional Bid Submission option ONLY for NCR epost Connect service:	<u>NCR address:</u> <u>tpsgc.dgareceptiondessoumissions-abbidReceiving.pwgsc@tpsgc-pwgsc.gc.ca</u>
RFB Enquiries	
Unless a different period is listed in the adjacent column, Bidders may submit enquires about the RFB to the Contracting Authority five business days prior to the RFB closing date. Enquiries received after the timeline indicated may not be answered.	<u> 5 </u> business days

SECTION 2 - RESULTING CONTRACT CLAUSES

1.	Terms and Conditions of the Contract	
	The terms and conditions of Parts 6B and 6C of the Supplier's SA within the series E60PQ-140003/PQ apply to and form part of this Contract.	
2.	Security Requirement (the checked article applies)	
2.1	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this contract. The Contractor must fulfill the security requirements by meeting the terms below.	
a.	<input checked="" type="checkbox"/>	Contractor may be escorted; possession of security clearance not required. Contractor personnel MAY NOT ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information or assets are kept, without an escort provided by the department or agency for which the work is being performed.
b.	<input type="checkbox"/>	Possession of security clearance(s) is required. The Contractor must meet the security clearance requirements contained in the clausung in Annex B herein.
c.	<input type="checkbox"/>	There is no security requirement associated with this contract.
3.	Requirement	
3.1	The Contractor must perform the Work listed in Annex A herein.	
4.	Authorities	
4.1	Contracting Authority (IU)	
	Name:	Nathalie Périard
	Title:	Supply Specialist
	Department/Agency/Crown Corporation:	Public Services and Procurement Canada
	Address:	140 O'Connor Street Ottawa, Ontario K1A 0R5
	Telephone No.:	613-324-8251
	E-mail address:	nathalie.periard@tpsgc-pwgsc.gc.ca
4.2	Project Authority [To be completed at contract award] <i>The Project Authority (PA) is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract.</i> <i>In addition, the PA is also responsible for ensuring that the Supplier's employees and subcontractors requiring access to the site adhere to the allocated time for the Supplier to access the site to deliver and install the furniture in accordance with the master schedule held by the General Contractor (a representative of Canada or a service provider(s) under contract with the Government of Canada).</i>	
	Name:	
	Title:	
	Department/Agency/Crown Corporation:	
	Address:	
	Telephone No.:	
	E-mail address:	
4.3	Contractor's Representative	
	As set out in Annex A, Table 9 below.	
5.	Method of Payment	
	The checked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be used in conjunction with the following.	
	<input type="checkbox"/>	Single Payment
	<input checked="" type="checkbox"/>	Multiple Payment

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

6.	Invoicing
	Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the invoice to the following address for certification and payment:
	Name of the organization and contact: [To be completed at contract award]
	Address:
7.	Defence Contract. This clause applies if the box below is checked.
	<input type="checkbox"/> The Contract is a defence contract within the meaning of the Defence Production Act , R.S.C. 1985, c. D-1.

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

ANNEX A
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

☒ **Category 1**

☒ **Category 2**

☒ **Category 5**

Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories. *

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic. *

The requirement includes the following categories of work:

a. Category 1 – Interconnecting Panels and Freestanding Systems

☒ Category 1a – Interconnecting Panels (Refer to Annex C)

☒ Category 1b – Supporting components and freestanding furniture

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b. ☒ Category 2 – Freestanding Height Adjustable Desk / Table Products

c. ☒ Category 3 – Metal Filing and Storage Cabinets

d. ☐ Category 4 – Wood Veneer – Freestanding Products

e. ☒ Category 5 – Ancillary and Lighting Products

f. ☐ Category 6 - Support Space – Collaborative Furniture

RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

The IU must identify how Category 6 will be subdivided in the Product Table for Category 6.

g. ☒ NSA Product(s) – Category: 2

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. (Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.)

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. **Bidders must provide a complete product offering for each category, or CAT 6 sub-divide if they wish to submit a bid in order to be compliant.** In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Product Categories: 1, 2 & 5

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	Qty	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
Category 1A						
2 nd Floor						
1	Refer to Annex C and Floor Plans.					\$
5 th Floor						
2	Refer to Annex C and Floor Plans.					\$
15 th Floor						
3	Refer to Annex C and Floor Plans.					\$
Category 1B						
2 nd Floor						
4	ACPRPMAFxxxxxxx0930xx		22		\$	\$
5	ACPRPMAFxxxxxxx0936xx		8		\$	\$
6	ACPRPMAFxxxxxxx0942xx		6		\$	\$
7	ACPRPMAFxxxxxxx0960xx		8		\$	\$
8	SPLSSSLxRxxFFODxx7215	Height of unit must not exceed 533mm (21")	4		\$	\$
9	SPLSSSLxRxxFFDOxx7215	Height of unit must not exceed 533mm (21")	4		\$	\$
10	SPLSxxFAxxxxxCSxxxxxx		8		\$	\$
5 th Floor						
11	ACPRPMAFxxxxxxx0930xx		145		\$	\$
12	ACPRPMAFxxxxxxx0936xx		62		\$	\$
13	ACPRPMAFxxxxxxx0942xx		41		\$	\$
14	ACPRPMAFxxxxxxx0960xx		55		\$	\$
15	SPLSSSLxRxxFFODxx7215	Height of unit must not exceed 533mm (21")	20		\$	\$
16	SPLSSSLxRxxFFDOxx7215	Height of unit must not exceed 533mm (21")	19		\$	\$
17	SPLSxxFAxxxxxCSxxxxxx		39		\$	\$
18	WSxxPMLHRxxxxxxxxx4224		23		\$	\$

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

15 th Floor						
19	ACPRPMAFxxxxxxx0930xx		66		\$	\$
20	ACPRPMAFxxxxxxx0936xx		30		\$	\$
21	ACPRPMAFxxxxxxx0942xx		26		\$	\$
22	ACPRPMAFxxxxxxx0960xx		18		\$	\$
23	SPLSSSLxRxxFFODxx7215	Height of unit must not exceed 533mm (21")	10		\$	\$
24	SPLSSSLxRxxFFDOxx7215	Height of unit must not exceed 533mm (21")	10		\$	\$
25	SPLSxxFAxxxxxCSxxxxxx		20		\$	\$
26	WSxxPMLHRxxxxxxxx4224		18		\$	\$
Category 2						
2 nd Floor						
27	FSCAEA5430		16		\$	\$
5 th Floor						
28	FSCAEA5430		24		\$	\$
15 th Floor						
29	FSCAEA4230		2		\$	\$
30	FSCAEA5430		48		\$	\$
Category 5						
2 nd Floor						
31	MADMG		43		\$	\$
32	TLDBT		43		\$	\$
5 th Floor						
33	MADMG		206		\$	\$
34	TLDBT		206		\$	\$
15 th Floor						
35	MADMG		137		\$	\$
36	TLDBT		137		\$	\$
NSA products (must not exceed 30% of the firm quantity by category)						
The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
#	NSA Product(s) Description	Qty	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$	
2 nd Floor						
37	Similar to GoCuid # FSCAEA5430, but dimensions to be 1524mm (60”) x 762mm (30”)	19		\$	\$	
38	Similar to GoCuid # FSCAEA5430, but dimensions to be 1829mm (72”) x 762mm (30”)	8		\$	\$	

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

5 th Floor					
39	Similar to GoCuid # FSCAEAS430, but dimensions to be 1524mm (60") x 762mm (30")	120		\$	\$
40	Similar to GoCuid # FSCAEAS430, but dimensions to be 1829mm (72") x 762mm (30")	62		\$	\$
15 th Floor					
41	Similar to GoCuid # FSCAEAS430, but dimensions to be 1524mm (60") x 762mm (30")	49		\$	\$
42	Similar to GoCuid # FSCAEAS430, but dimensions to be 1829mm (72") x 762mm (30")	38		\$	\$
				Product Total	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time*	Supplier will deliver as per below**	Firm Lot Price \$
1 4-10 27 31,32 37,38	25 Eddy, 2 nd Floor Gatineau, Quebec J8X 4B3	On or before 2019/06/28	Outside Normal Business Hours	_____ : weeks or days for delivery	\$
2 11-18 28 33,34 39,40	25 Eddy, 5 th Floor Gatineau, Quebec J8X 4B3	On or Before 2019/08/09	Outside Normal Business Hours	_____ : weeks or days for delivery	\$
3 19-26 29,30 35,36 41,42	25 Eddy, 15 th Floor Gatineau, Quebec J8X 4B3	On or Before 2020/02/07	Outside Normal Business Hours	_____ : weeks or days for delivery	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 // to be coordinated with Project Authority before proceeding with ordering products. **The Desired Date(s) and time(s) for delivery are estimated and may change if authorized by the Project Authority (PA). The supplier must not commence the work under this contract until the Project Authority (PA) provides the supplier the authority to proceed taking into consideration the delivery time provided by the supplier.				Delivery Total:	\$

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time *	Supplier will install asper below**	Firm Lot Price \$
1 4-10 27 31,32 37,38	25 Eddy, 2 nd Floor Gatineau, Quebec J8X 4B3	On or before 2019/06/28	Normal Business Hours	_____ : weeks or days for installation	\$
2 11-18 28 33,34 39,40	25 Eddy, 5 th Floor Gatineau, Quebec J8X 4B3	On or Before 2019/08/09	Normal Business Hours	_____ : weeks or days for installation	\$
3 19-26 29,30 35,36 41,42	25 Eddy, 15 th Floor Gatineau, Quebec J8X 4B3	On or Before 2020/02/07	Normal Business Hours	_____ : weeks or days for installation	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Desired Date(s) and time(s) for installation are estimated and may change if authorized by the Project Authority (PA). The supplier must not commence the work under this contract until the Project Authority (PA) provides the supplier the authority to proceed taking into consideration the installation time provided by the supplier.					

Table 4 – Optional Product
Table 5 – Optional Delivery
Table 6 – Optional Installation

☒ Not Applicable
☒ Not Applicable
☒ Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada's Facilities to Accommodate the Delivery</p> <p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	2 Wellington Street Gatineau J8X 2H3 OPEN Monday to Friday from 6:00am to 6:00pm. After hours arrangements can be done with the Project Authority if needed.
B	Dock	Truck entrances 14 feet high room for 45 feet tractor trailer
C	Lift	Loading dock is configured so truck can unload directly on the dock surface. However 2 lifts are available. 2 tons platform 8 feet by 5 feet maximum weigh 1818KG
D	Door	Size - H 7.5' x W 8' (Corridors)
E	Freight Elevator	Elevator 19 – 12 feet high by 8 feet wide maximum loading capacity 1818KG

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

F	Other (specify, if any)	Secure loading dock; inside entrances are control access with card readers provided by the security.
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	n/a
5	Optional Delivery Total (Table 5)	n/a
6	Optional Installation Total (Table 6)	n/a
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		Other:	

Category 3

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	Qty	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
2nd Floor						
1	LLFC3DFDxxx2042xxxx		7		\$	\$
5th Floor						
2	LLFC3DFDxxx2042xxxx		29		\$	\$
15th Floor						
3	LLFC3DFDxxx2042xxxx		22		\$	\$
				Product Total		\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time*	Supplier will deliver as per below**	Firm Lot Price \$
1	25 Eddy, 2nd Floor Gatineau, Quebec J8X 4B3	On or before 2019/06/28	Outside Normal Business Hours	_____ : weeks or days for delivery	\$
2	25 Eddy, 5th Floor Gatineau, Quebec J8X 4B3	On or Before 2019/08/09	Outside Normal Business Hours	_____ : weeks or days for delivery	\$
3	25 Eddy, 15th Floor Gatineau, Quebec J8X 4B3	On or Before 2020/02/07	Outside Normal Business Hours	_____ : weeks or days for delivery	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 // to be coordinated with Project Authority before proceeding with ordering products. **The Desired Date(s) and time(s) for delivery are estimated and may change if authorized by the Project Authority (PA).The supplier must not commence the work under this contract until the Project Authority (PA) provides the supplier the authority to proceed taking into consideration the delivery time provided by the supplier.				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date (Y/M/D)	Desired Time*	Supplier will install asper below**	Firm Lot Price \$
1	25 Eddy, 2nd Floor Gatineau, Quebec J8X 4B3	On or before 2019/06/28	Normal Business Hours	_____ : weeks or days for installation	\$
2	25 Eddy, 5th Floor Gatineau, Quebec J8X 4B3	On or Before 2019/08/09	Normal Business Hours	_____ : weeks or days for installation	\$
3	25 Eddy, 15th Floor Gatineau, Quebec J8X 4B3	On or Before 2020/02/07	Normal Business Hours	_____ : weeks or days for installation	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Desired Date(s) and time(s) for installation are estimated and may change if authorized by the Project Authority (PA). The supplier must not commence the work under this contract until the Project Authority (PA) provides the supplier the authority to proceed taking into consideration the installation time provided by the supplier.</p>				Installation Total:	\$

Table 4 – Optional Product

☒ Not Applicable

Table 5 – Optional Delivery

☒ Not Applicable

Table 6 – Optional Installation

☒ Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	<p>Canada's Facilities to Accommodate the Delivery</p> <p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	2 Wellington Street Gatineau J8X 2H3 OPEN Monday to Friday from 6:00am to 6:00pm. After hours arrangements can be done with the Project Authority if needed.
B	Dock	Truck entrances 14 feet high room for 45 feet tractor trailer
C	Lift	Loading dock is configured so truck can unload directly on the dock surface. However 2 lifts are available. 2 tons platform 8 feet by 5 feet maximum weigh 1818KG
D	Door	Size - H 7.5' x W 8' (Corridors)
E	Freight Elevator	Elevator 19 – 12 feet high by 8 feet wide maximum loading capacity 1818KG

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

F	Other (specify, if any)	Secure loading dock; inside entrances are control access with card readers provided by the security.
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	n/a
5	Optional Delivery Total (Table 5)	n/a
6	Optional Installation Total (Table 6)	n/a
7	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		Other:	

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

ANNEX B
SECURITY REQUIREMENTS

There is no a security requirement associated with the requirement.

ANNEX C FLOOR PLAN(S)

INSTRUCTIONS TO BIDDERS:

For Category 1a products, the Bidders must provide:

- a) Completed floor plan(s) with proposed SA approved products;
- b) A product listing of proposed SA approved products offered at floor plan(s).
As a minimum the product listing must include the following information:
 - Supplier part numbers including NSA products forming part of this category;
 - brief product descriptions;
 - quantities;
 - firm unit prices.

***** Products from categories other than Category 1a shown on floor plan are for information purposes only*****

By submitting a bid, the Bidder certifies that their submission includes all components and quantities for Category 1a, in accordance with the floor plans, panel details, panel matrices and/or workstation layouts stipulated in Annex C.

***At contract award, "By submitting a bid, the Bidder" becomes "The Contractor".**

Category 1a Requirement:

1) Floor Plan(s)

See attached pdf and AutoCAD floor plan

2) Panel Details

- a. All required panel heights: Base Height and Seated Privacy Add-on Height;
- b. When power is required, the power is located below work surface height; should a grouping of workstation types include shared panels and one side is identified as powered and the other side is non-powered, those panels affected must be powered.
- c. Type of power feed: Mainly Power Pole, but 2 Hard Wired Base feeds are used on the 5th floor in station #564J & 564K.

3) Panel Matrix / Workstation Layout

See attached pdf Panel Matrix / Workstation Layout

a. Panel Matrix

b. Workstation Layout(s)

See attached Workstation Layout

- The floor plan takes precedent over any discrepancies with the workstation layouts.
- When two or more typical workstation types share a common panel spine, the finishes of the interior side of the workstation panel as outlined in the Typical Data Sheets must be followed and **NO PANELS SHALL BE DOUBLED. Where no workstation exists adjacent to typical workstation, refer to Data Sheet for finish.**

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

-
- Should one typical workstation identify power and the other does not – power will be required for both. Include Workstation Layouts (in the form of Typical Data Sheets or 3 Dimensional drawings) here or as a separate attachment to this RFB.

Solicitation No. - N° de l'invitation
EN448-193436/A
Client Ref. No. - N° de réf. du client
EN448-193436

Amd. No. - N° de la modif.
File No. - N° du dossier
pq995 EN448-193436/A

Buyer ID - Id de l'acheteur
pq995
CCC No./N° CCC - FMS No./N° VME

ANNEX D

Additional Specifications, Certifications

This Annex includes the additional Specifications, Certifications associated with NSA products *and NOSAP. (if applicable)* forming part of the requirement.

1. Specifications

Category 2, table 1 – see generic description

2. Certifications

.1 NSA Product Conformance

2.1 NSA Product Conformance *(Required precedent to Issuance of a contract)*

The Supplier certifies that all the NSA products offered will conform to all specifications indicated in Annex A and D of the RFB, and meet the testing and performance requirements found at ANNEX A-1 and A-2 of the Supply Arrangement, as applicable.

Supplier's Signature

Date

NSA Product Conformance Certification *(applies after contract award)*

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.


In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A and D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.

2.2 NOSAP - Refers to Non Offered Supply Arrangement Products. These are products that form part of the Product and Pricing catalogues of the Supply Arrangement, but does not have an approved ceiling price in the suppliers issued SA. Suppliers must hold a SA with the category being solicited. NOSAP products must be certified prior to issuance of contract award at Annex D. **(NOSAP to be applied if required on a case by case basis)**

CAT 1A, 1B AND 2 LEGEND

REVISIONS	
NO.	DESCRIPTION
A	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
B	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
C	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
D	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
E	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
F	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
G	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
H	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
I	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
J	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
K	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
L	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
M	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
N	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND

CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND



Level 2, B100 CAT 1&2
SCALE: 1:100

Client Name
Address
City
Country

Architect Name
Address
City
Country

NO.	DESCRIPTION
1	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
2	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
3	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
4	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
5	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
6	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
7	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
8	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
9	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
10	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND

CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND

NO.	DESCRIPTION
1	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
2	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
3	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
4	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
5	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
6	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
7	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
8	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
9	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND
10	CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND

CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND

CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND

CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND

CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND

CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND


CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND

CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND

CONSTRUCTION OF CAT 1A, 1B AND 2 LEGEND

Workstation Typical – Poste de Travail Typique -Typ. 1


3D View – Vue 3D



Floor/Étage: 2, 5, 15

****6 station version also used on 15th floor****

Plan View – Vue en Plan




Workstation Typical – Poste de Travail Typique -Typ. 2


Floor/Étage: 2, 5, 15

3D View – Vue 3D

****6 station version also used on 15th floor****




Plan View – Vue en Plan




Workstation Typical – Poste de Travail Typique -Typ. 3

Floor/Étage: 2

3D View – Vue 3D



Plan View – Vue en Plan




Workstation Typical – Poste de Travail Typique -Typ. 4


Floor/Étage: 2, 5, 15

3D View – Vue 3D

6 station version also used on 15th floor




Plan View – Vue en Plan




Workstation Typical – Poste de Travail Typique -Typ. 5

Floor/Étage: 5

3D View – Vue 3D




Plan View – Vue en Plan




Workstation Typical – Poste de Travail Typique -Typ. 6


Floor/Étage: 5

3D View – Vue 3D



Plan View – Vue en Plan







Workstation Typical – Poste de Travail Typique -Typ. 8

Floor/Étage: 5

3D View – Vue 3D



Plan View – Vue en Plan




Workstation Typical – Poste de Travail Typique -Typ. 9


Floor/Étage: 5, 15

3D View – Vue 3D

6 station version also used on 15th floor




Plan View – Vue en Plan




Workstation Typical – Poste de Travail Typique -Typ. 10

Floor/Étage: 5

3D View – Vue 3D




Plan View – Vue en Plan




Workstation Typical – Poste de Travail Typique -Typ. 11

Floor/Étage: 15

3D View – Vue 3D



Plan View – Vue en Plan



Panel Matrix-A / Panneau Matrice -A

CAT 1a-Seated Privacy Height Add On, Non-Powered / CAT 1a-Panneau additionnel pour intimité en position assise, Non-électrifié

Upper Element 1 / Élément Supérieur 1	Upper Element 2 / Élément Supérieur 2
Frosted Glazed/ cloisons vitré givré	Frosted Glazed/ cloisons vitré givré
Lower Element 1 / Élément inférieur 1	Lower Element 2 / Élément inférieur 2
Fabric / Tissu	Fabric / Tissu
Side 1/ Côté 1	Side 2/ Côté 2

Panel Matrix-B / Panneau Matrice -B

CAT 1a- Seated Privacy Height Add On, Powered outlets Below Work Surface (Single-Sided) / CAT 1a- Panneau additionnel pour intimité en position assise, Prise(s) électrique(s) au dessous de la surface de travail (une côté)

Upper Element 1 / Élément Supérieur 1	Upper Element 2 / Élément Supérieur 2
Frosted Glazed/ cloisons vitré givré	Frosted Glazed/ cloisons vitré givré
Lower Element 1 / Élément inférieur 1	Lower Element 2 / Élément inférieur 2
Cut out for power & Data,Fabric/ Cavité(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s), tissu	Fabric / Tissu
Side 1/ Côté 1	Side 2/ Côté 2

Panel Matrix-C / Panneau Matrice -C

CAT 1a- Seated Privacy Height Add On, Powered outlets Below Work Surface (Double-Sided) / CAT 1a- Panneau additionnel pour intimité en position assise, Prise(s) électrique(s) au dessous de la surface de travail (deux côtés)

Upper Element 1/ Élément Supérieur 1	Upper Element 2/ Élément Supérieur 2
Frosted Glazed/ cloisons vitré givré	Frosted Glazed/ cloisons vitré givré
Lower Element 1/Élément inférieur 1	Lower Element 2/ Élément inférieur 2
Cut out for power & Data,Fabric / Cavité(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s), tissu	Cut out for power & Data,Fabric / Cavité(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s), tissu
Side 1/ Côté 1	Side 2/ Côté 2

Panel Matrix-D / Panneau Matrice -D

CAT 1a-Base Height, Non-Powered
 CAT 1b- Privacy Screen-Panel Mounted/Frosted (G)
 / CAT 1a- Hauteur de base, Non-électrifié
 CAT 1b- Écran de confidentialité monté sur panneau
 / Givré (G)

Lower Element 1/Élément inférieur 1	Lower Element 2/ Élément inférieur 2
Fabric/Tissu	Fabric/Tissu
Side 1/ Côté 1	Side 2/ Côté 2

Panel Matrix-E / Panneau Matrice -E

CAT 1a-Base Height, Powered outlets Below Work
 Surface (Single-Sided)
 CAT 1b- Privacy Screen-Panel Mounted/Frosted (G)
 / CAT 1a- Hauteur de base, Prise(s) électrique(s) au
 dessous de la surface de travail (une côté)
 CAT 1b- - Écran de confidentialité monté sur
 panneau / Givré (G)

Lower Element 1/Élément inférieur 1	Lower Element 2/ Élément inférieur 2
Cut out for power & Data,Fabric/ Cavité(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s), tissu	Fabric/Tissu
Side 1/ Côté 1	Side 2/ Côté 2

Panel Matrix-F / Panneau Matrice -F

CAT 1a-Base Height, Powered outlets Below Work
 Surface (Double-Sided)
 CAT 1b- Privacy Screen-Panel Mounted/Frosted (G)
 / CAT 1a- Hauteur de base, Prise(s) électrique(s) au
 dessous de la surface de travail (deux côtés)
 CAT 1b- - Écran de confidentialité monté sur
 panneau / Givré (G)

Lower Element 1/Élément inférieur 1	Lower Element 2/ Élément inférieur 2
Cut out for power & Data,Fabric/ Cavité(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s), tissu	Cut out for power & Data,Fabric/ Cavité(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s), tissu
Side 1/ Côté 1	Side 2/ Côté 2

2nd LEVEL/2^{ie} ÉTAGE

Item/élément	Qty	Category 1A Products/Produits Cat1A	Panel Matrix Label/Label matrice de panneau
1	19	30"W Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Non-powered/non-électrifié Lower element fabric on both sides/élément inférieur tissu deux côté Upper element frosted glazed/élément supérieure	A
2	4	54"W Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Powered/électrifié Cut out for power and data on one side/cavités finies pour l'insertion de prises électriques et informatiques – un côté Lower element fabric on both sides/élément inférieur tissu deux côté Upper element frosted glazed/élément supérieure	B
3	6	54"W Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Powered/électrifié Cut out for power and data on both sides/cavités finies pour l'insertion de prises électriques et informatiques – deux côtés Lower element fabric on both sides/élément inférieur tissu deux côté Upper element frosted glazed/élément supérieure	C
4	24	30"W Base Height Panel Non-powered/non-électrifié Lower element fabric on both sides/élément inférieur tissu deux côté	D
5	6	42"W Base Height Panel/hauteur de base Non-powered/non-électrifié Lower element fabric on both sides/élément inférieur tissu deux côté	D
7	8	36"W Base Height Panel /hauteur de base Powered/électrifié Cut out for power and data on both sides/cavités finies pour l'insertion de prises électriques et informatiques – deux côtés Lower element fabric on both sides/élément inférieur tissu deux côté	F
8	8	60" W Base Height Panel /hauteur de base Powered/électrifié Cut out for power and data on both sides/cavités finies pour l'insertion de prises électriques et informatiques – deux côtés Lower element fabric on both sides/élément inférieur tissu deux côté	F

2nd LEVEL/2^{ie} ÉTAGE

Item/élément	Qty	Category 1B Products/Produits Cat1B	Panel Matrix Label/Label matrice de panneau
1	46	9"H Privacy screens, panel mounted, frosted/panneaux d'intimité, monté sur cloison, givré	G
2	4	72"Wx 15"D H low storage-credenza unit, storage supported, laminate, rectangular, drawer-open/unité de rangement bas ou bahut, soutenu par rangement, stratifié, rectangulaire, tiroir-ouvert	
3	4	72"Wx 15"D H low storage-credenza unit, storage supported, laminate, rectangular, open-drawer/unité de rangement bas ou bahut, soutenu par rangement, stratifié, rectangulaire, ouvert-tiroir	
4	8	Seat cushion for low storage credenza/cousin d'assise pour unite de rangement bas ou bahut	

5th FLOOR/5^{ie} ÉTAGE

Item/élément	Qty	Category 1A Products/Produits Cat1A	Panel Matrix Label/Label matrice de panneau
1	48	30"W Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Non-powered/non-électrifié Lower element fabric on both sides/élément inférieur tissu deux côté Upper element frosted glazed/élément supérieure	A
2	8	42"W Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Non-powered/non-électrifié Lower element fabric on both sides/élément inférieur tissu deux côté Upper element frosted glazed/élément supérieure	A
3	4	30 "W Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Powered/électrifié Cut out for power and data on one side Lower element fabric on both sides/élément inférieur tissu deux côtés Upper element frosted glazed/élément supérieure	B
4	16	36"W Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Powered/électrifié Cut out for power and data on both sides/cavités finies pour l'insertion de prises électriques et informatiques – un côté Lower element fabric on both sides/élément inférieur tissu deux côté Upper element frosted glazed/élément supérieure	C
5	11	54"W Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Powered/électrifié Cut out for power and data on both sides/cavités finies pour l'insertion de prises électriques et informatiques – deux côtés Lower element fabric on both sides/élément inférieur tissu deux côté Upper element frosted glazed/élément supérieure	C
6	145	30"W Base Height Panel Non-powered/non-électrifié Lower element fabric on both sides/élément inférieur tissu deux côté	D

7	41	42"W Base Height Panel/hauteur de base Non-powered/non-électrifié Lower element fabric on both sides/élément inférieur tissu deux côté	D
8	30	36"W Base Height Panel /hauteur de base Powered/électrifié Cut out for power and data on one side/cavités finies pour l'insertion de prises électriques et informatiques – un côté Lower element fabric on both sides/élément inférieur tissu deux côté	E
9	6	60"W Base Height Panel /hauteur de base Powered/électrifié Cut out for power and data on one side/cavités finies pour l'insertion de prises électriques et informatiques – un côté Lower element fabric on both sides/élément inférieur tissu deux côté	E
10	32	36"W Base Height Panel /hauteur de base Powered/électrifié Cut out for power and data on both sides/cavités finies pour l'insertion de prises électriques et informatiques – deux côtés Lower element fabric on both sides/élément inférieur tissu deux côté	F
11	49	60" W Base Height Panel /hauteur de base Powered/électrifié Cut out for power and data on both sides/cavités finies pour l'insertion de prises électriques et informatiques – deux côtés Lower element fabric on both sides/élément inférieur tissu deux côté	F

5th FLOOR/5^{ie} ÉTAGE

Item/élément	Qty	Category 1B Products/Produits Cat1B	Panel Matrix Label/Label matrice de panneau
1	303	9"H Privacy screens, panel mounted, frosted/panneaux d'intimité, monté sur cloison, givré	G
2	19	72"Wx 15"D H low storage-credenza unit, storage supported, laminate, rectangular, drawer-open/unité de rangement bas ou bahut, soutenu par rangement, stratifié, rectangulaire, tiroir-ouvert	
3	20	72"Wx 15"D H low storage-credenza unit, storage supported, laminate, rectangular, open-drawer/unité de rangement bas ou bahut, soutenu par rangement, stratifié, rectangulaire, ouvert-tiroir	
4	23	42"W x 18"D Panel-mounted rectangular side surface/surface de travail stratifié haute pression rectangulaire monté sur cloison	
5	39	Seat cushion for low storage credenza/cousin d'assise pour unite de rangement bas ou bahut	

15th FLOOR/15^{ie} ÉTAGE

Item/élément	Qty	Category 1A Products/Produits Cat1A	Panel Matrix Label/Label matrice de panneau
1	76	30"W Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Non-powered/non-électrifié Lower element fabric on both sides/élément inférieur tissu deux côté Upper element frosted glazed/élément supérieure	A
2	8	42"W Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Non-powered/non-électrifié Lower element fabric on both sides/élément inférieur tissu deux côté Upper element frosted glazed/élément supérieure	A
3	8	36"W Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Powered/électrifié Cut out for power and data on both sides/cavités finies pour l'insertion de prises électriques et informatiques – un côté Lower element fabric on both sides/élément inférieur tissu deux côté Upper element frosted glazed/élément supérieure	C
4	24	54"W Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Powered/électrifié Cut out for power and data on both sides/cavités finies pour l'insertion de prises électriques et informatiques – deux côtés Lower element fabric on both sides/élément inférieur tissu deux côté Upper element frosted glazed/élément supérieure	C
6	66	30"W Base Height Panel Non-powered/non-électrifié Lower element fabric on both sides/élément inférieur tissu deux côté	D
7	26	42"W Base Height Panel/hauteur de base Non-powered/non-électrifié Lower element fabric on both sides/élément inférieur tissu deux côté	D
8	30	36"W Base Height Panel /hauteur de base Powered/électrifié Cut out for power and data on both sides/cavités finies pour l'insertion de prises électriques et informatiques – deux côtés Lower element fabric on both sides/élément inférieur tissu deux côté	F
9	18	60" W Base Height Panel /hauteur de base Powered/électrifié Cut out for power and data on both sides/cavités finies pour l'insertion de prises électriques et informatiques – deux côtés Lower element fabric on both sides/élément inférieur tissu deux côté	F

15th FLOOR/15^{ie} ÉTAGE

Item/élément	Qty	Category 1B Products/Produits Cat1B	Panel Matrix Label/Label matrice de panneau
1	140	9"H Privacy screens, panel mounted, frosted/panneaux d'intimité, monté sur cloison, givré	G
2	10	72"Wx 15"D H low storage-credenza unit, storage supported, laminate, rectangular, drawer-open/unité de rangement bas ou bahut, soutenu par rangement, stratifié, rectangulaire, tiroir-ouvert	
3	10	72"Wx 15"D H low storage-credenza unit, storage supported, laminate, rectangular, open-drawer/unité de rangement bas ou bahut, soutenu par rangement, stratifié, rectangulaire, ouvert-tiroir	
4	20	Seat cushion for low storage credenza/cousin d'assise pour unite de rangement bas ou bahut	
5	18	42"W x 24"D Panel-mounted rectangular side surface/surface de travail stratifié haute pression rectangulaire monté sur cloison	