

# SUPREME COURT OF CANADA - WINDOW REPAIRS

**Heritage Conservation Services**  
Architecture and Engineering Services  
Real Property Branch  
Public Services and Procurement Canada

**Services de la Conservation du Patrimoine**  
Services d'Architecture et de Génie  
Direction Générale des Biens Immobiliers  
Services Publics et Approvisionnement Canada

**NOTE:**

ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.



**INDEX**



- A1 - INDEX, LOCATION PLAN, SITE PLAN AND PHOTO
- A2 - GROUND FLOOR PLAN WINDOW NUMBERS FOR REPAIR
- A3 - FIRST FLOOR PLAN WINDOW NUMBERS FOR REPAIR
- A4 - SECOND FLOOR PLAN WINDOW NUMBERS FOR REPAIR
- A5 - THIRD FLOOR PLAN WINDOW NUMBERS FOR REPAIR
- A6 - SOUTH ELEVATION WINDOW NUMBERS FOR REPAIR
- A7 - EAST ELEVATION WINDOW NUMBERS FOR REPAIR
- A8 - NORTH ELEVATION WINDOW NUMBERS FOR REPAIR
- A9 - WEST ELEVATION WINDOW NUMBERS FOR REPAIR
- A10 - EAST & WEST ELEVATIONS - INTERIOR WEST COURTYARD
- A11 - EAST & WEST ELEVATIONS - INTERIOR EAST COURTYARD
- A12 - NORTH & SOUTH ELEVATIONS - INTERIOR COURTYARDS
- A13 - WINDOW TYPES AND APPROXIMATE SIZES
- A14 - WINDOW REPAIR SCHEDULE
- A15 - REPAIR DETAILS

05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date

**LOCATION PLAN**



**SITE PLAN**  
NOT TO SCALE



project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **INDEX, LOCATION PLAN, SITE PLAN AND PHOTO** dessin

designed	HCS	conçu
date	July 2018	
drawn	HCS	dessiné
date	July 2018	
reviewed		examiné
date		
approved		approuvé
date		
tender		soumission
Project Manager		Administrateur de projets
project no.		no. du projet
	R.080533.402	
drawing no.		no. du dessin

**NOTE:**  
 ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.

**REPAIR NOTES:**


(R1) (r1) REPLACE EXISTING GLAZING. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.01.

(R2) (r2) GAP SEAL. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.02.

(R3) (r3) RESTRAINT AT HATCH. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.03.

(R4) (r4) SCREW REPLACEMENT. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.04 (ASSUME 90% AT HINGE AND 10% AT STAY).

R - REPAIR WORK AT EXTERIOR SASH.  
 r - REPAIR WORK AT INTERIOR SASH.  
 R<sup>x</sup> / r<sup>x</sup> - 'x' EQUALS REPAIR QUANTITY ABOVE.



**GROUND FLOOR PLAN**  
 1 : 400

05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date

A C	A detail no. no. du détail B key location empl. clé C detail location empl. du détail	A B C
--------	--	----------

project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **GROUND FLOOR PLAN WINDOW NUMBERS FOR REPAIR** dessin


designed	HCS	conçu
date	July 2018	
drawn	HCS	dessiné
date	July 2018	
reviewed		examiné
date		
approved		approuvé
date		
tender		soumission
Project Manager		Administrateur de projets
project no.	R.080533.402	no. du projet
drawing no.		no. du dessin

**NOTE:**  
 ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.

**REPAIR NOTES:**


- (R1) (r1) REPLACE EXISTING GLAZING. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.01.
- (R2) (r2) GAP SEAL. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.02.
- (R3) (r3) RESTRAINT AT HATCH. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.03.
- (R4) (r4) SCREW REPLACEMENT. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.04 (ASSUME 90% AT HINGE AND 10% AT STAY).

R - REPAIR WORK AT EXTERIOR SASH.  
 r - REPAIR WORK AT INTERIOR SASH.  
 R<sup>x</sup> / r<sup>x</sup> - 'x' EQUALS REPAIR QUANTITY ABOVE.



**FIRST FLOOR PLAN**  
 1 : 400


05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date



project / projet  
**SUPREME COURT OF CANADA WINDOW REPAIRS**

drawing / dessin  
**FIRST FLOOR PLAN WINDOW NUMBERS FOR REPAIR**

designed / conçu	HCS
date	July 2018
drawn / dessiné	HCS
date	July 2018
reviewed / examiné	
date	
approved / approuvé	
date	
tender / soumission	
Project Manager / Administrateur de projets	
project no. / no. du projet	R.080533.402
drawing no. / no. du dessin	



**NOTE:**  
 ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.

**REPAIR NOTES:**


(R1) (r1) REPLACE EXISTING GLAZING. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.01.

(R2) (r2) GAP SEAL. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.02.

(R3) (r3) RESTRAINT AT HATCH. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.03.


(R4) (r4) SCREW REPLACEMENT. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.04 (ASSUME 90% AT HINGE AND 10% AT STAY).

R - REPAIR WORK AT EXTERIOR SASH.  
 r - REPAIR WORK AT INTERIOR SASH.  
 R<sup>x</sup> / r<sup>x</sup> - 'x' EQUALS REPAIR QUANTITY ABOVE.



**SECOND FLOOR PLAN**  
 1 : 400


05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date



project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **SECOND FLOOR PLAN WINDOW NUMBERS FOR REPAIR** dessin

designed	HCS	conçu
date	July 2018	
drawn	HCS	dessiné
date	July 2018	
reviewed		examiné
date		
approved		approuvé
date		
tender		soumission
Project Manager		Administrateur de projets
project no.	R.080533.402	no. du projet
drawing no.		no. du dessin




**NOTE:**

ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.

**REPAIR NOTES:**

- (R1) (r1) REPLACE EXISTING GLAZING. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.01.
- (R2) (r2) GAP SEAL. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.02.
- (R3) (r3) RESTRAINT AT HATCH. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.03.
- (R4) (r4) SCREW REPLACEMENT. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.04 (ASSUME 90% AT HINGE AND 10% AT STAY).


R - REPAIR WORK AT EXTERIOR SASH.  
 r - REPAIR WORK AT INTERIOR SASH.  
 R<sup>x</sup> / r<sup>x</sup> - 'x' EQUALS REPAIR QUANTITY ABOVE.



**THIRD FLOOR PLAN**  
 1 : 400



05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date



project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **THIRD FLOOR PLAN WINDOW NUMBERS FOR REPAIR** dessin

designed	HCS	conçu
date	July 2018	
drawn	HCS	dessiné
date	July 2018	
reviewed		examiné
date		
approved		approuvé
date		
tender		soumission
Project Manager		Administrateur de projets
project no.		no. du projet
	R.080533.402	
drawing no.		no. du dessin

**NOTE:**

ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.

**REPAIR NOTES:**


(R1) r1 REPLACE EXISTING GLAZING. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.01.

(R2) r2 GAP SEAL. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.02.

(R3) r3 RESTRAINT AT HATCH. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.03.

(R4) r4 SCREW REPLACEMENT. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.04 (ASSUME 90% AT HINGE AND 10% AT STAY).

R - REPAIR WORK AT EXTERIOR SASH.  
 r - REPAIR WORK AT INTERIOR SASH.  
 R<sup>x</sup> / r<sup>x</sup> - 'x' EQUALS REPAIR QUANTITY ABOVE.



**SOUTH ELEVATION**

1 : 400

05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date

A	A detail no. no. du détail	A
C	B key location empl. clé	B/C
	C detail location empl. du détail	

project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **SOUTH ELEVATION WINDOW NUMBERS FOR REPAIR** dessin

designed HCS conçu  
 date July 2018

drawn HCS dessiné  
 date July 2018

reviewed examiné

date  
 approved approuvé

date  
 tender soumission

Project Manager Administrateur de projets  
 project no. no. du projet

R.080533.402

drawing no. no. du dessin



**NOTE:**

ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.

**REPAIR NOTES:**


(R1) (r1) REPLACE EXISTING GLAZING. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.01.

(R2) (r2) GAP SEAL. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.02.

(R3) (r3) RESTRAINT AT HATCH. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.03.

(R4) (r4) SCREW REPLACEMENT. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.04 (ASSUME 90% AT HINGE AND 10% AT STAY).

R - REPAIR WORK AT EXTERIOR SASH.  
 r - REPAIR WORK AT INTERIOR SASH.  
 R<sup>x</sup> / r<sup>x</sup> - 'x' EQUALS REPAIR QUANTITY ABOVE.



**EAST ELEVATION**

1 : 400

05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date

A	A detail no. no. du détail	A
C	B key location empl. clé	B/C
	C detail location empl. du détail	

project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **EAST ELEVATION WINDOW NUMBERS FOR REPAIR** dessin

designed	HCS	conçu
date	July 2018	
drawn	HCS	dessiné
date	July 2018	
reviewed		examiné
date		
approved		approuvé
date		
tender		soumission
Project Manager		Administrateur de projets
project no.	R.080533.402	no. du projet
drawing no.		no. du dessin

**REPAIR NOTES:**

(R1) (r1) REPLACE EXISTING GLAZING. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.01.


(R2) (r2) GAP SEAL. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.02.

(R3) (r3) RESTRAINT AT HATCH. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.03.

(R4) (r4) SCREW REPLACEMENT. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.04 (ASSUME 90% AT HINGE AND 10% AT STAY).

R - REPAIR WORK AT EXTERIOR SASH.  
r - REPAIR WORK AT INTERIOR SASH.  
R<sup>x</sup> / r<sup>x</sup> - 'x' EQUALS REPAIR QUANTITY ABOVE.

**NOTE:**  
ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.



**NORTH ELEVATION**

1 : 400

05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date

A C	A detail no. no. du détail B key location empl. clé C detail location empl. du détail	A B C
--------	--	----------

project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **NORTH ELEVATION WINDOW NUMBERS FOR REPAIR** dessin

designed	HCS	conçu
date	July 2018	
drawn	HCS	dessiné
date	July 2018	
reviewed		examiné
date		
approved		approuvé
date		
tender		soumission
Project Manager		Administrateur de projets
project no.		no. du projet
	R.080533.402	
drawing no.		no. du dessin




**NOTE:**

ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.

**REPAIR NOTES:**

- (R1) (r1) REPLACE EXISTING GLAZING. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.01.
- (R2) (r2) GAP SEAL. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.02.
- (R3) (r3) RESTRAINT AT HATCH. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.03.
- (R4) (r4) SCREW REPLACEMENT. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.04 (ASSUME 90% AT HINGE AND 10% AT STAY).

R - REPAIR WORK AT EXTERIOR SASH.  
r - REPAIR WORK AT INTERIOR SASH.  
R<sup>x</sup> / r<sup>x</sup> - 'x' EQUALS REPAIR QUANTITY ABOVE.



05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date

A C	A detail no. no. du détail B key location empl. clé C detail location empl. du détail	A B C
--------	--	----------

project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **WEST ELEVATION WINDOW NUMBERS FOR REPAIR** dessin

designed	HCS	conçu
date	July 2018	
drawn	HCS	dessiné
date	July 2018	
reviewed		examiné
date		
approved		approuvé
date		
tender		soumission
Project Manager		Administrateur de projets
project no.		no. du projet
	R.080533.402	
drawing no.		no. du dessin

**REPAIR NOTES:**

(R1) (r1) REPLACE EXISTING GLAZING. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.01.

(R2) (r2) GAP SEAL. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.02.

(R3) (r3) RESTRAINT AT HATCH. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.03.

(R4) (r4) SCREW REPLACEMENT. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.04 (ASSUME 90% AT HINGE AND 10% AT STAY).


R - REPAIR WORK AT EXTERIOR SASH.

r - REPAIR WORK AT INTERIOR SASH.

R<sup>x</sup> / r<sup>x</sup> - 'x' EQUALS REPAIR QUANTITY ABOVE.


**NOTE:**

ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.



**EAST ELEVATION - INTERIOR WEST COURTYARD**

1 : 250



**WEST ELEVATION - INTERIOR WEST COURTYARD**

1 : 250

05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date

A C	A detail no. no. du détail B key location empl. clé C detail location empl. du détail	A B C
--------	--	-------------

project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **EAST & WEST ELEVATIONS INTERIOR WEST COURTYARD** dessin

designed HCS conçu  
date July 2018

drawn HCS dessiné  
date July 2018

reviewed examiné  
date

approved approuvé  
date

tender soumission  
Project Manager Administrateur de projets

project no. no. du projet  
R.080533.402

drawing no. no. du dessin  
**A-10 of/de 15**

**REPAIR NOTES:**

(R1) (r1) REPLACE EXISTING GLAZING. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.01.


(R2) (r2) GAP SEAL. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.02.

(R3) (r3) RESTRAINT AT HATCH. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.03.


(R4) (r4) SCREW REPLACEMENT. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.04 (ASSUME 90% AT HINGE AND 10% AT STAY).

R - REPAIR WORK AT EXTERIOR SASH.  
r - REPAIR WORK AT INTERIOR SASH.  
R<sup>x</sup> / r<sup>x</sup> - 'x' EQUALS REPAIR QUANTITY ABOVE.

**NOTE:**  
ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.



**EAST ELEVATION - INTERIOR EAST COURTYARD**  
1 : 250



**WEST ELEVATION - INTERIOR EAST COURTYARD**  
1 : 250


05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date

A C	A detail no. no. du détail B key location empl. clé C detail location empl. du détail	A B C
--------	--	-------------

project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **EAST & WEST ELEVATIONS INTERIOR EAST COURTYARD** dessin

designed	HCS	conçu
date	July 2018	
drawn	HCS	dessiné
date	July 2018	
reviewed		examiné
date		
approved		approuvé
date		
tender		soumission
Project Manager	Administrateur de projets	
project no.		no. du projet
	R.080533.402	
drawing no.		no. du dessin




**REPAIR NOTES:**

- (R1) (r1) REPLACE EXISTING GLAZING. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.01.
- (R2) (r2) GAP SEAL. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.02.
- (R3) (r3) RESTRAINT AT HATCH. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.03.
- (R4) (r4) SCREW REPLACEMENT. REFER TO SPECIFICATION SECTION 080351.23 ARTICLE 3.04 (ASSUME 90% AT HINGE AND 10% AT STAY).

R - REPAIR WORK AT EXTERIOR SASH.  
 r - REPAIR WORK AT INTERIOR SASH.  
 R<sup>x</sup> / r<sup>x</sup> - 'x' EQUALS REPAIR QUANTITY ABOVE.


**NOTE:**

ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.



**NORTH ELEVATION - INTERIOR COURTYARDS**

1 : 250



**SOUTH ELEVATION - INTERIOR COURTYARDS**

1 : 250

05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date




A C	A detail no. no. du détail B key location empl. clé C detail location empl. du détail	A B/C
--------	--	----------

project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **NORTH & SOUTH ELEVATIONS INTERIOR COURTYARDS** dessin

designed	HCS	conçu
date	July 2018	
drawn		dessiné
date	HCS July 2018	
reviewed		examiné
date		
approved		approuvé
date		
tender		soumission
Project Manager		Administrateur de projets
project no.		no. du projet
	R.080533.402	
drawing no.		no. du dessin

**NOTE:**  
 ALL DIMENSIONS ARE IN MILLIMETERS  
 UNLESS OTHERWISE NOTED.



**NOTES:**  
 WINDOW ELEVATIONS ARE NOT TO SCALE.  
 ALL WINDOW DIMENSIONS ARE APPROXIMATE AND MUST BE VERIFIED ON SITE.


05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date



project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **WINDOW TYPES & APPROXIMATE SIZES** dessin


designed	HCS	conçu
date	July 2018	
drawn	HCS	dessiné
date	July 2018	
reviewed		examiné
date		
approved		approuvé
date		
tender		soumission
Project Manager		Administrateur de projets
project no.	R.080533.402	no. du projet
drawing no.		no. du dessin



**NOTE:**  
 ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.

WINDOW REPAIR SCHEDULE										
Window No.	Window Type	Overall Size (approx.)	Exterior Window Repairs				Interior Window Repairs			
			R1	R2	R3	R4	r1	r2	r3	r4
<b>Ground Floor</b>										
W054	E	1524x3048	3		1					
W056	E	1524x3048	1		1					
W059	E	1524x3048	1		1					
W061	E	1524x3048	3		1					
W064	E	1524x3048	1		1					
<b>First Floor</b>										
W102	A3	2434x5944		1						
W103	A	2434x6858					1			
W105	A	2434x6858		1				1		
W107	A	2434x6858						1		
W111	A1	1828x5715	1							
W115	E1	1524x3048		2	1					
W121	F	762x3048		2	1					
W122	E1	1524x3048			1	1				
W136	E1	1524x3048	2							
W142	E	1524x3048	1		1	2				2
W160	K	762x1525	1							
<b>Second Floor</b>										
W212	E1	1524x3048			1	1				2
W219	F	762x3048	2							
<b>Third Floor</b>										
W312	T	762x1525				2				
W343	K	762x1525				4				
<b>Fourth Floor</b>										
W438	T	762x1525	2							
<b>Total # of Windows: 21</b>			<b>18</b>	<b>6</b>	<b>10</b>	<b>10</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>4</b>


05		
04		
03		
02		
01	ISSUED FOR TENDER	
revision		date




project / projet  
**SUPREME COURT OF CANADA WINDOW REPAIRS**

drawing / dessin  
**WINDOW REPAIR SCHEDULE**


designed / conçu	HCS
date	July 2018
drawn / dessiné	HCS
date	July 2018
reviewed / examiné	
date	
approved / approuvé	
date	
tender / soumission	
Project Manager / Administrateur de projets	
project no. / no. du projet	R.080533.402
drawing no. / no. du dessin	




**NOTE:**  
ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.



**1**  
**R1/r1 - REPLACE GLAZING (USING EXISTING STOPS)**  
A15 1:1



**2**  
**R1/r1 - REPLACE GLAZING (USING NEW ALUM. STOP)**  
A15 1:1



**3**  
**R2/r2 - GAP SEAL**  
A15 1:1

05		
04		
03		
02		
01	ISSUED FOR TENDER	date
revision		date

<b>A</b>	A detail no. no. du détail	<b>A</b>
<b>C</b>	B key location empl. clé	<b>B/C</b>
	C detail location empl. du détail	


project **SUPREME COURT OF CANADA WINDOW REPAIRS** project

drawing **REPAIR DETAILS** dessin

designed	HCS	conçu
date	July 2018	
drawn	HCS	dessiné
date	July 2018	
reviewed		examiné
date		
approved		approuvé
date		
tender		soumission
Project Manager		Administrateur de projets
project no.		no. du projet
	R.080533.402	
drawing no.		no. du dessin
	<b>A-15 of/de 15</b>	



**4**  
**R3/r3 - RESTRAINT AT LATCH**  
A15 NTS



**5**  
**TYPICAL HINGES SHOWING FASTENERS**  
A15 NTS



**6**  
**TYPICAL STAY WITH THUMB SCREW LOCATION**  
A15 NTS



**7**  
**EXISTING STOP WITH FASTENERS**  
A15 NTS

