


No of Page/

N° de page 18

**RETURN BIDS TO:****RETOURNER LES SOUMISSIONS À:**

See Section 1.

Voir Section 1.

STANDARD REQUEST FOR BID**INVITATION À SOUMISSIONNER - STANDARD**

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/PQ.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indiqués dans la soumission.

Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-140003/PQ.

Solicitation No. - N° de la demande 10066932/A	Amendment No. - N° de modification
Solicitation closes – La demande prend fin : at – à See Section 1 Voir Section 1 on – le See Section 1 Voir Section 1	File No. - N° de dossier 10066932

Date of Solicitation – Date de la demande

2019-04-03

Address inquiries to – Adresser toute demande de renseignement à :**See Section 2, Article 4.1.****Voir Section 2, Article 4.1****Destination****See Section 2, Annex A.****Voir Section 2, Annexe A.****Instructions:****Municipal taxes are not applicable.**

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadian funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Instructions:**Les taxes municipales ne s'appliquent pas.**

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

Supplier Name and Address – Nom et adresse du fournisseur**Telephone No. - N° de téléphone****Facsimile No. - N° de télécopieur****Name and title of person authorized to sign on behalf of supplier (type or print)****Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'impression)****Signature : _____ Date : _____**

TABLE DES MATIÈRES

Section 1 — Invitation et directives à l'intention des soumissionnaires

Section 2 — Contrat subséquent comprenant la liste des biens et des services requis

SECTION 1 — INVITATION ET DIRECTIVES À L'INTENTION DES SOUMISSIONNAIRES

Étape 1. Pour les paliers 2 et 3 seulement (pour le palier 1, passer directement à l'étape 2)

Étape 2. Besoins concurrentiels ou non concurrentiels

Pour les besoins concurrentiels quand une seule soumission est reçue:

Le soumissionnaire doit fournir les renseignements suivants APRÈS la date de clôture des soumissions, à la demande du Canada :

- Une ou plusieurs des justifications de prix suivantes :
 1. la liste de prix publiée la plus récente, indiquant l'escompte, en pourcentage, offert au Canada;
 2. un double des factures payées pour des biens ou des services, ou les deux, de qualité et de quantité semblables, vendus à d'autres clients;
 3. une ventilation du prix indiquant le coût de la main-d'œuvre directe, des matériaux obtenus directement et des articles achetés, les frais généraux propres aux services techniques et aux installations, les frais généraux globaux et administratifs, les coûts de transport, etc., et le bénéfice;
 4. toute autre pièce justificative demandée par le Canada.

Étape 3. Marché général ou SAEA

Modalités de l'IAS :

La présente invitation à soumissionner est publiée conformément à l'arrangement en matière d'approvisionnement (AMA) pour mobilier de postes de travail du fournisseur, qui fait partie de la série d'AMA établis par TPSGC et portant le numéro E60PQ-140003/PQ. Les modalités de l'AMA du fournisseur s'appliquent à la présente IAS et en font partie intégrante. Les soumissionnaires s'engagent à respecter ces modalités, de même que celles de la présente IAS.

Le soumissionnaire doit fournir les informations suivantes AVEC sa soumission :

- Les renseignements demandés par le Canada dans l'annexe A à la présente.

Le soumissionnaire doit également fournir les renseignements demandés à l'article 4 ci-dessous, au moment précisé dans l'article 3.

Évaluation des soumissions

Le tableau figurant ci-après doit être rempli si les personnes qui évalueront les soumissions ne sont pas des employés du gouvernement du Canada.

Une équipe d'évaluation composée de représentants du Canada et de _____ (inscrire le nom de l'entreprise ou du consultant) évaluera les soumissions.

Invitation à soumissionner publiée par :	
Ministère, organisme ou société d'État de l'utilisateur désigné (utilisateurs désignés) : Personne-ressource pour l'invitation à soumissionner :	Voir la section 2, paragraphe 4.1 ci-dessous.
clôture de l'Invitation à soumissionner — Présentation d'une soumission Les soumissionnements doivent être soumis aux dates et heures indiquées ci-dessous.	
Au plus tard à la date et à l'heure limites :	a. 2019-04-12 b. 2 :00PM CDT
À l'adresse de courriel (<i>le cas échéant</i>)	TPSGC.RODGAGM-WRABMM.PWGSC@tpsgc-pwgsc.gc.ca
Demandes de renseignements sur l'invitation à soumissionner	
Sauf indication contraire dans la colonne adjacente, le soumissionnaire peut transmettre des demandes de renseignements au sujet de l'appel de soumissions à l'autorité contractante au plus tard deux jours ouvrables avant la date de clôture de celle-ci. Les demandes reçues après cette date limite pourraient rester sans réponse.	3 jours ouvrables

SECTION 2 — CLAUSES DU CONTRAT SUBSÉQUENT

1.	Modalités du contrat Les modalités des parties 6B et 6C de l'AMA du fournisseur s'inscrivant dans la série E60PQ-140003/.../PQ s'appliquent au contrat et en font partie intégrante.
2.	Exigence en matière de sécurité (l'alinéa coché s'applique)
2.1	Les exigences de sécurité applicables sont énoncées dans la Liste de vérification des exigences relatives à la sécurité à l'annexe B du présent contrat. L'entrepreneur doit satisfaire aux exigences relatives à la sécurité en respectant les modalités suivantes.
a.	<input checked="" type="checkbox"/> L'entrepreneur peut être accompagné; il n'est pas nécessaire de détenir une cote de sécurité. Les membres du personnel de l'entrepreneur NE PEUVENT PAS ACCÉDER AUX LIEUX DE TRAVAIL NI RÉALISER LES TRAVAUX si des renseignements ou des biens PROTÉGÉS ou CLASSIFIÉS s'y trouvent, à moins qu'ils ne soient accompagnés d'un représentant du ministère ou de l'organisme pour lequel les travaux sont réalisés.
b.	<input type="checkbox"/> Une cote de sécurité est exigée. L'entrepreneur doit satisfaire aux exigences en matière de cote de sécurité énoncées dans l'annexe B des présentes.
c.	<input type="checkbox"/> Le présent contrat ne s'assortit d'aucune exigence en matière de sécurité.
3.	Besoin
3.1	L'entrepreneur doit effectuer les travaux énumérés à l'annexe A.
4.	Responsables
4.1	Autorité contractante (utilisateur désigné)
	Nom : Ruwani Wall
	Titre : Agente des achats
	Ministère, organisme ou société d'État : Services publics et Approvisionnement Canada
	Adresse : 100-167 Lombard Ave Winnipeg MB R3B 0T6
	N° de téléphone : 204-510-7848
	Courriel : TPSGC.RODGAGM-WRABMM.PWGSC@tpsgc-pwgsc.gc.ca
4.2	Chargé de projet (<i>à remplir à l'attribution du contrat</i>) <i>Le chargé de projet représente le ministère ou l'organisme pour lequel les travaux sont exécutés en vertu du contrat. Il est responsable de toutes les questions liées au contenu technique des travaux prévus dans le contrat.</i>

<p><i>Le chargé de projet doit aussi s'assurer que les employés et les sous-traitants du fournisseur qui doivent accéder au site respectent le délai accordé au fournisseur pour aller livrer et installer le mobilier au site selon le calendrier principal de l'entrepreneur général (un représentant du Canada, ou un ou des fournisseurs de services sous contrat avec le gouvernement du Canada).</i></p>	
Nom :	
Titre :	
Ministère, organisme ou société d'État :	
Adresse :	
N° de téléphone :	
Courriel :	
4.3	Représentant de l'entrepreneur
	Voir l'annexe A (ci-jointe), tableau 9 ci-dessous.
5.	Modalités de paiement
	La case cochée s'applique. Si l'AMA de l'entrepreneur indique l'acceptation des paiements par carte de crédit, cette méthode pourrait être utilisée conjointement avec ce qui suit.
<input checked="" type="checkbox"/>	Paiement unique
<input type="checkbox"/>	Paiements multiples
6.	Facturation
	En plus de respecter les modalités de facturation énoncées dans le GMAPT, l'entrepreneur doit envoyer l'original et un double de la facture à l'adresse suivante aux fins d'attestation et de paiement :
	Nom de l'organisation et personne-ressource : <i>[À remplir au moment de l'attribution du contrat]</i>
	Adresse :
7.	Contrat de défense. La présente clause s'applique si la case ci-dessous est cochée.
<input type="checkbox"/>	Le contrat est un contrat de défense au sens de la Loi sur la production de défense , L.R.C. 1985, ch. D-1.

ANNEXE A
BESOIN et BASE DE PAIEMENT

1. Sélection de la catégorie

Règle de combinaison de catégories :

Pour des raisons de compatibilité, les catégories suivantes seront regroupées à des fins d'évaluation et d'attribution du contrat :

La règle s'applique uniquement aux catégories cochées. Les catégories non cochées seront évaluées séparément et peuvent être accordées à plusieurs fournisseurs.

Catégorie 1

Catégorie 2

Catégorie 5

Exception : lorsqu'on utilise la règle des catégories combinées de catégorie 1, 2, 5, les UD peuvent calculer le pourcentage de PNODAMA dans le cadre d'un AMA autorisé (tel que défini dans leur document d'appel d'offres) par rapport à la quantité totale des catégories combinées.

Règle relative à la mise à niveau conceptuelle :

L'utilisateur désigné peut exercer une option de mise à niveau des produits jusqu'à 20 % de chaque total de produit de chaque catégorie (avant les taxes applicables) après l'attribution du contrat.

Le montant pour la mise à niveau conceptuelle est utilisé à la discrétion du chargé de projet, avant la fabrication / la commande des produits, Le chargé de projet fournira à l'entrepreneur un avis écrit des produits à l'annexe A du contrat qui sont sélectionnés pour la mise à niveau conceptuelle. L'entrepreneur fournira le prix relatif aux mises à niveau de produit jusqu'à un maximum de 20 % du coût total du ou des produits indiqués au tableau 8. L'autorité contractante publiera une modification au contrat comprenant les mises à niveau conceptuelles, ainsi que les prix.

Le fournisseur atteste que les produits de mise à niveau conceptuelle offerts seront conformes à toutes les spécifications et respecteront les exigences relatives aux essais détaillées dans les spécifications de l'arrangement en matière d'approvisionnement.

Mise à niveau conceptuelle : Processus visant à remplacer un produit par une version novatrice ou améliorée de ce même produit.

Les produits Non AMA peuvent être incorporés dans l'IAS et ne doivent pas dépasser 30% de la quantité ferme par catégorie. Les éléments de la Non AMA doivent être ajoutés à la catégorie la plus étroitement liée et doivent être génériques

Le besoin comprend la ou les catégories de travaux suivante(s) *(cocher la ou les cases qui s'appliquent)* :

a. Catégorie 1 – Système de cloisons interraccordables et autostables

Catégorie 1a – Cloisons interraccordables (se reporter à l'annexe C)

Catégorie 1b – Éléments d'appui et mobilier autostable

RÈGLE : Produit de rangement en métal

Les utilisateurs désignés peuvent se procurer des produits de rangement en métal, faisant partie de la catégorie 1, lorsque les produits de rangement en métal feront partie d'une exigence pour un ou plusieurs postes de travail. Si cette règle ne s'applique pas, la catégorie 3 doit être utilisée pour les produits de rangement en métal faisant partie de cette catégorie.

- b. Catégorie 2 – Tables ou bureaux autostables à hauteur réglable
- e. Catégorie 5 – Équipements auxiliaires et appareils d'éclairage

2. Produits et tableaux d'établissement des prix

Date d'inspection du site : À coordonner avec le chargé de projet après l'attribution du contrat. (Consulter l'article 4 de l'annexe A de l'AMA pour les directives relatives à l'inspection du site et à la documentation.)

INSTRUCTIONS À L'INTENTION DES SOUMISSIONNAIRES : Les soumissionnaires doivent remplir la section B des tableaux désignés par l'utilisateur désigné dans le présent article, ainsi que les tableaux 8 et 9. Les soumissionnaires doivent fournir une offre complète de produits pour chaque catégorie ou sous-division de la CAT 6, s'ils souhaitent soumettre une offre pour être conformes. Dans tout marché attribué, le mot « _____ 'engagement pris par le fournisseur, et

Tableau 1 — Tableau des produits

Section A — BESOIN DE L'UTILISATEUR DÉSIGNÉ				Section B — SOUMISSION DU FOURNISSEUR		
N°	CIUGdC	Description du produit (De plus amples détails relatifs aux produits peuvent être ajoutés, au besoin, conformément à 6B. 4.1 de l'AMA.)	Qté	N° de pièce du fournisseur	Prix unitaire ferme** \$	Total calculé [Qté x Prix] \$
Catégorie 1a						
1		Voir l'annexe C et les plans d'étage.				
Catégorie 1b						
2	MTxxSCLxSxxxxx xxx2424	Table à réunion Piètement en forme d'étoile Stratifié Carrée largeur-24 profondeur- 24	3			
3	SPPDFSMxxxx2Fx xxxxx22	Produits de rangement Caissons Autostables Métal Deux tiroirs ordinaire et un tiroir classeur profondeur-22	11			
4	SPPTFSMxxLHFF CD542424	Produits de rangement Armoire de rangement personnel Autostables Métal Charnières Gauche Deux tiroirs classeur	6			

		Fermé - tiroir hauteur-54 largeur-24 profondeur-24				
5	SPPTFSMxxRHFF CD542424	Produits de rangement Armoire de rangement personnel Autostables Métal Charnières Droite Deux tiroirs classeur Fermé - tiroir hauteur-54 largeur-24 profondeur-24	4			
Catégorie 2						
6	FSCAEA4824	Surface de travail à hauteur d'une plage de hauteurs en position assise ou debout commande électrique 1219mm (48 in./po) x 610mm (24 in./po)	17			
7	FSCAEA6024	Surface de travail à hauteur d'une plage de hauteurs en position assise ou debout commande électrique 1524mm (60 in./po) x 610mm (24 in./po)	3			
Catégorie 5						
8	KMSLFG24	Support pour clavier et souris Mécanismes de réglage a sans-levier, support pour paume en Gel pour une surface de travail 610mm (24po.)	11			
9	MADME	Bras de moniteur Deux moniteurs, fixé au bord de la surface de travail	11			
Ajouter des lignes au besoin.				Total des produits		\$

Tableau 2 – Livraison

Section A – BESOIN DE L'UTILISATEUR DÉSIGNÉ				Section B – SOUMISSION DU FOURNISSEUR	
N° du produit tiré du Tableau 1	Lieu	Date voulue (A-M-J)	Heure voulue : Heures normales de travail ou En dehors des heures normales de travail*	Le fournisseur fournira et livrera comme ci-dessous	Prix de lot ferme \$
1-9	Royal Canadian Mounted Police Alvin Hamilton Building Hamilton Street Regina, SK S4P 0H8	2019-04-05	Heures normales de travail	_____ : semaines pour la livraison et installation du mobilier.	\$

<p>*Heures normales de travail de 8 h à 17 h, conformément à l'article 5, annexe A de l'AMA // À coordonner avec le chargé de projet avant la commande de produits.</p> <p>**La date et l'heure souhaitées pour la livraison sont estimées et peuvent changer si autorisé par le Chargé de projet. Le fournisseur ne doit pas commencer les travaux en vertu du présent contrat avant que le Chargé de projet ne lui en ait fourni l'autorisation de procéder en tenant compte du délai de livraison fourni par le fournisseur.</p>				Total des livraisons :	\$

Tableau 3 – Installation

Section A – BESOIN DE L'UTILISATEUR DÉSIGNÉ				Section B – SOUMISSION DU FOURNISSEUR	
N° du produit tiré du Tableau 1	Lieu	Date voulue (A-M-J)	Heure voulue : Heures normales de travail ou En dehors des heures normales de travail*	Le fournisseur installera comme ci-dessous	Prix de lot ferme \$
1	Royal Canadian Mounted Police Alvin Hamilton Building Hamilton Street Regina, SK S4P 0H8	2019-04-05	Heures normales de travail	_____ : semaines pour la livraison et installation du mobilier.	\$
<p>*Heures normales de travail de 8 h à 17 h, conformément à l'article 5, annexe A de l'AMA.</p> <p>**La date et l'heure souhaitées pour la livraison sont estimées et peuvent changer si autorisé par le Chargé de projet. Le fournisseur ne doit pas commencer les travaux en vertu du présent contrat avant que le Chargé de projet ne lui en ait fourni l'autorisation de procéder en tenant compte du délai de livraison fourni par le fournisseur.</p>				Prix total de l'installation :	\$

Tableau 4 – Produit optionnel Ne s'applique pas.

Tableau 5 – Livraison optionnelle Ne s'applique pas.

Tableau 6 – Installation optionnelle Ne s'applique pas.

Tableau 7 – Éléments de finition standard et installations du Canada aux fins de la livraison et des attestations

1.	Éléments de finition standard
1.1	L'utilisateur désigné doit consulter le site Web du fournisseur indiqué à la partie 6A de l'AMA pour connaître les éléments de finition offerts.

	Dans les dix jours ouvrables suivant l'octroi du contrat, l'autorité contractante enverra à l'entrepreneur un avis écrit indiquant le choix d'éléments de finition du Canada pour chacun des produits figurant à l'annexe A. L'entrepreneur livrera les produits correspondant au choix d'éléments de finition du Canada. Aucuns frais supplémentaires ne seront facturés au Canada.
2.	Installations du Canada où se fera la livraison <i>Les employés et les sous-traitants du fournisseur qui doivent accéder au site sont tenus de se conformer aux plans de santé et sécurité établis pour le site, et à toute loi en vigueur dans la province ou le territoire où les travaux sont exécutés.</i> <i>Pendant la période du contrat, un représentant du Canada ou un ou des fournisseurs de services sous contrat avec le gouvernement du Canada peuvent demander la liste des employés et des sous-traitants ayant besoin d'accéder au site pour exécuter les travaux, ainsi que leur cote de sécurité. L'information doit être communiquée dans le délai prescrit pour veiller à ce que la fourniture, la livraison et l'installation du mobilier soient en conformité avec le calendrier principal.</i>
2.1	Plateforme de chargement/lieu
A	Lieu
B	Plateforme
C	Ascenseur
D	Porte
E	Monte-charge
F	Autre (préciser)

3.	Continuité des attestations Le soumissionnaire atteste qu'en soumettant une soumission en réponse à l'IAS, le soumissionnaire ainsi que tous les membres du soumissionnaire si le soumissionnaire est une coentreprise, continuent de se conformer à toutes les attestations suivantes énumérées aux parties 6A et 6B de l'AMA du soumissionnaire pour les espaces de travail. Le Canada peut exiger des copies des certifications environnementales avant l'attribution du contrat, selon les délais précisés par l'utilisateur désigné.
3.1	Dispositions relatives à l'intégrité
3.2	Le programme fédéral pour l'équité en matière d'emploi visant les entrepreneurs
3.4	Conformité du produit
3.5	L'attestation des prix (conformément à l'AMA, partie 6B).

Tableau 8 – Évaluation de la soumission et total du contrat (le Canada peut remplir ce tableau si le soumissionnaire ne l'a pas fait)

1	Total ferme des produits (Tableau 1)	\$
2	Total ferme des livraisons (tableau 2)	\$
3	Total ferme des installations (Tableau 3)	\$
4	Coût total du matériel, conformément à l'article 1.5 de l'annexe A-1 de l'AMA(<i>s'il y a lieu</i>)	\$
5	Prix évalué (soumission) total (1 + 2 + 3 + 4)	\$
6	Prix du contrat (1 + 2 + 3 + 4) : <i>[applicable uniquement au moment de l'attribution du contrat]</i>	\$
7	Taxes applicables : <i>[applicable uniquement au moment de l'attribution du contrat]</i>	\$
8	Coût estimatif total (6+7) : <i>[applicable uniquement au moment de l'attribution du contrat]</i>	\$

* Taxes applicables en sus.

Tableau 9 – Représentant autorisé du soumissionnaire

1.	Représentant autorisé du soumissionnaire pour la soumission et le contrat	
	Nom :	Numéro de téléphone :
		Courriel :
		Autre :

ANNEXE B
EXIGENCES RELATIVES À LA SÉCURITÉ

A. Les exigences relatives à la sécurité énoncées dans la Annexe B ci-jointe s'appliquent au contrat et en font partie intégrante.

NorthWest RCMP Security Requirements for Contracts and SRCL's

SRCL#: 2017-11122356

Description of work: Relocating CFO within Alvin Hamilton building

Clearance Level: ERS, FA2 - escort

General Security Requirements

All contractors and sub-contractors employed on this contract must support the RCMP's security environment by complying with the directives described in this document.

1. Physical access is restricted to those specific areas of RCMP facilities required to meet the contract's objectives.
2. No Protected or Classified information or other assets will be removed from the RCMP facility without the approval of the Departmental representative or technical authority. If approved the transport and/or transmittal must comply with the security requirements identified in the RCMP's Transport and Transmittal Guide.
3. Restricted items such as cameras, mobile telephones, and audio/visual devices will be surrendered to the main security desk upon arrival at any RCMP facility unless prior written approval has been obtained.
4. If applicable the contractor must hold a valid Document Safeguarding Capability (DSC).
5. The information disclosed under this contract will be administered, maintained, and disposed of in accordance with RCMP Security Policies and the Policy on Government Security.
6. The contractor will promptly notify the RCMP of any unauthorized use or disclosure of the information exchanged under this contract and will furnish the RCMP with details of the unauthorized use or disclosure.
7. The contractor will be responsible for advising the RCMP of any changes in personnel security requirements. ie: Cleared personnel leaving the company or no longer supporting the RCMP contract, new personnel requiring a clearance and personnel requiring clearance renewal.
8. All contractor personnel will be required to obtain and maintain a personnel security clearance commensurate with the sensitivity of the work being performed throughout the life cycle of the contract (in accordance with the provisions of the SRCL).
9. As this contract includes document safeguarding, RCMP will review the contractor site and forward recommendations for the handling of their Protected Information. It will be the final approval of RCMP, for both Physical and IT safeguarding measures that all measures are in place before work can commence.
10. No un-cleared personnel will be allowed access to the protected information on this requirement. Any such access is considered a Breach of Security and must be reported to the RCMP immediately. The matter will then be investigated and dealt with through the proper RCMP channels.

NorthWest RCMP Security Requirements for Contracts and SRCL's

Personnel Security Requirements

RCMP Facility Access, Level I, II, III & IV

For contractors who only require access to an RCMP facility and will not have access to protected or classified information, systems, assets and facilities. In this scenario, the RCMP wishes to conduct local law enforcement checks only. For PWGSC procurement purposes, this should be identified in the contractual documents.

Contractor personnel must submit to local law enforcement verification by the RCMP, prior to admittance to the facility or site. The RCMP reserves the right to deny access to any facility or site or part thereof to any contractor personnel, at any time.

When the RCMP requires Facility Access Level 1 or 2; the successful Bidder, Contractor will submit the following to the RCMP:

1. Form TBS 330-23
2. Copy of Government issued, signature bearing photo Identification (Front and Back)

When the RCMP requires Facility Access Level 3 or 4; the successful Bidder, Contractor will submit the following to the RCMP:

1. Form TBS 330-23
2. Form TBS 330-60
3. Copy of Government issued, signature bearing photo Identification (Front and Back)
4. Two sets of fingerprints

The RCMP:

1. will conduct local law enforcement checks.
2. is responsible for escorting requirements on its facilities or sites
3. does not require organizational or personnel security clearances for suppliers and/or contractors providing services.
4. will complete the PWGSC Requisition Form 9200 to indicate the security requirement with no SRCL .

NorthWest RCMP Security Requirements for Contracts and SRCL's

RCMP Reliability Status (RRS), Secret or Top Secret Clearance

For contractors who require access to RCMP protected information, systems, assets and/or facilities. In this scenario, the RCMP wishes to conduct all checks required for obtaining an RRS. For PWGSC procurement purposes, this should be identified in the contractual documents.

Contractor personnel must submit to verification by the RCMP, prior to being granted access to Protected or Classified information, systems, assets and/or facilities. The RCMP reserves the right to deny access to any of the above to any contractor personnel, at any time.

When the RCMP identifies a requirement for RRS or a security clearance; the successful Bidder, Contractor will submit the following to the RCMP:

1. Form TBS 330-23
2. Form TBS 330-60
3. Form 1020-1 (Security Interview)
4. Two pieces of Government issued, signature bearing, photo identification (Birth Certificate and Driver's licence)
5. Two sets of fingerprints
6. Working Visa (where applicable)
7. Two passport photographs

The RCMP:

1. will conduct personnel security screening checks above the Policy on Government Security requirements
2. is responsible for escorting requirements on its facilities or sites
3. will security screen any Key Senior Officials (KSOs) identified by CISD (requirement for Classified information)



PERSONNEL SCREENING, CONSENT AND AUTHORIZATION FORM

OFFICE USE ONLY		
Reference number	Department/Organization number	File number
2017-11122356		

NOTE: For Privacy Act Statement refer to Section C of this form and for completion instructions refer to attached instructions. Please typewrite or print in block letters.

A ADMINISTRATIVE INFORMATION (To be completed by the Authorized Departmental/Agency/Organizational Official)

New
 Update
 Upgrade
 Transfer
 Supplemental
 Re-activation

The requested level of reliability/security check(s)

Reliability Status
 Level I (CONFIDENTIAL)
 Level II (SECRET)
 Level III (TOP SECRET)

Other Facility Access Level 2 (FA2) w/ Escort

PARTICULARS OF APPOINTMENT/ASSIGNMENT/CONTRACT

Indeterminate
 Term
 Contract
 Industry
 Other (specify secondment, assignment, etc.) _____

Justification for security screening requirement

Position/Competition/Contract number	Title	Group/Level (Rank if applicable)	
Employee ID number/PRI/Rank and Service number (if applicable)	If term or contract, indicate duration period	From	To
Name and address of department / organization / agency	Name of official	Telephone number ()	Facsimile number ()

B BIOGRAPHICAL INFORMATION (To be completed by the applicant)

Surname (Last name) _____ Full given names (no initials) underline or circle usual name used _____ Family name at birth _____

All other names used (i.e. Nickname) _____

Sex: Male Female

Date of birth: Y | M | D

Country of birth: _____ Date of entry into Canada if born outside Canada: Y | M | D

RESIDENCE (provide addresses for the last five years, starting with the most current)

Home address

Daytime telephone number ()

E-mail address _____

1	Apartment number	Street number	Street name	Civic number (if applicable)	From Y M	To present
	City	Province or state	Postal code	Country	Telephone number ()	

2	Apartment number	Street number	Street name	Civic number (if applicable)	From Y M	To Y M
	City	Province or state	Postal code	Country	Telephone number ()	

Have you previously completed a Government of Canada security screening form? Yes No


If yes, give name of employer, level and year of screening. _____ Y | M | D

CRIMINAL CONVICTIONS IN AND OUTSIDE OF CANADA (see instructions)

Have you ever been convicted of a criminal offence for which you have not been granted a pardon? Yes No

If yes, give details. (charge(s), name of police force, city, province/state, country and date of conviction) ▼

Charge(s)	Name of police force	City
Province/State	Country	Date of conviction Y M D





PERSONNEL SCREENING, CONSENT AND AUTHORIZATION FORM

Surname and full given names	Date of birth Y M D
------------------------------	------------------------

C CONSENT AND VERIFICATION (To be completed by the applicant and authorized Departmental/Agency/Organizational Official)

Checks Required (See Instructions)	Applicant's initials	Name of official (print)	Official's initials	Official's Telephone number
1. <input type="checkbox"/> Date of birth, address, education, professional qualifications, employment history, personal character references				()
2. <input type="checkbox"/> Criminal record check				()
3. <input type="checkbox"/> Credit check (financial assessment, including credit records check)				()
4. <input type="checkbox"/> Loyalty (security assessment only)				
5. <input type="checkbox"/> Other (specify, see instructions) Law Enforcement Records Checks				()

The Privacy Act Statement
 The information on this form is required for the purpose of providing a security screening assessment. It is collected under the authority of subsection 7(1) of the *Financial Administration Act* and the *Government Security Policy (GSP)* of the Government of Canada, and is protected by the provisions of the *Privacy Act* in institutions that are covered by the *Privacy Act*. Its collection is mandatory. A refusal to provide information will lead to a review of whether the person is eligible to hold the position or perform the contract that is associated with this Personnel Screening Request. Depending on the level of security screening required, the information collected by the government institution may be disclosed to the Royal Canadian Mounted Police (RCMP) and the Canadian Security Intelligence Service (CSIS), which conduct the requisite checks and/or investigation in accordance with the GSP and to entities outside the federal government (e.g. credit bureaus). It is used to support decisions on individuals working or applying to work through appointment, assignment or contract, transfers or promotions. It may also be used in the context of updating, or reviewing for cause, the reliability status, security clearance or site access, all of which may lead to a re-assessment of the applicable type of security screening. Information collected by the government institution, and information gathered from the requisite checks and/or investigation, may be used to support decisions, which may lead to discipline and/or termination of employment or contractual agreements. The personal information collected is described in Standard PIB PSU 917 (Personnel Security Screening) which is used by all government agencies, except the Department of National Defence PIB DND/PPE 834 (Personnel Security Investigation File), RCMP PIB CMP PPU 065 (Security/Reliability Screening Records), CSIS PIB SIS PPE 815 (Employee Security), and PWGSC PIB PWGSC PPU 015 (Personnel Clearance and Reliability Records) used for Canadian Industry Personnel. Personal information related to security assessments is also described in the CSIS PIB SIS PPU 005 (Security Assessments/Advice).

I, the undersigned, do consent to the disclosure of the preceding information including my photograph for its subsequent verification and/or use in an investigation for the purpose of providing a security screening assessment. By consenting to the above, I acknowledge that the verification and/or use in an investigation of the preceding information may also occur when the reliability status, security clearance or site access are updated or otherwise reviewed for cause under the Government Security Policy. My consent will remain valid until I no longer require a reliability status, a security clearance or a site access clearance, my employment or contract is terminated, or until I otherwise revoke my consent, in writing, to the authorized security official.

Signature Date (Y/M/D)

D REVIEW (To be completed by the authorized Departmental/Agency/Organizational Official responsible for ensuring the completion of sections A, B and C)

Name and title	Telephone number
Address	Facsimile number

E APPROVAL (To be completed by authorized Departmental/Agency/Organizational Security Official only)

I, the undersigned, as the authorized security official, do hereby approve the following level of screening.

Reliability Status

Approved Reliability Status Not approved

Name and title

Signature _____
Date (Y/M/D)



Security Clearance (if applicable)

Level I Level II Level III Not recommended

Name and title

Signature _____
Date (Y/M/D)

Comments





INSTRUCTIONS FOR PERSONNEL SCREENING CONSENT AND AUTHORIZATION FORM TBS/SCT 330-23E (Rev. 2002/02)

Once completed, this form shall be safeguarded and handled at the level of Protected A.

General:

If space allotted in any portion is insufficient please use separate sheet using same format.

1. Section A (Administrative Information) Authorized Departmental/Agency/Organizational Official

The Official, based on instructions issued by the Departmental Security Officer, may be responsible for determining, based on five year background history, what constitutes sufficient verification of personal data, educational and professional qualifications, and employment history. References are to be limited to those provided on the application for employment or equivalent forms.

SUPPLEMENTAL INFORMATION REQUIREMENTS

Persons who presently hold a SECURITY CLEARANCE and subsequently marry, remarry or commence a common-law partnership, in addition to having to update sections of the *Security Clearance Form (TBS/SCT 330-60)*, are required to submit an original *Personnel Screening, Consent and Authorization Form*, with the following parts completed:

Part A - As set forth in each question

Part B - As set forth in each question, excluding CRIMINAL CONVICTIONS IN AND OUTSIDE OF CANADA.

Part C - Applicant's signature and date only are required

"Other". This should be used to identify if the security screening is for Site Access, NATO, SIGINT etc.

2. Section B (Biographical Information)

To be completed by the **applicant**. If more space is required use a separate sheet of paper. Each sheet must be signed.

Country of Birth - For "NEW" requests, if born abroad of Canadian parents, please provide a copy of your Certificate of Registration of Birth Abroad. If you arrived in Canada less than five years ago, provide a copy of the Immigration Visa, Record of Landing document or a copy of passport.

- List only criminal convictions for which a pardon has NOT been granted. Include on a separate attached sheet of paper, if more than one conviction. Applicant must include those convictions outside Canada.
- Offences under the *National Defence Act* are to be included as well as convictions by courts-martial are to be recorded.

3. Section C (Consent and Verification)

A copy of Section "C" may be released to institutions to provide acknowledgement of consent.

Criminal record checks (fingerprints may be required) and credit checks are to be arranged through the Departmental Security Office or the delegated Officer.

Consent: may be given only by an applicant who has reached the age of majority, otherwise, the signature of a parent or guardian is mandatory.

The age of majority is:

19 years in NFLD., N.S., N.B., B.C., Yukon, Northwest Territories and Nunavut;

18 years in P.E.I., Que., Ont., Man., Sask. and Alta.

The applicant will provide initials in the "applicant's initials box".

The official who carried out the verification of the information will print their name, insert their initials and telephone number in the required space.

- Reliability Screening (for all types of screening identified within Section A): complete numbers 1 and 2 and 3 if applicable.
- Security Clearance (for all types of screening identified within Section A): complete numbers 1 to 4 and 5 where applicable.
- Other: number 5 is used only where prior Treasury Board of Canada Secretariat approval has been obtained.

4. Section D (Review)

To be completed by authorized Departmental/Agency/Organizational Official who is responsible for ensuring the completion of sections A to C as requested.

5. Section E (Approval)

Authorized Departmental/Agency/Organizational Security Official refers to the individuals as determined by departments, agencies, and organizations that may verify reliability information and/or approve/not approve reliability status and/or security clearances. Approved Reliability Status and Level I, II and III, as well as the signature of the authorized security official or manager are added for Government of Canada use only. Applicants are to be briefed, acknowledge, and be provided with a copy of the "Security Screening Certificate and Briefing Form (TBS/SCT 330-47)".

Note: Private sector organizations do not have the authority to approve any level of security screening.

Photographs: Departments/Agencies/Organizations are responsible for ensuring that three colour photographs of passport size are attached to the form for the investigating agency. Maximum dimensions are 50mm x 70mm and minimum are 43mm x 54mm. The face length from chin to crown of head must be between 25mm x 35mm. The photographs must be signed by the applicant and an authorized security official. The photographs must have been taken within the last six months. It is required for new or upgrade Level III security clearances for identification of the applicant during the security screening investigation by the investigating agency. The investigating agency may in specific incidents request a photograph for a Level I or II clearances when an investigation is required.

**ANNEXE C
PLAN(S) D'ÉTAGE**

INSTRUCTIONS À L'INTENTION DES SOUMISSIONNAIRES :

Pour les produits de la catégorie 1a, les soumissionnaires doivent fournir :

- a) le ou les plans d'étage achevés ainsi que les produits approuvés dans le cadre de l'AMA proposé;
- b) une liste des produits approuvés dans le cadre de l'AMA proposé qui sont offerts dans le ou les plans d'étage.
La liste des produits doit, au minimum, comprendre les renseignements suivants :
 - les numéros de pièces du fournisseur, y compris les produits non disponibles qui font partie de cette catégorie;
 - de brèves descriptions des produits;
 - les quantités;
 - prix unitaires fermes.

*****Les produits de catégories autres que la catégorie 1a sont affichés sur le plan d'étage à titre informatif uniquement*****

En présentant une soumission, le soumissionnaire atteste que sa soumission comprend toutes les composantes et les catégories de la catégorie 1a, conformément aux plans d'étage, aux détails des cloisons, aux modèles des cloisons et/ou à l'aménagement des postes de travail énoncés à l'annexe C.

***À l'attribution du contrat : « En présentant une soumission, le soumissionnaire... » devient « l'entrepreneur ».**

Exigence de la catégorie 1a :

1) Plan(s) d'étage

Se reporter au plan d'étage en format PDF et/ou AutoCAD ci-joint

Détails des cloisons

- a. la hauteur de tous les panneaux nécessaires :
- b. lorsqu'une alimentation est nécessaire, de la surface de travail; si un regroupement de postes de travail doit comprendre des cloisons partagées avec un côté alimenté et l'autre non, ces cloisons doivent avoir une alimentation électrique.
- c. type d'alimentation électrique


2) Modèles de cloisons ou aménagement des postes de travail

Se reporter aux modèles de cloison ou à l'aménagement des postes de travail

- a. Modèle de cloison

b. Aménagement(s) des postes de travail

- Le plan d'étage a préséance sur toute divergence avec les aménagements de postes de travail.
- Lorsque deux postes de travail types ou plus ont une colonne de cloison commune, les éléments de finition intérieurs du poste de travail doivent être tels qu'ils sont décrits dans les Feuilles de données types et **AUCUNE CLOISON NE DOIT ÊTRE SUPERPOSÉE. S'il n'y a pas de poste de travail adjacent, veuillez-vous reporter à la Feuille de données pour les critères relatifs au fini.**
- Si un poste de travail type est muni d'une source d'alimentation et que l'autre poste de travail ne l'est pas — une source d'alimentation sera requise pour les deux postes. Inclure l'aménagement des postes de travail (sous la forme de feuilles de données typiques ou de dessins en 3-D) ici ou sous forme de pièce jointe distincte de cette IAS.



1 FOURTH FLOOR FURNITURE PLAN
A1 A1 1:100

PHASE 3
FURNITURE PANELS - CATEGORY 1A

PANEL TYPE	DESCRIPTION	FINISH	POWER LOCATION	NOTES	QUANTITY
CC	NON-POWERED	1219W x 1372H	TACKABLE FABRIC	N/A	4
D	POWERED w/ DATA CUTOUT ONE SIDE	1219W x 965H	FABRIC	BASE OUTLET	4
E	POWERED w/ DATA CUTOUT BOTH SIDES	610W x 1372H	FABRIC	BASE OUTLET	5
EA	POWERED w/ DATA CUTOUT & ACCESSORY RAIL; BOTH SIDES	610W x 1372H	FABRIC / ACCESSORY RAIL	BASE OUTLET	1
EW	POWERED w/ DATA CUTOUT & WHITE BOARD; BOTH SIDES	610W x 1372H	TACKABLE FABRIC / WHITEBOARD	BASE OUTLET	1
EW1	POWERED w/ DATA CUTOUT & WHITE BOARD - ONE SIDE	610W x 1372H	TACKABLE FABRIC / WHITEBOARD	BASE OUTLET	7
EE	NON-POWERED	610W x 1372H	TACKABLE FABRIC	N/A	1
EEW1	NON-POWERED c/w WHITE BOARD - ONE SIDE	610W x 1372H	TACKABLE FABRIC / WHITEBOARD	N/A	2
FA1	POWERED w/ DATA CUTOUT & ACCESSORY RAIL; ONE SIDE	914W x 1372H	TACKABLE FABRIC / ACCESSORY RAIL	BASE OUTLET	2
FFA1	NON-POWERED c/w ACCESSORY RAIL; ONE SIDE	914W x 1372H	TACKABLE FABRIC / ACCESSORY RAIL	N/A	7
G	POWERED w/ DATA CUTOUT BOTH SIDES	1525W x 1372H	TACKABLE FABRIC	BASE OUTLET	1
GG	NON-POWERED	1525W x 1372H	TACKABLE FABRIC	N/A	1
K	POWERED w/ DATA CUTOUT BOTH SIDES	1525W x 965H	FABRIC	BASE OUTLET	6
L	POWERED w/ DATA CUTOUT BOTH SIDES	610W x 965H	FABRIC	BASE OUTLET	6

FREESTANDING SYSTEM COMPONENTS - CATEGORY 1B

TYPE	DESCRIPTION	NOTES	QUANTITY
T8	SQUARE TABLE w/STAR CROSSED BASE	610W x 610D x 762H	3
ST1	PERSONAL STORAGE TOWER	610x 610 x 1372H	4
ST2	PERSONAL STORAGE TOWER	610x 610 x 1372H	6
PED1	STATIONARY PED	560 DEPTH	11

FREESTANDING HEIGHT ADJUSTABLE DESK - CATEGORY 2

TYPE	DESCRIPTION	NOTES	QUANTITY
W1	SIT-STAND RANGE HEIGHT ADJUSTABLE WORKSURFACE	1524W x 610D	17
W2	SIT-STAND RANGE HEIGHT ADJUSTABLE WORKSURFACE	1219W x 610D	3
*W3	SIT-STAND RANGE HEIGHT ADJUSTABLE WORKSURFACE	1829W x 610D	2

FURNITURE ACCESSORIES - CATEGORY 5


TYPE	DESCRIPTION	QUANTITY
KEY1	KEYBOARD TRAY FOR 24" DEEP WORK SURFACE, HEIGHT ADJUSTABLE ABOVE AND BELOW WORK SURFACE	11
MA1	DUAL MONITOR ARM	11

MEETING TABLES AND COLLABORATIVE - CATEGORY 6B

TYPE	DESCRIPTION	HEIGHT	LENGTH	DEPTH	FINISH	NOTES	QUANTITY
T1	RECTANGLE TABLE w/ 4 LEGS WITH GLIDES	762mm	1219mm	610mm	HPL		2
T2	RECTANGLE TABLE w/ 4 LEGS WITH GLIDES	762mm	1524mm	760mm	HPL		1

SEATING

TYPE	DESCRIPTION	HEIGHT	LENGTH	DEPTH	FINISH	NOTES	QUANTITY
S1	OFFICE TASK CHAIR; HIGH BACK; ADJUSTABLE LUMBAR, HEADREST AND T ARM; BACK BREATHABLE MATERIAL; SEAT FABRIC; STOPPABLE SEAT AND BACKREST IN MULTIPLE POSITIONS						12
S2	SIDE CHAIR; STACKING; SLED BASE; WITH ARMS; DUAL FABRIC						4



SYMBOL LEGEND

- FURNITURE IN CONTRACT
- - - FURNITURE NOT IN CONTRACT
- ▬ NON POWERED PANEL
- ▬ POWERED PANEL
- NON-SUPPLY ARRANGEMENT (NSA) PRODUCT
- ⊙ JUNCTION BOX FOR BASE FEED POWER/DATA/VOICE CONNECTION

Revision	Description	Date
5		
4		
3	ISSUED FOR TENDER	2018-12-14
2	ISSUED FOR TENDER	2018-12-06
1	ISSUED FOR TENDER	2018-11-30
0	ISSUED FOR REVIEW	2018-11-16

Project Name: P.W.G.S.C

Project Title: ALVIN HAMILTON BUILDING FURNITURE PROCUREMENT

Project File: [Blank]

Prepared by: VI
Drawn by: VI
Approved by: [Blank]

Project Manager: SS
Administrateur de Projets: [Blank]

Drawing Title: THIRD AND FOURTH FLOOR FURNITURE PLAN

Project Number: R.080134
Drawing Number: A1
Sheet Number: 3 OF 1