



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving
PWGSC
33 City Centre Drive
Suite 480C
Mississauga
Ontario
L5B 2N5
Bid Fax: (905) 615-2095

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services Canada
Ontario Region
33 City Centre Drive
Suite 480
Mississauga
Ontario
L5B 2N5

Title - Sujet Metal Materials	
Solicitation No. - N° de l'invitation W2037-190084/A	Date 2019-04-12
Client Reference No. - N° de référence du client W2037-190084	Amendment No. - N° modif. 002
File No. - N° de dossier TOR-8-41105 (201)	CCC No./N° CCC - FMS No./N° VME
GETS Reference No. - N° de référence de SEAG PW-\$TOR-201-7743	
Date of Original Request for Standing Offer Date de la demande de l'offre à commandes originale	
2019-02-22	
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-04-17	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
Address Enquiries to: - Adresser toutes questions à: Ramnarine, Vashti	Buyer Id - Id de l'acheteur tor201
Telephone No. - N° de téléphone (905) 615-2419 ()	FAX No. - N° de FAX () -
Delivery Required - Livraison exigée	
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.	

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required Accusé de réception requis	Yes - Oui <input type="checkbox"/>	No - Non <input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

N° de l'invitation – Sollicitation No.
W2037-190084/A
Client Ref. No. – N° de réf. du client
W2037-190084

Amd. No. – N° de la modif.
002
File No. – N° du dossier

Buyer ID - Id de l'acheteur
TOR201
CCC No./N° CCC – FMS No./N° VME

Amendment 002 is being issued to make the following changes:

At: Annex D

Delete in its entirety:

At: ANNEX "B"

Delete in its entirety

Insert:

Annex "B 001"

Basis of Payment

1.0 Basis of Payment

- 1.1. Offerors will be paid in Canadian dollars, firm unit and/or lot prices, Goods and Services Tax extra, FOB Destination, **including** delivery charges, cutting fess, Customs duties and Excise taxes.
- 1.2. The unit prices offered below at 4.0 List of Items are ceiling prices, subject to downward adjustment only.
- 1.3. The List of Items herein is a list of metal materials that may be purchased under the Standing Offer(s). This list is not all inclusive, and items of a similar nature not listed herein may be ordered against the Standing Offer(s) at the discounts offered below.
- 1.4. Each invoice must show any applicable discount, as offered below, as a separate line item. A sentence on the invoice stating the discount has been included in the unit price is not acceptable.
- 1.5. *Note: text shown in italics will not be included in any resulting Contract.*

2.0 Period

Year One: date of award to 31 March 2020
Year Two: 1 April 2020 to 31 March 2021
Option Period 1: 1 April 2021 to 31 March 2022

3.0 List of Abbreviations

FT	Foot
SH	Sheet
ASTM	American Society for Testing and Materials
OD	Outer Dimension

The estimated usage for the proposed Contract is made in good faith and does not represent an agreement by the Crown for the estimated quantity.

4.0 List of Items

Item	Stocked (S) Non-stocked (NS)	Description	Unit of Issue	Estimated Usage	Year 1: Unit price	Year 2: Unit price	Option Year 1: Unit Price
Commodity 'A' - METAL							
4x8 Sheet							
1		4'X8' Hot Rolled Steel, 16 gauge mild steel, ASTM A1011, A569	SH	9	\$ /SH	\$ /SH	\$ /SH
2		4'X8' Hot rolled steel, 11 gauge thick mild steel. ASTM A1011, A569	SH	3	\$ /SH	\$ /SH	\$ /SH
3		4'X8' Cold rolled steel, 24 gauge	SH	15	\$ /SH	\$ /SH	\$ /SH
4		4'X8' Stainless Steel, 16 gauge. 304 Austenitic. AISI 304/304L, ASTM A240	SH	24	\$ /SH	\$ /SH	\$ /SH
5		4'X8' Stainless Steel, 24 gauge 304	SH	15	\$ /SH	\$ /SH	\$ /SH
6		4'X8' Galvanized Steel, 24 gauge	SH	6	\$ /SH	\$ /SH	\$ /SH
7		4'X8' aluminum, 1/8" thick. 6061-T6 Aluminum Sheet, ASTM B209, QQ-A-250/11 3003GR	SH	24	\$ /SH	\$ /SH	\$ /SH
8		4'X8' aluminum, .060, 2024T6	SH	9	\$ /SH	\$ /SH	\$ /SH
9		4'X8' aluminum sheet, 063 (14 Gauge) 3003 utility	SH	9	\$ /SH	\$ /SH	\$ /SH
Flat Bar							
10		1/4"X2" Hot Rolled, Steel Flat Bar, ASTM 44W	FT	1800	\$ /FT	\$ /FT	\$ /FT
11		1/4" X6" Hot Rolled, Steel Flat Bar, ASTM 44W	FT	1800	\$ /FT	\$ /FT	\$ /FT
12		3/8"X6" Hot Rolled, steel Flat Bar, ASTM 44W	FT	7000	\$ /FT	\$ /FT	\$ /FT

Item	Stocked (S) Non- stocked (NS)	Description	Unit of Issue	Estimated Usage	Year 1: Unit price	Year 2: Unit price	Option Year 1: Unit Price
13		1/2"X6" Hot Rolled, steel Flat Bar, ASTM 44W	FT	11000	\$ /FT	\$ /FT	\$ /FT
14		3/8"X10" Hot Rolled, steel Flat Bar, ASTM 44W	FT	120	\$ /FT	\$ /FT	\$ /FT
15		1/8"X3/4" Cold Rolled, steel flat bar, C-1018	FT	400	\$ /FT	\$ /FT	\$ /FT
16		1/4"X1" Cold Rolled, steel flat bar, C-1018	FT	17	\$ /FT	\$ /FT	\$ /FT
17		3/8"X2" cold rolled, steel flat Bar, C-1018	FT	30	\$ /FT	\$ /FT	\$ /FT
18		1/4"X3" Cold rolled, steel flat bar, C-1018	FT	60	\$ /FT	\$ /FT	\$ /FT
19		1/2"X3" Cold rolled, steel flat bar, C-1018	FT	60	\$ /FT	\$ /FT	\$ /FT
20		1/4"X8" Cold Rolled, steel flat bar, C-1018	FT	340	\$ /FT	\$ /FT	\$ /FT
21		1/4"X2" Aluminum, Flat Bar, 6061 T6. ASTM B221, QQA-200/8, 6061-T6511	FT	1200	\$ /FT	\$ /FT	\$ /FT
22		1/2" X 3" Aluminum, Flat Bar, 6061	FT	10	\$ /FT	\$ /FT	\$ /FT
23		1/2" X 4" Aluminum, Flat Bar, 6061	FT	200	\$ /FT	\$ /FT	\$ /FT
24		1/2"X6" Aluminum, Flat Bar, 6061 T6. ASTM B221, QQA-200/8, 6061-T6511	FT	3170	\$ /FT	\$ /FT	\$ /FT
Round Stock							
25		3/4" Solid Machining Brass, solid steel round stock	FT	20	\$ /FT	\$ /FT	\$ /FT
26		2" Solid Machining Brass, solid steel round stock	FT	17	\$ /FT	\$ /FT	\$ /FT
27		1/4" Cold rolled, solid steel round stock C-1018	FT	60	\$ /FT	\$ /FT	\$ /FT
28		5/16" Cold rolled, solid steel round stock C-1018	FT	600	\$ /FT	\$ /FT	\$ /FT
29		3/8" Cold Rolled, solid steel round stock C-1018	FT	600	\$ /FT	\$ /FT	\$ /FT
30		1/2" Cold rolled solid steel round stock C-1018	FT	30	\$ /FT	\$ /FT	\$ /FT
31		7/16" Cold rolled solid steel round stock C-1018	FT	1200	\$ /FT	\$ /FT	\$ /FT
32		5/8" Cold rolled solid steel round stock C-1018	FT	6	\$ /FT	\$ /FT	\$ /FT

N° de l'invitation – Solicitation No.
W2037-190084/A

Client Ref. No. – N° de réf. du client
W2037-190084

Amd. No. – N° de la modif.
0002

File No. – N° du dossier

Buyer ID - Id de l'acheteur
TOR201
 CCC No./N° CCC – FMS N°

Item	Stocked (S) Non- stocked (NS)	Description	Unit of Issue	Estimated Usage	Year 1: Unit price	Year 2: Unit price	Option Year 1: Unit Price
33		3/4"Cold rolled solid steel round stock C-1018	FT	7	\$ /FT	\$ /FT	\$ /FT
34		7/8" Cold rolled solid steel round stock C-1018	FT	6	\$ /FT	\$ /FT	\$ /FT
35		1 1/8" Cold Rolled solid steel round stock C-1018	FT	40	\$ /FT	\$ /FT	\$ /FT
36		1 1/4" Cold rolled solid steel round stock C-1018	FT	5	\$ /FT	\$ /FT	\$ /FT
37		1 3/8" Cold rolled solid steel round stock C-1018	FT	11	\$ /FT	\$ /FT	\$ /FT
38		1 1/2" Cold rolled solid steel round stock C-1018	FT	32	\$ /FT	\$ /FT	\$ /FT
39		2" Cold rolled solid steel round stock C-1018	FT	17	\$ /FT	\$ /FT	\$ /FT
40		3" Cold rolled, solid steel round stock C-1018	FT	10	\$ /FT	\$ /FT	\$ /FT
41		4"Cold rolled, solid steel round stock C-1018	FT	10	\$ /FT	\$ /FT	\$ /FT
42		5" Cold Rolled solid steel round stock C-1018	FT	5	\$ /FT	\$ /FT	\$ /FT
43		1 1/8" Aluminum , 6061 solid round stock	FT	50	\$ /FT	\$ /FT	\$ /FT
44		1 1/2" Aluminum , 6061 solid round stock	FT	10	\$ /FT	\$ /FT	\$ /FT
45		1 3/4" Aluminum , 6061 solid round stock	FT	8	\$ /FT	\$ /FT	\$ /FT
46		2 1/2" Aluminum , 6061 solid round stock	FT	27	\$ /FT	\$ /FT	\$ /FT
47		4" Aluminum , 6061 solid round stock	FT	17	\$ /FT	\$ /FT	\$ /FT
48		5" Aluminum 6061, solid round stock	FT	17	\$ /FT	\$ /FT	\$ /FT
49		1/4" Cold rolled, solid steel round stock C-1018	FT	17	\$ /FT	\$ /FT	\$ /FT
50		1/2" Tool Steel, solid round stock O1	FT	17	\$ /FT	\$ /FT	\$ /FT
51		3/4" Tool Steel, solid round stock O1	FT	17	\$ /FT	\$ /FT	\$ /FT
52		5/8" Tool Steel, solid round stock O1	FT	17	\$ /FT	\$ /FT	\$ /FT
53		1" Tool steel , solid round stock O1	FT	17	\$ /FT	\$ /FT	\$ /FT
54		1 1/2" Tool Steel, solid round stock O1		17			
55		2" Tool Steel, solid round stock O1		17			
Tubing							

Item	Stocked (S) Non-stocked (NS)	Description	Unit of Issue	Estimated Usage	Year 1: Unit price	Year 2: Unit price	Option Year 1: Unit Price
56		2 OD x .065 wall, Round Steel Tube , ASTM A513, 1010 structural grade	FT	120	\$ /FT	\$ /FT	\$ /FT
57		1" X 1" Square tubing , 1/8" thick wall. Mild steel, Hot rolled. ASTM A513 (1020-1026)	FT	900	\$ /FT	\$ /FT	\$ /FT
Hex Stock							
58		1" Solid brass , hexagon stock	FT	340	\$ /FT	\$ /FT	\$ /FT
59		3/4" Solid brass , hexagon stock	FT	10	\$ /FT	\$ /FT	\$ /FT
60		5/16" Solid brass , hexagon stock	FT	20	\$ /FT	\$ /FT	\$ /FT
61		1 3/4" Solid Steel, hexagon stock	FT	20	\$ /FT	\$ /FT	\$ /FT
Square Stock							
62		3/4"X3/4" Solid Machining Brass, square rock	FT	340	\$ /FT	\$ /FT	\$ /FT
63		2"X2" Solid brass , square stock	FT	10	\$ /FT	\$ /FT	\$ /FT
64		1/2"X 1/2" Hot Rolled , 44W Steel Square, Solid. ASTM 44W Steel Square Bar	FT	180	\$ /FT	\$ /FT	\$ /FT
65		5/8" X 5/8" Hot Rolled , 44W Steel Square, Solid. ASTM 44W Steel Square Bar	FT	180	\$ /FT	\$ /FT	\$ /FT
66		2"X2" Hot Rolled solid steel square stock 44W	FT	14	\$ /FT	\$ /FT	\$ /FT
67		3/4" x 3/4" Cold rolled , steel square stock	FT	340	\$ /FT	\$ /FT	\$ /FT
68		1"X 1" Cold rolled , steel square stock	FT	400	\$ /FT	\$ /FT	\$ /FT
69		1-1/2" x 1-1/2" Cold rolled. solid steel square stock C-1018	FT	17	\$ /FT	\$ /FT	\$ /FT
70		2" X 2" Cold rolled. solid steel square stock C-1018	FT	14	\$ /FT	\$ /FT	\$ /FT
71		2" X 2 1/2" Cold rolled, solid steel square stock C-1018	FT	5	\$ /FT	\$ /FT	\$ /FT

N° de l'invitation – Solicitation No.
W/2037-190084/A
Client Ref. No. – N° de réf. du client
W/2037-190084

Amd. No. – N° de la modif.
002
File No. – N° du dossier

Buyer ID - Id de l'acheteur
TOR201
CCC No./N° CCC – FMS No./N° VME

Item	Stocked (S) Non- stocked (NS)	Description	Unit of Issue	Estimated Usage	Year 1: Unit price	Year 2: Unit price	Option Year 1: Unit Price
72		1-1/2"x 1-1/2" Aluminum, 6061, solid square stock	FT	17	\$ /FT	\$ /FT	\$ /FT
73		2-1/2"x2-1/2" Aluminum, 6061 solid square stock	FT	17	\$ /FT	\$ /FT	\$ /FT
74		1"X2" Aluminum, 6061 solid rectangle stock	FT	340	\$ /FT	\$ /FT	\$ /FT
75		2"X 2 1/2" Aluminum, 6061 solid rectangle stock	FT	17	\$ /FT	\$ /FT	\$ /FT
76		3/8" X 3" Aluminum, 6061, solid rectangle stock C-1018	FT	60	\$ /FT	\$ /FT	\$ /FT
77		1" X 4" Aluminum, 6061 solid rectangle stock	FT	50	\$ /FT	\$ /FT	\$ /FT
		Total			\$	\$	\$

78 _____ Miscellaneous Metal Products

Other miscellaneous type items shall be in accordance with _____ Suggested List Price, less a discount of:

Year 1: _____ percent. (Estimated usage \$ 2,000 - less discount offered)
Year 2: _____ percent. (Estimated usage \$ 2,000 - less discount offered)

N° de l'invitation – Sollicitation No.
W2037-190084/A
Client Ref. No. – N° de réf. du client
W2037-190084

Amd. No. – N° de la modif.
002
File No. – N° du dossier

Buyer ID - Id de l'acheteur
TOR201
CCC No./N° CCC – FMS No./N° VME