



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
800 Burrard Street, Room 219
800, rue Burrard, pièce 219
Vancouver
British Columbia
V6Z 0B9
Bid Fax: (604) 775-9381

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada - Pacific
Region
800 Burrard Street, Room 219
800, rue Burrard, pièce 219
Vancouver
British C
V6Z 0B9

Title - Sujet Upscheek Tashee Trail Construction	
Solicitation No. - N° de l'invitation 5P437-190013/B	Amendment No. - N° modif. 010
Client Reference No. - N° de référence du client 5P437-190013	Date 2019-04-18
GETS Reference No. - N° de référence de SEAG PW-\$PWY-019-8566	
File No. - N° de dossier PWY-8-41204 (019)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-04-25	Time Zone Fuseau horaire Pacific Daylight Saving Time PDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Ngan, Ken (PWY)	Buyer Id - Id de l'acheteur pwy019
Telephone No. - N° de téléphone (604) 671-0219 ()	FAX No. - N° de FAX (604) 775-6633
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Parks Canada (PCA) - Upscheek Tashee Trail - Pacific Rim National Park - Ucluelet, BC	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Les documents français seront disponibles sur demande.

This Solicitation Amendment 010 is raised to incorporate response to an additional question received.

All other terms and conditions remain unchanged.

Question: We have an additional question related to Hazard Tree Topping and Falling, as outlined in Line Item 60A. The unit is defined as Lump Sum but there is insufficient information on the overall number or volume of Hazard Trees. Is there additional information available? Was the intent for this to be for a single Hazard Tree.

Answer: During the clearing contract, Parks removed or topped over one thousand hazard trees from along the trail alignment and other areas of the park. However, due to the environment and weather conditions along the west coast of Vancouver Island, new hazard trees have been created between the end of clearing and beginning of trail construction. More hazard trees will occur during the construction period or may need removal to create a safe construction environment. Line Item 60A is payment to the successful bidder for the removal or topping of any trees along the project site which pose a hazard at start of, or during construction. The Contractor shall be responsible for removal/topping of danger trees within the construction zones. The Owners Environmental Monitor must approve prior to the removal/topping of hazard trees. The contractor will not be responsible for removal of these trees in the segments of trail where construction is complete. After construction is completed and prior to the opening of the trail, Parks will perform a Hazard Tree assessment and any trees identified as a risk to trail users will be removed/topped by change order.