



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Réception des soumissions - TPSGC / Bid Receiving -
PWGSC

1550, Avenue d'Estimauville

1550, D'Estimauville Avenue

Québec

Québec

G1J 0C7

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

TPSGC-PWGSC

601-1550, Avenue d'Estimauville

Québec

Québec

G1J 0C7

Title - Sujet Const.Refection Centres-PN Forillon	
Solicitation No. - N° de l'invitation 5P204-180864/A	Amendment No. - N° modif. 005
Client Reference No. - N° de référence du client	Date 2019-04-23
GETS Reference No. - N° de référence de SEAG PW-\$QCM-039-17637	
File No. - N° de dossier QCM-8-41212 (039)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-05-07	Time Zone Fuseau horaire Heure Avancée de l'Est HAE
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Jean, Serge	Buyer Id - Id de l'acheteur qcm039
Telephone No. - N° de téléphone (418) 649-2882 ()	FAX No. - N° de FAX (418) 648-2209
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: PARC NATIONAL DE FORILLON 122, Boulevard de Gaspé G4X 1A9	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

**AMENDMENT 005
INVITATION TO TENDER**

**OPERATIONAL CENTER REHABILITATION AND CONSTRUCTION OF
AN ADMINISTRATIVE BUILDING - PARC FORILLON (QUÉBEC)**

The purpose of Amendment 005 is to modify the combined price form, published the report on the bidders' visit and add addenda.

Please apply the following changes to the Invitation to tender (ITT):

- 1) Appendix 1 – Combined Price Form
- 2) Report on the visit of the bidders, held on 9 April 2019
- 3) Add addenda

1) Appendix 1 – Combined Price Form:

Delete: Appendix 1 – Combined Price Form

Insert: Appendix 1 – Combined Price Form enclosed

2) Report on the visit of the bidders, held on 9 April 2019, enclosed

3) Add addendum:

ADD-A02

***** All other terms and conditions remain unchanged *****

APPENDIX 1 - COMBINED PRICE FORM

- 1) The prices per unit will govern in establishing the Total Extended Amount. Any arithmetical errors in this Appendix will be corrected by Canada.
- 2) Canada may reject the bid if any of the prices submitted do not reasonably reflect the cost of performing the part of the work to which that price applies.

LUMP SUM

The Lump Sum Amount designates Work to which a Lump Sum Arrangement applies.

- (a) Work included in the Lump Sum Amount represents all work not included in the unit price table.

1) DEMOLITION	
2) CIVIL WORKS	
3) ADMINISTRATIVE BUILDING (BA)	
4) INDUSTRIAL BUILDING (BI)	
5) SECONDARY BUILDING (BS) AND SALT SHELTER (AB)	
LUMP SUM AMOUNT (LSA) Sum of lines 1-2-3-4-5 Excluding applicable tax(es)	

UNIT PRICE TABLE

The Unit Price Table designates Work to which a Unit Price Arrangement applies.

- (a) Work included in each item is as described in the referenced specification section.
- (b) The Price per Unit shall not include any amounts for Work that is not included in that unit price Item.

	Specification Reference	Class of Labour, Plant or Material	Unit of Measurement	Estimated Quantity (EQ)	Price per applicable tax(es) (PU)	Unit extra	Extended amount (EQ x PU) applicable tax(es) extra
C-01	01	Special Procedures - Contaminated Sites > Policy Criterion C	m3	425			
C-02	01	Special Procedures - Contaminated Sites > Criteria A and ≤ Policy Criteria C	m3	375			
TOTAL EXTENDED AMOUNT (TEA) Excluding applicable tax(es)							

Solicitation No. - N° de
l'invitation 5P204-180864/A

Amd. No. - N° de la modif.
005

Buyer ID - Id de l'acheteur
QCM039

Client Ref. No. - N° de réf. du
client 5P204

File No. - N° du dossier
QCM-8-41212

CCC No./N° CCC - FMS No./N°
VME

ALLOWANCES

Allowance nb	Division specs	Description	Price
Allowance 01	02	Additional Building demolition	30 000 \$
Allowance 02	02	Additional Site item demolition > Criterion C	210 000 \$
Allowance 03	02	Additional Site item demolition > Criteria A and ≤ Policy Criteria C	160 000 \$
Allowance 04	08	Access control and intrusion alarm GARDEX	25 000 \$
Allowance 05	01	Moving	125 000 \$
TOTAL ALLOWANCES (A) Excluding applicable tax(e)s			

TOTAL BID AMOUNT (LSA +TEA+A) Excluding applicable tax(e)s	
--	--

MEETING MINUTES

Project : OPERATIONAL CENTRE REHABILITATION AND
CONSTRUCTION OF AN ADMINISTRATIVE BUILDING
TENDER / BIDDER'S SITE VISIT

Meeting minutes : AO-01

Date : 2019-04-16

File No :
APC : 1415

Report on the visit of the bidders, held on 9 April 2019 from 13:30 to 15:00,

Parc Forillon Operational Centre, 1501, boul. de Gaspé,

Written by Anne Vallières, architect
Project Manager, JBCA-STGM-TT

In the precence of	Sébastien Thiboutot	Parks Canada (BSQ)	sebastien.thiboutot@canada.ca
	Simon Francoeur-Pineault	Parks Canada (BSQ)	simon.francoeurpineault@canada.ca
	Geneviève Leroux	Parks Canada (UGG)	genevieve.leroux2@canada.ca
	Frédéric Sainte-Croix	Parks Canada (UGG)	frederic.sainte-croix@canada.ca
	Serge Jean	SPAC / PSPC	Serge.jean@tpsgc-pwgsc.gc.ca
	Alexandre Francoeur	JBCA-STGM-TT	alexandre.francoeur@tetrattech.com

WARNING

This report represents our version of the topics covered. Please notify us immediately of any errors, omissions or misinterpretations.

01.01 Attendance recording

All contractors complete and sign the attendance sheet.

01.02 Presentation of the speakers

The Parks Canada Agency project manager, Mr. Sébastien Thiboutot, introduces each of the stakeholders and specifies their roles and responsibilities.

The representatives of the construction companies are:

- M. Jean-François Leblanc, LFG Construction
- M. Gilles Morin, LFG Construction
- M. Michel Perreault, Art-dem inc.
- Mme Christine Blanchette, ConstructionTechniPro BSL
- M. Francis Ouellet, Les entreprises Allen Dumaresq inc.

01.02 Purpose of the meeting

The purpose of the site visit is to provide suppliers with an opportunity to see and evaluate aspects of the work that cannot be described in the project plans and specifications.

01.03 Presentation of the project

The architect presents the project, outlining the highlights. Contractors are advised that the site will remain occupied by the operational activities of Forillon Park throughout the duration of the project. Continued coordination with site occupants and construction phasing are key factors for the success of the project.

01.04 Framework for the invitation to tender and visit

The contracting authority reminds the contracting authority of the timetable for the call for tenders:

- The closing date is 30 April 2019
- A bid security is required upon submission of the bid. Any changes to the tender will be posted at least 7 business days before the end of the bidding period.
- All questions, during the bidding process and during the visit, should be addressed to the contracting authority. It is recommended that questions raised during the visit be sent in writing to ensure that responses are formulated and officially recorded. Contractors must remain in a group during the visit and not have an exclusive conversation with Parks Canada Agency representatives or the consultant.

01.05 Site visit

The visit begins outside, with the identification and presentation of the infrastructure and buildings that need to be demolished to make way for the future facilities of the operational centre.

The importance of phasing interventions and the need for temporary connections that are required to keep some existing buildings functional until the services they house are moved to the buildings to be built is highlighted.

The ATCO building is the first to be visited; it houses storage spaces and the garage. The tour continues in the technical services building where the carpentry and store are located, then the group moves inside the Conservation Building.

The group returns outside for a brief exchange.

01.06 Points raised during the visit

1. It was pointed out that the method of implementing moving tasks needs further clarification.

2. It was pointed out that the architectural phasing plan is not referenced with the other disciplines.

The points discussed that need to be clarified will be specified in an addendum.

The visit ends at about 3:00 pm.

Project : **Operational Center Rehabilitation
and Construction of an Administrative Building
Forillon National Park**

Date : **2019-04-19**
(AAAA.MM.JJ)
File STGM : **Q-1680**
File JBCA : **2016-192-1**
File Tetrattech : **32308CTB**
File Canada Parks : **1415**
Addenda no. : **ADD-A02**

Owner : **Canada Parks**

This addendum is an integral part contractual documents for the project quoted here above. It aims at modifying, correcting or completing the contractual documents. All other conditions remain unchanged. All the additional costs caused by this addendum must be included in the submission of the general contractor.

Addendum content :

ACCEPTANCE OF EQUIVALENCES

EQUIVALENCE REQUEST NO. 4: SUB-SLAB MEMBRANE SYSTEM

Acceptance of equivalence for fluid-applied asphalt rubberized asphalt waterproofing products (section 07 14 13):

- Colphene Flam 180 (heat-sealed), equivalent to CCW-500-R
- Sopradrain 10-G, equivalent to Miradrain 6200
- Sopra XPS 60, equivalent to Foamular 600

Acceptance of equivalence for elastomeric sheet waterproofing products (section 07 13 53):

- Colphene BSW-H, equivalent to CCW Miraply-H
- Colphene BSW-V and Colphene Protect-R, equivalent to CCW Miraply-V

These products are accepted on condition that they meet all the technical requirements of the tender documents. Any change required to the plans as a result of this replacement are assumed by the contractor at no additional cost and must be approved by the architect.

EQUIVALENCE REQUEST N. 5: AUTOMATIC DOOR OPENER

Acceptance of equivalence for automatic door opener (section 08 71 00):

- HORTON Series 7000, equivalent to DITEC

This product is accepted on condition that it meets all the technical requirements of the tender documents. Any change required to the plans as a result of this replacement are assumed by the contractor at no additional cost and must be approved by the architect. The supplier and installer must provide after-sale service.

EQUIVALENCE REQUEST N. 6: AIR BARRIER SYSTEM

Acceptance of equivalence for air barrier membrane (section 07 27 00.01, article 2.1.1) :

- 3M 3015VP, equivalent to BLUESKIN VP 160

This product is accepted on condition that it meets all the technical requirements of the tender documents. Any change required to the plans as a result of this replacement are assumed by the contractor at no additional cost and must be approved by the architect.

EQUIVALENCE REQUEST N. 7: NON-INSULATED GARAGE DOORS

Acceptance of equivalence for non-insulated metal sectional doors (section 08 36 13.16):

- Non-insulated door C.H.I. Overhead doors, equivalent to GARAGA TG-8024

This product is accepted on condition that it meets all the technical requirements of the tender documents. Any change required to the plans as a result of this replacement are assumed by the contractor at no additional cost and must be approved by the architect.

IMPACT OF THE ADDENDUM-A02 ON THE SPECIFICATIONS

SECTION 00 01 10 TABLE OF CONTENTS

- Addition of section 01 53 00 Relocation
- Cancellation of section 09 72 16 Vinyl Coated Fabric Wall Coverings
- Addition of Annex 3
- Addition of Annex 4
- Addition of Annex 7
- Adjustment to the list of plans
- Addition of Drawings sheets *1415 - Déménagement_Relocation – ADD-A02*

SECTION 01 11 01 GENERAL WORK INFORMATION

- Adjustment articles 1.4.5 and 1.4.11

SECTION 01 21 00 ALLOWANCES

- Adjustment article 1.4

SECTION 01 29 00 PAYMENT PROCEDURES

- Adjustment articles 2.1.2 and 2.1.3

SECTION 01 53 00 RELOCATION

- Adjustment articles 2.1.2 and 2.1.3

SECTION 06 20 00 FINISH CARPENTRY

- Addition of article 2.3.4 Acoustic floor membrane

SECTION 07 13 53 ELASTOMERIC SHEET WATERPROOFING

- Adjustment articles 2.3.3 and 2.3.4
- Accepted proposed equivalents

SECTION 07 14 13 HOT, FLUID-APPLIED RUBBERIZED ASPHALT WATERPROOFING

- Ajustment articles 2.4.1, 2.5.9 and 2.5.10
- Accepted proposed equivalents

SECTION 07 21 13 BOARD INSULATION

- Article 2.1.2 CANCELLED

SECTION 07 21 16 BLANKET INSULATION

- Ajustment article 2.1.1.1

SECTION 07 27 00.01 AIR BARRIER SYSTEM

- Ajustment article 2.1.1
- Addition of article 2.1.3
- Accepted proposed equivalent

SECTION 07 46 19 STEEL SIDING

- Ajustment article 2.2.1
- Ajustment article 2.2.2
- Article 2.2.3 CANCELLED

SECTION 07 46 23 WOOD SIDING

- Ajustment articles 2.1.1.1 and 2.1.1.4

SECTION 07 52 00 MODIFIED BITUMINOUS MEMBRANE ROOFING

- Addition of article 2.14 THALER SUPPORT FOR CHIMNEY GUY

SECTION 07 84 00 FIRE STOPPING

- Addition of article 2.1.11

SECTION 08 36 13.16 SECTIONAL METAL DOORS

- Ajustment of article 1.5.2 Pièces de rechange
- Accepted proposed equivalent

SECTION 08 71 00 DOOR HARDWARE

- Ajustment articles 2.6.6 and 2.8.1
- Ajustment article 3.7 List of hardware items
- Accepted proposed equivalent

SECTION 08 80 00 GLAZING

- Ajustment article 2.1.6

SECTION 09 30 13 CERAMIC TILING

- Ajustment article 2.3
-

SECTION 09 65 19 RESILIENT TILE FLOORING

- Addition of article 2.1.6
- Addition of article 2.1.7

SECTION 09 72 16 VINYL COATED FABRIC WALL COVERING

- Section CANCELLED

SECTION 10 10 00 SPECIALITIES

- Article 2.6 cancelled

SECTION 10 56 13 METAL STORAGE SHELVING

- Ajustment to furniture item M2.3 in BI
- Ajustment to furniture item M2.7 in BI
- Ajustment to furniture item M2.8 in BI
- Ajustment to furniture item M4.1 in BI
- Furniture item M6 added in BI
- Ajustment to furniture item M27 in BI
- Furniture items M7, M13, M15 and M16 added in BS
- Furniture item M12 added in BS
- Furniture item M14 added in BS
- Furniture item M17 added in BS
- Furniture item M18 added in BS
- Furniture item M19 added in BS

SECTION 10 75 00 FLAGPOLES

- Ajustment article 2.3.1

SECTION 12 21 23 SOLAR ROLLER SHADES

- Ajustment article 3.2

IMPACTS OF ADDENDUM ON THE APPENDICES**ANNEX 1 GENERAL CONDITIONS - WORKS PHASING****Sheet 04**

- Ajustment to item 4.10

Sheet 10

- Ajustment to item 10.6

ANNEX 2 ARCHITECTURE - STORAGE RACKING ELEVATIONS

- Furniture item M9.6 added in BA
- Ajustment to furniture item M2.3 in BI
- Ajustment to furniture item M2.7 in BI

- Adjustment to furniture item M2.8 in BI
- Adjustment to furniture item M2.9 in BI
- Adjustment to furniture item M4.1 in BI
- Adjustment to furniture item M4.3 in BI
- Adjustment to furniture item M4.4 in BI
- Adjustment to furniture item M4.5 in BI
- Furniture item M6 added in BI
- Adjustment to furniture item M27 in BI
- Furniture item M7, M13, M15 et M16 added in BS
- Furniture item M12 added in BS
- Furniture item M14 added in BS
- Furniture item M17 added in BS
- Furniture item M18 added in BS
- Furniture item M19 added in BS

ADDITION ANNEX 3 ARCHITECTURE

Gesfor – Demolition of nine buildings located in Forillon National Park (2019-04-16)

ADDITION ANNEX 4 ARCHITECTURE

Relocation : List of furniture, equipment and workstations (BA-BI-BS)

IMPACT OF ADDENDUM-A02 ON ARCHITECTURE DRAWINGS

Demolition

- Addition of a cover page and addition of two (2) notes in the legend - Exterior siding
- Sheet emission :
- D000 Cover page
- D010 Location plan and site plan
- D101 Conservation Building (CB) and Visitor Experience House (VEH)
- D102 Tires Warehouse (TW), Chemical Warehouse (CW) and Oil Warehouse (OW)
- D103 Technical Services Building (TS)
- D104 ATCO Building (ATCO), Container (EV) and Trails Storage Building (BDS)

Administrative Building

Sheet A040:

- Clarification of the *Sitemap - New*, 040b
- EV Container has been located on the site
- Projects trailer has been moved slightly to the site

Sheet A100:

- Adjustment of the walls in front of the elevator at basement level
- Adjustment of some wall compositions around the staircases 1 and 2 and around the elevator on ground floor

Sheet A101:

- Adjustment of some wall compositions around the staircases 1 and 2 and around the elevator on level 2 and level 3
- Changing of the door opening direction for P217 (level 2) and P315 (level 3)

Sheet A120:

- Adjustments to some amenities on ground floor and level 2
- Adjustments of the equipments and furnitures list

Sheet A121:

- Adjustments to some amenities on Level 3
- Adjustments of the equipments and furnitures list

Sheet A190:

- Addition of detail 190k
- Modification of notes TO-31 and TO-32 in the roof legend
- Addition of notes TO-35 to TO-39 included in the roof legend

Sheet A200:

- Ajout d'une persienne sur la façade arrière relativement aux documents d'électromécanique
- Modification à la description du revêtement de type R2 dans la légende élévations
- Modification à la description du revêtement de type R4 dans la légende élévations
- Addition of a louver on the rear facade according to electromechanical documents
- Modification of the R2 type coating in the elevations legend
- Modification of the R4 type coating in the elevations legend

Sheet A201:

- Modification of the MR-1 curtain wall width on the elevation type 201e
- Modification of the R2 type coating in the elevations legend
- Modification of the R4 type coating in the elevations legend

Sheet A300:

- Addition of notes 110 to 112 included in the the detail notes legend
- Modification of the polystyrene insulation thickness to the PL-3 type floor composition
- Modification of the polystyrene insulation and "Z" bars thickness for MF-1 and MF-3 foundation wall compositions
- Modification of the exterior wall support panel description in ME-1, ME-2, ME-3 and ME-4 wall compositions.

Sheet A351:

- Adjustments to details 351b and 351g.

Sheet A354:

- Adjustments to detail 354a

Sheet A500:

- Adjustment of some staircases wall compositions (stairways 1 and 2)

Sheet A501:

- Adjustment of some elevator shaft wall compositions
- Addition of enlarged 501t plan
- Modification of the enlarged plan 501c title
- Clarification of detail 501s
- Adjustments to 501h and 501p details

Sheet A502:

- Clarification of detail 502f
- Adjustments to elevator's threshold and head details 502n

Sheet A600:

- Modification of note A02 in the construction notes legend
- Adjustments to the finishes legend
- Modification of detail 600c title
- Cancellation of grab bars behind the toilets in rooms 104 and 115. The grab bars on the side wall remain unchanged.

Sheet A601:

- Cancellation of grab bars behind the toilets in rooms 218 and 316. The grab bars on the side wall remain unchanged
- Modification of enlarged plan 601a title
- Modification of elevations 601b, 601c and 601d titles
- Elevation 601e has been renumbered 601f
- Addition of new elevations 601e, 601g and 601j
- Section 620e has been renumbered 601k

Sheet A750:

- Adjustments to details 750c and 750n

Sheet A800:

- Clarification of the shelves width on elevation 800n

Sheet A900:

- Dans le tableau des finis : Modification du type de fini de plancher et des plinthes dans les escaliers 1 et 2 sur tous les niveaux du bâtiment et ajout d'une remarque sur les finis dans les marches et paliers de ces escaliers.
- Dans le tableau des finis : Ajustement du type de plafond dans les locaux 207, 209, 301, 302 et 303
- In the Finishes Schedule : Modification of floor finish and baseboards types in staircases 1 and 2 on all levels and addition of a note about finishes of steps and landings in these staircases.
- In the Finishes Schedule : Adjustment of ceiling type in rooms 207, 209, 301, 302 and 303

Industrial Building :**Sheet A040:**

- Clarification of the *Sitemap - New*, 040b
- EV Container has been located on the site
- Projects trailer has been moved slightly on the site

Sheet A100

- Addition of specific notes 18 and 19 in the construction legend
- Adjustments of garage doors dimensions
- Moving of door P118 in room 118
- External door P104X2 has been cancelled

Sheet A120

- Ajustements et corrections apportés à certains aménagements
- Ajustements apportés aux tableaux *Liste des équipements & Liste des mobiliers*
- Adjustments and corrections made to some amenities
- Adjustments to the Equipemnts list and the Furnitures list

Sheet A190

- Precision of the canopy roof slopes at the B-3 axes intersection

Sheet A300

- Ajustement de la coupe 300a
- Modification de l'épaisseur de l'isolant de polystyrène à la composition du mur de fondation MF-1
- Modification du descriptif du panneau de contreplaqué dans les compositions de mur de type ME-1, ME-1.5, ME-2, ME-3, ME-4, ME-5 et ME-6
- Modification de l'épaisseur de l'isolant de polystyrène à la composition de plancher PL-1
- Adjustment of section 300a
- Modification of polystyrene insulation thickness in MF-1 foundation wall composition
- Modification of plywood panel description in ME-1, ME-1.5, ME-2, ME-3, ME-4, ME-5 and ME-6 wall compositions
- Modification of polystyrene insulation thickness in PL-1 floor composition

Sheet A302

- Adjustment to Detail Notes
- Modifications of Note 60
- Addition of notes 62 to 66

Sheet A400

- Adjustments to detail 400a
 - Adjustments to detail 400th
 - Adjustments to detail 400g
 - Adjustment to Detail Notes
 - Modification of the Notes reference sheet
-

Sheet A600

- Cancellation of grab bars behind the toilets in rooms 105 and 112. The grab bars on the side wall remain unchanged
- Adjustment to the Construction Notes
- Note A09 cancelled
- Note 11 replaced by note 15
- Note 12 replaced by note 17
- Adjustment to Finish Legends
- Note C2 cancelled
- Modification of the elevation type 600c title
- Adjustments to the 600k elevation
- Addition of the 600l elevation

Sheet A700

- Adjustments to the Typical Partitions notes

Sheet A800

- Adjustments made to elevation 800g
- Cancellation of 800k typical section
- Adjustments made to 800m typical section

Sheet A850

- Adjustments in the Door and Frame Schedule
- Modifications of garage door dimensions
- P08 door type cancelled
- Adjustments in the Finishes Schedule

Secondary Building :**Sheet A000**

- Addition of a new sheet : *A402 Détail support boyaux d'arrosage / Watering hoses support detail*

Sheet A040:

- Clarification of the *Sitemap - New*, 040b
- EV Container has been located on the site
- Projects trailer has been moved slightly to the site

Sheet A100

- Adjustments and corrections to some amenities on the *Ground Floor Layout Plan*, 100b
- Adjustments to the Equipment list & Furniture list Schedules

Sheet A400

- Adjustment to *Detail Notes* legend
- Modifications of note 19

Sheet A401

- Adjustment to *Detail Notes* legend
(see adjustment described on sheet A400)

Sheet A402

- Addition of sheet *A402 Détail support boyaux d'arrosage / Watering pipes support détail détail*
- Addition of *Elevation – Watering Hoses Support, 402a*
- Addition of *Plan – Watering Hoses Support, 402b*
- Addition of *Section – Watering Hoses Support, 402c*
- Addition of *Detail – Watering Hoses Support, 402d*

Sheet A700

- Addition of *Section - Steel Beam / Concrete Blocks, 700b*
- Addition of *Plan - Steel Beam / Concrete Blocks, 700c*

Relocation Plans**New Drawings Set**

- Issue of this new drawings set named *1415 - Déménagement_Relocation – ADD-A02*

Sheet issued :

- A000 Cover Page
- A040 General Sitemap
- A100 Temporary Development Work – Projects House Site
- A101 Temp. Dev. Work – Projects House Site & Centre communautaire
- A102 Plans TSB, ATCO & Gaspé Office
- A103 Layout Plan – New Buildings

END OF ADDENDUM
