

GENERAL NOTES, A141

- A. ALL CONCRETE FLOORS TO BE CLEANED AND SCRAPPED FREE OF DEBRIS. ALL HOLES AND IMPERFECTIONS TO BE PATCHED AND REPAIRED AND MADE SMOOTH TO RECEIVE THE SPECIFIED FLOORING MATERIAL. ALL PARTS OF THE CONCRETE FLOOR TO BE MADE SMOOTH AND UNIFORM, PARTICULARLY WHERE RESILIENT SHEET FLOORING HAS BEEN SPECIFIED. APPLY SELF-LEVELLING COMPOUND AND/OR CEMENTITIOUS UNDERLAYMENT COMPATIBLE WITH FLOOR FINISH THROUGHOUT AND TO ACHIEVE SMOOTH AND LEVEL TRANSITIONS OF FINISHED FLOOR TO NOMINALLY 20mm HIGH MODULAR FLATWIRE CABLING SYSTEM. COORDINATE WITH ELECTRICAL.
- B. APPLY SELF-LEVELLING COMPOUND AND/OR CEMENTITIOUS UNDERLAYMENT COMPATIBLE WITH FLOOR FINISH IN AREAS OF REMOVED SLATE TILE AND EXTERIOR CONCRETE. TO RECEIVE NEW CARPET OR PORCELAIN TILE FINISHES. ENSURE ALIGNMENT AND TRANSITION OF LEVELS TO MAINTAIN CONSISTENT RISER HEIGHT AT STAIRS.
- C. PROVIDE TRANSITION STRIPS AT ALL CHANGES IN FLOOR FINISH AND AS INDICATED.
- D. ALL WALL BASE TO BE 100mm HIGH UNLESS OTHERWISE NOTED.
- E. CONTRACTOR TO PROTECT ADJACENT AREAS FROM WORK IN PROGRESS.
- F. USE MATERIAL FROM SAME DYE LOT FOR ALL NEW FLOOR FINISHES. ENSURE COLOUR, PATTERN AND TEXTURE MATCH WITHIN ANY ONE VISUAL AREA.
- G. FLOOR FINISHES TO BE CONTINUOUS UNDERNEATH MILLWORK AND EQUIPMENT AND OPEN RISER STAIRS.
- H. RESILIENT BASE TO BE USED IN ALL AREAS UNLESS OTHERWISE INDICATED. BASE TO MATCH ADJACENT FLOOR FINISH TYPICALLY.
- I. CARPET STRIPS TO BE CUT TO SUIT TO FILL WIREWAY COVER CAPS. SEE ELECTRICAL FOR EXTENTS REQUIRED.

DRAWING NOTES, A141

- 1. SUPPLY AND INSTALL 2 ROWS OF TACTILE PORCELAIN 300mm X 300mm TILES AT LANDINGS IN COMPLIANCE WITH CAN/CSA-B651 2018.
- 2. SUPPLY AND INSTALL ANTI-SLIP STAIR TREAD VISUAL CONTRAST STRIPS AT EACH SOLID STONE TREAD AND LANDING IN COMPLIANCE WITH CAN/CSA-B651 2018.
- 3. SUPPLY AND INSTALL TRANSITION STRIP BETWEEN CHANGES OF MATERIAL. TYPICAL.
- 4. EXISTING FAN COIL GRILLE COVER. REFER TO MECHANICAL AND SHEET A121.
- 5. COORDINATE FLOOR LEVELING AND FINISHES WITH ELECTRICAL WIREWAY TO PROVIDE POWER TO SMART BOARD STAND.
- 6. SUPPLY AND INSTALL EDGE STRIP BETWEEN FLOOR FINISH AND BASE OF GLASS BALUSTRADE BOTH SIDES. TYPICAL.

LEGEND, A141

- AREA NOT IN CONTRACT
- FLOOR GRILLE
- CARPET TILE, FIELD: 80% COLOUR & PATTERN TYPE 1 20% COLOUR & PATTERN TYPE 2
- CARPET TILE, FEATURE AREA: 50% COLOUR & PATTERN TYPE 1 25% COLOUR & PATTERN TYPE 3 25% COLOUR & PATTERN TYPE 4
- STATIC-DISSIPATIVE RESILIENT TILE FLOORING
- RESILIENT TILE FLOORING
- STONE, TYPE 1: EXISTING SOLID SLATE TREADS TO REMAIN
- STONE, TYPE 2: SELECT SALVAGED SLATE TILES (762mm X 190mm)
- TILE, TYPE 1: PORCELAIN FIELD FLOOR TILE.
- TILE, TYPE 2: PORCELAIN TREADS WITH PREFABRICATED PURPOSE MADE NOSING WITH REMOVABLE RUBBER IN COMPLIANCE WITH CAN/CSA-B651 2018 ON OPEN RISER STAIR. REPAINT EXISTING STRINGER AS NOTED ON WALL FINISH PLAN A142. LEVEL WITHIN EXISTING STEEL PAN TO RECEIVE NEW TREAD FINISH. ENSURE CONSISTENCY OF RISER HEIGHT.



PETER J. KINDREE ARCHITECT
79 Hinton Avenue N. Ottawa K1Y 0Z7 (613) 860-1530

CLELAND JARDINE ENGINEERING LTD.
C.E. 19 2020


Goodkey Weedmark Consulting Engineers

GOODKEY WEEDMARK & ASSOCIATES LIMITED
1688 Woodward Dr. Ottawa, Ontario Canada K2C 3R8 613 727-5111 613 727-5115 www.gwa.com



L'ENTREPRENEUR DEVRA VÉRIFIER TOUTES LES DIMENSIONS ET LES CONDITIONS SUR LE CHANTIER ET AVISER SANS DÉLAI LE REPRÉSENTANT DU MINISTÈRE DE TOUTE ANOMALIE.
Contractor to verify all dimensions and conditions on site and immediately notify the departmental representative of all discrepancies.

revisions	description	date
4	ISSUED FOR TENDER	2019/05/23
3	ISSUED FOR TENDER	2019/05/03
2	ISSUED FOR 100% REVIEW	2019/04/08
1	ISSUED FOR 99% REVIEW	2019/03/19



project **C.D. HOWE BLDG. LEVEL C2 FIT-UP**
235 QUEEN ST., OTTAWA, ONTARIO

drawing **LEVEL C2 FLOOR FINISH PLAN** dessin

Designed By	DL	Conçu par	
Date		(yyyy/mm/dd)	
Drawn By	BB/PJKA	Dessiné par	
Date		(yyyy/mm/dd)	
Reviewed By	DL	Examiné par	
Date	2019/05	(yyyy/mm/dd)	
Approved By	PK/DL	Approuvé par	
Date		(yyyy/mm/dd)	
Tender		Soumission	
Project Manager	ISMAT BEGUM	Administrateur de projets	
Project no.		No. du projet	
	R.100325.004		
Drawing no.		No. du dessin	
	A141		

1 LEVEL C2 FLOOR FINISH PLAN
SCALE / ÉCHELLE 1:100

