



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions Travaux  
publics et Services gouvernementaux Canada  
800 Burrard Street, Room 219  
800, rue Burrard, pièce 219  
Vancouver  
British Columbia  
V6Z 0B9  
Bid Fax: (604) 775-9381

**SOLICITATION AMENDMENT  
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise  
indicated, all other terms and conditions of the Solicitation  
remain the same.

Ce document est par la présente révisé; sauf indication contraire,  
les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
Raison sociale et adresse du  
fournisseur/de l'entrepreneur

**Issuing Office - Bureau de distribution**  
Public Works and Government Services Canada - Pacific  
Region  
800 Burrard Street, Room 219  
800, rue Burrard, pièce 219  
Vancouver  
British C  
V6Z 0B9

<b>Title - Sujet</b> Klemtu Float Reconstruction	
<b>Solicitation No. - N° de l'invitation</b> F1571-198000/A	<b>Amendment No. - N° modif.</b> 001
<b>Client Reference No. - N° de référence du client</b> F1571-198000	<b>Date</b> 2019-06-05
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$PWY-004-8599	
<b>File No. - N° de dossier</b> PWY-9-42018 (004)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-06-20</b>	<b>Time Zone</b> Fuseau horaire Pacific Daylight Saving Time PDT
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Mestry, Ruth (PWY)	<b>Buyer Id - Id de l'acheteur</b> pwy004
<b>Telephone No. - N° de téléphone</b> (778) 995-4613 ( )	<b>FAX No. - N° de FAX</b> (604) 775-6633
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> DFO - Klemtu Small Craft Harbour - Klemtu, BC	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> Raison sociale et adresse du fournisseur/de l'entrepreneur	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm (type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

June 05, 2019

## ADDENDUM NO. 1

**THE FOLLOWING ADDENDUM SUPERCEDES INFORMATION CONTAINED IN DRAWINGS AND SPECIFICATIONS ISSUED FOR THE PROJECT TO THE EXTENT REFERENCED. THE FOLLOWING CHANGES IN THE TENDER DOCUMENTS ARE EFFECTIVE IMMEDIATELY. THIS ADDENDUM WILL FORM PART OF THE TENDER/CONTRACT DOCUMENTS.**

Addendum No. 1 is raised to:

- 1) Replace previously issued APPENDIX 1 - PRICE FORM with the attached APPENDIX 1 - PRICE FORM dated June 05, 2019.
- 2) Replace previously issued specifications with the attached REVISED SPECIFICATIONS dated June 05, 2019.

### Questions from Bidders

Other than the frame members can you please advise whether the module kits include hardware and floatation?  
Are the frame members pre-drilled?

A1) Owner supplied float module kits include hardware and floatation as shown on the drawings.

A2) Owner supplied float module kits are pre drilled as shown on the drawings

**All other terms and conditions remain unchanged**

\*\*\*\*\*t

**ENGLISH DOCUMENTS WILL BE PROVIDED UPON REQUEST**  
**Les documents français seront disponibles sur demande.**

**REVISED JUNE 05, 2019 – ADDENDUM NO. 1****APPENDIX 1 – PRICE FORM (2 Pages)**

- b) The prices per unit will govern in establishing the Total Extended Amount. Any arithmetical errors in this Appendix will be corrected by Canada.
- b) Canada may reject the bid if any of the prices submitted do not reasonably reflect the cost of performing the part of the work to which that price applies.

**UNIT PRICE TABLE**

The Unit Price Table designates Work to which a Unit Price Arrangement applies.

- (b) Work included in each item is as described in the referenced specification section.

- (b) The Price per Unit shall not include any amounts for Work that is not included in that unit price Item.

**BASE WORK – MANDATORY WORK ITEMS (A)**

Item	Class of Labour, Plant or Material	Unit of Measurement	Estimated Quantity (EQ)	Price per Unit applicable tax(es) extra (PU)	Extended amount (EQ x PU) applicable tax(es) extra
1	Mobilization/ Demobilization	Lump Sum	1	\$	\$
2	Assembly of Owner Supplied Standard 3.657M Wide Float	Linear Meter	53	\$	\$
3	Assembly of Owner Supplied Standard 2.743M Wide Float	Linear Meter	50	\$	\$
4	Float Demolition and Disposal	Lump Sum	1	\$	\$
5	Float Installation	Lump Sum	1	\$	\$
<b>BASE WORK TOTAL (A)</b> Excluding applicable tax(es)					\$

**REVISED JUNE 05, 2019 – ADDENDUM NO. 1****OPTIONAL WORK**

Pricing described in **OPTIONAL WORK (B)** must be provided by the bidder.

The following work shall be considered an optional addition to this tender package. Any bid without the inclusion of the following lines will be considered non-compliant and therefore disqualified.

The Contractor grants to Canada the in-evocable option to acquire the goods and/or services described below as Optional Work and as described in the Specification and Drawings of the Contract under the same conditions and at the prices and/or rates stated in the Contract. The exercise of any option will be at Canada's sole discretion, the options may only be exercised by the Contracting Authority and will be evidenced through a contract amendment for administrative purposes only.

Canada may, at its sole discretion, exercise any optional work. The optional work may only be exercised by the Contracting Authority through a contract amendment.

Any Optional Work Items to be exercised will be contracted no later than November 1, 2019. All Optional Work Items including clean-up and demobilization must be completed by March 15, 2020.

**OPTIONAL WORK - (B)**

Item	Class of Labour, Plant or Material	Unit of Measurement	Estimated Quantity (EQ)	Price per Unit applicable tax(es) extra (PU)	Extended amount (EQ x PU) applicable tax(es) extra
1	Float C Mooring System Upgrade	Lump Sum	1	\$	\$
<b>OPTIONAL WORK TOTAL (B)</b> Excluding applicable tax(es)					\$

<b>TOTAL BID AMOUNT</b> Base Work (A) + Optional Work (B) Excluding applicable tax(es)	\$
--	----

**NOTE:** The pricing for Optional Work (B) is included in the bid evaluation. Optional Work (B) may be requested in part or whole of Estimated Quantity.

REVISED: JUNE 05, 2019

## ADDENDUM NO.1

# **KLEMTU FLOAT RECONSTRUCTION 2019**

FISHERIES AND OCEANS CANADA  
SMALL CRAFT HARBOURS – PACIFIC REGION

200 – 401 Burrard Street  
Vancouver, British Columbia  
V6C 3S4



Pêches et Océans  
Canada

Fisheries and Oceans  
Canada

## Section 00 01 10 – Table of Contents

Section Number	Section Title	No. of Pages
00 01 10	TABLE OF CONTENTS	1
01 11 00	SUMMARY OF WORK	8
01 20 60	DEMOLITION OF STRUCTURES	2
01 35 29.06	HEALTH AND SAFETY REQUIREMENTS	3
01 35 43	ENVIRONMENTAL PROCEDURES	2
01 45 00	QUALITY CONTROL	2
01 51 00	STEEL HARDWARE	2
01 99 00	TIMBER REPAIRS AND ASSEMBLY	3
03 41 00	STRUCTURAL CONCRETE	2

Drawing Number	Drawings Title	No. of Pages
FM9-END-200	2.743m WIDE FLOAT MODULE 2011 REVISION	1
FM9-END-201	2.743m WIDE FLOAT MODULE 2011 REVISION	1
FM9-ST-000	'2011 REVISION' 2.743m WIDE STANDARD FLOAT MODULE	1
FM9-ST-001	'2011 REVISION' 2.743m WIDE STANDARD FLOAT MODULE	1
FM9-ST-002	'2005 REVISION' 2.743m WIDE STANDARD FLOAT MODULE ASSEMBLY	1
FM9-ST-003	'2005 REVISION' 2.743m WIDE STANDARD FLOAT MODULE ASSEMBLY	1
FM12-END-200	3.65m WIDE FLOAT MODULE 2011 REVISION	1
FM12-END-201	3.65m WIDE FLOAT MODULE 2011 REVISION	1
FM12-ST-000	'2011 REVISION' 3.657m WIDE STANDARD FLOAT MODULE ASSEMBLY	1
FM12-ST-001	'2011 REVISION' 3.657m WIDE STANDARD FLOAT MODULE	1
FM12-ST-002	'2005 REVISION' 3.657m WIDE STANDARD FLOAT MODULE ASSEMBLY	1
FM12-ST-003	'2005 REVISION' 3.657m WIDE STANDARD FLOAT MODULE ASSEMBLY	1
722835-001-001	DEMOLITION GENERAL ARRANGEMENT	1
722835-001-002	CONSTRUCTION GENERAL ARRANGEMENT	1
722835-001-003	FLOAT FRAMING PLAN & MOORING SYSTEM ELEVATION	1
722835-001-004	DETAILS	1
091151	CONSTRUCTION DETAILS	1
100557-K	ELECTRICAL LAYOUT	1



## Section 01 11 00 – Summary of Work

### PART 1 GENERAL

#### 1.1 RELATED REQUIREMENTS

Section 01 20 60	DEMOLITION OF STRUCTURES
Section 01 35 29.06	HEALTH AND SAFETY REQUIREMENTS
Section 01 35 43	ENVIRONMENTAL PROCEDURES
Section 01 45 00	QUALITY CONTROL
Section 01 51 00	STEEL HARDWARE
Section 01 99 00	TIMBER REPAIRS AND ASSEMBLY

#### 1.2 DEFINITIONS

- .1 Throughout contract documents, the words "Owner," "Contracting Authority," "Engineer/Departmental Representative," "Contractor," or "Department," shall be defined as follows:

- .1 Owner  
Small Craft Harbours Program of the Department of Fisheries and Oceans 200-401 Burrard Street Vancouver B.C. V6C 3S4
- .2 Contracting Authority  
Public Works and Government Services Canada  
800 Burrard Street, Room 219 Vancouver BC V6Z 0B9
- .3 Engineer/Departmental Representative  
An employee of the Owner or Engineer assigned by the Owner as the Engineer for this project, or the Engineer's representative assigned by the Engineer as his representative for the project.
- .4 Contractor  
The party accepted by the Owner with whom a formal contract is entered to complete the work of this project.
- .5 Department  
The Department of Fisheries and Oceans, Canada.
- .6 Site  
Klemtu Small Craft Harbours site  
Latitude: 56° 35' 30"  
Longitude: 128° 31' 30"



### 1.3 DRAWINGS

- .1 FLOAT ASSEMBLY
  - FM9-END-200 2.743m WIDE FLOAT MODULE 2011 REVISION
  - FM9-END-201 2.743m WIDE FLOAT MODULE 2011 REVISION
  - FM9-ST-000 '2011 REVISION' 2.743m WIDE STANDARD FLOAT MODULE
  - FM9-ST-001 '2011 REVISION' 2.743m WIDE STANDARD FLOAT MODULE
  - FM9-ST-002 '2005 REVISION' 2.743m WIDE STANDARD FLOAT MODULE ASSEMBLY
  - FM9-ST-003 '2005 REVISION' 2.743m WIDE STANDARD FLOAT MODULE ASSEMBLY
  - FM12-END-200 3.65m WIDE FLOAT MODULE 2011 REVISION
  - FM12-END-201 3.65m WIDE FLOAT MODULE 2011 REVISION
  - FM12-ST-000 '2011 REVISION' 3.657m WIDE STANDARD FLOAT MODULE ASSEMBLY
  - FM12-ST-001 '2011 REVISION' 3.657m WIDE STANDARD FLOAT MODULE
  - FM12-ST-002 '2011 REVISION' 3.657m WIDE STANDARD FLOAT MODULE ASSEMBLY
  - FM12-ST-003 '2011 REVISION' 3.657m WIDE STANDARD FLOAT MODULE ASSEMBLY
- .2 FLOAT INSTALLATION
  - 722835-001-001 DEMOLITION GENERAL ARRANGEMENT
  - 722835-001-002 CONSTRUCITON GENERAL ARRANGEMENT
  - 722835-001-003 FLOAT ASSEMBLY DETAILS
  - 722835-001-004 DETAILS
- .3 REFERENCE DRAWINGS
  - 091151 CONSTRUCITON DETAILS
  - 100557-K ELECTRICAL LAYOUT

### 1.4 PROJECT SITE

- .1 Klemtu Small Craft Harbours site is located in Trout Bay adjacent to Swindle Island in the coastal fjords of British Columbia, Canada approximately 50 kilometers north of Bella Bella .

### 1.5 WORK COVERED BY CONTRACT DOCUMENTS

- .1 The work under this contract shall include the supply of equipment, labour and materials for the performance of all work as required by the Contract Documents. All replaced items, cut-offs and waste material shall be disposed by the contractor in strict accordance with provincial, local, and municipal regulations and Part 8 of the National Building Code and with the Canadian Construction Safety Code.





- .2 The work to be carried out under this contract includes the removal and disposal of existing timber floats and installation of new timber floats at Klemtu Small Craft Harbours Site.

#### **1.6 COMMENCEMENT AND COMPLETION**

- .1 Off site work is to begin upon award
- .2 On Site work may begin no earlier than July 1, 2019 with completion no later than September 30, 2019

#### **1.7 OWNER SUPPLIED MATERIALS**

- .1 The following Owner Supplied materials may be received by the Contractor at French Creek Harbour, 1055 Lee Rd, Parksville, BC V9P 2E1 following award:

- .1 2.743m Wide Standard Float Module – Qty 7
- .2 2.743m Wide Standard Back End Module – Qty 2
- .3 2.743m Wide Standard Front End Module – Qty 2
- .4 3.657m Wide Standard Float Module – Qty 8
- .5 3.657m Wide Standard Back End Module – Qty 2
- .6 3.657m Wide Standard Front End Module – Qty 2
- .7 6.705m long 152mm x 203mm creosote treated timber beams – Qty 4

**All other materials required to complete the work outlined in the contract documents must be supplied by the contractor**

#### **1.8 UNIT PRICE ITEM DESCRIPTIONS**

The following are in reference to items as detailed in Appendix 1 – Price Form

### **MANDATORY WORK ITEMS**

#### **.1 MOBILIZATION/ DEMOBILIZATION**

The lump sum cost for this item shall include the supply of materials, equipment, tools, services, labour and all things necessary to complete the following:

- .1 Mobilization/Demobilization of crew and equipment necessary to complete site work to the Project Site.
- .2 All crew living expenses and other associated costs.
- .3 Any overhead costs not covered in other items.
- .4 Site clean-up and disposal of all demolished materials, including but not limited to: treated timber, flotation, cut-offs, hardware etc.

#### **.2 ASSEMBLY OF OWNER SUPPLIED 3.657M WIDE FLOATS**

The per linear metre cost for this item includes supply all equipment, materials, labour and all things necessary to complete the following:



- .1 Take delivery of Owner supplied float module kits at location specified under Owner Furnished Items.
- .2 The Contractor must providing written confirmation that all Owner Supplied materials outlined in the contract documents have been received.
- .3 Assembly of Owner supplied float materials as shown on the drawings.

**.3 ASSEMBLY OF OWNER SUPPLIED STANDARD 2.743M WIDE FLOATS**

The per linear metre cost for this item includes supply all equipment, materials, labour and all things necessary to complete the following:

- .1 Take delivery of Owner supplied float module kits at location specified under Owner Furnished Items.
- .2 The Contractor must providing written confirmation that all Owner Supplied materials outlined in the contract documents have been received.
- .3 Assembly of Owner supplied float materials as shown on the drawings

**.4 FLOAT DEMOLITION AND DISPOSAL**

The lump sum cost for this item shall include the supply of materials, equipment, tools, services, labour and all things necessary to complete the following:

- .1 Removal and disposal of Float A, Float B, and Float C as shown on the drawings including:
- .2 Remove and salvage of all electrical equipment for reinstallation.
- .3 Removal and salvage of existing steel pile mooring brackets for reinstallation. All existing mooring piles shall remain in place.
- .4 Contractor must provide written proof of disposal from approved disposal site.

**.5 FLOAT INSTALLATION**

The lump sum cost for this item shall include the supply of materials, equipment, tools, services, labour and all things necessary to complete the following:

- .1 Delivery to Site and Installation of new timber floats as shown on the drawings.
- .2 Reinstallation of all electrical equipment with new Contractor supplied mounting hardware and blocking.
- .3 Reinstallation of steel pile mooring brackets with new Contractor supplied hardware.
- .4 Supply and install new float connectors as shown on the drawings

**OPTIONAL WORK ITEMS**

**.1 FLOAT ANCHOR UPGRADE**

The lump sum cost for this item shall include the supply of materials, equipment,



tools, services, labour and all things necessary to complete the following:

- .1 Supply and Install eight (8) new 0.762m x 0.762m x 1.524m concrete anchors complete with four (4) new 27.4m long,  $\frac{3}{4}$ " long link galvanized mooring chains and connections as shown on the drawings.

## **1.9 CONTRACTOR USE OF PREMISES**

- .1 Co-ordinate use of premises under direction of Departmental Representative.
- .2 Protect existing structures from damage during the course of work.
- .3 Repair or replace portions of existing work which have been altered during construction operations to match existing or adjoining work, as directed by Departmental Representative.
- .4 At completion of operations condition of existing work: equal to or better than that which existed before new work started.

## **1.10 WORK SEQUENCE**

- .1 Construct Work in stages to accommodate Owner's intermittent use of premises during construction.
- .2 Co-ordinate Progress Schedule [and co-ordinate with Owner Occupancy during construction.

## **1.11 CONTRACTOR USE OF PREMISES**

- .1 Limit use of premises for Work, to allow partial Owner occupancy.
- .2 Co-ordinate use of premises under direction of Departmental Representative.
- .3 Obtain and pay for use of additional storage or work areas needed for operations under this Contract.
- .4 Remove or alter existing work to prevent injury or damage to portions of existing work which remain.
- .5 Repair or replace portions of existing work which have been altered during construction operations to match existing or adjoining work, as directed by Departmental Representative.
- .6 At completion of operations condition of existing work: equal to or better than that which existed before new work started.
- .7 At completion of operations condition of existing work: equal to or better than that which existed before new work started.



#### **1.12 EXISTING SERVICES**

- .1 Notify Departmental Representative and utility companies of intended interruption of services and obtain required permission.
- .2 Establish location and extent of service lines in area of work before starting Work. Notify Departmental Representative of findings which conflict with scope of work.
- .3 Where unknown services are encountered, immediately advise Departmental Representative and confirm findings in writing.
- .4 Protect, relocate or maintain existing active services. When inactive services are encountered, cap off in manner approved by authorities having jurisdiction.
- .5 Record locations of maintained, re-routed and abandoned service lines.
- .6 Construct barriers around existing services as necessary.

#### **1.13 DOCUMENTS REQUIRED**

- .1 Maintain at job site, one copy each document as follows:
  - .1 Contract Drawings, Specifications and any Addenda.
  - .2 Change Orders and other Modifications to Contract.
  - .3 Copy of Approved Work Schedule.
  - .4 Health and Safety Plan and Other Safety Related Documents.
  - .5 All regulatory permits required for the work.
  - .6 Associated Best Management Practices documentation.

#### **1.14 BARRIERS, LIGHTS AND WATCHING**

- .1 The Contractor shall provide all requisite barriers, fences, warning signs, lights and watching for the protection of persons and property on or adjacent to the Site. Other protective devices may be required for prevention of theft or damage of goods and protection of the public and workmen, or if so ordered by the Owner.

#### **1.15 CONSTRUCTION AREA**



- .1 The Contractor shall regulate construction traffic on public areas and comply with all local ordinances in connection therewith, including load limitation and removal of debris.
- .2 The Contractor shall confine his operations on the Site to those areas actually required for the work including routes and regulations approved by the Owner for haulage of materials.

#### **1.16 WORK SCHEDULE**

- .1 Within 7 working days after Contract award, provide a schedule showing anticipated progress stages, based on items in Appendix 1 – Price Form, and final completion of the work within the time period required by Contract documents.
- .2 Interim reviews of work progress based on work schedule will be conducted as decided by Departmental Representative and schedule updated by Contractor in conjunction with and to approval of Departmental Representative.
- .3 The Contractor shall keep a daily record of progress of the work available for inspection by the Departmental Representative.
- .4 The daily record shall include particulars of weather conditions, number of men working, plant and equipment working and work performed.
- .5 The Contractor shall work whatever shifts required in order to ensure the work meets regulatory windows and is completed by the completion date of the contract.
- .6 The Contractor shall normally perform all work within the hours of daylight except in instances where the Contractor has requested and received approval for shift changed from the Owner.
- .7 The Contractor must notify the Owner immediately whenever a variation from the construction schedule is expected to occur.

#### **1.17 CO-OPERATION WITH OWNER**

- .1 Contractor to provide a written 7 day notice to the Departmental Representative prior to mobilizing to the Site.
- .2 The Contractor will give the Departmental Representative a minimum 72 hours' notice for work that may interrupt access to the harbour.



- .3 The site shall be left in a safe condition at the completion of each work day.

**PART 2 PRODUCTS**

- 2.1 NOT USED**  
.1 Not used.

**PART 3 EXECUTION**

- 3.1 NOT USED**  
.1 Not used.

**END OF SECTION**



## Section 01 20 60 – Demolition of Structures

### PART 1 GENERAL

#### 1.1 RELATED REQUIREMENTS

- .1 Section 01 11 00 SUMMARY OF WORK
- .2 Section 01 35 29.06 HEALTH AND SAFETY REQUIREMENTS
- .3 Section 01 35 43 ENVIRONMENTAL PROCEDURES

#### 1.2 SCOPE OF WORK

- .1 This sections refers to all demolition and removal of existing structural timbers and hardware including, flotation, rubstrips and any other items identified for removal in the course of completing float reconstruction work.

### PART 2 PRODUCTS

#### 2.1 EQUIPMENT

- .1 Furnish all labour, materials, tools, plant and services required incidental to the completion to the full extent of the drawings and specifications for execution of all demolition salvage and protection work specified herein.

### PART 3 EXECUTION

#### 3.1 REMOVAL OF DEMOLISHED MATERIAL

- .1 All materials, which are not to be salvaged for the Owner, shall become the Contractor's property and the Contractor must remove them from the site.
- .2 If not specifically identified, the Departmental Representative shall decide as to which material shall be salvaged for the Owner and which shall become the property of the Contractor.

#### 3.2 SALVAGED MATERIAL

- .1 Material to be salvaged for the Owner shall be stored as directed by the Departmental Representative.
- .2 Remove items to be reused, stockpile and re-install as directed by Departmental Representative.
- .3 Designate appropriate security resources/measures to prevent vandalism, damage and theft of salvaged items.
- .4 Contractor is responsible for lost, stolen or damaged materials.

#### 3.3 PROTECTION OF STRUCTURES TO REMAIN

- .1 Protect remaining structural elements, services and equipment against damage from demolition works.
- .2 Contractor is liable for any damage caused to structures not specified for removal as a result of completing work.



**3.4 SERVICES**

- .1 All services that must be removed from existing structures in order to perform work must be removed so as not to damage them.
- .2 All service materials including miscellaneous hangers, fasteners and supplies required to reinstall the services shall be supplied by the Contractor and will be of equivalent quality to the new conditions of such materials being replaced.
- .3 All materials that are not reusable shall be disposed of by the Contractor.
- .4 The Contractor shall be responsible for the handling and storage of services lines, lamps standards and other equipment during construction. All materials damaged by the Contractor shall be replaced at the Contractor's expense.

**3.5 CLEANING AND RESTORATION**

- .1 Keep site clean and organized throughout demolition procedure.
- .2 Upon completion of project or as appropriate, reinstate floats, walkways, light standards, electrical and water services and other items affected by Work to condition which existed prior to beginning of Work.

**END OF SECTION**





## Section 01 35 29.06 – Health and Safety Requirements

### PART 1 GENERAL

#### 1.1 RELATED REQUIREMENTS

- .1 Section 01 11 00 SUMMARY OF WORK
- .2 Section 01 20 60 DEMOLITION OF STRUCTURES
- .3 Section 01 35 43 ENVIRONMENTAL PROCEDURES
- .4 Section 01 99 00 TIMBER REPAIRS AND ASSEMBLY

#### 1.2 REFERENCES

- .1 Canada Labour Code, Part 2, Canada Occupational Safety and Health Regulations
- .2 Health Canada/Workplace Hazardous Materials Information System (WHMIS)
  - .1 Material Safety Data Sheets (MSDS).
- .4 Province of British Columbia
  - .1 Workers Compensation Act, RSBC 1996 - Updated 2012.

#### 1.3 ACTION AND INFORMATIONAL SUBMITTALS

- .1 Submit site-specific Health and Safety Plan: Within 7 days after date of Notice to Proceed and prior to commencement of Work. Health and Safety Plan must include:
  - .1 Results of site specific safety hazard assessment.
  - .2 Results of safety and health risk or hazard analysis for site tasks and operations.
- .2 Submit 3 copies of Contractor's authorized representative's work site health and safety inspection reports to Departmental Representative.
- .3 Submit copies of reports or directions issued by Federal, Provincial and Territorial health and safety inspectors.
- .4 Submit copies of incident and accident reports.
- .5 Submit WHMIS MSDS - Material Safety Data Sheets.
- .6 Departmental Representative will review Contractor's site-specific Health and Safety Plan and provide comments to Contractor within 5 days after receipt of plan. Revise plan as appropriate and resubmit plan to Departmental Representative 5 days after receipt of comments from Departmental Representative.
- .7 Departmental Representative's review of Contractor's final Health and Safety plan should not be construed as approval and does not reduce the Contractor's overall responsibility for construction Health and Safety.
- .8 On-site Contingency and Emergency Response Plan: address standard operating procedures to be implemented during emergency situations.

#### 1.4 FILING OF NOTICE

- .1 File Notice of Project with Provincial authorities prior to beginning of Work.
- .2 Contractor shall be responsible and assume the Principal Contractor role for each work zone location and not the entire complex. Contractor shall provide a written acknowledgement of this responsibility with 3 weeks of contract award.



- .3 Work zone locations include:
  - .1 Klemtu Small Craft Harbour.
- .4 Contractor shall agree to install proper site separation and identification in order to maintain time and space at all times throughout life of project.
- 1.5 SAFETY ASSESSMENT**
  - .1 Perform site specific safety hazard assessment related to project.
- 1.6 MEETINGS**
  - .1 Schedule and administer Health and Safety meeting with Departmental Representative prior to commencement of Work.
- 1.7 PROJECT/SITE CONDITIONS**
  - .1 Work at site will involve contact with:
    - .1 Kitasu First Nation.
- 1.8 GENERAL REQUIREMENTS**
  - .1 Develop written site-specific Health and Safety Plan based on hazard assessment prior to beginning site Work and continue to implement, maintain, and enforce plan until final demobilization from site. Health and Safety Plan must address project specifications.
  - .2 Departmental Representative may respond in writing, where deficiencies or concerns are noted and may request re-submission with correction of deficiencies or concerns.
- 1.9 RESPONSIBILITY**
  - .1 Be responsible for health and safety of persons on site, safety of property on site and for protection of persons adjacent to site and environment to extent that they may be affected by conduct of Work.
  - .2 Comply with and enforce compliance by employees with safety requirements of Contract Documents, applicable federal, provincial, territorial and local statutes, regulations, and ordinances, and with site-specific Health and Safety Plan.
- 1.10 COMPLIANCE REQUIREMENTS**
  - .1 Comply with Workers Compensation Act, B.C. Reg.
  - .2 Comply with R.S.Q., c. S-2.1, an Act respecting Health and Safety, and c. S-2.1, r.4 Safety Code for the Construction Industry.
  - .3 Comply with Occupational Health and Safety Regulations, 1996.
  - .4 Comply with Occupational Health and Safety Act, General Safety Regulations, O.I.C.
  - .5 Comply with Canada Labour Code, Canada Occupational Safety and Health Regulations.
- 1.11 UNFORSEEN HAZARDS**
  - .1 When unforeseen or peculiar safety-related factor, hazard, or condition occur during performance of Work, follow procedures in place for Employee's Right to Refuse Work in accordance with Acts and Regulations of the Province having jurisdiction and advise Departmental Representative verbally and in writing.



- .2 When unforeseen or peculiar safety-related factor, hazard, or condition occur during performance of Work, advise the Health and Safety co-ordinator and follow procedures in accordance with Acts and Regulations of the Province having jurisdiction and advise Departmental Representative verbally and in writing.

#### **1.12 HEALTH AND SAFETY CO-ORDINATOR**

- .1 Employ and assign to Work, competent and authorized representative as Health and Safety Co-ordinator. Health and Safety Co-ordinator must:
  - .1 Have site-related working experience specific to activities associated with.
  - .2 Have working knowledge of occupational safety and health regulations.
  - .3 Be responsible for completing Contractor's Health and Safety Training Sessions and ensuring that personnel not successfully completing required training are not permitted to enter site to perform Work.
  - .4 Be responsible for implementing, enforcing daily and monitoring site-specific Contractor's Health and Safety Plan.

#### **1.13 POSTING OF DOCUMENTS**

- .1 Ensure applicable items, articles, notices and orders are posted in conspicuous location on site in accordance with Acts and Regulations of the Province having jurisdiction, and in consultation with Departmental Representative.

#### **1.14 CORRECTION OF NON-COMPLIANCE**

- .1 Immediately address health and safety non-compliance issues identified by authority having jurisdiction or by Departmental Representative.
- .2 Provide Departmental Representative with written report of action taken to correct non-compliance of health and safety issues identified.
- .3 Departmental Representative may stop Work if non-compliance of health and safety regulations is not corrected.

#### **1.15 WORK STOPPAGE**

- .1 Give precedence to safety and health of public and site personnel and protection of environment over cost and schedule considerations for Work.

### **PART 2 PRODUCTS**

#### **2.1 NOT USED**

### **PART 3 EXECUTION**

#### **3.1 NOT USED**

**END OF SECTION**



## Section 01 35 43 – Environmental Procedures

### PART 1 GENERAL

#### 1.1 RELATED REQUIREMENTS

- .1 Section 01 20 60 DEMOLITION OF STRUCTURES
- .2 Section 01 35 29.06 HEALTH AND SAFETY REQUIREMENTS
- .3 Section 01 45 00 QUALITY CONTROL
- .4 Section 01 99 00 TIMBER REPAIRS AND ASSEMBLY

#### 1.2 REFERENCES

- .1 Definitions:
  - .1 Environmental Pollution and Damage: presence of chemical, physical, biological elements or agents which adversely affect human health and welfare; unfavourably alter ecological balances of importance to human life; affect other species of importance to humans; or degrade environment aesthetically, culturally and/or historically.
  - .2 Environmental Protection: prevention/control of pollution and habitat or environment disruption during construction.

#### 1.3 IN WATER WORKS

- .1 Construction equipment to be operated on land or from floating barge equipment.
- .2 Waterways to be kept free of excavated fill, waste material and debris.
- .3 Do not skid logs or construction materials across waterways.

#### 1.4 NOTIFICATION

- .1 Departmental Representative will notify Contractor in writing of observed noncompliance with Federal, Provincial or Municipal environmental laws or regulations, permits, and other elements of Contractor's Environmental Protection plan.
- .2 Contractor: after receipt of such notice, Departmental Representative of proposed corrective action and take such action for approval by Departmental Representative.
  - .1 Take action only after receipt of written approval by Departmental Representative.
- .3 Departmental Representative will issue stop order of work until satisfactory corrective action has been taken.



- .4 No time extensions granted or equitable adjustments allowed to Contractor for such suspensions.

## **PART 2 PRODUCTS**

### **2.1 NOT USED**

## **PART 3 EXECUTION**

### **3.1 EQUIPMENT OVER WATER**

- .1 Use of equipment over water shall be conducted in accordance with the following Best Management Practices:

- .1 Machinery is to arrive on site in a clean, washed condition and be free of fluid leaks.
- .2 Complete works using appropriate timing windows related to species that may be affected by the works and or methods used.
- .3 Underwater pressure waves not to exceed 30 kPa during driving.
- .4 A vibratory hammer is to be used if driving conditions permit.
- .5 Any water- based equipment or machinery moored or used during the Project must not ground on the intertidal foreshore or subtidal river or sea bed. The only exception to this condition is that use may be made of vertical spuds or other anchors to hold the water- based machinery or equipment in place.
- .6 Wash, refuel and service machinery and store fuel and other materials for the machinery at least 30 metres away from the water in order to prevent any deleterious substance from entering the water.
- .7 Pile cut- offs, waste or any miscellaneous unused materials must be recovered for either disposal in a designated facility or placed in storage.
- .8 Report any incidents of habitat damage to the Environmental Monitor or DFO to ensure that appropriate action (restoration) is taken.
- .9 If fish spawn in the area or on equipment all work should stop and the Environmental Monitor or DFO notified.

### **3.2 CLEANING**

- .1 Leave work area clean at end of each day.
- .2 Ensure public waterways, storm and sanitary sewers remain free of waste and volatile materials disposal.
- .3 Final Cleaning: upon completion remove surplus materials, rubbish, tools and equipment to the approval of the Departmental Representative.

## **END OF SECTION**



## Section 01 45 00 – Quality Control

### PART 4 GENERAL

#### 4.1 RELATED REQUIREMENTS

- .1 Not Used.

#### 4.2 REFERENCES

- .1 Construction General Conditions

#### 4.3 INSPECTION

- .1 Refer to Construction General Conditions for stipulated interpretation.
- .2 Allow Departmental Representative access to Work. If part of Work is in preparation at locations other than Place of Work; allow access to such Work whenever it is in progress.
- .3 Give timely notice requesting inspection if Work is designated for special tests, inspections or approvals.
- .4 If Contractor covers or permits to be covered Work that has been designated for special tests, inspections or approvals before such is made, uncover such Work, have inspections or tests satisfactorily completed and make good such Work.
- .5 Departmental Representative will order part of Work to be examined if Work is suspected to be not in accordance with Contract Documents. If, upon examination such work is found not in accordance with Contract Documents, correct such Work and pay cost of examination and correction.

#### 4.4 ACCESS TO WORK

- .1 Allow inspection/testing agencies access to Work, off site manufacturing and fabrication plants.
- .2 Co-operate to provide reasonable facilities for such access.

#### 4.5 PROCEDURES

- .1 Notify appropriate agency in advance of requirement for tests, in order that attendance arrangements can be made.
- .2 Submit samples and/or materials required for testing, as specifically requested in specifications. Submit with reasonable promptness and in orderly sequence to not cause delays in Work.
- .3 Provide labour and facilities to obtain and handle samples and materials on site. Provide sufficient space to store and cure test samples.

#### 4.6 REJECTED WORK

- .1 Refer to Construction General Conditions for stipulated interpretation.
- .2 Remove defective Work, whether result of poor workmanship, use of defective products or damage and whether incorporated in Work or not, which has been



rejected as failing to conform to Contract Documents. Replace or re-execute in accordance with Contract Documents.

.3 Make good other Contractor's work damaged by such removals or replacements promptly.

.4 If in opinion of Owner it is not expedient to correct defective Work or Work not performed in accordance with Contract Documents, Owner will deduct from Contract Price difference in value between Work performed and that called for by Contract Documents, amount of which will be determined by The Departmental Representative.

#### **4.7 REPORTS**

.1 Not used

### **PART 5 PRODUCTS**

#### **5.1 NOT USED**

.1 Not used.

### **PART 6 EXECUTION**

#### **6.1 3.1 NOT USED**

.1 Not Used.

**END OF SECTION**



## Section 01 51 00 – Steel Hardware

### PART 7 GENERAL

#### 7.1 RELATED REQUIREMENTS

- .1 Section 01 99 00 TIMBER REPAIRS AND ASSEMBLY
- .2 Section 01 45 00 QUALITY CONTROL
- .3 Section 31 62 16.19 STEEL PIPE PILES

#### 7.2 SCOPE OF WORK

- .1 This section refers to the steel fastenings and hardware indicated in the Contract Drawings and related specifications.

### PART 8 PRODUCTS

#### 8.1 STEEL

- .1 Small fastenings will conform to the standard for Wire Nails, Spikes, and Staples CSA B111.
- .2 Drift bolts, machine bolts, washers and miscellaneous iron will conform to the standard for General Purpose Structural Steel CAN3 G40.21-M81.
- .3 Items manufactured or fabricated from scrap steel of unknown chemical or physical properties will not be accepted for use in the work.

#### 8.2 HARDWARE

- .1 All hardware including bolts, drift bolts, carriage bolts, lag bolts, pipe sleeves, nuts and washers etc. will be hot dipped galvanized in accordance with the ASTM A153. Galvanize to 610g/m<sup>2</sup> (2oz/ft<sup>2</sup>).
- .2 All bolts will be of the full dimension specified or shown on the plan.
- .3 Unless otherwise specified, all machine bolts will be provided with round steel plate washers under head and nut.
- .4 All bolts shall be 19mm (3/4") National course thread, unless shown otherwise.
- .5 All 19mm washers shall be 6mm thick and 75mm diameter galvanized steel.
- .6 All 25mm washers shall be a minimum of 8mm thick and 100mm diameter galvanized steel.
- .7 All bolts to have 100mm (4") of thread unless shown otherwise.

### PART 9 EXECUTION

#### 9.1 ASSEMBLY

- .1 All bolts shall be tightened to 100 Newton Meters (80 ft/lbs).
- .2 Care shall be taken not to damage the treated wood finish. All treatment damaged by the Contractor shall be repaired at the Contractor's expense as per Section 01 99 00 TIMBER REPAIRS AND ASSEMBLY.
- .3 Pre-drilling:





- .1 All ends of timbers not fastened by bolts shall be predrilled prior to installation to prevent splitting.
- .4 Holes for machine bolts will be bored to provide a driving fit.

**9.2 DECKING**

- .1 Lay boards heart side down, spaced 6 mm apart.
- .2 Secure each contact point with 2 – 100mm galvanized RDOX nails.
- .3 Pre-drill deck boards for spikes nearest to both board ends.

**9.3 FASCIA**

- .1 Secure each contact point with 2 – 100mm galvanized RDOX nails.
- .2 Contact points every 500mm maximum.

**END OF SECTION**



## Section 01 99 00 – Timber Repairs and Assembly

### PART 10 GENERAL

#### 10.1 RELATED REQUIREMENTS

- .1 Section 01 51 00 STEEL HARDWARE
- .2 Section 01 35 29.06 HEALTH AND SAFETY REQUIREMENTS
- .3 Section 01 35 43 ENVIRONMENTAL PROCEDURES
- .4 Section 01 45 00 QUALITY CONTROL

#### 10.2 SCOPE OF WORK

- .1 This section refers to the supply, modification and field treatment of all timbers indicated in the Contract drawings and related specifications.

### PART 11 PRODUCTS

#### 11.1 GENERAL

- .1 Except as otherwise noted, only new materials will be used in, and remain an integral part of the structures.
- .2 The Departmental Representative may inspect materials and products at all stages of manufacture and transportation to the Project Site. Satisfactory inspection at any stage does not preclude future rejection if the materials or products are subsequently found to lack uniformity or fail to conform to the requirements specified.
- .3 Acceptance will not be made until the materials or products are satisfactorily installed in the completed structures specified.
- .4 The Contractor shall be responsible to repair all materials damaged through their handling, storage and/or installation.
- .5 Except as otherwise noted, salvaged materials deemed to be reusable by the Owner shall remain property of the Owner.

#### 11.2 TIMBER

- .1 All timber for the purpose intended shall conform to the requirements of the N.L.G.A. Standard Grading Rules for Canadian Lumber.
- .2 Refer to drawings and specifications for timber dimensions and treatment.
- .3 All timber shall be Coast Douglas Fir. No 1 Structural Grade or better, unless specified otherwise.
- .4 All decking shall be S1S2E (rough cut), heart side down.
- .5 All joists, cross-ties, stringers, blocking, bullrail, risers and fascia boards shall be S2E (rough cut).

#### 11.3 TREATMENT OF MATERIAL

- .1 Creosote-treated Materials:
  - .1 All creosote treated timber will be treated in accordance with CSA 080 and will follow the Best Management Practices for Creosote as outlined in



- “Best Management Practices for the use of Treated Wood in Aquatic Environments”.
      - .2 All creosote treated materials will have a minimum retention of 225kg per cubic metre (14lb. Per cubic foot).
    - .2 Salt-treated Materials:
      - .1 All salt-treated timber to be treated in accordance with CSA 080-1989, “Wood Preservation”, and its current amendments CSA 080.14, for materials in contact with ground or water. (Only non-leachable ACA salts will be accepted).
      - .2 All salt treatment will follow the Best Management Practices for ACA and ACZA as outlines in “Best Management Practices for the use of Treated Wood in Aquatic Environments”.
      - .3 All salt-treated timber will have a minimum retention of 6.4 kg/m<sup>3</sup> (0.40 lb. Per cubic foot) and a depth of penetration of 10mm as specified in CSA 080.14.

#### 11.4 FIELD TREATING

- .1 Creosote-treated timber members that have fresh cut surfaces exposed in the structure shall be treated as specified:
  - .1 All cuts or breaks in the surfaces shall be treated with two (2) separate coats of creosote oil.
  - .2 Where bolt holes must be bored through creosote treated piles, the holes shall be filled with creosote oil and the bolts shall be dipped in hot creosote oil before bolts are placed.
  - .3 Alternative field wood treatment to be approved by the Departmental Representative before application.
  - .4 Ensure preservatives are properly stored and protected in case of spillage.
- .2 Salt-treated timber members that have fresh cut surfaces exposed in the structure shall be treated as specified:
  - .1 All field cut surfaces to be treated with two (2) coats of Copper Naphthenate.
  - .2 When field treating by brushing, spraying, dipping or soaking do so in such a manner that the preservative does not drip into the water or onto the ground.
  - .3 Ensure preservatives are properly stored and protected in case of spillage.

### PART 12 EXECUTION

#### 12.1 HANDLING OF MATERIALS

- .1 Treated material will not be accepted if damaged in any manner in handling, including damage from strapping or slings.
- .2 The Contractor shall be responsible to repair or replace all materials damaged by handling, storage and/or installation of materials.



**12.2        EXISTING STRUCTURES**

- .1        Any structures damaged by the Contractor during Work shall be repaired and made good at the Contractor's expense to the satisfaction of the Departmental Representative.

**END OF SECTION**



## Section 03 41 00 – Structural Concrete

### PART 13 GENERAL

#### 13.1

- .1 All work shall be carried out in conformance with CSA Standard CAN3.A23.1-M.

### 2 MATERIALS

- .1 Cement shall be type 10/20 Portland cement.
- .2 Fine aggregate shall conform to Clause 5.3 CSA Standard CAN3.A23.1-M.
- .3 Coarse aggregate shall conform to Clause 5.4 CSA Standard CAN3.A23.1-M group 1.
- .4 Water shall be clean and free from injurious amounts of oil, alkali, organic matter and deleterious materials.

### 3 CONCRETE MIXES

- .1 All concrete shall develop a 28 day compressive strength of 35 MPa minimum, unless noted otherwise on the drawings.
- .2 Minimum cement content shall be 300 kg per cubic metre.
- .3 Maximum water cement ratio shall be 0.40.
- .4 Air content shall be between 5% and 8%.
- .5 The concrete mix design shall be submitted to the Departmental Representative for approval prior to placing concrete. The mix design including admixtures shall not be changed without prior approval of the Departmental Representative.
- .6 Exposure class of concrete shall be C-1 as per CAN/CSA A23.1-M.

### 4 PLACING, FINISHING AND CURING CONCRETE

- .1 All concrete shall be placed in accordance with the requirements of Clause 19 CSA Standard CAN3.A23.1-M and as indicated on the drawings.
- .2 All concrete shall be placed continuously between start of placement and a control joint.
- .3 Accurate records shall be maintained for all cast-in-place concrete including date of placement, location, quantity, temperature and test samples taken.
- .4 The Departmental Representative shall be notified 48 hours prior to placement of concrete.
- .5 All defective concrete shall be removed and replaced as directed by the Departmental Representative.
- .6 Concrete shall be vibrated adequately by means of mechanical vibrators. Rock pockets and honeycombing shall not be accepted.



- .7 Cold and hot weather concrete work shall be carried out in conformance with Clause 21 of CSA Standard CAN3.A23.1-M. Procedures for this work shall be submitted to the Departmental Representative for approval.
- .8 All concrete shall be protected and cured in accordance with CSA Standard CAN3.A23.1-M.

**END OF SECTION**



June 05, 2019

**ADDENDUM NO. 1**

Les documents français seront disponibles sur demande.

**THE FOLLOWING ADDENDUM SUPERCEDES INFORMATION CONTAINED IN DRAWINGS AND SPECIFICATIONS ISSUED FOR THE PROJECT TO THE EXTENT REFERENCED. THE FOLLOWING CHANGES IN THE TENDER DOCUMENTS ARE EFFECTIVE IMMEDIATELY. THIS ADDENDUM WILL FORM PART OF THE TENDER/CONTRACT DOCUMENTS.**

Addendum No. 1 is raised to:

- 1) Replace previously issued APPENDIX 1 - PRICE FORM with the attached APPENDIX 1 - PRICE FORM dated June 05, 2019.
- 2) Replace previously issued specifications with the attached REVISED SPECIFICATIONS dated June 05, 2019.

**Questions from Bidders**

Other than the frame members can you please advise whether the module kits include hardware and floatation?  
Are the frame members pre-drilled?

A1) Owner supplied float module kits include hardware and floatation as shown on the drawings.

A2) Owner supplied float module kits are pre drilled as shown on the drawings

**All other terms and conditions remain unchanged**

\*\*\*\*\*t

**ENGLISH DOCUMENTS WILL BE PROVIDED UPON REQUEST**  
**Les documents français seront disponibles sur demande.**

**REVISED JUNE 05, 2019 – ADDENDUM NO. 1****APPENDIX 1 – PRICE FORM (2 Pages)**

- b) The prices per unit will govern in establishing the Total Extended Amount. Any arithmetical errors in this Appendix will be corrected by Canada.
- b) Canada may reject the bid if any of the prices submitted do not reasonably reflect the cost of performing the part of the work to which that price applies.

**UNIT PRICE TABLE**

The Unit Price Table designates Work to which a Unit Price Arrangement applies.

- (b) Work included in each item is as described in the referenced specification section.
- (b) The Price per Unit shall not include any amounts for Work that is not included in that unit price Item.

**BASE WORK – MANDATORY WORK ITEMS (A)**

Item	Class of Labour, Plant or Material	Unit of Measurement	Estimated Quantity (EQ)	Price per Unit applicable tax(es) extra (PU)	Extended amount (EQ x PU) applicable tax(es) extra
1	Mobilization/ Demobilization	Lump Sum	1	\$	\$
2	Assembly of Owner Supplied Standard 3.657M Wide Float	Linear Meter	53	\$	\$
3	Assembly of Owner Supplied Standard 2.743M Wide Float	Linear Meter	50	\$	\$
4	Float Demolition and Disposal	Lump Sum	1	\$	\$
5	Float Installation	Lump Sum	1	\$	\$
<b>BASE WORK TOTAL (A)</b> Excluding applicable tax(es)					\$



**REVISED JUNE 05, 2019 – ADDENDUM NO. 1****OPTIONAL WORK**

Pricing described in **OPTIONAL WORK (B)** must be provided by the bidder.

The following work shall be considered an optional addition to this tender package. Any bid without the inclusion of the following lines will be considered non-compliant and therefore disqualified.

The Contractor grants to Canada the in-evocable option to acquire the goods and/or services described below as Optional Work and as described in the Specification and Drawings of the Contract under the same conditions and at the prices and/or rates stated in the Contract. The exercise of any option will be at Canada's sole discretion, the options may only be exercised by the Contracting Authority and will be evidenced through a contract amendment for administrative purposes only.

Canada may, at its sole discretion, exercise any optional work. The optional work may only be exercised by the Contracting Authority through a contract amendment.

Any Optional Work Items to be exercised will be contracted no later than November 1, 2019. All Optional Work Items including clean-up and demobilization must be completed by March 15, 2020.

**OPTIONAL WORK - (B)**

Item	Class of Labour, Plant or Material	Unit of Measurement	Estimated Quantity (EQ)	Price per Unit applicable tax(es) extra (PU)	Extended amount (EQ x PU) applicable tax(es) extra
1	Float C Mooring System Upgrade	Lump Sum	1	\$	\$
<b>OPTIONAL WORK TOTAL (B)</b> Excluding applicable tax(es)					\$

<b>TOTAL BID AMOUNT</b> Base Work (A) + Optional Work (B) Excluding applicable tax(es)	\$
--	----

**NOTE:** The pricing for Optional Work (B) is included in the bid evaluation. Optional Work (B) may be requested in part or whole of Estimated Quantity.

REVISED: JUNE 05, 2019

## ADDENDUM NO.1

# **KLEMTU FLOAT RECONSTRUCTION 2019**

FISHERIES AND OCEANS CANADA  
SMALL CRAFT HARBOURS – PACIFIC REGION

200 – 401 Burrard Street  
Vancouver, British Columbia  
V6C 3S4



Pêches et Océans  
Canada

Fisheries and Oceans  
Canada

## Section 00 01 10 – Table of Contents

Section Number	Section Title	No. of Pages
00 01 10	TABLE OF CONTENTS	1
01 11 00	SUMMARY OF WORK	8
01 20 60	DEMOLITION OF STRUCTURES	2
01 35 29.06	HEALTH AND SAFETY REQUIREMENTS	3
01 35 43	ENVIRONMENTAL PROCEDURES	2
01 45 00	QUALITY CONTROL	2
01 51 00	STEEL HARDWARE	2
01 99 00	TIMBER REPAIRS AND ASSEMBLY	3
03 41 00	STRUCTURAL CONCRETE	2

Drawing Number	Drawings Title	No. of Pages
FM9-END-200	2.743m WIDE FLOAT MODULE 2011 REVISION	1
FM9-END-201	2.743m WIDE FLOAT MODULE 2011 REVISION	1
FM9-ST-000	'2011 REVISION' 2.743m WIDE STANDARD FLOAT MODULE	1
FM9-ST-001	'2011 REVISION' 2.743m WIDE STANDARD FLOAT MODULE	1
FM9-ST-002	'2005 REVISION' 2.743m WIDE STANDARD FLOAT MODULE ASSEMBLY	1
FM9-ST-003	'2005 REVISION' 2.743m WIDE STANDARD FLOAT MODULE ASSEMBLY	1
FM12-END-200	3.65m WIDE FLOAT MODULE 2011 REVISION	1
FM12-END-201	3.65m WIDE FLOAT MODULE 2011 REVISION	1
FM12-ST-000	'2011 REVISION' 3.657m WIDE STANDARD FLOAT MODULE ASSEMBLY	1
FM12-ST-001	'2011 REVISION' 3.657m WIDE STANDARD FLOAT MODULE	1
FM12-ST-002	'2005 REVISION' 3.657m WIDE STANDARD FLOAT MODULE ASSEMBLY	1
FM12-ST-003	'2005 REVISION' 3.657m WIDE STANDARD FLOAT MODULE ASSEMBLY	1
722835-001-001	DEMOLITION GENERAL ARRANGEMENT	1
722835-001-002	CONSTRUCTION GENERAL ARRANGEMENT	1
722835-001-003	FLOAT FRAMING PLAN & MOORING SYSTEM ELEVATION	1
722835-001-004	DETAILS	1
091151	CONSTRUCTION DETAILS	1
100557-K	ELECTRICAL LAYOUT	1



## Section 01 11 00 – Summary of Work

### PART 1 GENERAL

#### 1.1 RELATED REQUIREMENTS

Section 01 20 60	DEMOLITION OF STRUCTURES
Section 01 35 29.06	HEALTH AND SAFETY REQUIREMENTS
Section 01 35 43	ENVIRONMENTAL PROCEDURES
Section 01 45 00	QUALITY CONTROL
Section 01 51 00	STEEL HARDWARE
Section 01 99 00	TIMBER REPAIRS AND ASSEMBLY

#### 1.2 DEFINITIONS

- .1 Throughout contract documents, the words "Owner," "Contracting Authority," "Engineer/Departmental Representative," "Contractor," or "Department," shall be defined as follows:

- .1 Owner  
Small Craft Harbours Program of the Department of Fisheries and Oceans 200-401 Burrard Street Vancouver B.C. V6C 3S4
- .2 Contracting Authority  
Public Works and Government Services Canada  
800 Burrard Street, Room 219 Vancouver BC V6Z 0B9
- .3 Engineer/Departmental Representative  
An employee of the Owner or Engineer assigned by the Owner as the Engineer for this project, or the Engineer's representative assigned by the Engineer as his representative for the project.
- .4 Contractor  
The party accepted by the Owner with whom a formal contract is entered to complete the work of this project.
- .5 Department  
The Department of Fisheries and Oceans, Canada.
- .6 Site  
Klemtu Small Craft Harbours site  
Latitude: 56° 35' 30"  
Longitude: 128° 31' 30"



### 1.3 DRAWINGS

- .1 FLOAT ASSEMBLY
  - FM9-END-200 2.743m WIDE FLOAT MODULE 2011 REVISION
  - FM9-END-201 2.743m WIDE FLOAT MODULE 2011 REVISION
  - FM9-ST-000 '2011 REVISION' 2.743m WIDE STANDARD FLOAT MODULE
  - FM9-ST-001 '2011 REVISION' 2.743m WIDE STANDARD FLOAT MODULE
  - FM9-ST-002 '2005 REVISION' 2.743m WIDE STANDARD FLOAT MODULE ASSEMBLY
  - FM9-ST-003 '2005 REVISION' 2.743m WIDE STANDARD FLOAT MODULE ASSEMBLY
  - FM12-END-200 3.65m WIDE FLOAT MODULE 2011 REVISION
  - FM12-END-201 3.65m WIDE FLOAT MODULE 2011 REVISION
  - FM12-ST-000 '2011 REVISION' 3.657m WIDE STANDARD FLOAT MODULE ASSEMBLY
  - FM12-ST-001 '2011 REVISION' 3.657m WIDE STANDARD FLOAT MODULE
  - FM12-ST-002 '2011 REVISION' 3.657m WIDE STANDARD FLOAT MODULE ASSEMBLY
  - FM12-ST-003 '2011 REVISION' 3.657m WIDE STANDARD FLOAT MODULE ASSEMBLY
- .2 FLOAT INSTALLATION
  - 722835-001-001 DEMOLITION GENERAL ARRANGEMENT
  - 722835-001-002 CONSTRUCTION GENERAL ARRANGEMENT
  - 722835-001-003 FLOAT ASSEMBLY DETAILS
  - 722835-001-004 DETAILS
- .3 REFERENCE DRAWINGS
  - 091151 CONSTRUCTION DETAILS
  - 100557-K ELECTRICAL LAYOUT

### 1.4 PROJECT SITE

- .1 Klemtu Small Craft Harbours site is located in Trout Bay adjacent to Swindle Island in the coastal fjords of British Columbia, Canada approximately 50 kilometers north of Bella Bella .

### 1.5 WORK COVERED BY CONTRACT DOCUMENTS

- .1 The work under this contract shall include the supply of equipment, labour and materials for the performance of all work as required by the Contract Documents. All replaced items, cut-offs and waste material shall be disposed by the contractor in strict accordance with provincial, local, and municipal regulations and Part 8 of the National Building Code and with the Canadian Construction Safety Code.



- .2 The work to be carried out under this contract includes the removal and disposal of existing timber floats and installation of new timber floats at Klemtu Small Craft Harbours Site.

#### **1.6 COMMENCEMENT AND COMPLETION**

- .1 Off site work is to begin upon award
- .2 On Site work may begin no earlier than July 1, 2019 with completion no later than September 30, 2019

#### **1.7 OWNER SUPPLIED MATERIALS**

- .1 The following Owner Supplied materials may be received by the Contractor at French Creek Harbour, 1055 Lee Rd, Parksville, BC V9P 2E1 following award:

- .1 2.743m Wide Standard Float Module – Qty 7
- .2 2.743m Wide Standard Back End Module – Qty 2
- .3 2.743m Wide Standard Front End Module – Qty 2
- .4 3.657m Wide Standard Float Module – Qty 8
- .5 3.657m Wide Standard Back End Module – Qty 2
- .6 3.657m Wide Standard Front End Module – Qty 2
- .7 6.705m long 152mm x 203mm creosote treated timber beams – Qty 4

**All other materials required to complete the work outlined in the contract documents must be supplied by the contractor**

#### **1.8 UNIT PRICE ITEM DESCRIPTIONS**

The following are in reference to items as detailed in Appendix 1 – Price Form

### **MANDATORY WORK ITEMS**

#### **.1 MOBILIZATION/ DEMOBILIZATION**

The lump sum cost for this item shall include the supply of materials, equipment, tools, services, labour and all things necessary to complete the following:

- .1 Mobilization/Demobilization of crew and equipment necessary to complete site work to the Project Site.
- .2 All crew living expenses and other associated costs.
- .3 Any overhead costs not covered in other items.
- .4 Site clean-up and disposal of all demolished materials, including but not limited to: treated timber, flotation, cut-offs, hardware etc.

#### **.2 ASSEMBLY OF OWNER SUPPLIED 3.657M WIDE FLOATS**

The per linear metre cost for this item includes supply all equipment, materials, labour and all things necessary to complete the following:



- .1 Take delivery of Owner supplied float module kits at location specified under Owner Furnished Items.
- .2 The Contractor must providing written confirmation that all Owner Supplied materials outlined in the contract documents have been received.
- .3 Assembly of Owner supplied float materials as shown on the drawings.

**.3 ASSEMBLY OF OWNER SUPPLIED STANDARD 2.743M WIDE FLOATS**

The per linear metre cost for this item includes supply all equipment, materials, labour and all things necessary to complete the following:

- .1 Take delivery of Owner supplied float module kits at location specified under Owner Furnished Items.
- .2 The Contractor must providing written confirmation that all Owner Supplied materials outlined in the contract documents have been received.
- .3 Assembly of Owner supplied float materials as shown on the drawings

**.4 FLOAT DEMOLITION AND DISPOSAL**

The lump sum cost for this item shall include the supply of materials, equipment, tools, services, labour and all things necessary to complete the following:

- .1 Removal and disposal of Float A, Float B, and Float C as shown on the drawings including:
- .2 Remove and salvage of all electrical equipment for reinstallation.
- .3 Removal and salvage of existing steel pile mooring brackets for reinstallation. All existing mooring piles shall remain in place.
- .4 Contractor must provide written proof of disposal from approved disposal site.

**.5 FLOAT INSTALLATION**

The lump sum cost for this item shall include the supply of materials, equipment, tools, services, labour and all things necessary to complete the following:

- .1 Delivery to Site and Installation of new timber floats as shown on the drawings.
- .2 Reinstallation of all electrical equipment with new Contractor supplied mounting hardware and blocking.
- .3 Reinstallation of steel pile mooring brackets with new Contractor supplied hardware.
- .4 Supply and install new float connectors as shown on the drawings

**OPTIONAL WORK ITEMS**

**.1 FLOAT ANCHOR UPGRADE**

The lump sum cost for this item shall include the supply of materials, equipment,



tools, services, labour and all things necessary to complete the following:

- .1 Supply and Install eight (8) new 0.762m x 0.762m x 1.524m concrete anchors complete with four (4) new 27.4m long,  $\frac{3}{4}$ " long link galvanized mooring chains and connections as shown on the drawings.

## **1.9 CONTRACTOR USE OF PREMISES**

- .1 Co-ordinate use of premises under direction of Departmental Representative.
- .2 Protect existing structures from damage during the course of work.
- .3 Repair or replace portions of existing work which have been altered during construction operations to match existing or adjoining work, as directed by Departmental Representative.
- .4 At completion of operations condition of existing work: equal to or better than that which existed before new work started.

## **1.10 WORK SEQUENCE**

- .1 Construct Work in stages to accommodate Owner's intermittent use of premises during construction.
- .2 Co-ordinate Progress Schedule [and co-ordinate with Owner Occupancy during construction.

## **1.11 CONTRACTOR USE OF PREMISES**

- .1 Limit use of premises for Work, to allow partial Owner occupancy.
- .2 Co-ordinate use of premises under direction of Departmental Representative.
- .3 Obtain and pay for use of additional storage or work areas needed for operations under this Contract.
- .4 Remove or alter existing work to prevent injury or damage to portions of existing work which remain.
- .5 Repair or replace portions of existing work which have been altered during construction operations to match existing or adjoining work, as directed by Departmental Representative.
- .6 At completion of operations condition of existing work: equal to or better than that which existed before new work started.
- .7 At completion of operations condition of existing work: equal to or better than that which existed before new work started.





#### **1.12 EXISTING SERVICES**

- .1 Notify Departmental Representative and utility companies of intended interruption of services and obtain required permission.
- .2 Establish location and extent of service lines in area of work before starting Work. Notify Departmental Representative of findings which conflict with scope of work.
- .3 Where unknown services are encountered, immediately advise Departmental Representative and confirm findings in writing.
- .4 Protect, relocate or maintain existing active services. When inactive services are encountered, cap off in manner approved by authorities having jurisdiction.
- .5 Record locations of maintained, re-routed and abandoned service lines.
- .6 Construct barriers around existing services as necessary.

#### **1.13 DOCUMENTS REQUIRED**

- .1 Maintain at job site, one copy each document as follows:
  - .1 Contract Drawings, Specifications and any Addenda.
  - .2 Change Orders and other Modifications to Contract.
  - .3 Copy of Approved Work Schedule.
  - .4 Health and Safety Plan and Other Safety Related Documents.
  - .5 All regulatory permits required for the work.
  - .6 Associated Best Management Practices documentation.

#### **1.14 BARRIERS, LIGHTS AND WATCHING**

- .1 The Contractor shall provide all requisite barriers, fences, warning signs, lights and watching for the protection of persons and property on or adjacent to the Site. Other protective devices may be required for prevention of theft or damage of goods and protection of the public and workmen, or if so ordered by the Owner.

#### **1.15 CONSTRUCTION AREA**



- .1 The Contractor shall regulate construction traffic on public areas and comply with all local ordinances in connection therewith, including load limitation and removal of debris.
- .2 The Contractor shall confine his operations on the Site to those areas actually required for the work including routes and regulations approved by the Owner for haulage of materials.

#### **1.16 WORK SCHEDULE**

- .1 Within 7 working days after Contract award, provide a schedule showing anticipated progress stages, based on items in Appendix 1 – Price Form, and final completion of the work within the time period required by Contract documents.
- .2 Interim reviews of work progress based on work schedule will be conducted as decided by Departmental Representative and schedule updated by Contractor in conjunction with and to approval of Departmental Representative.
- .3 The Contractor shall keep a daily record of progress of the work available for inspection by the Departmental Representative.
- .4 The daily record shall include particulars of weather conditions, number of men working, plant and equipment working and work performed.
- .5 The Contractor shall work whatever shifts required in order to ensure the work meets regulatory windows and is completed by the completion date of the contract.
- .6 The Contractor shall normally perform all work within the hours of daylight except in instances where the Contractor has requested and received approval for shift changed from the Owner.
- .7 The Contractor must notify the Owner immediately whenever a variation from the construction schedule is expected to occur.

#### **1.17 CO-OPERATION WITH OWNER**

- .1 Contractor to provide a written 7 day notice to the Departmental Representative prior to mobilizing to the Site.
- .2 The Contractor will give the Departmental Representative a minimum 72 hours' notice for work that may interrupt access to the harbour.



- .3 The site shall be left in a safe condition at the completion of each work day.

**PART 2 PRODUCTS**

- 2.1 NOT USED**  
.1 Not used.

**PART 3 EXECUTION**

- 3.1 NOT USED**  
.1 Not used.

**END OF SECTION**



## Section 01 20 60 – Demolition of Structures

### PART 1 GENERAL

#### 1.1 RELATED REQUIREMENTS

- .1 Section 01 11 00 SUMMARY OF WORK
- .2 Section 01 35 29.06 HEALTH AND SAFETY REQUIREMENTS
- .3 Section 01 35 43 ENVIRONMENTAL PROCEDURES

#### 1.2 SCOPE OF WORK

- .1 This sections refers to all demolition and removal of existing structural timbers and hardware including, flotation, rubstrips and any other items identified for removal in the course of completing float reconstruction work.

### PART 2 PRODUCTS

#### 2.1 EQUIPMENT

- .1 Furnish all labour, materials, tools, plant and services required incidental to the completion to the full extent of the drawings and specifications for execution of all demolition salvage and protection work specified herein.

### PART 3 EXECUTION

#### 3.1 REMOVAL OF DEMOLISHED MATERIAL

- .1 All materials, which are not to be salvaged for the Owner, shall become the Contractor's property and the Contractor must remove them from the site.
- .2 If not specifically identified, the Departmental Representative shall decide as to which material shall be salvaged for the Owner and which shall become the property of the Contractor.

#### 3.2 SALVAGED MATERIAL

- .1 Material to be salvaged for the Owner shall be stored as directed by the Departmental Representative.
- .2 Remove items to be reused, stockpile and re-install as directed by Departmental Representative.
- .3 Designate appropriate security resources/measures to prevent vandalism, damage and theft of salvaged items.
- .4 Contractor is responsible for lost, stolen or damaged materials.

#### 3.3 PROTECTION OF STRUCTURES TO REMAIN

- .1 Protect remaining structural elements, services and equipment against damage from demolition works.
- .2 Contractor is liable for any damage caused to structures not specified for removal as a result of completing work.



**3.4 SERVICES**

- .1 All services that must be removed from existing structures in order to perform work must be removed so as not to damage them.
- .2 All service materials including miscellaneous hangers, fasteners and supplies required to reinstall the services shall be supplied by the Contractor and will be of equivalent quality to the new conditions of such materials being replaced.
- .3 All materials that are not reusable shall be disposed of by the Contractor.
- .4 The Contractor shall be responsible for the handling and storage of services lines, lamps standards and other equipment during construction. All materials damaged by the Contractor shall be replaced at the Contractor's expense.

**3.5 CLEANING AND RESTORATION**

- .1 Keep site clean and organized throughout demolition procedure.
- .2 Upon completion of project or as appropriate, reinstate floats, walkways, light standards, electrical and water services and other items affected by Work to condition which existed prior to beginning of Work.

**END OF SECTION**



## Section 01 35 29.06 – Health and Safety Requirements

### PART 1 GENERAL

#### 1.1 RELATED REQUIREMENTS

- .1 Section 01 11 00 SUMMARY OF WORK
- .2 Section 01 20 60 DEMOLITION OF STRUCTURES
- .3 Section 01 35 43 ENVIRONMENTAL PROCEDURES
- .4 Section 01 99 00 TIMBER REPAIRS AND ASSEMBLY

#### 1.2 REFERENCES

- .1 Canada Labour Code, Part 2, Canada Occupational Safety and Health Regulations
- .2 Health Canada/Workplace Hazardous Materials Information System (WHMIS)
  - .1 Material Safety Data Sheets (MSDS).
- .4 Province of British Columbia
  - .1 Workers Compensation Act, RSBC 1996 - Updated 2012.

#### 1.3 ACTION AND INFORMATIONAL SUBMITTALS

- .1 Submit site-specific Health and Safety Plan: Within 7 days after date of Notice to Proceed and prior to commencement of Work. Health and Safety Plan must include:
  - .1 Results of site specific safety hazard assessment.
  - .2 Results of safety and health risk or hazard analysis for site tasks and operations.
- .2 Submit 3 copies of Contractor's authorized representative's work site health and safety inspection reports to Departmental Representative.
- .3 Submit copies of reports or directions issued by Federal, Provincial and Territorial health and safety inspectors.
- .4 Submit copies of incident and accident reports.
- .5 Submit WHMIS MSDS - Material Safety Data Sheets.
- .6 Departmental Representative will review Contractor's site-specific Health and Safety Plan and provide comments to Contractor within 5 days after receipt of plan. Revise plan as appropriate and resubmit plan to Departmental Representative 5 days after receipt of comments from Departmental Representative.
- .7 Departmental Representative's review of Contractor's final Health and Safety plan should not be construed as approval and does not reduce the Contractor's overall responsibility for construction Health and Safety.
- .8 On-site Contingency and Emergency Response Plan: address standard operating procedures to be implemented during emergency situations.

#### 1.4 FILING OF NOTICE

- .1 File Notice of Project with Provincial authorities prior to beginning of Work.
- .2 Contractor shall be responsible and assume the Principal Contractor role for each work zone location and not the entire complex. Contractor shall provide a written acknowledgement of this responsibility with 3 weeks of contract award.



- .3 Work zone locations include:
  - .1 Klemtu Small Craft Harbour.
- .4 Contractor shall agree to install proper site separation and identification in order to maintain time and space at all times throughout life of project.
- 1.5 SAFETY ASSESSMENT**
  - .1 Perform site specific safety hazard assessment related to project.
- 1.6 MEETINGS**
  - .1 Schedule and administer Health and Safety meeting with Departmental Representative prior to commencement of Work.
- 1.7 PROJECT/SITE CONDITIONS**
  - .1 Work at site will involve contact with:
    - .1 Kitasu First Nation.
- 1.8 GENERAL REQUIREMENTS**
  - .1 Develop written site-specific Health and Safety Plan based on hazard assessment prior to beginning site Work and continue to implement, maintain, and enforce plan until final demobilization from site. Health and Safety Plan must address project specifications.
  - .2 Departmental Representative may respond in writing, where deficiencies or concerns are noted and may request re-submission with correction of deficiencies or concerns.
- 1.9 RESPONSIBILITY**
  - .1 Be responsible for health and safety of persons on site, safety of property on site and for protection of persons adjacent to site and environment to extent that they may be affected by conduct of Work.
  - .2 Comply with and enforce compliance by employees with safety requirements of Contract Documents, applicable federal, provincial, territorial and local statutes, regulations, and ordinances, and with site-specific Health and Safety Plan.
- 1.10 COMPLIANCE REQUIREMENTS**
  - .1 Comply with Workers Compensation Act, B.C. Reg.
  - .2 Comply with R.S.Q., c. S-2.1, an Act respecting Health and Safety, and c. S-2.1, r.4 Safety Code for the Construction Industry.
  - .3 Comply with Occupational Health and Safety Regulations, 1996.
  - .4 Comply with Occupational Health and Safety Act, General Safety Regulations, O.I.C.
  - .5 Comply with Canada Labour Code, Canada Occupational Safety and Health Regulations.
- 1.11 UNFORSEEN HAZARDS**
  - .1 When unforeseen or peculiar safety-related factor, hazard, or condition occur during performance of Work, follow procedures in place for Employee's Right to Refuse Work in accordance with Acts and Regulations of the Province having jurisdiction and advise Departmental Representative verbally and in writing.



- .2 When unforeseen or peculiar safety-related factor, hazard, or condition occur during performance of Work, advise the Health and Safety co-ordinator and follow procedures in accordance with Acts and Regulations of the Province having jurisdiction and advise Departmental Representative verbally and in writing.

#### **1.12 HEALTH AND SAFETY CO-ORDINATOR**

- .1 Employ and assign to Work, competent and authorized representative as Health and Safety Co-ordinator. Health and Safety Co-ordinator must:
  - .1 Have site-related working experience specific to activities associated with.
  - .2 Have working knowledge of occupational safety and health regulations.
  - .3 Be responsible for completing Contractor's Health and Safety Training Sessions and ensuring that personnel not successfully completing required training are not permitted to enter site to perform Work.
  - .4 Be responsible for implementing, enforcing daily and monitoring site-specific Contractor's Health and Safety Plan.

#### **1.13 POSTING OF DOCUMENTS**

- .1 Ensure applicable items, articles, notices and orders are posted in conspicuous location on site in accordance with Acts and Regulations of the Province having jurisdiction, and in consultation with Departmental Representative.

#### **1.14 CORRECTION OF NON-COMPLIANCE**

- .1 Immediately address health and safety non-compliance issues identified by authority having jurisdiction or by Departmental Representative.
- .2 Provide Departmental Representative with written report of action taken to correct non-compliance of health and safety issues identified.
- .3 Departmental Representative may stop Work if non-compliance of health and safety regulations is not corrected.

#### **1.15 WORK STOPPAGE**

- .1 Give precedence to safety and health of public and site personnel and protection of environment over cost and schedule considerations for Work.

### **PART 2 PRODUCTS**

#### **2.1 NOT USED**

### **PART 3 EXECUTION**

#### **3.1 NOT USED**

**END OF SECTION**





## Section 01 35 43 – Environmental Procedures

### PART 1 GENERAL

#### 1.1 RELATED REQUIREMENTS

- .1 Section 01 20 60 DEMOLITION OF STRUCTURES
- .2 Section 01 35 29.06 HEALTH AND SAFETY REQUIREMENTS
- .3 Section 01 45 00 QUALITY CONTROL
- .4 Section 01 99 00 TIMBER REPAIRS AND ASSEMBLY

#### 1.2 REFERENCES

- .1 Definitions:
  - .1 Environmental Pollution and Damage: presence of chemical, physical, biological elements or agents which adversely affect human health and welfare; unfavourably alter ecological balances of importance to human life; affect other species of importance to humans; or degrade environment aesthetically, culturally and/or historically.
  - .2 Environmental Protection: prevention/control of pollution and habitat or environment disruption during construction.

#### 1.3 IN WATER WORKS

- .1 Construction equipment to be operated on land or from floating barge equipment.
- .2 Waterways to be kept free of excavated fill, waste material and debris.
- .3 Do not skid logs or construction materials across waterways.

#### 1.4 NOTIFICATION

- .1 Departmental Representative will notify Contractor in writing of observed noncompliance with Federal, Provincial or Municipal environmental laws or regulations, permits, and other elements of Contractor's Environmental Protection plan.
- .2 Contractor: after receipt of such notice, Departmental Representative of proposed corrective action and take such action for approval by Departmental Representative.
  - .1 Take action only after receipt of written approval by Departmental Representative.
- .3 Departmental Representative will issue stop order of work until satisfactory corrective action has been taken.



- .4 No time extensions granted or equitable adjustments allowed to Contractor for such suspensions.

## **PART 2 PRODUCTS**

### **2.1 NOT USED**

## **PART 3 EXECUTION**

### **3.1 EQUIPMENT OVER WATER**

- .1 Use of equipment over water shall be conducted in accordance with the following Best Management Practices:

- .1 Machinery is to arrive on site in a clean, washed condition and be free of fluid leaks.
- .2 Complete works using appropriate timing windows related to species that may be affected by the works and or methods used.
- .3 Underwater pressure waves not to exceed 30 kPa during driving.
- .4 A vibratory hammer is to be used if driving conditions permit.
- .5 Any water- based equipment or machinery moored or used during the Project must not ground on the intertidal foreshore or subtidal river or sea bed. The only exception to this condition is that use may be made of vertical spuds or other anchors to hold the water- based machinery or equipment in place.
- .6 Wash, refuel and service machinery and store fuel and other materials for the machinery at least 30 metres away from the water in order to prevent any deleterious substance from entering the water.
- .7 Pile cut- offs, waste or any miscellaneous unused materials must be recovered for either disposal in a designated facility or placed in storage.
- .8 Report any incidents of habitat damage to the Environmental Monitor or DFO to ensure that appropriate action (restoration) is taken.
- .9 If fish spawn in the area or on equipment all work should stop and the Environmental Monitor or DFO notified.

### **3.2 CLEANING**

- .1 Leave work area clean at end of each day.
- .2 Ensure public waterways, storm and sanitary sewers remain free of waste and volatile materials disposal.
- .3 Final Cleaning: upon completion remove surplus materials, rubbish, tools and equipment to the approval of the Departmental Representative.

## **END OF SECTION**



## Section 01 45 00 – Quality Control

### **PART 4      GENERAL**

#### **4.1      RELATED REQUIREMENTS**

- .1 Not Used.

#### **4.2      REFERENCES**

- .1 Construction General Conditions

#### **4.3      INSPECTION**

- .1 Refer to Construction General Conditions for stipulated interpretation.
- .2 Allow Departmental Representative access to Work. If part of Work is in preparation at locations other than Place of Work; allow access to such Work whenever it is in progress.
- .3 Give timely notice requesting inspection if Work is designated for special tests, inspections or approvals.
- .4 If Contractor covers or permits to be covered Work that has been designated for special tests, inspections or approvals before such is made, uncover such Work, have inspections or tests satisfactorily completed and make good such Work.
- .5 Departmental Representative will order part of Work to be examined if Work is suspected to be not in accordance with Contract Documents. If, upon examination such work is found not in accordance with Contract Documents, correct such Work and pay cost of examination and correction.

#### **4.4      ACCESS TO WORK**

- .1 Allow inspection/testing agencies access to Work, off site manufacturing and fabrication plants.
- .2 Co-operate to provide reasonable facilities for such access.

#### **4.5      PROCEDURES**

- .1 Notify appropriate agency in advance of requirement for tests, in order that attendance arrangements can be made.
- .2 Submit samples and/or materials required for testing, as specifically requested in specifications. Submit with reasonable promptness and in orderly sequence to not cause delays in Work.
- .3 Provide labour and facilities to obtain and handle samples and materials on site. Provide sufficient space to store and cure test samples.

#### **4.6      REJECTED WORK**

- .1 Refer to Construction General Conditions for stipulated interpretation.
- .2 Remove defective Work, whether result of poor workmanship, use of defective products or damage and whether incorporated in Work or not, which has been



rejected as failing to conform to Contract Documents. Replace or re-execute in accordance with Contract Documents.

.3 Make good other Contractor's work damaged by such removals or replacements promptly.

.4 If in opinion of Owner it is not expedient to correct defective Work or Work not performed in accordance with Contract Documents, Owner will deduct from Contract Price difference in value between Work performed and that called for by Contract Documents, amount of which will be determined by The Departmental Representative.

#### **4.7 REPORTS**

.1 Not used

### **PART 5 PRODUCTS**

#### **5.1 NOT USED**

.1 Not used.

### **PART 6 EXECUTION**

#### **6.1 3.1 NOT USED**

.1 Not Used.

**END OF SECTION**



## Section 01 51 00 – Steel Hardware

### PART 7 GENERAL

#### 7.1 RELATED REQUIREMENTS

- .1 Section 01 99 00 TIMBER REPAIRS AND ASSEMBLY
- .2 Section 01 45 00 QUALITY CONTROL
- .3 Section 31 62 16.19 STEEL PIPE PILES

#### 7.2 SCOPE OF WORK

- .1 This section refers to the steel fastenings and hardware indicated in the Contract Drawings and related specifications.

### PART 8 PRODUCTS

#### 8.1 STEEL

- .1 Small fastenings will conform to the standard for Wire Nails, Spikes, and Staples CSA B111.
- .2 Drift bolts, machine bolts, washers and miscellaneous iron will conform to the standard for General Purpose Structural Steel CAN3 G40.21-M81.
- .3 Items manufactured or fabricated from scrap steel of unknown chemical or physical properties will not be accepted for use in the work.

#### 8.2 HARDWARE

- .1 All hardware including bolts, drift bolts, carriage bolts, lag bolts, pipe sleeves, nuts and washers etc. will be hot dipped galvanized in accordance with the ASTM A153. Galvanize to 610g/m<sup>2</sup> (2oz/ft<sup>2</sup>).
- .2 All bolts will be of the full dimension specified or shown on the plan.
- .3 Unless otherwise specified, all machine bolts will be provided with round steel plate washers under head and nut.
- .4 All bolts shall be 19mm (3/4") National course thread, unless shown otherwise.
- .5 All 19mm washers shall be 6mm thick and 75mm diameter galvanized steel.
- .6 All 25mm washers shall be a minimum of 8mm thick and 100mm diameter galvanized steel.
- .7 All bolts to have 100mm (4") of thread unless shown otherwise.

### PART 9 EXECUTION

#### 9.1 ASSEMBLY

- .1 All bolts shall be tightened to 100 Newton Meters (80 ft/lbs).
- .2 Care shall be taken not to damage the treated wood finish. All treatment damaged by the Contractor shall be repaired at the Contractor's expense as per Section 01 99 00 TIMBER REPAIRS AND ASSEMBLY.
- .3 Pre-drilling:



- .1 All ends of timbers not fastened by bolts shall be predrilled prior to installation to prevent splitting.
- .4 Holes for machine bolts will be bored to provide a driving fit.

**9.2 DECKING**

- .1 Lay boards heart side down, spaced 6 mm apart.
- .2 Secure each contact point with 2 – 100mm galvanized RDOX nails.
- .3 Pre-drill deck boards for spikes nearest to both board ends.

**9.3 FASCIA**

- .1 Secure each contact point with 2 – 100mm galvanized RDOX nails.
- .2 Contact points every 500mm maximum.

**END OF SECTION**



## Section 01 99 00 – Timber Repairs and Assembly

### PART 10 GENERAL

#### 10.1 RELATED REQUIREMENTS

- .1 Section 01 51 00 STEEL HARDWARE
- .2 Section 01 35 29.06 HEALTH AND SAFETY REQUIREMENTS
- .3 Section 01 35 43 ENVIRONMENTAL PROCEDURES
- .4 Section 01 45 00 QUALITY CONTROL

#### 10.2 SCOPE OF WORK

- .1 This section refers to the supply, modification and field treatment of all timbers indicated in the Contract drawings and related specifications.

### PART 11 PRODUCTS

#### 11.1 GENERAL

- .1 Except as otherwise noted, only new materials will be used in, and remain an integral part of the structures.
- .2 The Departmental Representative may inspect materials and products at all stages of manufacture and transportation to the Project Site. Satisfactory inspection at any stage does not preclude future rejection if the materials or products are subsequently found to lack uniformity or fail to conform to the requirements specified.
- .3 Acceptance will not be made until the materials or products are satisfactorily installed in the completed structures specified.
- .4 The Contractor shall be responsible to repair all materials damaged through their handling, storage and/or installation.
- .5 Except as otherwise noted, salvaged materials deemed to be reusable by the Owner shall remain property of the Owner.

#### 11.2 TIMBER

- .1 All timber for the purpose intended shall conform to the requirements of the N.L.G.A. Standard Grading Rules for Canadian Lumber.
- .2 Refer to drawings and specifications for timber dimensions and treatment.
- .3 All timber shall be Coast Douglas Fir. No 1 Structural Grade or better, unless specified otherwise.
- .4 All decking shall be S1S2E (rough cut), heart side down.
- .5 All joists, cross-ties, stringers, blocking, bullrail, risers and fascia boards shall be S2E (rough cut).

#### 11.3 TREATMENT OF MATERIAL

- .1 Creosote-treated Materials:
  - .1 All creosote treated timber will be treated in accordance with CSA 080 and will follow the Best Management Practices for Creosote as outlined in



- “Best Management Practices for the use of Treated Wood in Aquatic Environments”.
  - .2 All creosote treated materials will have a minimum retention of 225kg per cubic metre (14lb. Per cubic foot).
- .2 Salt-treated Materials:
  - .1 All salt-treated timber to be treated in accordance with CSA 080-1989, “Wood Preservation”, and its current amendments CSA 080.14, for materials in contact with ground or water. (Only non-leachable ACA salts will be accepted).
  - .2 All salt treatment will follow the Best Management Practices for ACA and ACZA as outlines in “Best Management Practices for the use of Treated Wood in Aquatic Environments”.
  - .3 All salt-treated timber will have a minimum retention of 6.4 kg/m<sup>3</sup> (0.40 lb. Per cubic foot) and a depth of penetration of 10mm as specified in CSA 080.14.

#### 11.4 FIELD TREATING

- .1 Creosote-treated timber members that have fresh cut surfaces exposed in the structure shall be treated as specified:
  - .1 All cuts or breaks in the surfaces shall be treated with two (2) separate coats of creosote oil.
  - .2 Where bolt holes must be bored through creosote treated piles, the holes shall be filled with creosote oil and the bolts shall be dipped in hot creosote oil before bolts are placed.
  - .3 Alternative field wood treatment to be approved by the Departmental Representative before application.
  - .4 Ensure preservatives are properly stored and protected in case of spillage.
- .2 Salt-treated timber members that have fresh cut surfaces exposed in the structure shall be treated as specified:
  - .1 All field cut surfaces to be treated with two (2) coats of Copper Naphthenate.
  - .2 When field treating by brushing, spraying, dipping or soaking do so in such a manner that the preservative does not drip into the water or onto the ground.
  - .3 Ensure preservatives are properly stored and protected in case of spillage.

### PART 12 EXECUTION

#### 12.1 HANDLING OF MATERIALS

- .1 Treated material will not be accepted if damaged in any manner in handling, including damage from strapping or slings.
- .2 The Contractor shall be responsible to repair or replace all materials damaged by handling, storage and/or installation of materials.





**12.2        EXISTING STRUCTURES**

- .1        Any structures damaged by the Contractor during Work shall be repaired and made good at the Contractor's expense to the satisfaction of the Departmental Representative.

**END OF SECTION**



## Section 03 41 00 – Structural Concrete

### PART 13 GENERAL

#### 13.1

- .1 All work shall be carried out in conformance with CSA Standard CAN3.A23.1-M.

### 2 MATERIALS

- .1 Cement shall be type 10/20 Portland cement.
- .2 Fine aggregate shall conform to Clause 5.3 CSA Standard CAN3.A23.1-M.
- .3 Coarse aggregate shall conform to Clause 5.4 CSA Standard CAN3.A23.1-M group 1.
- .4 Water shall be clean and free from injurious amounts of oil, alkali, organic matter and deleterious materials.

### 3 CONCRETE MIXES

- .1 All concrete shall develop a 28 day compressive strength of 35 MPa minimum, unless noted otherwise on the drawings.
- .2 Minimum cement content shall be 300 kg per cubic metre.
- .3 Maximum water cement ratio shall be 0.40.
- .4 Air content shall be between 5% and 8%.
- .5 The concrete mix design shall be submitted to the Departmental Representative for approval prior to placing concrete. The mix design including admixtures shall not be changed without prior approval of the Departmental Representative.
- .6 Exposure class of concrete shall be C-1 as per CAN/CSA A23.1-M.

### 4 PLACING, FINISHING AND CURING CONCRETE

- .1 All concrete shall be placed in accordance with the requirements of Clause 19 CSA Standard CAN3.A23.1-M and as indicated on the drawings.
- .2 All concrete shall be placed continuously between start of placement and a control joint.
- .3 Accurate records shall be maintained for all cast-in-place concrete including date of placement, location, quantity, temperature and test samples taken.
- .4 The Departmental Representative shall be notified 48 hours prior to placement of concrete.
- .5 All defective concrete shall be removed and replaced as directed by the Departmental Representative.
- .6 Concrete shall be vibrated adequately by means of mechanical vibrators. Rock pockets and honeycombing shall not be accepted.



- .7 Cold and hot weather concrete work shall be carried out in conformance with Clause 21 of CSA Standard CAN3.A23.1-M. Procedures for this work shall be submitted to the Departmental Representative for approval.
- .8 All concrete shall be protected and cured in accordance with CSA Standard CAN3.A23.1-M.

**END OF SECTION**

