



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC

11 Laurier St./ 11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau, Québec K1A 0S5

Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Clothing and Textiles Division / Division des vêtements
et des textiles

L'Esplanade Laurier,

East Tower 7th Floor

Tour est 7e étage

140 O'Connor, rue O'Connor,

Ottawa

Ontario

K1A 0R5

Title - Sujet General Purpose Combat Boots	
Solicitation No. - N° de l'invitation W8486-184068/B	Amendment No. - N° modif. 004
Client Reference No. - N° de référence du client 6000394288	Date 2019-06-24
GETS Reference No. - N° de référence de SEAG PW-\$\$PR-760-77166	
File No. - N° de dossier pr760.W8486-184068	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-08-22	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Richard, Josette	Buyer Id - Id de l'acheteur pr760
Telephone No. - N° de téléphone (613) 462-4128 ()	FAX No. - N° de FAX (613) 943-7970
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

AMENDMENT 004

This amendment is raised to answer questions from potential bidders.

QUESTION 12: Is it possible to get a height requirement for the pre-award sample boot size 265/104? Annex B, paragraph 3.8.13 states the height of the size 275/108 is to be 23-24 cm but no reference to the size of the 265/104. How will DND determine if the boots submitted on this size are compliant?

ANSWER:

Annex B, paragraph 3.8.13 states *"The finished height must be 23.0 cm to 24.0 cm for size 275/108 and grade proportionately for each size."*

As a result, the following amendment is made:

In Annex I:

DELETE: Table II – Physical Samples To Be Submitted With The Bid, in its entirety.

REPLACE WITH:

Table II – Physical Samples To Be Submitted With The Bid

Time period	Requirement
By Bid Closing	One (1) pair of General Purpose Combat Boots in Mondopoint size 275/108 with an extra pair of laces and removable inserts.
By Bid Closing	One (1) boot cut in half lengthwise (toe to heel) in Mondopoint size 275/108 to demonstrate how the boot is constructed.

QUESTION 13: In the Request For Proposal, paragraph 4.1.2.1 (Mandatory Technical Criteria), it says that bidders may submit samples with material deviations in the form of colour only for the pre-award samples. In Annex I, paragraph 2.2.3.4, it states that DND will allow deviation in colour for the lining. Please clarify whether all materials can deviate in colour at the pre-award stage as long as they are identified in a cover letter.

ANSWER: At the pre-award stage, the only deviation allowed will be for the colour of the lining (as per Annex I, paragraph 2.2.3.4) and this will need to be identified in a cover letter. In order to emphasize this, the following amendment is made:

In Part 4, paragraph 4.1.2.1 – Mandatory Technical Criteria

DELETE:

"In addition, the Bidder may include material deviations in the form of color only for the pre-award samples, on the condition that the deviations are identified and fully described in a covering letter. All color deviations must be corrected at the pre-production and production stage to ensure full compliance."

REPLACE WITH:

"Deviations. For pre-award samples, acceptable deviations in the form of material color are identified in Annex I, paragraph 2.2.3.4. Deviations are to be identified and fully described in a covering letter. All colour deviations must be corrected at the pre-production and production stage to ensure full compliance."

QUESTION 14: The outsole measurements for the Goodyear Welt method of sole attachment do not appear to be correct. Annex B 3.6.14.1 requests the thickness of the outsole at the forepart to be 11mm and the heel to be 30mm. Outsole option 1) DND 602-1 as used on the previous GP boot in black measured 13mm at the forepart and 30mm at the heel. There was another thinner version of this outsole used on the Desert Combat Boot (DCB) that measured 11mm at the forepart and 21mm at the heel. Please provide clarification on what thickness of sole is required.

ANSWER:

For this requirement, DND requires the thickness of the DND 602-1 unit sole used to be 13mm at the forepart and 30mm at the heel.

QUESTION 15: The DND 602-1 outsole as used on the previous DND contracts is not designed to use the cushion midsole. Annex B, paragraph 3.6.14.5 and Figure 1 (toe sidewall drawing). The DND 602-1 outsole is attached directly to the TPU midsole. Please provide clarification that the cushion midsole and Figure 1 would be for Vibram sole options only and not for the DND 602-1 sole.

ANSWER: See response to Question 6 in amendment 003.

QUESTION 16: In Annex B, paragraph 3.6.14.5 (Cushion Midsole), it appears that there is a mistake, because the cushion midsole:

1. Should not and cannot be made with thermoplastic polyurethane (TPU).
2. The Shore A hardness of 65 +/- 2 seems too high compared to the hardness of the outsole which is 57 to 67.

The cushion midsole should not be the same as the midsole.

ANSWER:

See response to Question 8 in amendment 003 as the midsole material has changed to polyether polyurethane (PU) in order to be used in direct injection machinery.

The intended use of this boot (as identified in Annex B, paragraph 1.2) is for soldiers carrying heavy loads requiring shock attenuation, stability and durability. DND will increase the range of Shore A Hardness to allow bidders to choose an appropriate hardness to optimize performance.

As a result, the following amendment is made:

In Annex B, paragraph 3.6.14.5:

DELETE:

"Cushion Midsole. The cushion midsole must be thermoplastic polyurethane (TPU). When tested in accordance with ASTM D2240, the cushion midsole must have with a Shore A Hardness of 65 (tolerance: +/-2). The colour must be a commercially available colour that is a good match to the brown colour of Sealed Pattern DSSPM 273-18."

REPLACE WITH:

"The cushion midsole must be polyether polyurethane (PU). When tested in accordance with ASTM D2240, the Shore A Hardness of the cushion midsole must be a minimum of 50 to a maximum of 75. The colour must be a commercially available colour that is a good match to the brown colour of Sealed Pattern DSSPM 273-18."

All other terms and conditions remain unchanged.