


1
M-3
19TH FLOOR – PLUMBING AND FIRE PROTECTION
1:100

- DRAWING NOTES**
- 1. SUPPLY AND INSTALL NEW KITCHEN SINK, COMPLETE WITH SERVICES AND ALL ACCESSORIES. EXTEND DOW AND DWH SERVICES TO SUIT NEW LOCATION OF SINK. CONNECT SANITARY PIPE TO RISER LOCATED IN WOMEN'S WASHROOM.
 - 2. SUPPLY AND INSTALL NEW 30m FIRE HOSE. PROVIDE NEW SUPPORT BRACKET TO SUIT. CABINET TO REMAIN. MATCH BASEBUILDING COMPONENTS. SUPPLY AND INSTALL NEW 10LBS MULTIPURPOSE DRY CHEMICAL FIRE EXTINGUISHER IN FIRE HOSE CABINET.
 - 3. REMOVE EXISTING WATER CLOSET, LAVATORY AND SHOWER. CAP SANITARY DRAIN PIPES WITHIN 18TH FLOOR CEILING SPACE.
 - 4. REMOVE EXISTING KITCHEN SINK. CAP SANITARY DRAIN PIPE WITHIN 18TH FLOOR CEILING SPACE.
 - 5. CONTRACTOR TO SUPPLY AND INSTALL TWO NEW CUSTOM PERIMETER INDUCTION UNITS TO MATCH EXISTING COMPLETE WITH ALL COILS, MOTORIZED VALVES, BALANCING VALVES, ISOLATION VALVES, PIPING, AND ACCESSORIES. REFER TO HVAC LAYOUT.

Canada



R.J. McKee
ENGINEERING LTD.
1785 Woodward Drive
Ottawa, ON K2C 0P9
CANADA
Tel: (613) 723-0585
Fax: (613) 723-0584
www.mckeeottawa.ca



Contractor to verify all dimensions
& conditions on site and immediately
notify the engineer of all discrepancies.

04	Issued for Addendum M001	2018-05-31
03	Issued for Tender	2018-01-10
02	Issued for 99% Client Review	2018-03-09
01	Issued for 66% Client Review	2018-02-14

revisions	description	date
A	A detail no. n° du détail	A
B	B location drawing no. sur dessin n°	B
C	C drawing no. dessin n°	C

project
**Generic Swing Space
at LEL West Tower**

300 Laurier West, Ottawa, ON

drawing
**MECHANICAL:
19TH FLOOR - PLUMBING AND
FIRE PROTECTION**

Designed By	K.J.	Conçu par
Date	2018-02-09	(aaaa/mm/jj)
Drawn By	K.J.	Dessiné par
Date	2018-02-09	(aaaa/mm/jj)
Reviewed By	S.C.	Examiné par
Date	2018-02-09	(aaaa/mm/jj)
Approved By	S.C.	Approuvé par
Date	2018-02-09	(aaaa/mm/jj)
Tender		Soumission
	Brent Cheff	
Project Manager	Administrateur de projets	
Project no.	N° du projet	
	R.088901.013	
Drawing no.	N° du dessin	
	M-3	

