



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
Room 310,
269 Main Street,
Winnipeg
Manitoba
R3C 1B3
Bid Fax: (204) 983-0338

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada -
Western Region
Room 310,
269 Main Street,
Winnipeg
Manitoba
R3C 1B3

Title - Sujet Furniture	
Solicitation No. - N° de l'invitation M5000-197162/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client M5000-197162	Date 2019-08-13
GETS Reference No. - N° de référence de SEAG PW-\$WPG-006-10869	
File No. - N° de dossier WPG-9-42049 (006)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-08-28	Time Zone Fuseau horaire Central Daylight Saving Time CDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Graham, Danielle	Buyer Id - Id de l'acheteur wpg006
Telephone No. - N° de téléphone (204) 292-2872 ()	FAX No. - N° de FAX (204) 983-7796
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Royal Canadian Mounted Police K Division Headquarters 11140-109th Street Edmonton, AB T5G 2T4	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

This **amendment # 003** is raised to respond to bidder's questions and modify **solicitation # M5000-197162/A** as follows:

Question 1:

Where overheads are back-to-back, would the CA accept a lower panel and an upmount overhead?


Answer 1:

No, we do not wish to substitute for a lower panel with an up mount overhead.

Question 2:

Annex C Floor Plan(s), Category 1A Panel C is noted as having Powered Outlets and Panel D is noted as Non-Powered. The provided drawings appear to show Panel D as having Power and Panel C as being Non-Powered. Please confirm the panels that is to be powered. Can you note the requested power locations on the drawings?

(Continued below)



Only Panel C is to be powered. Panel D is to be non-powered.

Question 3:

Category 1B Item G, Overhead Storage must be panel mounted as per the drawing above. In order for this to be possible the panel must be a single frame to support the weight of the storage unit and its contents. Are we to follow the design above? If so the panel will need to be taller than the SA Seated Height of 50" to 54" and not us stack on panels. This is a warranty and safety concern.

Answer 3:

Please follow the design. Panel C description has been corrected below in the "Delete and Insert" section.

Question 4:

Category 1B calls for a Mobile Pedestal with a laminate construction. Would a pedestal with high pressure laminate drawer fronts that match the worksurface and a painted metal case construction body be acceptable? The drawer fronts will match the laminate work surfaces and be able to be keyed alike with the overhead storage.

Answer 4:

No, mobile pedestal is to be laminate construction.

Question 5:

The number of ceiling feeds noted on the drawings (30) are not required by our manufacture to support the number of workstations indicated in the typical designs. We can support up to 8 workstations with one ceiling feed. Is it acceptable reduce the amount of ceiling feeds as per the manufacturer's standards?


Answer 5:

No, provide the number of ceiling feeds as per the layouts.

Question 6:

C "Seated Privacy Height" requested and is approx 51"h. Can you confirm where overhead is located the requested height is "standing" height privacy vs seated?

	42 vv
C	Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Powered outlet(s) Below Work Surface / Prise(s) électrique(s) au dessous de la surface de travail Lower Element, Élément inférieur 1 & 2: Fabric / tissu Upper Element, Élément supérieur 1&2: Tackable Surface / surface punaisable 42"W



Answer 6:

Yes, 'C' panel, where the overhead storage is located, needs to be standing height.

Question 7:

Keyboard is noted for 30" deep worksurfaces. Please clarify keyboard trays noted on below drawing are on 24"d worksurface.

E, E1, E2	Free Standing Systems / Fixed Height Work Surfaces (Laminate) / , Rectangular / Rectangulaire, Panel Mounted / Monté sur cloison, and/or worksurface support plus gable end Grommets / , 24X42X29
------------------	--

K, K1, K2	Free Standing Systems / Fixed Height Work Surfaces (Laminate) / , Rectangular / Rectangulaire, Panel Mounted / Monté sur cloison, and/or worksurface support plus gable end Grommets / , 30X72X29
Category 5	

Answer 8:

E and K are to be panel mounted and E1, E2, K1 and K2 are to be 1 work surface support plus 1 full gable.

1. Reference Annex C and modify as follows :

DELETE:

Category 1a Requirement, 3. Workstation layout, Category 1A:

C	Seated Privacy Height Add On / Panneau additionnel pour intimité en position assise Powered outlet(s) Below Work Surface / Prise(s) électrique(s) au dessous de la surface de travail Lower Element, Élément inférieur 1 & 2: Fabric / tissu Upper Element, Élément supérieur 1&2: Tackable Surface / surface punaisable 42"W
----------	---

INSERT:

Category 1a Requirement, 3. Workstation Layout, Category 1A, Category 1A Non-SA:

C	Standing Privacy Height Add On Powered outlet(s) Below Work Surface / Prise(s) électrique(s) au dessous de la surface de travail Lower Element, Élément inférieur 1 & 2: Fabric / tissu Upper Element, Élément supérieur 1&2: Tackable Surface / surface punaisable 42"W
----------	--