



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scotia

B3J 1T3

Bid Fax: (902) 496-5016

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scot

B3J 1T3

| | |
|---|---|
| Title - Sujet TC - Furniture Request NFLD | |
| Solicitation No. - N° de l'invitation EC096-200866/A | Amendment No. - N° modif. 004 |
| Client Reference No. - N° de référence du client EC096-20-0866 | Date 2019-08-22 |
| GETS Reference No. - N° de référence de SEAG PW-\$HAL-219-10755 | |
| File No. - N° de dossier HAL-9-83072 (219) | CCC No./N° CCC - FMS No./N° VME |
| Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-08-29 | Time Zone Fuseau horaire Atlantic Daylight Saving Time ADT |
| F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/> | |
| Address Enquiries to: - Adresser toutes questions à: Richard, Linda K. | Buyer Id - Id de l'acheteur hal219 |
| Telephone No. - N° de téléphone (902) 402-9059 () | FAX No. - N° de FAX (902) 496-5016 |
| Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: | |

Instructions: See Herein

Instructions: Voir aux présentes

| | |
|--|--|
| Delivery Required - Livraison exigée | Delivery Offered - Livraison proposée |
| Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur | |
| Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur | |
| Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie) | |
| Signature | Date |

EC096-200866

SOLICITATION AMENDMENT 4

This amendment is issued in response to the following questions:

1. BIDDER QUESTIONS

Question 1:

Can the cat 6 non-SA items be grouped with the SA items of like product (i.e non-sa screen – item 1 with sa screen – item 17 & 18 and non SA table – item 3 with SA table – item 6), to allow for more competition.

Answer 1:

No, the CAT6 cannot be subdivided.

Question 2:

Just want to clarify cat 6 item #9 the GoCuid is a meeting table 36" square at bar height 41-43" high, the description does not indicate the bar height.

Answer 2:

Please replace GoCuid for 6CCMVASQPL36L36TNXX

Question 3:

Cat 6 item #21 casters are indicated but are not part of the GoCuid provided. – Can you clarify?

Answer 3:

Casters is not an SA option as per the Matrix, please move it to the Non-SA table as new item #4.

Question 4:

On the drwg the notes are to include 3 duplex per station, they are showing in one panel based on the location of the height adjustable table. Would it be acceptable to locate 2

duplex in one larger panel (36" and over) and 1 duplex in a smaller panel adjacent to the larger to accommodate the 3 duplex requirement per station?

Answer 4:

Yes, that is acceptable.

Question 5:

When there is a discrepancy between the Floorplan and the Office Types, can you please confirm which one takes precedence?

Answer 5:

Please follow the floor plan.

2. ANNEX A – REQUIREMENT AND BASIS OF PAYMENT

Delete: In its entirety

Insert: The following (changes are bolded)

ANNEX A REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

☒ **Category 1**

☒ **Category 2**

☒ **Category 5**

*** Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.**

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.

The requirement includes the following category (ies) of work

a. Category 1 – Interconnecting Panels and Freestanding Systems

☒ Category 1a – Interconnecting Panels (Refer to Annex C)

☒ Category 1b – Supporting components and freestanding furniture

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b. ☒ Category 2 – Freestanding Height Adjustable Desk / Table Products

c. ☐ Category 3 – Metal Filing and Storage Cabinets

RULE: High Storage Products

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA.

Maximum Height for product #(s) _____ at article 3 of this Annex is _____.

d. ☐ Category 4 – Wood Veneer – Freestanding Products

e. ☒ Category 5 – Ancillary and Lighting Products

f. ☒ Category 6 - Support Space – Collaborative Furniture

RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

The IU must identify how Category 6 will be subdivided in the Product Table for Category 6.

g. ☒ NSA Product(s) – Category(ies): 1 and 2

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. (Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.)

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. **Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.**

****Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.****

In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Product Category(ies): 1A, 1B, 2 and 5

Table 1 – Product Table

| Section A - IU REQUIREMENT | | | | Section B – SUPPLIER’S BID | | |
|--------------------------------------|---|--|------------------|----------------------------|-------------------------|---------------------------------------|
| # | GoCUID | Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA) | Qty | Supplier Part Number | Firm Unit Price** \$ | Extended Total [Qty x Price] \$ |
| Category 1A | | | | | | |
| **SEE ANNEX C AND FLOOR PLANS | | | | | | |
| 1 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric No electrical outlets 610mm / 24” panel | | Refer to Annex C | | | \$ |
| 2 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric No electrical outlets 762mm / 30” panel | | Refer to Annex C | | | \$ |
| 3 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric No electrical outlets 914mm / 36” panel | | Refer to Annex C | | | \$ |
| 4 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric | | Refer to Annex C | | | \$ |

| | | | | |
|----|--|------------------|--|----|
| | <ul style="list-style-type: none"> No electrical outlets 1067mm / 42" panel | | | |
| 5 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric Electrical outlets at base, one side 1067mm / 42" panel | Refer to Annex C | | \$ |
| 6 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric Electrical outlets at base, two sides 1067mm / 42" panel | Refer to Annex C | | \$ |
| 7 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric No electrical outlets 1220mm / 48" panel | Refer to Annex C | | \$ |
| 8 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric Electrical outlets at base, one side 1220mm / 48" panel | Refer to Annex C | | \$ |
| 9 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric Electrical outlets at base, two sides 1220mm / 48" panel | Refer to Annex C | | \$ |
| 10 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric No electrical outlets 1370mm / 54" panel | Refer to Annex C | | \$ |
| 11 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric Electrical outlets at base, one side 1370mm / 54" panel | Refer to Annex C | | \$ |
| 12 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric Electrical outlets at base, two sides 1370mm / 54" panel | Refer to Annex C | | \$ |
| 13 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric Electrical outlets at base, one side 1524mm / 60" panel | Refer to Annex C | | \$ |
| 14 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Fabric Electrical outlets at base, two sides | Refer to Annex C | | \$ |

| | | | | |
|----|--|------------------|--|----|
| | 1524mm / 60" panel | | | |
| 15 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Accessory Rail No electrical outlets 610mm / 24" panel | Refer to Annex C | | \$ |
| 16 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Accessory Rail No electrical outlets 914mm / 36" panel | Refer to Annex C | | \$ |
| 17 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Accessory Rail No electrical outlets 1067mm / 42" panel | Refer to Annex C | | \$ |
| 18 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Accessory Rail No electrical outlets 1220mm / 48" panel | Refer to Annex C | | \$ |
| 19 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Accessory Rail No electrical outlets Width: 1370mm / 54" panel | Refer to Annex C | | \$ |
| 20 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – Accessory Rail No electrical outlets Width: 1524mm / 60" panel | Refer to Annex C | | \$ |
| 21 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Accessory Rail Side 2: Lower – Fabric, Upper – Accessory Rail No electrical outlets Width: 610mm / 24" panel | Refer to Annex C | | \$ |
| 22 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Accessory Rail Side 2: Lower – Fabric, Upper – Accessory Rail No electrical outlets Width: 914mm / 36" panel | Refer to Annex C | | \$ |
| 23 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – White Board No electrical outlets Width: 914mm / 36" panel | Refer to Annex C | | \$ |
| 24 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – White Board No electrical outlets | Refer to Annex C | | \$ |

| | | | | |
|----|---|------------------|--|----|
| | Width: 1067mm / 42" panel | | | |
| 25 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – White Board No electrical outlets Width: 1220mm / 48" panel | Refer to Annex C | | \$ |
| 26 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – White Board No electrical outlets Width: 1370mm / 54" panel | Refer to Annex C | | \$ |
| 27 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – White Board Electrical outlets on one side Width: 1370mm / 54" panel | Refer to Annex C | | \$ |
| 28 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Fabric Side 2: Lower – Fabric, Upper – White Board No electrical outlets Width: 1524mm / 60" panel | Refer to Annex C | | \$ |
| 29 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – White Board Side 2: Lower – Fabric, Upper – White Board No electrical outlets Width: 1220mm / 48" panel | Refer to Annex C | | \$ |
| 30 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – White Board Side 2: Lower – Fabric, Upper – White Board No electrical outlets Width: 1370mm / 54" panel | Refer to Annex C | | \$ |
| 31 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – White Board Side 2: Lower – Fabric, Upper – White Board No electrical outlets Width: 1524mm / 60" panel | Refer to Annex C | | \$ |
| 32 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – White Board Side 2: Lower – Fabric, Upper – White Board Electrical outlets on one side Width: 1524mm / 60" panel | Refer to Annex C | | \$ |
| 33 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – White Board Side 2: Lower – Fabric, Upper – White Board Electrical outlets on two sides Width: 1524mm / 60" panel | Refer to Annex C | | \$ |
| 34 | <ul style="list-style-type: none"> Seated Privacy Height, base panel only Air Flow No electrical outlets Width: 605mm / 24" panel | Refer to Annex C | | \$ |

| | | | | |
|----|--|------------------|--|----|
| 35 | <ul style="list-style-type: none"> Seated Privacy Height, base panel only Air Flow No electrical outlets Width: 1050mm / 42" panel | Refer to Annex C | | \$ |
| 36 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Clear Glazing Side 2: Lower – Fabric, Upper – Clear Glazing No electrical outlets Width: 915mm / 36" panel | Refer to Annex C | | \$ |
| 37 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Clear Glazing Side 2: Lower – Fabric, Upper – Clear Glazing No electrical outlets Width: 1220mm / 48" panel | Refer to Annex C | | \$ |
| 38 | <ul style="list-style-type: none"> Seated Privacy Height Add On Side 1: Lower – Fabric, Upper – Clear Glazing Side 2: Lower – Fabric, Upper – Clear Glazing Electrical outlets on one side Width: 1370mm / 54" panel | Refer to Annex C | | \$ |

Category 1B

| | | | | | | |
|---|-------------------------|--|----|--|----|----|
| 1 | 1bFFHREN24L36W NOLNY | Panel mount worksurface (36x24) | 17 | | \$ | \$ |
| 2 | 1bFFHREN24L42W NOLNY | Panel mount worksurface (42x24) | 39 | | \$ | \$ |
| 3 | 1bFFHREN24L48W NOLNY | Panel mount worksurface (48x24) | 18 | | \$ | \$ |
| 4 | 1bFFHREN24L54W NOLNY | Panel mount worksurface (54x24) | 4 | | \$ | \$ |
| 5 | 1bFFHREN24L60W NOLNY | Panel mount worksurface (60x24) | 2 | | \$ | \$ |
| 6 | 1bFFHREG24L60W NOLNY | Worksurface 2 full gables (30hx60wx24d) **No Grommet (office Type 6) | 2 | | \$ | \$ |
| 7 | 1bFFHREG24L54W NOLNY | Worksurface 2 full gables (30h54wx24d) **No Grommet (office 18) | 1 | | \$ | \$ |

| | | | | | | |
|----|-----------------------------|--|----|--|----|----|
| 8 | 1bHHCLS15L60XF TXXXX | Hutch 60" wide Hinged doors (office Type 6) GoCuid for: overhead with single slinding doors, keyed, 60" long | 2 | | \$ | \$ |
| 9 | 1bFFHREW30L48W NOLNY | Worksurface 1 full / 1 half gable (30hx48wx30d) **No Grommet (office type 18) | 1 | | \$ | \$ |
| 10 | 1bSPSOLGL24305 4XKXX | Personal Storage Tower- Wardrobe one side, 2 file drawers at bottom and open cupboard above. 1372mm (54 in.) high. 24x30 –Right handed. Laminate (office 6 and 18) | 3 | | | |
| 11 | 1bSPSOLGA24305 4XKXX | Personal Storage Tower- Wardrobe one side, 2 file drawers at bottom and open cupboard above. 1372mm (54 in.) high. 24x30 (38 Right handed and 42 Left Handed) | 80 | | \$ | \$ |
| 12 | 1bSPBMCAL1524X XYKXX | Box/File Pedestal on casters with cushion seat, 24" deep- Laminate (office 6) | 2 | | | |
| 13 | 1bSBBSLGL1524X XNKXX | Box/Box/File Pedestal, 24" deep- Laminate. To support Non-SA item 3 (Office 18) | 1 | | | |
| 14 | 1bSPBMCAA1524X XYKXX | Box/File Pedestal on casters with cushion seat, 24" deep. | 47 | | \$ | \$ |
| 15 | 1bSBBSLGA1524X XNKXX | Box/Box/File Pedestal- Work Surface Supporting, Depth 610mm (24 in.) | 35 | | \$ | \$ |
| 16 | Accessory Rail Component | Telephone Shelf | 15 | | | |
| 17 | Accessory Rail Component | Binder Bin | 80 | | | |

| | | | | | | |
|--|--|--|-----|----------------------------|-------------------------|------------------------------------|
| 18 | Accessory Rail Component | Horizontal Paper Sorter | 120 | | | |
| 19 | Accessory Rail Component | Vertical Paper Sorter | 80 | | | |
| Category 2 | | | | | | |
| 1 | 2WSSREXXL24L42 BELXX | 24"x42" Height Adjustable Table- Electrically assisted | 3 | | \$ | \$ |
| 2 | 2WSSREXXL24L48 BELXX | 24"x48" Height Adjustable Table- Electrically assisted | 26 | | \$ | \$ |
| 3 | 2WSSREXXL24L54 BELXX | 24"x54" Height Adjustable Table- Electrically assisted | 40 | | \$ | \$ |
| 4 | 2WSSREXXL24L60 BELXX | 24"x60" Height Adjustable Table- Electrically assisted | 12 | | \$ | \$ |
| 5 | 2WSSREXXL24L48 BELXX | Height Adjustable Meeting Table (for quiet room 714) | 1 | | \$ | \$ |
| Category 5 | | | | | | |
| 1 | 5MOASGARMCLPMT XXXXX | Monitor Arm. Single Monitor, Edge Clamp Mount | 82 | | \$ | \$ |
| 2 | 5KMSWGPSUFHASS XXXXX Or 5KMSWFPSUFHASS XXXXX | Keyboard and Mouse Support Surface for H/A Surface- Foam or Gel support acceptable | 59 | | \$ | \$ |
| NSA products The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. | | | | | | |
| Section A - IU REQUIREMENT | | | | Section B – SUPPLIER'S BID | | |
| # | NSA Product(s) Description | Qty | | Supplier Part Number | Firm Unit Price** \$ | Extended Total [Qty x Price] \$ |
| 1 | Panel mount worksurface (24x24) | 72 | | | \$ | \$ |
| 2 | L shaped Height Adjustable surface with fabric modesty screens. 48x54, Laminate top. (Office 18) | 1 | | | \$ | \$ |

| | | | | | |
|---|--|---|---------------|--|----|
| 3 | Worksurface- Laminate C-Legs (30hx24wx24d) To be supported by SA item 13 from Cat1B | 1 | | | |
| | | | Product Total | | \$ |

Table 2 - Delivery

| Section A - IU REQUIREMENT | | | | Section B – SUPPLIER’S BID | |
|--|---|------------------------|--|---|-------------------|
| Product Item # from Table 1 | Location | Desired Date** (Y/M/D) | Desired Time: Normal Business Hours Or Outside Normal Business Hours * | Supplier will supply and deliver as per below** | Firm Lot Price \$ |
| 1 | John Cabot Building 10 Barters Hill, St. John’s, NL, A1C 6M1 7 th Floor – Transport Canada | 2019/12/19 | Outside Normal BH | ____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation. Finish samples will need to be provided after award prior to finish selection.</i> | \$ |
| <p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Please be prepared to provide pictures or website links for each product item.</p> <p>****the supplier is to provide a detailed floor plan showing each product number with selected finish prior to installation.</p> | | | | Delivery Total: | \$ |

Table 3 – Installation

| Section A - IU REQUIREMENT | | | | Section B – SUPPLIER’S BID | |
|-----------------------------|----------|------------------------|--|--------------------------------------|-------------------|
| Product Item # from Table 1 | Location | Desired Date** (Y/M/D) | Desired Time: Normal Business Hours Or Outside Normal Business Hours * | Supplier will install as per below** | Firm Lot Price \$ |

| | | | | | |
|---|---|------------|----------------------|---|----|
| 1 | John Cabot Building 10 Barters Hill, St. John's, NL, A1C 6M1 7 th Floor – Transport Canada | 2019/12/19 | Outside Normal BH | _____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation. Finish samples will need to be provided after award prior to finish selection.</i> | \$ |
| <p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Please be prepared to provide pictures or website links for each product item.</p> <p>****the supplier is to provide a detailed floor plan showing each product number with selected finish prior to installation.</p> <ul style="list-style-type: none"> • All electrical outlets to be checked to ensure connectivity prior to installation completion. This may require an additional site visit once base building electrical has been connected. • Feed all electrical cords associated with the furniture system (lamps, desk-top power modals, etc.) through vertical wire managers allowing sufficient slack for height adjustable table movement without putting stress on the cables. • Ensure all electric height adjustable tables are celebrated and functioning. • Ensure all height adjustable tables are installed with a gap at all sides to avoid finger pinch and hitting other surfaces, panels or trims. | | | | Installation Total: | \$ |

Table 4 – Optional Product

☒ Not Applicable

Table 5 – Optional Delivery

☒ Not Applicable

Table 6 – Optional Installation

☒ Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

| | |
|-----|--|
| 1. | Standard Finishes |
| 1.1 | IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes. |
| | Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of |

| | | |
|-----------|---|--|
| | Canada's finish choices for each of the product(s) in Annex A. | |
| | The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada. | |
| 2. | Canada's Facilities to Accommodate the Delivery <i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i> <i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i> | |
| 2.1 | Loading Dock/Location | |
| A | Location | John Cabot Building, 10 Barters Hill, St. John's, NL, A1C 6M1 |
| B | Dock | None |
| C | Lift | Main Elevators Weight Capacity: 1600kgs Dimensions: 15"H x 71"W x 60"D Clear Opening: 41.5"x84" |
| D | Door | Man Door Clearance: 30"x82" / Sliding Door Clearance: 36"x82" (sliding door access for delivery available through Commissionaire only, see 2.3) |
| E | Freight Elevator | None |
| F | Other (specify, if any) | Main Entrance Sliding Door: delivery of product through the main entry sliding doors will require the supervision of a Commissionaire provided by the Contracting Authority. Damage to any portion of this door system during product delivery will be the responsibility of the Contractor to repair to original condition. |
| 3. | Continuance of Certifications | |
| | The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User. | |
| 3.1 | Integrity Provisions | |
| 3.2 | Federal Contractor's Program for Employment Equity | |
| 3.4 | Product Conformance | |
| 3.5 | Price Certification (In accordance with the SA, Part 6B) | |

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

| | | |
|----|---|----|
| 1 | Firm Product Total (Table 1) | \$ |
| 2 | Firm Delivery Total (Table 2) | \$ |
| 3 | Firm Installation Total (Table 3) | \$ |
| 4 | Optional Product Total (Table 4) <i>(Applicable if Option is exercised)</i> | \$ |
| 5 | Optional Delivery Total (Table 5) <i>(Applicable if Option is exercised)</i> | \$ |
| 6 | Optional Installation Total (Table 6) <i>(Applicable if Option is exercised)</i> | \$ |
| 7 | Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i> | \$ |
| 8 | Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) <i>[to be removed at contract award]</i> | \$ |
| 9 | Contract Price(1+2+3+7): <i>[applicable at contract award only]</i> | \$ |
| 10 | Applicable Tax(es): <i>[applicable at contract award only]</i> | \$ |
| 11 | Total Estimated Cost (9+10): <i>[applicable at contract award only]</i> | \$ |



* Applicable taxes extra.





Table 9 – Bidder's Authorized Representative





| | |
|----|---|
| 1. | Bidder's Authorized Representative for the Bid and the Contract |
|----|---|





| | | |
|--|-------|------------|
| | Name: | Telephone: |
| | | E-Mail: |
| | | Other: |





Table 1 – Product Table Category 6





| Section A - IU REQUIREMENT | | | | Section B – SUPPLIER’S BID | | |
|----------------------------|---------------------|---|-----|----------------------------|-------------------------|---------------------------------------|
| # | GoCUID | Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA) **Products are not limited to the pictures, they only serve as a guide. | Qty | Supplier Part Number | Firm Unit Price** \$ | Extended Total [Qty x Price] \$ |
| 1 | 6MMTMDRENL36L72WYNX | Meeting Room Table (Rectangle) (Item 6A on Annex C) 36" X 72" **With power module and wire management laminate box both at the centre of the table to conceal floor power box. Floor box size: 8"x8"  | 3 | | \$ | \$ |
| 2 | 6MMTSMROPL36XXWNNX | Meeting Room Table with metal disc base (Round) (Item 6B on annex C)  | 8 | | \$ | \$ |
| 3 | 6CKIVAREWL48L96PYXX | Conference Table (Bar height) 48" x 96" (Item 6C on Annex C) | 1 | | \$ | \$ |



| | | | | | | |
|---|-------------------------|--|----|--|----|----|
| | |  | | | | |
| 4 | 6KBSBHxxSY15XX XRONX | Bar Stool- Plastic (item 6D on Annex C)  | 6 | | \$ | \$ |
| 5 | 6SBATWXXLUW3G1 9LMYN | Ganging Banquet Seating (item 6Q in annex C) Two seater from 42 and 48 Wide.  | 4 | | \$ | \$ |
| 6 | 6CCTVARELL24L4 8JNXX | Coffee Table (item 6F in annex C)  | 1 | | \$ | \$ |
| 7 | 6KKCSAxxLY16XX XMINX | Kitchenette Chair, plastic, 4 legs (item 6G on annex C) | 14 | | \$ | \$ |

| | | | | | | |
|----|-------------------------|---|---|--|----|----|
| | |  | | | | |
| 8 | 6CCMVAROPL30XX XPNXX | Kitchenette Bar Height Table (Item 6H on Annex C)  | 2 | | \$ | \$ |
| 9 | 6CCMVASQPL36L3 6TNXX | Meeting Room Table (Square) (item 6I on annex C)  | 2 | | \$ | \$ |
| 10 | 6MMTMDREOL36L7 2WYNX | Collaborative Table (Rectangle) (item 6J in annex C)  | 1 | | \$ | \$ |
| 11 | 6SBATHXXLUW5G1 9LMNN | Ganging Banquet Seating- three seater (Item 6K on Annex C) From 68" to 74" Wide. | 1 | | \$ | \$ |

| | | | | | | |
|----|-------------------------|---|----|--|----|----|
| | |  | | | | |
| 12 | 6SBATHXXLUW5G1 9LMNN | Ganging Banquet Seating- three seater (Item 6E on Annex C) From 68" to 74" Wide. Must be compatible with SA item 13 and NonSA item 2 below.  | 1 | | | |
| 13 | 6SBATWXXLUW3G1 9LMYN | Ganging Banquet Seating (Item 6E on Annex C) From 68" to 74" Wide. Must be compatible with item 12  above. | 1 | | \$ | \$ |
| 14 | 6MTRXTRECL24L3 6WYYY | Exam Desks w/ modesty (item 6W on annex C)  | 15 | | \$ | \$ |
| 15 | 6MMTMDREOL3012 0WYNX | Meeting Table 4 Post legs | 1 | | \$ | \$ |



| | | | | | | |
|----|-------------------------|---|---|--|----|----|
| | | **No Power module 30"x120" In area 718 | | | | |
| | |  | | | | |
| 16 | 6STCWRXXLUXXX XXNNX | Lounge Chair on casters (Item 6M on annex C) | 5 | | \$ | \$ |
| | |  | | | | |
| 17 | 6LWBFWSXXXXXX XXNNN | Lounge Screen (whiteboard) on casters- 30" wide, 60" high. (item 6R in annex C) | 1 | | \$ | \$ |
| | |  | | | | |
| 18 | 6LFSUPXXXXW8XX XTXXX | Lounge Screen (fabric) 42" Wide, 54" high (item 6S in annex C) | 1 | | \$ | \$ |
| | |  | | | | |
| 19 | 6MMTLGBTNL5414 4WYNX | Meeting Table 54" x 144" Boat top (item 6U in annex C) ** With power module and wire management laminate box both at the centre of the table to conceal floor power box. Floor box size: | 1 | | \$ | \$ |

| | | | | | | |
|----|--|--|----|--|----|----|
| | | 8"x8" | | | | |
| | |  | | | | |
| 20 | 6MMTLGBTNL4812 OWYNX | Meeting Table 48" x 120" Boat top (Item 6T in annex C) ** With power module and wire management laminate box both at the centre of the table to conceal floor power box. Floor box size: 8"x8"  | 1 | | \$ | \$ |
| 21 | 6KKCSAxxLY16XX XMIYX SEE NON SA ITEM #4 BELOW | Casual Meeting Chair with castors, Vinyl. (Item 6V on annex C in area 718)  | 6 | | \$ | \$ |
| 22 | 6KKCSAxxSY16XX XMIYX | Kitchenette Chair, plastic, fabric seat sled base (item 6G on annex C)  | 14 | | | |
| 23 | 6KKCSAxxLY16XX XMIYX | Kitchenette Chair, plastic, fabric seat 4 metal legs | 5 | | | |

| | | | | | | |
|----|-------------------------|--|---|--|--|--|
| | | (item 6G on annex C)  | | | | |
| 24 | 6KBSBHxxSY15XX XROYX | Bar Stool- Fabric Seat (item 6D on Annex C)  | 6 | | | |

NSA products

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

| Section A - IU REQUIREMENT | | | Section B – SUPPLIER’S BID | | |
|----------------------------|--|-----|----------------------------|-------------------------|---------------------------------------|
| # | NON-SA Product(s) | Qty | Supplier Part Number | Firm Unit Price** \$ | Extended Total [Qty x Price] \$ |
| 1 | Fabric Privacy Screen on casters-56” high maximum. 36” Wide. (For training room)  | 3 | | \$ | \$ |
| 2 | Corner unit must be compatible/attached to SA item 12 above (no privacy screen) same features as 6SBATHXXLUW5G19LMNN (Item 6L in annex C) From 28 to 32” deep From 48” to 54” wide  | 1 | | \$ | \$ |



| | | | | | |
|---|--|---|---------------|--|----|
| 3 | Round Side Table with disc base. 30" diameter, laminate. (item 6P in annex C)  | 4 | | | |
| 4 | Casual Meeting Chair with castors, Vinyl. (Item 6V on annex C in area 718)  | 6 | | | |
| | | | Product Total | | \$ |

Table 2 - Delivery

| Section A - IU REQUIREMENT | | | | Section B – SUPPLIER'S BID | |
|--|---|------------------------|--|--|-------------------|
| Product Item # from Table 1 | Location | Desired Date** (Y/M/D) | Desired Time: Normal Business Hours Or Outside Normal Business Hours * | Supplier will supply and deliver as per below** | Firm Lot Price \$ |
| 1 | John Cabot Building 10 Barters Hill, St. John's, NL, A1C 6M1 7 th Floor – Transport Canada | 2019/12/19 | Outside Normal BH | _____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation. Finish samples will need to be provided after award prior to finish selection.</i> | \$ |
| <p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Please be prepared to provide pictures or website links for each product item.</p> | | | | Delivery Total: | \$ |

| | | |
|--|--|--|
| ****the supplier is to provide a detailed floor plan showing each product number with selected finish prior to installation. | | |
|--|--|--|

Table 3 – Installation

| Section A - IU REQUIREMENT | | | | Section B – SUPPLIER’S BID | |
|--|---|------------------------|--|---|-------------------|
| Product Item # from Table 1 | Location | Desired Date** (Y/M/D) | Desired Time: Normal Business Hours Or Outside Normal Business Hours * | Supplier will install as per below** | Firm Lot Price \$ |
| 1 | John Cabot Building 10 Barters Hill, St. John’s, NL, A1C 6M1 7 th Floor – Transport Canada | 2019/12/19 | Outside Normal BH | _____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation. Finish samples will need to be provided after award prior to finish selection.</i> | \$ |
| <p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>***Please be prepared to provide pictures or website links for each product item.</p> <p>****the supplier is to provide a detailed floor plan showing each product number with selected finish prior to installation.</p> <ul style="list-style-type: none"> All electrical outlets to be checked to ensure connectivity prior to installation completion. This may require an additional site visit once base building electrical has been connected. Feed all electrical cords associated with the furniture system (lamps, desk-top power modals, etc.) through vertical | | | | Installation Total: | \$ |

| | | |
|--|--|--|
| <p>wire managers allowing sufficient slack for height adjustable table movement without putting stress on the cables.</p> <ul style="list-style-type: none"> • Ensure all electric height adjustable tables are celebrated and functioning. • Ensure all height adjustable tables are installed with a gap at all sides to avoid finger pinch and hitting other surfaces, panels or trims. | | |
|--|--|--|

Table 4 – Optional Product

☒ Not Applicable

Table 5 – Optional Delivery

☒ Not Applicable

Table 6 – Optional Installation

☒ Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

| | | |
|-----------|--|--|
| 1. | Standard Finishes | |
| 1.1 | <p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p> | |
| 2. | <p>Canada's Facilities to Accommodate the Delivery</p> <p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p> | |
| 2.1 | Loading Dock/Location | |
| A | Location | John Cabot Building, 10 Barters Hill, St. John's, NL, A1C 6M1 |
| B | Dock | None |
| C | Lift | <p>Main Elevators</p> <p>Weight Capacity: 1600kgs</p> <p>Dimensions: 15"H x 71"W x 60"D</p> <p>Clear Opening: 41.5"x84"</p> |
| D | Door | Man Door Clearance: 30"x82" / Sliding Door Clearance: 36"x82" (sliding door access for delivery available through Commissionaire only, see 2.3) |
| E | Freight Elevator | None |
| F | Other (specify, if any) | Main Entrance Sliding Door: delivery of product through the main entry sliding doors will require the supervision of a Commissionaire provided by the Contracting Authority. Damage to any portion of this door system during product delivery will be the responsibility of the Contractor to repair to original condition. |
| 3. | Continuance of Certifications | |
| | <p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the</p> | |

| | |
|-----|--|
| | Identified User. |
| 3.1 | Integrity Provisions |
| 3.2 | Federal Contractor's Program for Employment Equity |
| 3.4 | Product Conformance |
| 3.5 | Price Certification (In accordance with the SA, Part 6B) |

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

| | | |
|----|---|----|
| 1 | Firm Product Total (Table 1) | \$ |
| 2 | Firm Delivery Total (Table 2) | \$ |
| 3 | Firm Installation Total (Table 3) | \$ |
| 4 | Optional Product Total (Table 4) <i>(Applicable if Option is exercised)</i> | \$ |
| 5 | Optional Delivery Total (Table 5) <i>(Applicable if Option is exercised)</i> | \$ |
| 6 | Optional Installation Total (Table 6) <i>(Applicable if Option is exercised)</i> | \$ |
| 7 | Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i> | \$ |
| 8 | Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) <i>[to be removed at contract award]</i> | \$ |
| 9 | Contract Price(1+2+3+7): <i>[applicable at contract award only]</i> | \$ |
| 10 | Applicable Tax(es): <i>[applicable at contract award only]</i> | \$ |
| 11 | Total Estimated Cost (9+10): <i>[applicable at contract award only]</i> | \$ |

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

| | | | |
|----|---|------------|--|
| 1. | Bidder's Authorized Representative for the Bid and the Contract | | |
| | Name: | Telephone: | |
| | | E-Mail: | |
| | | Other: | |

