



Transport  
Canada

Transports  
Canada

**PLACE DE VILLE, TOWER C,  
330 SPARKS STREET  
OTTAWA, ONTARIO K1A 0W8**

File No.: T8080-190125/A

**SEPTEMBER 4, 2019**

### **ADDENDUM #3**

**Subject: Request for Proposals T8080-190125/A  
Composite Cylinder Study**

**No consideration will be given for extras and/or changes because the tenderer was not familiar with the contents of this Addendum.**

The following question have been received from potential Bidders about the subject Request for Proposals. The purpose of this Addendum to the Request for Proposals is to summarize the questions and answers for the information of all potential Bidders.

---

#### **Question #1**

We're having trouble finding cylinders which are within 2 years of their 15-year service life. It would be appreciated if you accept our request to change this part to "used cylinders" (their service life has finished) since finding and purchasing the cylinders with this item seems impossible.

#### **Answer #1**

Section 3.1.3. of the request for proposal Scope of Work states that used cylinders are to be "within 2 years of their 15-year service life, prior to their disposal." That is, the cylinders selected must have been in use for a minimum of 13 years to a maximum of 15 years, and that no more than two years has passed since the end of their service life. Used cylinders are acceptable as long as they have not been stored for greater than 2 years after the end of their service life.

**Bidders are to acknowledge this Addendum by signing in the space provided below and enclosing a copy of this document with their proposal.**

All other terms and conditions of the Request for Proposals remain unchanged.

**Canada**



Transport  
Canada

Transports  
Canada

**RECEIPT ACKNOWLEDGED**

**Name of Company** \_\_\_\_\_

**Signature** \_\_\_\_\_

Yours truly,

Bruce Weir  
Procurement Advisor  
Materiel and Contracting Services  
Tel:613-993-7415  
E-mail: [bruce.weir@tc.gc.ca](mailto:bruce.weir@tc.gc.ca)