



GENERAL NOTES AND TECHNICAL SPECIFICATION

1. GENERAL NOTES
 - 1.1. THIS PLAN SHOULD BE READ ALONG WITH THE OTHERS PROFESSIONAL'S PLANS.
 - 1.2. BEFORE SUBMITTING A BID, THE CONTRACTOR MUST VISIT THE SITE AND ACCEPT ALL THE EXISTING CONDITIONS PRIOR TO THE PROJECT.
 - 1.3. LEVELS INDICATED ARE METRIC/IMPERIAL
 - 1.4. ALL DRY MATERIAL OF DEMOLITION FROM THE EXCAVATION (PAVING, CONCRETE, ETC.) THAT CAN'T BE REUSED FOR BACKFILL HAVE TO BE DISPOSED IN AN AUTHORIZED BY THE MINISTRY OF ENVIRONMENT OF QUEBEC ACCORDING ON "THE REGULATION OF SOLID WASTE" AND THE L.Q.E.
 - 1.5. BACKFILL MATERIALS AND MATERIALS FOR GRANULAR FOUNDATION HAVE TO BE CONFORM TO THE C.C.D.G. OF M.T.Q., MOST RECENT VERSION.
 - 1.6. TEMPORARY EXCAVATION SLOPE HAS TO BE CONFORM TO THE REQUIREMENT OF THE C.N.E.S.S.T.
 - 1.7. THE CONTRACTOR HAS TO LOCALIZE ALL THE EXISTING UNDERGROUND UTILITIES ON THE WORKING SITE. NO VERIFICATION WITH "INFO-EXCAVATION" HAS BEEN MADE IN THE CONCEPTION OF THESE PLANS.
 - 1.8. FOR GEOTECHNICAL INFORMATION ON SITE, REFER TO THE PROVIDED GEOTECHNICAL REPORT.
 - 1.9. AT THE END OF THE CONSTRUCTION, THE CONTRACTOR HAS TO CLEAN THE SITE UNTIL THE CLIENT AND THE ENGINEER ARE SATISFIED.
 - 1.10. CONDUCTS HAVE TO BE INSTALL WITHOUT ANY SLOPE AND A MINIMAL COVER OF 1,0M
 - 1.11. DEPTH AND LOCALIZATION HAVE TO BE VERIFY BY THE CONTRACTOR BEFORE THE BEGINNING OF THE CONSTRUCTION
 - 1.12. IN CASE OF DIVERGENCE, OMISSION OR ERROR ON THE PLANS, CONTRACTOR SHOULD ADVISE THE ENGINEER AS SOON AS POSSIBLE.
2. SHOP DRAWINGS
 - 2.1 THE CONTRACTOR MUST PROVIDE SHOP DRAWINGS AND MUST RECEIVE THE ENGINEER'S APPROVAL BEFORE PROCEEDING WITH PLACING A PURCHASE ORDER.
3. PLANS "AS BUILD"
 - 3.1 THE CONTRACTOR MUST PROVIDE ANNOTATED "AS-BUILT" DRAWINGS IN ORDER TO RECEIVE THE ENGINEERING FINAL APPROVAL.

THE GENERAL CONTRACTOR MUST VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE, AND INFORM THE STRUCTURAL ENGINEER OF ANY IRREGULARITIES OR OMISSIONS BEFORE STARTING THE WORK. NO DIMENSION MUST BE MEASURED ON THE PLANS. ALL PLANS REMAIN THE PROPERTY OF THE ENGINEER.

THIS REPRODUCIBLE COPY CAN'T BE MODIFIED OR USED WITHOUT THE WRITTEN CONSENT OF MA-TH, ALL RIGHTS RESERVED.

NUM.	DATE	REVISIONS AND ISSUES	BY	APP.
E	2019-08-29	RE-ISSUED FOR TENDER	FA	AL
D	2019-07-11	RE-ISSUED FOR TENDER	FA	AL
C	2019-07-09	ISSUED FOR TENDER	FA	AL
B	2018-09-04	POUR SOUMISSION	FA	AL
A	2018-08-28	POUR COMMENTAIRE	FA	AL



Canmet ÉNERGIE
Canmet ENERGY

ARCHITECTE:
LE GROUPE CONSEIL BERMAN

4115, rue Ontario Est, Bureau 200, Montréal, QC
info@gr-berman.ca (514) 481-4107

ENGINEER:
M.A.T.H.
SOLUTION D'INGÉNIERIE
M O N T R E A L D R U M M O N D V I L L E
(514) 316-7840 | (819) 253-1060
info@ma-th.ca

SEALS:

PROJECT:
CANMET ÉNERGIE
1615 Boulevard Lionel-Boulet, Varennes, QC
PROJECT IPAC - HEAT PUMP
GEOHERMAL WITH CO2

DRAWING TITLE:
AMÉNAGEMENT PROPOSÉ

DRAWN BY: F. ALLARD	APPROVED BY: A. LYNCH
DATE: 2018-08-28	SCALE: 1 : 300 S.I.C.
PROJECT NUM.: 18203	DRAWING NUM.: C-101a