



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

Bid Receiving - PWGSC / Réception des soumissions  
→ TPSGC  
10th Floor, 4900 Yonge Street /  
10e étage, 4900 rue Yonge  
Toronto  
Ontario  
M2N 6A6

**SOLICITATION AMENDMENT  
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address  
Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Public Works and Government Services Canada  
Ontario Region  
10th Floor, 4900 Yonge Street  
Toronto  
Ontario  
M2N 6A6

<b>Title - Sujet</b> Expedient Explosive Detectors	
<b>Solicitation No. - N° de l'invitation</b> W6399-19KH19/A	<b>Amendment No. - N° modif.</b> 006
<b>Client Reference No. - N° de référence du client</b> W6399-19KH19	<b>Date</b> 2019-10-08
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$TOR-008-7805	
<b>File No. - N° de dossier</b> TOR-9-42029 (008)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2019-10-16</b>	
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Leslie, Sandra	<b>Buyer Id - Id de l'acheteur</b> tor008
<b>Telephone No. - N° de téléphone</b> (416) 575-8256 ( )	<b>FAX No. - N° de FAX</b> ( ) -
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation  
W6399-19KH19/A  
Client Ref. No. - N° de réf. du client  
W6399-19KH19

Amd. No. - N° de la modif.  
006  
File No. - N° du dossier  
TOR-9-42029

Buyer ID - Id de l'acheteur  
TOR008  
CCC No./N° CCC - FMS No./N° VME

Amendment 006 is being issued to respond to questions received on solicitation no W6399-19KH19/A.

**QUESTION 1:** Would DND consider increasing the minimum levels of detection (LOD) for the following a) explosives and b) narcotics criteria's listed below?

**a) Explosives**

PETN increase from 1 ng to 5 ng  
HMX increase from 5 ng to 50 ng  
NG increase from 2 ng to 5 ng  
ETN increase from 10 ng to 100 ng

**b) Narcotics**

Tramadol increase from 10 ng to 100 ng  
LSD increase from 10 ng to 100 ng

**RESPONSE 1:** We cannot move on our requirements as they have been carefully considered against the intended use. The intended use will not be within an Airport Safety or Border Security scenario, but rather an overseas military context and hence are not looking for compliance with any aviation standards.

**QUESTION 2:** Could you confirm whether the consumables is for 5000 samplings or 1000 samplings.

**RESPONSE 2:** 5000 Samplings

**QUESTION 3:** There are 3 types of documentation required for proof of compliance, please confirm the documents required for;

- Item 3 b) Detection and Identification - confirm this actually requires 3. Performance tests and not 2) Description of evidence
- Item 7 Detection time – confirm this actually requires 3. Performance tests – laboratory analysis and not 2) Description of evidence
- Item 10 Start up - confirm this actually requires 3. Performance tests – laboratory analysis and not 2) Description of evidence
- Item 11 Ruggedness/Environmental a) b and c) confirm this actually requires 3. Performance tests – laboratory analysis and not 2) Description of evidence

**RESPONSE 3:** item 3b) Correct – Performance Tests are required.  
Item 7) Correct – Performance Tests are required.  
Item 10) DND is willing to accept either Performance Tests or Description of the Evidence.  
Item 11 a,b,c) Correct – Performance Tests are required.

**QUESTION 4:** Is the Support Services line item on page 23/38 a mistake and should it be deleted?

**RESPONSE 4:** This refers to the in-service support in annex A.

**QUESTION 5:** Should the words "Markup quoted must not exceed a maximum of 5% be deleted" since we are supposed to insert a markup % in the table for each year.

**RESPONSE 5:** No, this should not be deleted. The mark-up quoted must not a maximum of exceed 5%.

Solicitation No. - N° de l'invitation  
W6399-19KH19/A  
Client Ref. No. - N° de réf. du client  
W6399-19KH19

Amd. No. - N° de la modif.  
006  
File No. - N° du dossier  
TOR-9-42029

Buyer ID - Id de l'acheteur  
TOR008  
CCC No./N° CCC - FMS No./N° VME

**QUESTION 6:** The Table gives us 5\_% places to put our markup which is understood – For evaluation purposes, are we supposed to multiply the \$5000 estimated annual expenditure by our % and then put a dollar figure in the extended price column. (For example, if markup was 25% would we multiply by \$5,000 and enter \$6250 for year 2019/2020 and so on.

**RESPONSE 6:** Yes

---

If your bid has already been submitted, you may wish to revise it. Any revisions to your bid must be received by the Bid Receiving Unit on or before the time and date stated on page 1 of this document. Any revisions to your bid received after the closing date and time will be consider late and will be returned unopened.