



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
Halifax
Nova Scotia
B3J 1T3
Bid Fax: (902) 496-5016

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions
1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
Halifax
Nova Scot
B3J 1T3

Title - Sujet Preservative & Sealing Compounds	
Solicitation No. - N° de l'invitation W355B-208434/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client W355B-20-8434	Date 2019-10-18
GETS Reference No. - N° de référence de SEAG PW-SHAL-207-10782	
File No. - N° de dossier hal207.W355B-208434	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2019-11-06	Time Zone Fuseau horaire Atlantic Standard Time AST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Grieve, Bronwen	Buyer Id - Id de l'acheteur hal207
Telephone No. - N° de téléphone (902) 943-2394 ()	FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment 002 is raised to amend the solicitation to allow for equivalent products

1. Under section 2.1 Standard Instructions, Clauses and Conditions:

INSERT:

2.1.1 Equivalent Products

1. Products that are equivalent in form, fit, function and quality to the item(s) specified in the bid solicitation will be considered where the Bidder:
 - a. designates the brand name, model and/or part number of the substitute product;
 - b. states that the substitute product is fully interchangeable with the item specified;
 - c. provides complete specifications and descriptive literature for each substitute product;
 - d. provides compliance statements that include technical specifics showing the substitute product meets all mandatory performance criteria that are specified in the bid solicitation; and
 - e. clearly identifies those areas in the specifications and descriptive literature that support the substitute product's compliance with any mandatory performance criteria.
2. Products offered as equivalent in form, fit, function and quality will not be considered if:
 - a. the bid fails to provide all the information requested to allow the Contracting Authority to fully evaluate the equivalency of each substitute product; or
 - b. the substitute product fails to meet or exceed the mandatory performance criteria specified in the bid solicitation for that item.
3. In conducting its evaluation of the bids, Canada may, but will have no obligation to, request bidders offering a substitute product to demonstrate, at the sole cost of bidders, that the substitute product is equivalent to the item specified in the bid solicitation.

2. Under section 4.1.1.1 Mandatory Technical Criteria

DELETE: in its entirety

INSERT:

Bidders must provide documentation to demonstrate that proposed products match **or are equivalent to** the parts list as details in Annex "A".

3. Under Annex "A":

DELETE: in its entirety

INSERT:

ANNEX "A"
REQUIREMENT

The following table contains the items to be provided under the terms of this contract:

Bidders offering equivalent products must demonstrate how their products meet or exceed the requirement detailed in the table below.

Item No.	Item	NSN	MPN List	Description	Unit of Measure	Qty	Product Offered (must be completed by Bidder)	Compliant (Yes or No)
1	SEALANT, CORROSION INHIBITIVE, PRO-SEAL, 6	20-A0B4299	Prc-Desoto International Inc 870B-2-654 OR Equivalent	PPG Aerospace® P/S 870 B-2 Gray MIL-PRF-81733D Ty II-2, Class 1, GA Spec Corrosion Inhibitive Sealant - 6 oz 654-SemKit Size: 6 oz MIL Spec: MIL-PRF-81733 Type II Class 1 Grade A P/S 870 Class B is a two-part, manganese dioxide cured polysulfide compound. The uncured material is a low sag, thixotropic paste suitable for application by extrusion gun or spatula. It cures at room temperature to form a resilient sealant having excellent adhesion to common substrates.	Each	325		
2	PUTTY ALUMINUM	20-A0F0438	Devcon Corp DVC10610 OR Equivalent	Aluminum putty, Devcon DVC10610 Package: 1 lb can (includes resin and hardener) Mil Spec: DOD-C-2417B (SH) Max. Temp.: 250 Degrees F Tensile Strength: 2600 PSI Viscosity: Putty	Each	2		

Sollicitation No. - N° de l'invitation
W355B-208434/A
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.
002
File No. - N° du dossier

Buyer ID - Id de l'acheteur
hta1207
CCC No./N° CCC - FMS No./N° VME

3	PUTTY	00-1450300	Military Specifications MIL-PRF-8116 2LB CAN OR Equivalent	Aluminum putty (F) is for non-rusting repairs to aluminum castings, machinery and equipment. Resistant to chlorofluorocarbons, bonds to aluminum, fills porosity. Can be machined, drilled or tapped. Putty, non-hardening, corrosion inhibiting Package: 2lb can Mil Spec: MIL-PRF-8116D NON-HARDENING; CORROSION INHIBITING; FOR USE AS SEALER FOR CRACKS, SMALL VOIDS, PIN HOLES AND SEAMS	Each	12			

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED